Remington Arms Co., Inc. Product Service Legal Case #:5644

Case Information

RE# **Date Opened** Date Opened(PS) **Date Closed Incident Date** Pre Lit Obsolete Lit 1/13/2011 1/14/2011 1/14/2011 218785

Customer Information

Business First Name **Last Name** Street City State Contact Type Zip Age Rt 69 Incident Raymond Amo Taberg NY 13471 H 617-2990

Incident Information

Claims Repair Est. **Medical Treatment Medical Status** Codes

ΡI

Cause: 4038 Could Not Duplicate Concern PD

Unknown Concern: 1008 Fired on Bolt Closing

C

1/24/11 Per note iwth rifle, closed bolt and weapon fired. Happened twice.cm

Firearm Information

Fired on closing bolt

Model/Ga. SKU Serial Bbl. DOM Mfg. Type 700/3006 SPR CF/BA 25813 B6892987 DH 9/28/1987 Remington Original Date Where Purchased Accessories

Purchased

Owner **BOTTOM HALF SEE THRU**

OUTDOOR SPORTS HDQ INC

MOUNTS, SLING

U

CONCERN:FBC

Ammunition Information - None Defined Other Products Information - None Defined

Settlement

Remington/700/CF/BA

Reim. Date Cash Date Cash Release of Claims Release Date Reimbursement Settlement Settlement APV

Per Ilion, replace TPA, clean, test fire at 1/2 normal cost

> Repair/Replacement Repair/Replacement Cost Date

1/24/11 Per Ilion, could not duplicate concern. Trigger assm very dirty and sticky, parts work sluggish. Replace TPA, clean, test fire at 1/2 normal cost.cm

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment	
	Examiner		B.TRAVIS	
	Exam Date		1/14/2011	
Examination	Product Type		RF	
	Action Type		A	
	Assigned To		T.NAGLE	
Cause	4038	Could Not Duplicate Concern	POOR MAINTENENCE	
Barrel	Description		22" 3006 SPR	
	Date Code		DH	
	Bore Plugged	False	Cet.	
	Bulged	False	[] \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
	Fired	False] // // // // // // // // // // // // //	
	Fired while Obstructed		-	

http://cps03ap13:200/psaapp/PrintDisplay.aspx?ID=5644&Type=Case

1/24/2011

,	Muzzle/Crown Condition	Slightly Worn; Functioning	
	Firing Pin	Slightly Worn; Functioning	1
	Shroud	Slightly Worn; Functioning	
Bolt	Face	Slightly Worn; Functioning	
	Handle	Slightly Worn; Functioning	1
	Stop	Slightly Worn; Functioning	
	Condition	Slightly Worn; Functioning	
Extractor	Cut Condition	Slightly Worn; Functioning	
	Ext/Eject Test	False	
	Block Condition	Select	
Locking	Lug Condition	Slightly Worn; Functioning	
	Notch Condition	Select	
	Exterior Condition	Slightly Worn; Functioning	ACT AND TPA VERY DIRTY
Overall	Stock Condition	Slightly Worn; Functioning	
	Fore End Condition	Select	
Receiver	Condition	Slightly Worn; Functioning]
Receiver	Bulged	False	
	Description		M/700 SAFETY
Safety	Function	Like new; Functioning	
	Sub-Assembly	Non-ISS	
	Lift	Select	.014
Sear	Notch	Slightly Worn; Functioning	DIRTY
	Tests	Test Fired	False
Feeding Test	1 CStS	False	
	Condition	Slightly Worn; Functioning	VERY DIRTY
Trigger	Pull	Select	6#
I rigger	Altered	False	
	Sub-Assembly	M/700 Non-Bolt Lock]
Non-Remington Components	Description		BOTTOM HALF SEE THRU MOUNTS, SLING

394

NOTE: Please complete and print this form, and then include it with your firearm.

Model Number: 700 LH	Serial Number: 8689 2987
Are you the original owner?: NO	
Name: Raymond L Amo	Date of Purchase: 7 82-86
Address (no PO Boxes): RT 69	
city: Tabeeg	State: 104. Zip: 1,3491
Phone (Daytime): 6 (7-2 99 0	Fax:
E-mail Address:(if e-mail address is provided, notification	on of receipt and shipment will be
sent)	· · · · · · · · · · · · · · · · · · ·
E-mail Address:	·
I would like to receive future e-mail updates from Re	emington.
Please describe your problem and date of occurrence	:e:
closed Both amo	and Werpon
	plicate concern
1	y + Sticky, part
want stuggs	H. Ry lace TOA,
CLEAN+ TEST	
Normal Lost.	
500 characters left	Quote
Ammunition Information:	
Manufacturer: Remington	Type:
Other (i.e. bullet weight/type, shot size, powder):	50
Handload Information:	
Powder Used:	Powder Weight:
Case/Hull Used:	Primer Used:
Bullet Type/Shot Size:	Reloader Used:
)에 LE (오르크 나 \
	// JAN 17 2011 型
	₽ ∨•

Firearms Care (Cleaning and Lubrication):
Brand of cleaning solution used:
How often do you clean the bore? (Months or Number of rounds)
How often do you clean the action? (Months or Number of rounds)
How often do you clean the trigger assembly? (Months or Number of rounds) NoveR
Brand of lubricant used:
How often do you lubricate the bore? (Months or Number of rounds) AFTER Hunting Sen
How often do you lubricate the action? (Months or Number of rounds)
How often do you lubricate the trigger assembly? (Months or Number of rounds)
Have you reviewed the cleaning and maintenance recommendations on our web site or in our owners manual?
YES YES
When was the last time that your firearm was serviced by a Remington authorized
repairman/gunsmith?) Never
What were the services performed?)



IN YOUR FIREARM OR IN THE SAME BOX WITH THE YOU FEEL YOU MUST SEND SPENT SHELLS PLEASE SEND ADDRESS (WITH ZIP CODE), TELEPHONE AND MODEL AND

je in shipping and handling. Preferably.

:: Remove all accessories from your firearm to prevent loss or damage.

:: Provide a return address on both the outside and inside the box. Shipments without a proper return address will be refused.



Remington Arms Company, Inc. 870 Remington Drive P. O. Box 700 Madison, NC 27025-0700

ARS LABEL REQUEST FORM

DATE:	11/2/2010	REQUESTED BY:	christy
QUANTITY:	1,	WEIGHT PER PACKAGE:	10
REASEICHECKIONE MEDIA MEDIA COORDINATOR TO MAIL		I WILL MAIL	xxxxxxxxx
DESCRIPTION: 7	700		

LABEL INFORMATION

MAIL LABEL TO:	Raymond Amo 4115 Rt. 69 Taberg, NY 13471		
RETURN ITEM TO	: Rem Product Service		

REESE COMPLETE ALL PARTS OF THIS FORM: AND SEND TO THE MEDIA COORDINATOR

4XX596 NOV 3 SVC GNDCGH TRACKINGH 1Z4XX5969 REF 1 RAYMOND AMO/C REF 2.700	АСТ 965210	ALL (WT 10.0 L 0369	CURR USD .BS	1 06	7 I
HANDLING CHARGE 0.0 SINGLE-PIECE PUB RA DV 0.00 DC 0.00 AH 0.00 TOT PUB CHG 7 27		GS: 0.00 0.00 0.00 0.00 PUB+HAND	29 02 42	1/P USD 0.50 0.00 0.00 7.27	









