Remington Arms Co., Inc. **Product Service** Legal Case #:5265

Case Information

RE# **Date Opened** Date Opened(PS) **Date Closed Incident Date** Pre Lit Lit Obsolete

217710 1/6/2011 12/1/2010 1/7/2011

Customer Information

Incident Information

Type **Business** First Name Last Name Street City Contact Zip Age 1141 Luzerne St Alexander Boginski Scranton PA 18504 H 570-344-5269

Incident

Claims Codes Repair Est. **Medical Treatment Medical Status** 

PΙ

PD Cause: 4038 Could Not Duplicate Concern

S Fired on safety release

Concern: 1007 Fired on Safe Release

Unknown

12/1/10 Per call from Boginski, he is the original owner of his 700 BDL 30-06 and recently, the 2nd round he shot for the day fired when he took it off safe. He cleaned his bolt and trigger with starter fluid but it still does it. He has never adjusted the trigger.cm

Firearm Information

Mfg. Type Model/Ga.

SKU

Serial Bbl.

DOM

Remington

CF/BA

700/30-06 SPR

n/a

A6487878 WO 8/15/1977

**Date Purchased** 

Where Purchased

Accessories

Original Owner

JERRYS SPORT MONTDALE PA

SCOPE BASE

Y

**BDL CONCERN:FSR** 

Ammunition Information - None Defined Other Products Information - None Defined Settlement

Remington/700/CF/BA

Settlement

Release of Claims

**Release Date** 

Reimbursement

Cash

Cash

Reim. Settlement Date APV Date APV

Per Ilion, replace TPA, clean, test fire at BLSM program price

Repair/Replacement

Repair/Replacement

Cost

Date

53.40

1/18/2011

12/1/10 Mailing ARS.cm Box order# 1168033 1/17/11 Per Ilion, could not duplicate concern. Replace TPA, clean, test fire under BLSM program price of \$20 S&H.cm 118 Left vace nessa

Examination[Remington/CF/BA]

| Part   | Sub-Part     | Code                           | Comment         |
|--------|--------------|--------------------------------|-----------------|
|        | Examiner     |                                | B.TRAVIS        |
|        | Exam Date    |                                | 1/7/2011        |
|        | Product Type |                                | RF              |
|        | Action Type  |                                | A               |
|        | Assigned To  |                                | T.NAGLE         |
| Cause  |              | Could Not Duplicate<br>Concern |                 |
| Barrel | Description  |                                | 22" 3006 SPR LH |
|        | Date Code    |                                | WO              |
|        | Bore Plugged | False                          |                 |
|        | Bulged       | False                          |                 |
|        | Fired        | False                          |                 |
|        |              |                                |                 |

http://cps03ap13:200/psaapp/PrintDisplay.aspx?ID=5265&Type=Case

1/18/2011

| 1                           | Fired while Obstructed    | ı                             |                                                   |
|-----------------------------|---------------------------|-------------------------------|---------------------------------------------------|
|                             | Muzzle/Crown<br>Condition | Slightly Worn;<br>Functioning |                                                   |
| Bolt                        | Firing Pin                | Slightly Worn;<br>Functioning |                                                   |
|                             | Shroud                    | Slightly Worn;<br>Functioning |                                                   |
|                             | Face                      | Slightly Worn;<br>Functioning |                                                   |
|                             | Handle                    | Slightly Worn;<br>Functioning |                                                   |
|                             | Stop                      | Slightly Worn;<br>Functioning |                                                   |
|                             | Condition                 | Slightly Worn;<br>Functioning |                                                   |
| Extractor                   | Cut Condition             | Slightly Worn;<br>Functioning |                                                   |
|                             | Ext/Eject Test            | False                         |                                                   |
|                             | Block Condition           | Select                        |                                                   |
| Locking                     | Lug Condition             | Slightly Worn;<br>Functioning |                                                   |
|                             | Notch Condition           | Select                        |                                                   |
|                             | Condition                 | Select                        |                                                   |
| Magazine                    | Box Condition             | Select                        | MAG/FLOOR PLATE WAS OUT OF POSITION WENT RECEIVED |
|                             | Exterior Condition        | Slightly Worn;<br>Functioning |                                                   |
| Overall                     | Stock Condition           | Slightly Worn;<br>Functioning |                                                   |
|                             | Fore End Condition        | Select                        |                                                   |
| Receiver                    | Condition                 | Slightly Worn;<br>Functioning |                                                   |
|                             | Bulged                    | False                         |                                                   |
|                             | Description               |                               | M/700 BOLT LOCK SAFETY                            |
| Safety                      | Function                  | Like new; Functioning         |                                                   |
| ٠                           | Sub-Assembly              | Non-ISS                       |                                                   |
|                             | Lift                      | Select                        | .012                                              |
| Sear                        | Notch                     | Slightly Worn;<br>Functioning |                                                   |
| Feeding Test                | Tests                     | Test Fired<br>False           | False                                             |
|                             | Condition                 | Slightly Worn;<br>Functioning | RUSTY,TRIG IS BENT                                |
| Trigger                     | Pull                      | Select                        | 9.5#                                              |
| and the second              | Altered                   | False                         |                                                   |
|                             | Sub-Assembly              | M/700 Bolt Lock               |                                                   |
| Non-Remington<br>Components | Description               |                               | SCOPE BASE                                        |

December 1, 2010

Alexander Biginsky 1141 Luzerne St Scranton, PA 18504

Subject: #5265, Model 700

Dear Mr. Biginsky,

Enclosed is the UPS ground shipping label for shipment of the rifle to our factory for inspection. Please include a copy of this letter with the firearm. The letter inside is important as sometimes the outside label gets damaged in transit and we want to be sure the firearm is logged in correctly. Please mark the ends of the box with "Product Service". Apply the label to your box and take it to a UPS terminal or driver for shipping.

I apologize for the inconvenience that this incident has caused and I hope that these actions will keep you as a loyal Remington customer.

Sincerely,


Christy Mitchell Consumer Affairs Administrator Phone: 800-243-9700, ext 8684 christy.mitchell@remington.com · BY:

enclosure

T.A. TITIS DENT, MAS. O.O.P. Pupher TPA, CLEAN +TAST Fine unden BLP for \$ 20.00 + Ship

Remington Arms Company, Inc. • 870 Remington Drive • P.O. Box 700 • Madison, NC 27025 Phone 800-243-9700 • www.remington.com





cm

NOTE: Please complete and print this form, and then include it with your firearm.

| Model Number: Ren 700 LH 30-06                                  | Serial Number: A648             | 37878                                 |  |  |
|-----------------------------------------------------------------|---------------------------------|---------------------------------------|--|--|
| Are you the original owner?:                                    |                                 |                                       |  |  |
| Name: Alex M Boginski                                           | Date of Purchase: 1.0           | -26-7,7                               |  |  |
| Address (no PO Boxes): 1141 Lyzerne Street                      |                                 |                                       |  |  |
| city: SCRANTON                                                  | State: Pa                       | zip: 18504                            |  |  |
| Phone (Daylime) 570) 344-5269                                   | Fax:                            |                                       |  |  |
| E-mail Address:(if e-mail address is provided, notification     | of receipt and shipment will be | e .                                   |  |  |
| Sent) i                                                         |                                 |                                       |  |  |
| would like to receive future e-mail updates from Rem            | nington.                        |                                       |  |  |
| NOU 26 2010. Sight in when knocking off Saf Chamber. Pushed off | ety. Put 15<br>- SaFety 90      | Pullet in                             |  |  |
| 500 characters left                                             |                                 | · · · · · · · · · · · · · · · · · · · |  |  |
| Ammunition Information:                                         |                                 |                                       |  |  |
| Manufacturer: Reming to N 30-06                                 | Type: Express C                 | one-Lott                              |  |  |
| Other (i.e. bullet weight/lype, shot size, powder):             |                                 |                                       |  |  |
| ,                                                               |                                 |                                       |  |  |
| Handload Information:                                           |                                 |                                       |  |  |
| Powder Used:                                                    | Powder Weight:                  |                                       |  |  |
| Case/Hull Used:                                                 | Primer Used:                    |                                       |  |  |
| Bullet Type/Shot Size:                                          | Reloader Used:                  |                                       |  |  |

| Firearms Care (Cleaning and Lubrication):                                                                                                                                                                                                                                                                                                                                                                                                      |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Brand of cleaning solution used: Ren O: L                                                                                                                                                                                                                                                                                                                                                                                                      |     |
| How often do you clean the bore? (Months or Number of rounds) AFTER Ituating Seoson                                                                                                                                                                                                                                                                                                                                                            |     |
| How often do you clean the action? (Months or Number of rounds)                                                                                                                                                                                                                                                                                                                                                                                |     |
| How often do you clean the trigger assembly? (Months or Number of rounds)                                                                                                                                                                                                                                                                                                                                                                      |     |
| Brand of lubricant used: Reminton Oil attoppes                                                                                                                                                                                                                                                                                                                                                                                                 |     |
| How often do you lubricate the bore? (Months or Number of rounds) 2 Tines Yearly 20 Ro                                                                                                                                                                                                                                                                                                                                                         | uve |
| How often do you lubricate the action? (Months or Number of rounds) 2 Tines do Rounds                                                                                                                                                                                                                                                                                                                                                          | yea |
| How often do you lubricate the trigger assembly? (Months or Number of rounds) るてimes                                                                                                                                                                                                                                                                                                                                                           | -   |
| Have you reviewed the cleaning and maintenance recommendations on our web site or in our owners manual?  NO                                                                                                                                                                                                                                                                                                                                    |     |
| When was the last time that your firearm was serviced by a Remington authorized                                                                                                                                                                                                                                                                                                                                                                |     |
| repairman/gunsmith?)                                                                                                                                                                                                                                                                                                                                                                                                                           |     |
| What were the services performed?)                                                                                                                                                                                                                                                                                                                                                                                                             |     |
| Remington Arms Co., Inc. Attn: Arms Service Division 14 Hoefler Avenue Ilion, NY 13357                                                                                                                                                                                                                                                                                                                                                         |     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                |     |
| :: Record the serial number of your firearm before sending it.  :: Pack your firearm for safety and to prevent further damage in shipping and handling. Preferably, ship in a firearm box. (Note: Original boxes may not be returned.)  :: Remove all accessories from your firearm to prevent loss or damage.  :: Provide a return address on both the outside and inside the box. Shipments without a proper return address will be refused. |     |



Remington Arms Company, Inc. 870 Remington Drive P. O. Box 700 Madison, NC 27025-0700

## ARS LABEL REQUEST FORM

| DATE:            | 12/1/2010 REQUESTED BY: | christy |
|------------------|-------------------------|---------|
| QUANTITY:        | 1 WEIGHT PER PACKAG     | E: 10   |
| PLEASE CHECK ONE |                         |         |
| MEDIA            |                         |         |
| COORDINATOR      | ļ                       | xx      |
| TO MAIL          | I WILL MAIL             |         |
| DESCRIPTION:     |                         |         |
| ĺ                | 700                     |         |
|                  | ·                       |         |
|                  |                         |         |
|                  |                         |         |

## LABEL INFORMATION

| MAIL LABEL TO:  | Alexander Biginsky<br>1141 Luzerne St<br>Scaranton, PA 18504 |
|-----------------|--------------------------------------------------------------|
| RETURN ITEM TO: | Rem Prod Serv                                                |

## PLEASE COMPLETE ALL PARTS OF THIS FORM AND SEND TO THE MEDIA COORDINATOR ( 2004)

| 4XX596 D<br>SVC GNDCOM<br>TRACKING# 1Z4X<br>REF 1:ALEXANDE<br>REF 2:700             | X59690679577                     | UT 10.0 LE<br>783                               | JRR USD        | 1 GF                                    | 7 |
|-------------------------------------------------------------------------------------|----------------------------------|-------------------------------------------------|----------------|-----------------------------------------|---|
| HANDLING CHARG<br>SINGLE-PIECE P<br>DV 0.00<br>DC 0.00<br>AH 0.00<br>TOT PUB CHG 7. | UB RATE CHRO<br>COD<br>DGD<br>PR | GS:<br>0.00<br>0.00<br>0.00<br>0.00<br>PUB+HAND | RS<br>SD<br>SP | T/P USD<br>0.50<br>0.00<br>0.00<br>7.24 |   |

