### Remington Arms Co., Inc. **Product Service** Legal Case #:4883

Case Information

RE# **Date Opened** Date Opened(PS) **Date Closed Incident Date** Pre Lit Lit 209880 11/10/2010 10/28/2010 11/11/2010

Customer Information

Street City State Zip Age Type Business First Name Last Name Contact H 740-865-3556 44419 Joe Frobish Rd. Sardis OH 43946 Incident Thomas Dve E jrdeedye@yahoo.com

Incident Information

Repair Est. **Medical Status** Claims Codes Medical Treatment

PΙ

PD Cause:4038 Could Not Duplicate Concern

Unknown

Concern:1007 Fired on Safe Release

C FSR

10/28/10: Customer called in. Stated he experienced FSR 1 time in the 90's & 1 time 2 wks ago. df

Firearm Information

Model/Ga. SKU Mfg. **DOM** Type Serial Bbl. CF/BA 700/7MM MAG 25803 B6817440 EG 10/1/1986 Remington **Date Purchased** Where Purchased Accessories **Original Owner** 

SHYDA'S GUN SHOP

Y

CONCERN:FSR

Ammunition Information - None Defined Other Products Information - None Defined Settlement

Remington/700/CF/BA

Reim. Cash Cash Settlement Release of Claims Release Date Reimbursement Date Date Settlement APV APV

Per Ilion - Repair @ 1/2 normal charges

> Repair/Replacement Repair/Replacement Date Cost

10/28/10: Sending ARS, ltr. & form. df 11/16/10: Per Fred S. - Could not duplicate concern. Some light dirt & rust on TA. Functioning as designed. Offer to replace TA per request. Clean & test fire @ 1/2 normal charges - quote, df 11/16/10: I called cust. & left msg for him to call me about quote. I mailed the quote for him to review. df

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment
	Examiner		F.SUPRY
	Exam Date		11/11/2010
	Product Type		RF
	Action Type		A
	Assigned To		F.SUPRY

http://cps03ap13:200/psaapp/PrintDisplay.aspx?ID=4883&Type=Case

11/16/2010

Cause	4038	Could Not Duplicate Concern	CUST.REQUESTS EST. ON INSTALLING XMP
	Description		24" 7 MM REM MAG
	Date Code		EG
	Bore Plugged	False	
Barrel	Bulged	False	
	Fired	False	
	Fired while Obstructed		* Committee of the Comm
	Muzzle/Crown Condition	Slightly Worn; Functioning	
	Firing Pin	Slightly Worn; Functioning	
	Shroud	Slightly Worn; Functioning	
Bolt	Face	Slightly Worn; Functioning	
	Handle	Slightly Worn; Functioning	
	Śtop	Slightly Worn; Functioning	
	Condition	Slightly Worn; Functioning	
Extractor	Cut Condition	Slightly Worn; Functioning	
	Ext/Eject Test	False	
	Block Condition	Select	
Locking	Lug Condition	Slightly Worn; Functioning	
	Notch Condition	Select	
	Exterior Condition	Slightly Worn; Functioning	
Overall	Stock Condition	Slightly Worn; Functioning	
	Fore End Condition	Select	
Receiver	Condition	Slightly Worn; Functioning	
Receiver	Bulged	False	
	Description		STANDARD M/700 SAFETY
Safety	Function	Like new; Functioning	
	Sub-Assembly	Non-ISS	
	Lift	Select	.017
Sear	Notch	Like new; Functioning	· · · · · · · · · · · · · · · · · · ·
	Tests	Test Fired	False
Feeding Test		False	
	Condition	Slightly Worn; Functioning	LITE DIRT/RUST
Trigger	Pull	Select	4.5#
1115501	Altered	False	
	Sub-Assembly	M/700 Non-Bolt Lock	

#### **QUOTATION**

## Remington Arms Company, Inc.

870 Remington Dr. P.O. Box 700 Madison, NC 27025-0700 ESTIMATING REPORT

Parts/Repairs Fax 800-243-9700 336-548-7801

www.remington.com info@remington.com

# ALL PRICES QUOTED ARE IN EXCHANGE FOR REPLACED PARTS.

THIS IS NOT AN INVOICE. THIS IS AN ESTIMATE TO REPAIR, RECONDITION, OR REPLACE THE ITEM(S) DESCRIBED BELOW. IF THIS IS SATISFACTORY, PLEASE APPROVE BY SIGNING BELOW AND RETURNING TO THE ABOVE ADDRESS. REPAIR TO TAKE APPROXIMATELY (4) WEEKS AFTER RECEIPT OF APPROVAL. IF WE DO NOT RECEIVE YOUR APPROVAL IN 15 DAYS, WE SHALL RETURN THE ITEM(S) AS RECEIVED POSTAGE DUE.

Repair Order Nu	ımber	Description/Serial Na	umber		Date R	eceived -	11/10/2010
RE00209880		B6817440				te Date - it Date -	11/11/2010
Account # - R-					Curren	it Date -	11/16/2010
Customer				Return To	=		
THOMAS DY				THOMA		IOII DD	
44419 JOE FR	OBISH KD.			44419 JC	E FKOB	ISH KD.	
SARDIS. OH	43946 US			SARDIS.	OH 439	46 US	
Phone (H) (**) Phone (W)	740)-865-3556		Fax Email				•
Thone (W)			Linas				
Please Circle One		N.			<b>~</b> .		
	EX DISCOVER Card	No		Exp.	Date		
Daytime Phone (		Time To Call		One	n Acct R		
	mer Signature			Орс	/ 100L _ <u>N</u>		
l —	sire Any Change Please U	se The Reverse Side For Y	our Comments	And Mark T	his Box	Date_	
L	• •	Notice: We process checks el	ectronically thro	ugh Check 21			
		Probl	ems		3, X. T. T. J.		
Reported			Found `				
M100	SEE CUSTOMERS L	j	M123	FORV	ARD TO	PRODUC	T SERVICE F
M123	FORWARD TO PRO	h i					. 52.07.102.1
	FOR INSPECTIO						
		į					•
ray de la ser e		Technician's	Comments	Na July 1887 NOTES	esymma.		e ty thick in
1 16 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
ProblemNotes		concern.some lite dirt an				as designed	.offer to
	replace trigger plate	assm per request, clean a	nd test fire at	1/2 normal	charges		
L			*** * * * * * * * * * * * * * * * * * *				
ı	Estimate **C.O.D	)./Shipping and Handling	Charges are	NOT Includ	ed in this (	Quote	
Material# !	Material Description		<u>Qty</u>	Warranty	Price/	Discount	Extended
Part			•	<u>Y/N</u>	<u>Unit</u>	Percent	<u>Amt</u>
	X-MARK PRO 700 TRI	G ASSB RH BLACK ((	) 1	N	\$94.00	50%	\$47.00
Service	A-IVIARIX FINO /VV TRI	O ADOD KII DLACK (C		14	φ24.00	3070	φ <del>4</del> 7.00
	GR-SHIPPING & HANI	DLING (GUN REPAIR)	) 1	N	\$17.00	0%	· \$17.00
1	GR-TEST		l	N	\$23.00	50%	• • • • • • • • • • • • • • • • • • • •
					Sub Total	ı•	\$75.50
		•			Est. Sales	-	\$3.78
					est. Saits	I dλ.	33.10
	•				Grand To	tal:	\$79.28

Add Repair	ain - FGI Rep Estimate Repair		Inquiry Repair	Taols CSR Tools	Reports Table Ma	intenance System	tele kerkkirile in de de	ให้ได้เข้าเร่ายื่อประกันของสารการสะเกา	or rails at a difference
m RE Inqui		nouiry	MARK.	## FF					
11 A GO 14 1 1 1	120 110 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	DCD17/40 M-4-170	A Could be College	-					
San	00209880 Se	rial, 86817440 Model 70 II REM MAG Produced: 1	0/01/1986 SKU: 2580						
NESS INFORM	ATION STATES	alei di idak k	A CONTRACTOR OF THE SECOND	Status: [F	lepaing 11/11/2010 7:38:3	I AM			
	tonei		ceived from Ret	um To	C Receive	d fram			
23.0	IMAS DYE		- resultance a colo V	IMAS DYE					indra di Salah Kabupatèn di Kabupatèn
ddress 1: 444 ddress 2:	19 JOE FROBISH RD.	P0 86x		19 JOE FROBISH RD.	PO Box				
City SAR		3FU BOX	SAF	DIS	FO BOX 1		12.		
State: OH	Zip Code: 43946	R. Country: \ US	Он	—∮Zip Code: <b> 43946</b>	Country: US		and the same	77.00	
2500			SFFL/TTT		****** <b>/</b>			April 100 m	<b>3</b>
act / Condition	Problems   Estimate	History / Status Shipper	g/91ing			le l		18,000	
ate	Code User I	) Desc1	Desc2	Shipping Hold	Current Status Reparing			The second	
/10/2010 7	New lopataf			Interface Hold	11/11/2010 7:38. lopalari	31 AM			
/11/2010 <i>7</i> :	Maint Travisb	w Repair Maintenan	ce Status: Re	pa	Repar Beno				
				☐ Passed Inspection		Salah Salah P			
				Return as Receiv	ed ILN		50 F 1		
1. 28. 28.40 1. 28. 28.52.48			A ESS E	☐ Internal Repair	Transfer Numb	er San			(12 G
**************************************	er er er er er er er er Referense er	<u>-,45,23,345,350,350</u>	. 1997 1997 1998 Sector LY (1897)	EXCIDE IAIL			THE THE PARTY OF THE		
pairSeard		A SAN ASSE			Refresh	Close			
122	34	A CONTRACTOR OF THE PROPERTY O		F	Pro Arr				
			Section 1	4			a de la companya de	17	
		No. of the second			Strain of Water			Table 1	
		* *\\\ (						A.	
	13	11/2/1						a de la companya de	<b>/</b>
٠. ٠		200			@1 \$ # <b>2</b> \$				
. •									
				4- 4-(C+	**************************************				
			All Market						
				The second					
				1774	<b>医基</b> 甲基		Kan.		
,						Market Anna A			
								and the second of the second of	

	記 C Nov	1	<u> </u>	▽正 2010	
В	Y:				

24"
6.6-10/81
4.5#
017

4883

October 28, 2010

Thomas Dye 44419 Joe Frobish Rd. Sardis, OH 43946 Ph: 740-865-3556

Ref: # 4883

Dear Mr. Dye,

Enclosed is a prepaid UPS shipping label to cover shipment of your firearm to our factory for examination.

Please include a copy of this letter to put inside the shipping container. The letter inside is important as sometimes the outside label gets damaged in transit and we want to be sure the firearm is logged in correctly. Mark the ends of the boxes with the name "Supry". Mr. Supry will be inspecting the firearm and will contact me with the results.

I hope that this action will keep you a loyal Remington customer.

Sincerely,
D. Fulcher
Consumer Affairs Administrator
Remington, H&R, Marlin
Phone: 1-800-243-9700
Fax: 336-548-7872



could not dyo/icale concern some lite dist + must ontiera. ASSM. Functioning as Designed. Offento imphace TPA, Der Mquest, clean + rest fine A+ 1/2 Norma) cost.

anote

Remington Arms Company, Inc. • 870 Remington Drive • P.O. Box 700 • Madison, NC 27025 Phone 800-243-9700 • www.remington.com



# Factory Repair Form

Return to Previous Page

NOTE: Please complete and print this form, and then include it with your firearm.

Model Number: 700 7MM BDL	Serial Number: <b>B 6817440</b>							
Are you the original owner?: 🔀 YES 🖸 NO								
Name: Thomas DyE, JA	Date of Purchase: 178	??						
Address (no PO Boxes): 44419 JoE F	lobish Rd.							
City: SARDIS	State: OHIO	Zip: <b>43946</b>						
Phone (Daytime): 740 - 865 - 3556 Fax:								
E-mail Address:(if e-mail address is provided, notification of receipt and shipment will be								
E-mail Address:		·						
I would like to receive future e-mail updates from Rem	ington.							
Please describe your problem and date of occurrence:  GUN HAS FIRED TWICED WHEN Flipping SAFETY  OFF- ONCE BACK IN THE 1990- AND RECENTLY  INU. Co. 10/11/2010 - EOSTING ME AN EIK.  HOW EVER SAFETY FIRST.  TWOULD Also LIKE AN ESTIMATE ON INSTAlling  AX MARK PROTRIGGER								
500 characters left	INALI	YOU TOWN						
Arnmunition Information:								
Manufacturer: REMINGTON	Type: Scikocco							
Manufacturer: REMINGTON  Other (i.e. bullet weight/type, shot size, powder): 150								
Other (i.e. bullet weight/type, shot size, powder): /5 0								
Other (i.e. bullet weight/type, shot size, powder): // 6 Handload Information:	GR							
Other (i.e. bullet weight/type, shot size, powder): /5 0  Handload Information:	G R Powder Weight							
Other (i.e. bullet weight/type, shot size, powder): // 6 Handload Information:	GR							
Other (i.e. bullet weight/type, shot size, powder): /5 0  Handload Information:  Powder Used:  Case/Hull Used:	Primer Used:							
Other (i.e. bullet weight/type, shot size, powder): /50  Handload Information:  Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Firearms Care (Cleaning and Lubrication):	Powder Weight Primer Used: Reloader Used:							
Other (i.e. bullet weight/type, shot size, powder): /50  Handload Information:  Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:	Powder Weight Primer Used: Reloader Used:							
Other (i.e. bullet weight/type, shot size, powder): /50  Handload Information:  Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Firearms Care (Cleaning and Lubrication):	Powder Weight Primer Used: Reloader Used:							
Other (i.e. bullet weight/type, shot size, powder): /50  Handload Information:  Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used: Shootak c	Powder Weight Primer Used: Reloader Used:  horce							
Other (i.e. bullet weight/type, shot size, powder): /50  Handload Information:  Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used: 5hcoTtk C	Powder Weight Primer Used: Reloader Used:  horce punds): 4 mo							
Other (i.e. bullet weight/type, shot size, powder): // 6  Handload Information:  Powder Used:  Gase/Hull Used:  Bullet Type/Shot Size:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used: 5 h co T2 R C  How often do you clean the bore? (Months or Number of rother do you clean the action? (Months or Number of	Powder Weight Primer Used: Reloader Used:  horce punds): 4 mo							
Other (i.e. bullet weight/type, shot size, powder):  Handload Information:  Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used:  How often do you clean the bore? (Months or Number of roll to you clean the action? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of How often do you clean the trigger assembly? (Months or Number of Number do you clean the trigger assembly? (Months or Number of Number do you clean the trigger assembly? (Months or Number of Number do you clean the trigger assembly? (Months or Number do you clean the you clean the trigger assembly? (Months or Number do you clean the you clean	Powder Weight  Primer Used:  Reloader Used:  horce  punds)  who  rounds)  Line  Rumber of rounds)							
Other (i.e. bullet weight/type, shot size, powder): /50  Handload Information:  Powder Used:  Case/Hull Used:  Bullet Type/Shot Size:  Firearms Care (Cleaning and Lubrication):  Brand of cleaning solution used: Shoots R  How often do you clean the bore? (Months or Number of the company of t	Powder Weight  Primer Used:  Reloader Used:  horict  punds): & mo  rounds): & mo  frounds) & mo							

How ofter	n do you lubricate the trigger assembly? (Months or Number of rounds)
Have you YES 🔏	reviewed the cleaning and maintenance recommendations on our web site or in our owners manual?  NO MoveD LesT Manual
	s the last time that your firearm was serviced by a Remington authorized volumenth?) 16 - \$7
What wer	e the services performed?) SAFETY REALRIAL ST.FF
Ship your	INSURED firearm by either UPS or Parcel Post to:
At 14	emington Arms Co., Inc. ttn: Arms Service Division I Hoefler Avenue on, NY 13357
FIREARM. THEM IN /	NING: DO NOT SEND LIVE OR SPENT SHELLS IN YOUR FIREARM OR IN THE SAME BOX WITH THE THIS IS A VIOLATION OF FEDERAL LAW. IF YOU FEEL YOU MUST SEND SPENT SHELLS PLEASE SEND A SEPARATE PACKAGE AND INCLUDE NAME, ADDRESS (WITH ZIP CODE), TELEPHONE AND MODEL AND UMBER OF YOUR FIREARM.
:: Pack you ship in a :: Remove :: Provide return ac :: Ship you	the serial number of your firearm before sending it.  ur firearm for safety and to prevent further damage in shipping and handling. Preferably, firearm box. (Note: Original boxes may not be returned.)  all accessories from your firearm to prevent loss or damage.  a return address on both the outside and inside the box. Shipments without a proper  idress will be refused.  ur INSURED firearm by either UPS or Parcel Post. Remington is not responsible for or loss during shipment, so you may elect to purchase insurance from your carrier.
Charge res	pairs will be processed using the following guidelines:
	\$75.00 and under will be completed and returned to you C.O.D. (To avoid C.O.D. Charges, please include your number and expiration date with your gun)
You will ha Express, D	. airs over \$75.00, you will receive a written estimate detailing the nature of the repair, applicable taxes and shipping. see 30 days to approve the repair estimate. Repairs can be paid by check, money order, or credit card (American Discover, MasterCard, or VISA). If you wish, you can expedite repairs over \$75.00 by setting a pre-authorized amount billed to your credit card. We process checks electronically through Check21.

© 2009 Remington Arms Company, Inc. All Rights Reserved. Investor Relations | Other Remington Brand Products | Legal Notices | About Us

Visit Cur Other Websites
Other Sites





Remington Arms Company, Inc. 870 Remington Drive P. O. Box 700 Madison, NC 27025-0700

### ARS LABEL REQUEST FORM

DATE:		10/28/2010	REQUESTED BY:	Dell	
QUANTITY:			1 WEIGHT PER PACKA: 10 lbs		
PLEASE CHECKONE MEDIA COORDINATOR TO MAIL			I WILL MAIL	XXXXX	
DESCRIPTION:	Ref# 4883 Rifle				

### LABEL INFORMATION

MAIL LABEL TO: Thomas Dye

44419 Joe Frobish Rd. Sardis, OH 43946 Ph: 740-865-3556

RETURN ITEM TC Remington Arms

Attn: Product Service

Ilion, NY

### PLEASE COMPLETE ALL PARTS OF THIS FORM, AND SEND TO THE MEDIA COORDINATOR

OCT 28, 2010 ALL CURR USD ACT UT 10.0 LBS 1 OF 1 4XX596 SVC GNDCOM TRACKINGH 124XX5969056086725 REF 1:THOMAS DYE/CD/DMF REF 2:4883/RIFLE HANDLING CHARGE 0.00 SVC T/P USD SINGLE-PIECE PUB RATE CHRGS: COD 0.00 RS 0.50 SD 0.00 DV 0.00 DC 0.00 OCD SP 0.00 PR AH 0.00 PUB+HANDLING TOT PUB CHG 8.24