Remington Arms Co., Inc. Product Service Legal Case #:5889

| Case | | |
|------|--|--|
| | | |
| | | |
| | | |

Incident Date Fre Lit Obsolete REH Date Opened Date Opened(PS) Date Closed 1.38 223316 2/15/2011 2/16/2011 2/16/2011

Customer Information

 Z_{ip} Business First Name Last Name City Contact Type Street State Age H 229-300-4092 993 NW 34th Ave. Incident Allen George Jennings FL 32053 E alien3004092@windstream.net

Incident Information

Medical Status Claims Codes Repair Est. Medical Treatment

Pf

PO Cause: 4054 As received Follows Down Unknown

Concern: 1007 Fired on Safe Release 8 C FS8

Customer sent gun in with a note. He stated that he bought gun about 2 yrs ago. He stated the trigger pull was too heavy & he had a friend adjust it. He stated he was hunting & he took the safety off & the gun fired, df

Firearm Information

Model/Ga. SKU Serial MOG MIG. 33'pe 3/17/2006 12:37:01 PM 700/3006 SPR 27337 D6626452 AA CE/BA Remington Where Purchased Accessories Original Owner Date Parchased

SPORTS SOUTH INC

CONCERN:FSR

Ammunition Information - None Defined Other Products Information - None Defined Settlement

Remington/700/CF/BA

Cash Reim. Date Cash Date Settlement Release of Claims Release Date Reimbursement Settlement APV APV

Per Hiori - Quote to repair

Repair/Replacement Cost Repair/Replacement Date

Per Ilion - Will follow down. TA set screws altered. Trigger will not return properly. Can offer to replace TA, clean & test fire @ 1/2 normal cost. Will update damaged recoil pad @ n/c - quote. Customer apprvd. and paid quote. df

Examination[Remington/CF/BA]

| Part . | Sub-Part | Code | Comment |
|-------------|------------------------|----------------------------|--------------|
| Examination | Examiner | | BITRAVIS |
| | Exam Date | | 2/16/2011 |
| | Product Type | | RF |
| | Action Type | | A |
| | Assigned To | | TNAGLE |
| Cause | 4054 | As received Follows Down | |
| Barrel | Description | | 24" 3006 SPR |
| | Date Code | | AA |
| | Sore Plugged | False | |
| | Bulged | False | |
| | Fired | False | |
| | Fired while Obstructed | | , |
| | Muzzle/Crown Condition | Slightly Wom, Functioning | |
| | Firing Pin | Slightly Worn; Functioning | MARIANANA |

| ; | | | annanna' |
|--------------|--------------------|--------------------------------|---|
| Bolt | Shroud | Slightly Worn; Functioning | |
| | Face | Slightly Worn; Functioning | |
| | Handle | Slightly Worn; Functioning | |
| | Stop | Slightly Worn; Functioning | |
| Extractor | Condition | Slightly Worn; Functioning | |
| | Cut Candilion | Slightly Worn; Functioning | |
| | Ext/Eject Test | False | |
| Locking | Block Condition | Select | |
| | Lug Condition | Slightly Worn; Functioning | |
| | Notch Condition | Select | |
| Magazine | Condition | Select | |
| | Box Condition | Slightly Worn; Functioning | |
| | Exterior Condition | Slightly Worn; Not Functioning | |
| Overall | Stock Condition | Slightly Worn; Functioning | SIMS PAD IS MELTING |
| | Fore End Condition | Select | |
| Receiver | Condition | Slightly Worn; Functioning | |
| | Bulged | False | |
| Safety | Description | | M/700 SAFETY |
| | Function | Like new; Functioning | |
| | Sub-Assembly | Non-ISS | *************************************** |
| Sear | Lift | Select | 008 |
| | Notch | Like new; Functioning | |
| | | Test Fired | False |
| Feeding Test | | | |
| Trigger | Condition | Slightly Worn; Not Functioning | TRIG WILL NOT RETURN PROPERLY |
| | Pull | Select | 1.5# |
| | Altered | True | SET SCREWS ALTERED |
| | Sub-Assembly | M/700 Non-Bolt Lock | |

2889

To Remington

2-8-2011

About 2 years ago, I purchased a Model 700 SPS DM 30-06 serial number D6626452, order # 27337. I special ordered the rifle from Carlton Outdoors in Valdosta Ga. Carlton is now out of business. When I received the rifle it had a very heavy trigger that was quite unpredictable as to how hard one had to squeeze for it to go off. I had a hard time shooting the rifle and some of my buddies said," it was not right". I took it to friend who adjusted the trigger and it seemed ok, but that did not last long. "I am neither a marksman nor trained sniper." This year on opening day I took the safety off and the gun fired (the gun was pointed in a safe direction). My finger was touching the trigger from the side. At this time the gun will fire if there is any contact with the trigger from the side at the time the safety is taken off. I am terrified of this gun and don't know what to do, so I am sending it back to Remington to see if there is a solution. It is my opinion that the trigger mechanism is faulty and has not performed as it should from day one. I do not want to have a gun I am scared of. My 6 year old was in the tree stand when this incident took place it scared the devil out of me. I am not looking to place blame anywhere; I

just want something done to the gun. If it is not repairable that is fine throw it away. "This is not a money issue", I will not carry this gun as it is and my conscience will not let me sell this gun in the

I spoke with someone in customer service and they told me to send it to this address:

condition it is in. Any assistance in this matter is greatly appreciated.

Thanks

Allen George cell 229-300-4092

993 NW 34th Ave

Jennings Fl. 32053

Email allen3004092@windstream.net

FEB 20 2011

will follow down.

T.A. set screws pltered Trig.

will not return properly. CAN

Often to replace TPA, clean +

Test Rive at 1/2 Normal tost.

will update damage be Pad@ N/C

Quide





