

Remington Arms Co., Inc.
Product Service
Legal Case #:3614

Case Information

RE#	Date Opened	Date Opened(PS)	Date Closed	Incident Date	Pre Lit	Lit	Obsolete
171115	7/13/2009	7/14/2009	7/24/2009				

Customer Information

Type	Business	First Name	Last Name	Street	City	State	Zip	Age	Contact
Reporter	Shotgun Willies		Shotgun Willies	35849 Hanson Mesa Rd.	Hotchkiss	CO	81419		W 970-872-3736

Incident Information

Claims	Codes	Repair Est.	Medical Treatment	Medical Status
PI				
PD				
S	Fires on Safety Release	Cause:4007 Subject to "Trick" Condition Concern:1007 Fired on Safe Release	Unknown	
C				

Dealer reported: Customer brought this M/700 into shop & said when he puts a shell in the barrel it goes off. Dealer stated that if you put an empty in and put the safety on - then take the safety off - it fires. dmf

Firearm Information

Mfg.	Type	Model/Ga.	SKU	Serial Bbl.	DOM
Remington	CF/BA	700/222 REM	*	6548683 BX	1/1/1973
Date Purchased	Where Purchased	Accessories	Original Owner		
	GENE SEARS SPLY EL RENO OKLA	TWO PIECE SCOPE BASE,SOFT CASE	U		

CONCERN:FSR

Ammunition Information - None Defined

Other Products Information - None Defined

Settlement

Remington/700/CF/BA.

Settlement	Release of Claims	Release Date	Reimbursement	Cash Settlement	Reim. Date APV	Cash Date APV
Repair at no charge						
	Repair/Replacement Cost	Repair/Replacement Date				
	\$62.38	7/24/2009				

7/24/09: Per Fred S. - Replace trigger, check over, & clean at n/c. dmf

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment
Examination	Examiner		B. TRAVIS
	Exam Date		7/14/2009
	Product Type		RF

	Action Type	A	
	Assigned To	F.SUPRY	
Cause	4007	Subject to "Trick" Condition	WILL FOLLOW DOWN
Barrel	Description	24" 222 REM	
	Date Code	BX	
	Bore Plugged	False	
	Bulged	False	
	Fired	False	
	Fired while Obstructed		
Bolt	Muzzle/Crown Condition	Slightly Worn; Functioning	
	Firing Pin	Slightly Worn; Functioning	
	Shroud	Slightly Worn; Functioning	
	Face	Slightly Worn; Functioning	
	Handle	Slightly Worn; Functioning	
Extractor	Stop	Slightly Worn; Functioning	
	Condition	Slightly Worn; Functioning	
	Cut Condition	Slightly Worn; Functioning	
Locking	Ext/Eject Test	False	
	Block Condition	---Select---	
	Lug Condition	Slightly Worn; Functioning	
Overall	Notch Condition	---Select---	
	Exterior Condition	Slightly Worn; Functioning	
	Stock Condition	Slightly Worn; Functioning	
	Fore End Condition	---Select---	
Receiver	Condition	Slightly Worn; Functioning	
	Bulged	False	
Safety	Description	STANDARD M/700 BOLT LOCK SAFETY	
	Function	Like new; Functioning	
Sear	Lift	---Select---	
	Notch	Slightly Worn; Functioning	
	Tests	Test Fired	False
Feeding Test		False	
	Condition	Slightly Worn; Functioning	
	Full	---Select---	
			2.5#

Trigger	Altered	False
	Sub-Assembly	M/700 Bolt Lock
Non-Remington Components	Description	TWO PIECE SCOPE BASE,SOFT CASE

Repair Inquiry

Repair Number: **REG0171115** Serial: **5548653 Model P30 Center Fire Caliber 22/REM Produced 01/08/1973** Repairman: **Since Travis**
 Verify Repair: **Status: Repairing 7/14/2009 8:45:05 AM**

Address Information

Customer: **SHOTGUN WILLIES** Received From: **SHOTGUN WILLIES**
 Address 1: **35845 HANSON MESA ROAD** Address 2: **35845 HANSON MESA ROAD**
 City: **HOTCHKISS** PO Box: PO Box:
 State: **CO** Zip Code: **81413** Country: **US** State: **CO** Zip Code: **81413** Country: **US**

FPL **5** **104** **1029** **101** **10A** **11392** **1012010**

Contact / Condition		Problem	Estimate	History / Status		Shipping / Billing
Date	Code	User ID	Desc1	Desc2	Current Status	
7/13/2009 1:39:1	New	valentis	Repair Added		Repairing	
7/13/2009 1:40:2	Update	valentis	Repair Information change		7/14/2009 8:45:05 AM	
7/13/2009 1:41:4	Maint	valentis	Repair Maintenance	Status: New	System	
7/13/2009 1:42:2	Maint	valentis	Repair Maintenance	Status: New	Repair Bench	
7/14/2009 8:43:2	Maint	Travisbw	Repair Maintenance	Status: Repair	Repair Location	
7/14/2009 8:45:2	Estimate	Travisbw	Estimate Update	Status: PatchH	ILN	
7/14/2009 8:46:0	Repairing	System	Immediate SAP Allocation		Current Location	
					ILN	
					Transfer Number	

Repair Search

Refresh

Close

updt 7/14/2009 10:03 AM CAP NUM INS (57)

3614

Bx 1/73
24"
2.5"
.006

Shotgun Willies
35849 Hanson Way Rd.
Hatch Kiss Co 81419
#970-872-3736


Rem Arms

My Customer Brought
This Mod 700 - 22r Cal
in To My Shop and Said
When He puts a shell in the
Barrel It Goes off. If you
Put a Empty In it and Put the
Safety on Then Take The Safety
off it Fires

Thanks

6548683

Model: 700



RE00171115

will follow down when bolt
is closed briskly. replace TPA,
check over clean at N/C

#230145