ł

Remington Arms Co., Inc. Product Service Legal Case #:5984

Case Info	ormation												
RE# Date Opened 227457 3/31/2011		-	Date Opened(PS) 3/9/2011		Date Closed 1 4/1/2011		Incident Date 3/6/2011		e Pi	re Lit	Lit	Obs	olete
Customer	Informatio	n											
Туре	Business	First Name	Last Name	Str	reet	City	State	Zip	Age		Cor	ntact	
Incident		Kyle	Zuercher	1930 NE	E View Ct.	Gresham	OR	97030)		+ 541-4 wp100		163 xo.com
Incident I	Information												
Claims PI		C	Codes		Rep	air Est.	Medi	ical Tr	eatmei	nt	Med	ical S	tatus
PD S C FSR		e:4038 Could cern:1007 Fired						Unkno	own				
	Sustomer ca	lled & stated th	hat he had FSI	R. No dama	ae. No iniu	rv. df							
Firearm I	nformation												
Mf	ġ.	Туре		Model/Ga	а.	Sł	(U	Ser				DOM	
Remir	ngton	CF/BA		700/308 W	IN	843			9918 W	'D 8/	18/200	9 8:5	0:15 AM
Date Pu		/here Purcha		Accessori		Original		r					
		PORTS SOUTH	LLC FRONT S	COPE BASE	AND RING	i Y	(
CONCERN	N: FSR												
Ammuniti	ion Informa	tion - None De	fined										
		mation - None											
Settlemer													
				Remino	gton/700/Cl	F/BA							
				•		,			Cash		Dain	-	Cash
Settl	lement	Release o	f Claims	Releas	se Date	Reimb	urseme	ent Se	Cash ettleme	ent l	Rein Date A	• •	Date APV
	- Repair @ warranty												
		Repair/Rep Cos	lacement st		eplacemen ate	t							
		\$52.	88	4/8/	2011								
3/10/11:	Sending AR	S, letter, form.	df 4/8/11: Pe	er Ilion - Co	uld not dup	licate con	cern. Wi	ll fit a	new TA	to re	store c	onfide	ence in

rifle @ n/c - warranty. df

,....

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment
	Examiner		B.TRAVIS
	Exam Date		4/1/2011
Examination	Product Type		RF
	Action Type		A
	Assigned To		T.NAGLE
Cause	4038	Could Not Duplicate Concern]
	Description		22" 308 WIN VTR FL
	Date Code		WD
	Bore Plugged	False	

PrintDisplay

1

	Bulged	False	
D	Fired	False	
Barrel	Fired while Obstructed		
	Muzzle/Crown Condition	Slightly Worn; Functioning	
	Firing Pin	Slightly Worn; Functioning	
	Shroud	Slightly Worn; Functioning	
Bolt	Face	Slightly Worn; Functioning	
	Handle	Slightly Worn; Functioning	
	Stop	Slightly Worn; Functioning	
	Condition	Slightly Worn; Functioning	
Extractor	Cut Condition	Slightly Worn; Functioning	
	Ext/Eject Test	False	
	Block Condition	Select	
Locking	Lug Condition	Slightly Worn; Functioning	
	Notch Condition	Select	
	Exterior Condition	Slightly Worn; Functioning	MAR ON TOP OF BBL
Overall	Stock Condition	Slightly Worn; Functioning	
	Fore End Condition	Select	
Dessiver	Condition	Slightly Worn; Functioning	
Receiver	Bulged	False	
	Description		XMP SAFETY
Safety	Function	Like new; Functioning	
	Sub-Assembly	Non-ISS	
	Lift	Select	.011
Sear	Notch	Like new; Functioning	
	Tecto	Test Fired	False
Feeding Test	Tests	False	
	Condition	Like new; Functioning	
Trigger	Pull	Select	4.5#
Trigger	Altered	False	
	Sub-Assembly	X-Mark Pro	
Non-Remington Components	Description		FRONT SCOPE BASE AND RING

Page 2 of 2

http://cps03ap13:200/psaapp/PrintDisplay.aspx?ID=5984&Type=Case

4/8/2011

PS 20753

ice by

March 9, 2011

Kyle Zuercher 1930 NE View Ct. Gresham, OR 97030 Ph: 541-490-9463

Ref: # 5984, M/700, Serial # G6889918

1

Dear Mr. Zuercher,

Enclosed is a prepaid UPS shipping label to cover shipment of your firearm to our factory for examination.

Please include a copy of this letter to put inside the shipping container. The letter inside is important as sometimes the outside label gets damaged in transit and we want to be sure the firearm is logged in correctly. Mark the ends of the box with "Product Service". Product Service will be inspecting the firearm and will contact me with the results.

I hope that this action will keep you a loyal Remington customer.

Sincerely, D. Fulcher Consumer Affairs Administrator Remington, H&R, Marlin Phone: 1-800-243-9700 Fax: 336-548-7872

enclosure

6889918

700

E00227457

lodel:

Could not dupliente concern. Will fit a new TPA to restore confidence in rifle at N/C warrandy

APR 0 7 2011

BY: _____

Remington Arms Company, Inc. • 870 Remington Drive • P.O. Box 700 • Madison, NC 27025 Phone 800-243-9700 • www.remington.com •

۷

Model		rial		
Number: 700 VTR	Number: 6688	9918		
Are you the original ov	vner?: 🛛 YES 🗌 N	10		
Name: Kyle Zuercher	Date of F Z009 ?	Purchase:		
Address (no 1930 NE View court	o PO Boxes):			
City: Gresham	State: OR	Zip: 97030		
Phone (Daytime): 541-490-9463				
E-mail Address:(if e-mail address is provi be sent) டவ் மழில் புகுக்கு		ipt and shipment wi		
E-mail Address:				
I would like to receive future	e-mail updates from Re			
I would like to receive future Please describe your probl While target shooting, The future when I	e-mail updates from Re lem and date of occur The Rifu wen Glipped the	rence: A- ¹⁰ Safety		
□ I would like to receive future Please describe your probl while target shooting, off twice when I fram "safe" to "Fim" -	e-mail updates from Re lem and date of occur The Rifu wen Glipped the Instantly discl	rence: A- Safety mg Ing		
I would like to receive future Please describe your probl While target shooting, The future when I	e-mail updates from Re lem and date of occur The Rifu wen flipped the Instantly disch farning, finger w	rence: A- Safety mg Ing		
I would like to receive future Please describe your proble while target shooting, off twice when I fram "safe" to "Fine" Without work on W Not in the target wel	e-mail updates from Re lem and date of occur The Rifu wen flipped the Instantly disch farning, finger w	rence: A- Safety mg Ing		
I would like to receive future Please describe your proble while target shooting, off twice when I fram "safe" to "Fine" without when we Not in the trigger wel	e-mail updates from Re lem and date of occur The Rifu wen Glipped the Instantly discl rarning, finger w 1.	rence: A- Safety mg Ing		
I would like to receive future Please describe your proble While target shooting, off twice when I from "safe" to "Fine" - to Without to "Fine" - to Without to Manager well 500 ch. Ammunition	e-mail updates from Re lem and date of occur The Rifu wen Glipped the Instantly discl rarning, finger w 1.	rence: A Safety mging nas		
I would like to receive future Please describe your proble While target shooting, off twice when I from "safe" to "Fine" to Without to "Fine" to Without to Mangeer well 500 ch. Ammunition Manufacturer: femington	e-mail updates from Re lem and date of occur The Rifu wen Glipped the Instantly disch farning, finger w 1. aracters left	rence: A Safety mging nas		
I would like to receive future Please describe your proble While target shooting, off twice when I from "safe" to "Fine" - to Without to "Fine" - Solo character to "Fin	e-mail updates from Re lem and date of occur The Rifu wh Glipped the Instantly disch rarning, finger w 1. aracters left Information: Type: Cor-Lo	rence: A Safety mging nas		
I would like to receive future Please describe your proble While target shooting, off twice when I from "safe" to "Fine" - to Without to "Fine" - Solo character to "Fin	e-mail updates from Re lem and date of occur The Rifu wh Glipped the Instantly disch farning, finger w 1. aracters left Information: Type: Cor-Lo eight/type, shot size,	rence: A Safety mging nas		
I would like to receive future Please describe your proble While target shooting, off twice when I from "safe" to "Fine" - to Without to "Fine" - to Without to Manufacturer: 500 ch Ammunition Manufacturer: feminyton Other (i.e. bullet we powder): 150 gr. Handload I	e-mail updates from Re lem and date of occur The Rifu wh Glipped the Instantly disch farning, finger w 1. aracters left Information: Type: Cor-Lo eight/type, shot size,	rence: A Safety mging nas		

•

ł

	Brand of cleaning solution used: Hoppes and teminston oil putche How often do you clean the bore? (Months or Number of
	rounds) depending on war weather or 10 rands
	How often do you clean the action? (Months or Number of
	rounds) everytime I short
	How often do you clean the trigger assembly? (Months or Number of
	rounds) once a month
	Brand of lubricant used: Hoppes and Reminston and oil
	How often do you lubricate the bore? (Months or Number of rounds)
	How often do you lubricate the action? (Months or Number of rounds) crent time I short
	How often do you lubricate the trigger assembly? (Months or Number of rounds) on a month
Hav	e you reviewed the cleaning and maintenance recommendations on our web site or in our owners manual? > 🗹 YES 🛛 NO
N	/hen was the last time that your firearm was serviced by a Remington authorized repairman/gunsmith?)
	What were the services performed?)
	Ship your INSURED firearm by either UPS or Parcel Post to:
	Remington Arms Co., Inc.
	Attn: Arms Service Division 14 Hoefler Avenue Ilion, NY 13357
THE	VARNING: DO NOT SEND LIVE OR SPENT SHELLS IN YOUR FIREARM OR IN SAME BOX WITH THE FIREARM. THIS IS A VIOLATION OF FEDERAL LAW. IF YOU FEEL YOU MUST SEND SPENT SHELLS PLEASE SEND THEM IN A SEPARATE PACKAGE AND INCLUDE NAME, ADDRESS (WITH ZIP CODE), TELEPHONE AND MODEL AND SERIAL NUMBER OF YOUR FIREARM.
	:: Record the serial number of your firearm before sending it. ack your firearm for safety and to prevent further damage in shipping and handling. Preferably, ship in a firearm box. (Note: Original boxes may not be returned.) :: Remove all accessories from your firearm to prevent loss or damage. ovide a return address on both the outside and inside the box. Shipments without a proper

return address will be refused.

:: Ship your INSURED firearm by either UPS or Parcel Post. Remington is not responsible for

damage or loss during shipment, so you may elect to purchase insurance from your carrier.

Charge repairs will be processed using the following guidelines:

:: Repairs \$75.00 and under will be completed and returned to you C.O.D. (To avoid C.O.D. Charges, please include your credit card number and expiration date with your gun)

:: For Repairs over \$75.00, you will receive a written estimate detailing the nature of the repair, applicable taxes and shipping. You will have 30 days to approve the repair estimate. Repairs can be paid by check, money order, or credit card (American Express, Discover, MasterCard, or VISA). If you wish, you can expedite repairs over \$75.00 by setting a pre-authorized amount that can be billed to your credit card. We process checks electronically through Check21.



Remington Arms Company, Inc. 870 Remington Drive P. O. Box 700 Madison, NC 27025-0700

ARS LABEL REQUEST FORM

DATE:		3/10/2011	REQUESTED BY:	Dell	
QUANTITY:		1	WEIGHT PER PKG:		10 lbs
PLEASE CHECK ONE MEDIA COORDINATOR TO MAIL				xxxxxx	<u></u>
DESCRIPTION:	Ref# 5984 rifle				

LABEL INFORMATION

MAIL LABEL TO: Kyle Zuercher 1930 NE View Ct. Gresham, OR 97030 Ph: 541-490-9463

RETURN ITEM TC Remington Arms

Attn: Product Service Ilion, NY

PLEASE COMPLETE ALL PARTS OF THIS FORM AND SEND TO THE MEDIA COORDINATOR

MAR 11, 2011 ALL CURR USD ACT WT 10.0 LBS 1 OF 1 4XX596 SVC GNDCOM TRACKING# 1Z4XX5969067994126 REF 1:KYLE ZUERCHER/CD/DMF REF 2:5984/RIFLE HANDLING CHARGE 0.00 SVC T/P USD SINGLE-PIECE PUB RATE CHRGS: 0.00 RS 0.50 COD DV 0.00 DGD 0.00 SD 0.00 DC 0.00 0.00 SP 0.00 PR AH 0.00 PUB+HANDL ING 12.51 TOT PUB CHG 12.51







