

Remington Arms Co., Inc.
Product Service
Legal Case #:8067

Case Information

RE#	Date Opened	Date Opened(PS)	Date Closed	Incident Date	Pre Lit	Lit	Obsolete
286029	10/18/2012	10/19/2012	10/19/2012				

Customer Information

Type	Business	First Name	Last Name	Street	City	State	Zip	Age	Contact
Reporter	J&G Gunsmithing		J&G Gunsmithing	7680 Barton Rd	Granite Bay	CA	95746		

Incident Information

Claims	Codes	Repair Est.	Medical Treatment	Medical Status
PI				
PD				
S	Fired when closing the bolt	Cause:4006 Concern:1008	Altered Adjustments or Components Fired on Bolt Closing	Unknown
C				

11/5/12 Per note on repair, customer says the rifle fired twice when he closed the bolt on a live round.cm

Firearm Information

Mfg.	Type	Model/Ga.	SKU	Serial	Bbl.	DOM
Remington	CF/BA	700/7MM REM MA	n/a	B6282368	XA	12/5/1980
Date Purchased	Where Purchased	Accessories	Original Owner			
	WESTERN HOEGEE GLENDALE CA	TWO PIECE BASE	U			

CONCERN:FBC

Ammunition Information - None Defined

Other Products Information - None Defined

Settlement

Remington/700/CF/BA

Settlement	Release of Claims	Release Date	Reimbursement	Cash Settlement	Reim. Date APV	Cash Date APV
Per Ilion, replace TPA, clean, test at BLSM program price						
	Repair/Replacement Cost	Repair/Replacement Date				
	29.44	11/5/2012				

11/5/12 Per Ilion, trigger assm set screws altered. Trigger not returning properly. Replace TPA, clean, test at BLSM program price.cm

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment
Examination	Examiner		B.TRAVIS
	Exam Date		10/19/2012
	Product Type		RF
	Action Type		A

	Assigned To		T.NAGLE
Cause	4006	Altered Adjustments or Components	
Barrel	Description		24" 7MM REM MAG
	Date Code		XA
	Bore Plugged	False	
	Bulged	False	
	Fired	False	
	Fired while Obstructed		
	Muzzle/Crown Condition	Slightly Worn; Functioning	
Bolt	Firing Pin	Slightly Worn; Functioning	
	Shroud	Slightly Worn; Functioning	
	Face	Slightly Worn; Functioning	
	Handle	Slightly Worn; Functioning	
	Stop	Slightly Worn; Functioning	
Extractor	Condition	Slightly Worn; Functioning	
	Cut Condition	Slightly Worn; Functioning	
	Ext/Eject Test	False	
Locking	Block Condition	---Select---	
	Lug Condition	Worn; Functioning	
	Notch Condition	---Select---	
Overall	Exterior Condition	Slightly Worn; Not Functioning	
	Stock Condition	Slightly Worn; Functioning	PILLAR AND GLASS BEDDED
	Fore End Condition	---Select---	
Receiver	Condition	Slightly Worn; Functioning	
	Bulged	False	
Safety	Description		BOLT LOCK SAFETY
	Function	Like new; Functioning	
	Sub-Assembly	Non-ISS	
Sear	Lift	---Select---	.006
	Notch	Slightly Worn; Functioning	
	Tests	Test Fired	False
Feeding Test		False	
Trigger	Condition	Slightly Worn; Not Functioning	TRIG NOT RETURNING PROPERLY
	Pull	---Select---	3#
	Altered	True	SET SCREWS ALTERED
	Sub-Assembly	M/700 Bolt Lock	
Non-Remington Components	Description		TWO PIECE BASE

frmRepairMain - FGI Repairs

File Add Repair Estimate Repair Expedite Repair Inquiry Repair Tools CSR Tools Reports Table Maintenance System

frmREInquiry - Repair Inquiry

Repair Number: RE00286029

Serial: B6282368 Model 700 Center Fire Caliber: 7
MM REM MAG Produced: 12/05/1980 SKU: 20000

Repairman:

Verify Repair

Status: New 10/4/2012 11:11:20 AM

8067

ADDRESS INFORMATION

Customer		☒ Received from	Return To	☐ Received from	
Name:	J & G GUNSMITHING INC		J & G GUNSMITHING INC		
Address 1:	7680 BARTON ROAD		7680 BARTON ROAD		
Address 2:	PO Box:		PO Box:		
City:	GRANITE BAY		GRANITE BAY		
State:	CA	Zip Code:	95746	Country:	US

FFL: 01011900

Contact / Condition Problems Estimate History / Status Shipping / Billing

Contact Information

Phone:
Fax:
Email:
Comments: FOREST MATHES

Received Condition

Good
Condition Notes:
CSR Notes: CUST SAYS THE RIFLE FIRED TWICE WHEN HE CLOSED THE BOLT ON A LIVE ROUND.

Accessories Received

Code	Desc	Qty
A007	With Stud	2
A008	With Swivel	2

T.A. SET SCREWS ALTERED
TRIP. NOT MET. PROP. REPLACE
TPA, CHAN + TEST UNDER BCP
CONTE 20. + Q

Refresh

Close

Serial Number:

B6282368

Model: 700



RE00286029

RECEIVED
OCT 25 2012

BY:

Friday, Oct 19 2012 11:59 AM

3:59 AM

Friday, Oct 19 2012

3:59 AM

24"
XA 12/80
34
006





