

Remington Arms Co., Inc.
Product Service
Legal Case #:8384

Case Information

RE#	Date Opened	Date Opened(PS)	Date Closed	Incident Date	Pre Lit	Lit	Obsolete
293381	12/18/2012	12/19/2012	12/19/2012				

Customer Information

Type	Business	First Name	Last Name	Street	City	State	Zip	Age	Contact
Incident		William	Kimball	8639 CITATION DRIVE	PALM BEACH GARDENS	FL	33418		H 561-644-6924 E williamgkimball@bellsouth.net

Incident Information

Claims	Codes	Repair Est.	Medical Treatment	Medical Status
PI				
PD	Cause:4006 Altered Adjustments or Components		Unknown	
S FSR	Concern:1007 Fired on Safe Release			
C				

SR# 37472 - Service Request Section: Gun going off four separate times when changing from safe to fire. df

Firearm Information

Mfg.	Type	Model/Ga.	SKU	Serial	Bbl.	DOM
Remington	CF/BA	700/7MM SAUM	26434	S6443766	OW	7/10/2002 6:20:42 PM
Date Purchased	Where Purchased	Accessories	Original Owner			
	BASS PRO SHOPS/OUTDOOR WO		U			

CONCERN: FSR

Ammunition Information - None Defined

Other Products Information - None Defined

Settlement

Remington/700/CF/BA

Settlement	Release of Claims	Release Date	Reimbursement	Cash Settlement	Reim. Date APV	Cash Date APV
Per Ilion - Quote to repair @ 1/2 normal cost						
Repair/Replacement Cost	Repair/Replacement Date					

12/20/12: Per Ilion - TA set screws altered. Trigger not returning properly. Can offer to replace TA, clean & test @ 1/2 normal cost. df

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment
Examination	Examiner		B.TRAVIS
	Exam Date		12/19/2012
	Product Type		RF
	Action Type		A
	Assigned To		J.BALIO
Cause	4006	Altered Adjustments or Components	
Barrel	Description		24" 7MM SAUM SS
	Date Code		OW
	Bore Plugged	False	
	Bulged	False	
	Fired	False	
	Fired while Obstructed		
	Muzzle/Crown Condition	Slightly Worn; Functioning	

Bolt	Firing Pin	Slightly Worn; Functioning	
	Shroud	Slightly Worn; Functioning	
	Face	Slightly Worn; Functioning	
	Handle	Slightly Worn; Functioning	
	Stop	Slightly Worn; Functioning	
Extractor	Condition	Slightly Worn; Functioning	
	Cut Condition	Slightly Worn; Functioning	
	Ext/Eject Test	False	
Locking	Block Condition	---Select---	
	Lug Condition	Slightly Worn; Functioning	
	Notch Condition	---Select---	
Overall	Exterior Condition	Slightly Worn; Not Functioning	
	Stock Condition	Slightly Worn; Functioning	
	Fore End Condition	---Select---	
Receiver	Condition	Slightly Worn; Functioning	
	Bulged	False	
Safety	Description		STANDARD SAFETY
	Function	Like new; Functioning	
	Sub-Assembly	ISS	
Sear	Lift	---Select---	.011
	Notch	Slightly Worn; Functioning	
	Tests	Test Fired	False
Feeding Test		False	
Trigger	Condition	Slightly Worn; Not Functioning	TRIG NOT RETURNING WILL FOLLOW DOWN
	Pull	---Select---	2.5#
	Altered	True	SET SCREWS ALTERED
	Sub-Assembly	M/700 Non-Bolt Lock	

www.Remington.com

24"
OW 7/02
2.54
.011

8384





