

Remington Arms Co., Inc.
Product Service
Legal Case #:8116

Case Information

RE#	Date Opened	Date Opened(PS)	Date Closed	Incident Date	Pre Lit	Lit	Obsolete
288079	11/2/2012	11/5/2012	11/5/2012				

Customer Information

Type	Business	First Name	Last Name	Street	City	State	Zip	Age	Contact
Incident		Bruce	Wells	1635 Haymakertown Rd	Troutville	VA	24175		H 540-819-4215 E blwells68@gmail.com

Incident Information

Claims	Codes	Repair Est.	Medical Treatment	Medical Status
PI				
PD				
S	Fired when taking safety off	Cause:4006 Altered Adjustments or Components Concern:1007 Fired on Safe Release	Unknown	
C				

11/8/12 Per note with rifle, gun will fire when taking off of safety to unload.cm

Firearm Information

Mfg.	Type	Model/Ga.	SKU	Serial	Bbl.	DOM
Remington	CF/BA	700/6MM REM	20000	6540547	CW	4/1/1972
Date Purchased	Where Purchased	Accessories	Original Owner			
	J T LLOYD LITTLE RCK ARK	TWO PIECE BASE	U			

CONCERN: FSR

Ammunition Information - None Defined

Other Products Information - None Defined

Settlement

Remington/700/CF/BA

Settlement	Release of Claims	Release Date	Reimbursement	Cash Settlement	Reim. Date APV	Cash Date APV
Per Ilion, replace TPA, clean, test at BLSM program price						
	Repair/Replacement Cost	Repair/Replacement Date				
	29.44	11/8/2012				

11/8/12 Per Ilion, trigger assm dirty and set screws altered. Replace TPA, clean, test at BLSM program price.cm

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment
Examination	Examiner		B.TRAVIS
	Exam Date		11/3/2012
	Product Type		RF
	Action Type		A
	Assigned To		J.BALIO

Cause	4006	Altered Adjustments or Components	
Barrel	Description		22" 6MM REM
	Date Code		CW
	Bore Plugged	False	
	Bulged	False	
	Fired	False	
	Fired while Obstructed		
Bolt	Muzzle/Crown Condition	Slightly Worn; Functioning	
	Firing Pin	Slightly Worn; Functioning	
	Shroud	Slightly Worn; Functioning	
	Face	Slightly Worn; Functioning	
	Handle	Slightly Worn; Functioning	
Extractor	Stop	Slightly Worn; Functioning	
	Condition	Slightly Worn; Functioning	
	Cut Condition	Slightly Worn; Functioning	
Locking	Ext/Eject Test	False	
	Block Condition	---Select---	
	Lug Condition	Slightly Worn; Functioning	
Overall	Notch Condition	---Select---	
	Exterior Condition	Slightly Worn; Functioning	
	Stock Condition	Slightly Worn; Functioning	
Receiver	Fore End Condition	---Select---	
	Condition	Slightly Worn; Functioning	
Safety	Bulged	False	
	Description		BOLT LOCK SAFETY
	Function	Like new; Functioning	
Sear	Sub-Assembly	Non-ISS	
	Lift	---Select---	.006
	Notch	Slightly Worn; Functioning	
Feeding Test	Tests	Test Fired	False
		False	
Trigger	Condition	Slightly Worn; Not Functioning	DIRTY
	Pull	---Select---	3.5#
	Altered	True	SET SCREWS ALTERED
	Sub-Assembly	M/700 Bolt Lock	
Non-Remington Components	Description		TWO PIECE BASE

22"
CW4/7:
3.5#
.006

8116

Serial
Number:

6540547

Model: 700



RE00288079

BRUCE WELLS
(840) 819-4215
1535 HAYMAKERTOWN RD
TROUTVILLE VA 24175

RECEIVED
NOV 06 2012

BY:.....

gun will fire when taking
off of safety to unload

T.A. dirty + set screws altered.
Rep TAA, clean test under RCP
for 20. +

Q







