

	A	B	C	D	E
1	<i>Barrel Number</i>	<i>Serial Number</i>	<i>Rc (over lug)</i>	<i>Rc (between lugs)</i>	<i>Caliber</i>
2	1	71378555	37.4	37.6	30-06
3	2	71378760	38.5	44.3	30-06
4	3	71378768	37.3	36.7	30-06
5	4	71378657	35.1	35.2	30-06
6	5	71378819	33.7	36.1	30-06
7	6	71378741	35.4	37.4	30-06
8	7	71378968	34.6	35.8	30-06
9	8	71378942	44.8	36.8	30-06
10	9	71378654	47.6	42.5	30-06
11	10	71378763	36.3	37.2	30-06
12	11	71378656	39	46.6	30-06
13	12	71378748	36.1	37	30-06
14	13	71378569	40.7	46.6	30-06
15	14	71378655	39.2	41.1	30-06
16	15	71378957	38.7	39.5	30-06
17	16	71378954	43.4	37.8	30-06
18	17	71378943	39.2	37.9	30-06
19	18	71378877	41.6	36.2	30-06
20	19	71378855	36.6	35.5	30-06
21	20	71378806	38.2	36.3	30-06
22	21	71378551	42.4	37.1	30-06
23	22	71378746	46	36.5	30-06
24	23	71378732	41.9	39.6	30-06
25	24	71366912	38.8	39.8	30-06
26	25	71378764	38.7	36.3	30-06
27	26	71378793	39.5	41.2	30-06
28	27	71378647	41.5	38.7	30-06
29	28	71378872	38.9	40.7	30-06
30	29	71378747	38.1	39	30-06
31	30	71378653	38.1	43.3	30-06
32	31	71378952	41.5	40.1	30-06
33	32	71378879	41.9	41.5	30-06
34	33	71378737	40.6	38.1	30-06
35	34	71378788	42.6	40.6	30-06
36	35	71378658	42.6	40.3	30-06
37	36	71378770	41.1	40.6	30-06
38	37	71378652	43	39.9	30-06
39	38	71378773	41.6	39.5	30-06
40	39	71378873	42.2	40	30-06
41	40	71378818	42.6	40.6	30-06
42	41	71378789	41.1	40.6	30-06
43	42	71378668	40.5	39	30-06
44	43	71378743	42.8	40.3	30-06
45	44	71378850	42.4	40.8	30-06

	A	B	C	D	E
46	45	????????????????	38.1	36.5	30-06
47	46	????????????????	43	41.6	30-06
48	47	71378868	41.3	39.8	30-06
49	48	71378559	37	40.5	30-06
50	49	71378802	37.7	39.9	30-06
51	50	71378860	39.9	41.4	30-06
52	51	71378563	43.1	41.1	30-06
53	52	71378561	40.6	40.8	30-06
54	53	71378744	38.2	39.6	30-06
55	54	71378784	40.1	40.5	30-06
56	55	71378755	41.8	40	30-06
57	56	71378960	43.1	40.5	30-06
58	57	????????????????	42.3	41.1	30-06
59	58	71378958	41.1	39.2	30-06
60	59	71378662	38.6	39.2	30-06
61	60	71378771	44.4	42.8	30-06
62	61	71378640	42.5	40.8	30-06
63	62	71378643	41.9	39.2	30-06
64	63	71378645	41.8	39.1	30-06
65	64	71378953	38.5	42.9	30-06
66	65	71378812	41.2	39.6	30-06
67	66	71378801	44.9	38.7	30-06
68	67	71378753	43.9	42.7	30-06
69	68	71378550	42.9	41.4	30-06
70	69	71378787	37.9	37.3	30-06
71	70	71378959	39.4	38.2	30-06
72	71	71378777	38.1	41.9	30-06
73	72	????????????????	44.6	40.4	30-06
74	73	71378566	42.7	40.6	30-06
75	74	71378956	46.7	38.6	30-06
76	75	71378874	42	39.5	30-06
77	76	71378576	36.3	39.1	30-06
78	77	71378866	43.3	40	30-06
79	78	71378856	44.5	38.9	30-06
80	79	71378560	35.4	38.6	30-06
81	80	71378660	42.2	39.6	30-06
82	81	71378876	40.3	39.4	30-06
83	82	71378951	42.2	41.1	30-06
84	83	71378862	43	38.4	30-06
85	84	71378648	41.4	40.5	30-06
86	85	71378950	44.9	39.9	30-06
87					
88		average	40.67	39.64	
89		std dev	2.88	2.19	
90		max	47.6	46.6	

	A	B	C	D	E
91		min	33.7	35.2	

	A	B	C	D	E
1	Barrel Number	Serial Number	Rc (over lug)	Rc (between lugs)	Caliber
2	1	71378778	41.6	41.1	0.243
3	2	71378878	42.4	42.1	0.243
4	3	71378661	41.2	39.6	0.243
5	4	71378875	43.3	43.1	0.243
6	5	71378780	37.1	39.3	0.243
7	6	71378965	38.6	41.4	0.243
8	7	71378750	42.4	40.4	0.243
9	8	71378796	36.1	36.4	0.243
10					
11		average	40.34	40.43	
12		std dev	2.70	2.05	
13		max	43.3	43.1	
14		min	36.1	36.4	

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

R 2195015

	A	B	C	D	E
1	Barrel Number	Serial Number	Rc (over lug)	Rc (between lugs)	Caliber
2	1	71378740	43.1	43	300 WM
3	2	71378730	37.8	39.8	300 WM
4	3	71378863	42.3	40.4	300 WM
5	4	71378562	37.6	37.9	300 WM
6	5	71378810	41.3	39.8	300 WM
7	6	71378870	36.2	35.1	300 WM
8	7	71378947	37.8	39.5	300 WM
9	8	71378807	42	38.9	300 WM
10	9	71378794	38	37.6	300 WM
11	10	71378749	36.9	37	300 WM
12	11	71378775	37.4	36.4	300 WM
13	12	71378752	41.5	38	300 WM
14	13	71378804	42.9	39.3	300 WM
15	14	71378762	40.6	38.9	300 WM
16	15	71378805	37.1	37.4	300 WM
17	16	71378632	39.9	39.3	300 WM
18	17	71378558	43.5	42.8	300 WM
19	18	71378779	40	38.7	300 WM
20	19	71378790	41	40.1	300 WM
21	20	71378791	40.6	40.3	300 WM
22	21	71378659	41.8	40.5	300 WM
23	22	71378865	40.6	39.9	300 WM
24	23	71378641	39.9	39.2	300 WM
25	24	71378786	39.2	39.7	300 WM
26	25	71378967	40.2	38.8	300 WM
27	26	71378570	41.2	39.6	300 WM
28	27	71378945	41.5	39.4	300 WM
29	28	71378738	42	40.3	300 WM
30	29	71378859	41.4	36.6	300 WM
31	30	71378666	41.3	40	300 WM
32	31	71378946	40.6	38.5	300 WM
33	32	71378798	41.4	38.7	300 WM
34	33	71378774	40.7	36.9	300 WM
35	34	71378739	42.4	39.8	300 WM
36	35	71378782	42.1	40.1	300 WM
37	36	71378783	42.4	40.3	300 WM
38	37	71378766	39.4	37.1	300 WM
39	38	71378871	41.1	40.9	300 WM
40	39	71378867	41.1	39.1	300 WM
41	40	71378650	42	39	300 WM
42	41	71378736	37.5	37.6	300 WM
43	42	71378733	41.7	40	300 WM
44	43	71378758	41.5	40.9	300 WM
45	44	71378731	39.7	38.2	300 WM

	A	B	C	D	E
46	45	71378797	40.6	38.9	300 WM
47	46	71378642	39.4	38	300 WM
48	47	71378964	41.1	40	300 WM
49	48	71378854	42	39.9	300 WM
50	49	71378573	40.8	40.4	300 WM
51	50	71378745	41.5	40.6	300 WM
52	51	71378751	39.1	38.2	300 WM
53	52	71378651	43.1	42.6	300 WM
54	53	71378813	41.9	42.1	300 WM
55	54	71378795	42.6	42.6	300 WM
56	55	71378817	42.4	41.3	300 WM
57	56	71378646	42	41.8	300 WM
58	57	71378963	42.5	42.3	300 WM
59	58	71378869	42.6	42	300 WM
60	59	71378853	44	41.5	300 WM
61	60	71378756	42.5	41.3	300 WM
62	61	71378864	42.5	39	300 WM
63	62	71378792	42.7	41	300 WM
64	63	71378808	43.4	41.7	300 WM
65	64	71378767	42.4	42.1	300 WM
66	65	71378568	42.3	40.4	300 WM
67	66	71378809	37.3	40.6	300 WM
68	67	71378961	41.2	37.7	300 WM
69	68	71378955	41.5	41	300 WM
70	69	71378785	41.9	39	300 WM
71	70	71378815	41.9	37.7	300 WM
72	71	71378949	41.2	39.5	300 WM
73	72	71378667	41.8	40.2	300 WM
74	73	71378948	41.9	40.4	300 WM
75	74	71378857	42.8	40.9	300 WM
76	75	71378765	43	41.3	300 WM
77	76	71378769	41.7	42.8	300 WM
78	77	71378664	41.7	40.7	300 WM
79	78	71378944	42.5	41.2	300 WM
80	79	71378567	39.1	35.8	300 WM
81	80	71378858	42.5	40.8	300 WM
82	81	71378799	42.3	40.8	300 WM
83	82	71378851	40.5	36.8	300 WM
84	83	71378649	41.1	38.2	300 WM
85	84	71378757	43	40.8	300 WM
86	85	71378776	40.7	42.6	300 WM
87	86	71378759	40.5	38.4	300 WM
88	87	71378811	40.8	39.8	300 WM
89	88	71378663	41.5	41.7	300 WM
90	89	71378803	42.7	41.3	300 WM

	A	B	C	D	E
91	90	71378966	39.3	38.5	300 WM
92	91	71378781	38.5	39.5	300 WM
93	92	71378969	40.7	38.6	300 WM
94	93	71378861	41.5	40.5	300 WM
95	94	71378644	40.9	40.7	300 WM
96	95	71378941	41.4	39	300 WM
97	96	71378816	41.3	38.5	300 WM
98	97	71378571	41.4	38.7	300 WM
99	98	71378772	40.5	37.8	300 WM
100	99	71378940	41.1	40.9	300 WM
101	100	71378761	42.6	41.4	300 WM
102	101	71378865	43.8	40	300 WM
103	102	71378556	41.2	38.3	300 WM
104	103	71378754	42	39.5	300 WM
105	104	71378734	41.1	39.4	300 WM
106	105	71378554	41.6	38.5	300 WM
107					
108		average	41.10	39.70	
109		std dev	1.62	1.64	
110		max	44	43	
111		min	36.2	35.1	