

SERIAL # 71378664

CAL- .300 Win. Mag.

Gun I.D.-A-1

Trial and Pilot

SS M/770

DAILY TEST DATA SHEET

TRACKING # TLW2305

PROJECT #241230

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection - Appears OK			
		Safety Function Test - Functions properly			
		Trigger Pull w/ Doornak	5.509, 5.837, 5.588, 5.569, 5.719 Avg. 5.644 lbs,		
		Depth of Front Takedown screw hole - .136			
J Sims	7/3/07	Chamber Cast			
J. Sims	7/5/07	Measure Casting	- See Spreadsheet for data		
J. Sims	7/6/07	Twist Rate	1:10"		
		Tangar screws			
		Headspace	+0.005		
		Root	OK	1	1
		Headspace	+0.005		
J.S./J.W.	7/10/07	Clean & Inspect	OK		
J. Sims	7/11/07	Accuracy	- See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect	OK		
JS	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean & Inspect	H.S. +0.005, OK		
JS	7/16/07	ENDURANCE		400	521
JS/JW	7/17/07	Clean & Inspect	H.S. +0.005, OK		
JS	7/18/07	Endurance		500	1021
JS/JW	7-19-07	Clean & Inspect	H.S. +0.005, OK		
JW	7-20-07	ENDURANCE		500	1521
JW	7-23-07	Clean & Inspect	H.S. +0.005, OK		
JW	7-24-07	ENDURANCE		500	2021
JW	7-24-07	Clean & Inspect	H.S. +0.006, OK		
JEU	7-25-07	Section BBL	Sectioned bbl for metalurgical analysis		

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

Gun I.D.-A-2

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING # TLW2305
PROJECT #241230

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS
J. Sims	7/2/07	Out of Box Visual Inspection - Appears OK Safety Function Test - Functions properly Trigger Pull w/ Diapak - 5.248, 5.706, 4.986, 5.607, 5.552. Avg. 5.420 lbs. Depth of Front Takedown screw hole - .138			
J Sims	7/3/07	Chamber Cast			
J Sims	7/5/07	Measure Casting	- See Spreadsheet For data		
J. Sims	7/6/07	Twist Rate	1:10"		
		Torque screws			
		Headspace	+ .005		
		Proof	OK.	1	1
		Headspace	+ .006		
JS / JW	7/10/07	Clean & Inspect	OK		
J. Sims	7/11/07	Accuracy	- See Spreadsheet For data	20	21
J. Sims	7/12/07	Clean & Inspect	OK		
JS	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean & Inspect	H.S. + .006 , OK		
JS	7/16/07	Endurance		400	521
JS/JW	7/17/07	Clean & Inspect	H.S. + .006 , OK		
JS	7/18/07	Endurance		500	1021
JS/JW	7-19-07	Clean & Inspect	H.S. + .006 , OK		
JW	7-20-07	ENDURANCE		500	1521
JW	7-23-07	Clean & Inspect	H.S. + .006 , OK		
JW	7-24-07	ENDURANCE		500	2021
JW	7-24-07	Clean & Inspect	H.S. + .006 , OK		

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

Gun I.D.-A-3

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

R 2195748

Gun I.D.-A-4

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection - Appears OK Safety Function Test - Functions properly Trigger Pull w/ Duarak - 5.709, 5.580, 5.444, 5.443, 5.415 Avg. 5.528 lbs. Depth of Front Take-down screw hole - .139			
J. Sims	7/6/07	Torque screws Headspace +.005 Proof OK Headspace +.006		1	1
JS/JW	7/10/07	Clean & Inspect	OK		
J. Sims	7/11/07	Accuracy	- See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect	OK		
JS	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean & Inspect	H.S. +.006, OK		
JS	7/16/07	Endurance		400	521
JS/JW	7/17/07	Clean & Inspect	H.S. +.006, OK		
JS	7/18/07	Endurance		500	1021
JS/JW		Clean & Inspect	H.S. +.006, OK		

BLANK FORMS.XLS

R 2195749

Gun I.D.-A-5

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING # TLW2305
PROJECT #241230

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection - Appears OK Safety Function Test - functions properly Trigger Pull w/ Drag 6.150, 6.059, 6.075, 6.029, 6.047 Avg. 6.072 lbs. Depth of front Takedown screw hole - .138			
J. Sims	7/6/07	Targue screws Headspace Proof Headspace	+0.05 OK +0.05	1	1
JS/JW	7/10/07	Clean & Inspect	OK		
J. Sims	7/11/07	Accuracy	- See Spreadsheet for data	20	21
J Sims	7/12/07	Clean & Inspect	OK		
JS	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean & Inspect	H.S. + .005 OK		
JS	7/16/07	Endurance		400	521
JS/JW	7/17/07	Clean & Inspect	H.S. + .006 OK		

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

**CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON**

R 2195750

Gun I.D.-A-6

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

R 2195751

Gun I.D.-A-7

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

[illegible]

BLANK FORMS.XLS

R 2195752

Gun I.D.-A-8

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

[illegible]

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

R 2195753

Gun I.D.-A-9

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING # TLW2305
PROJECT #241230

[illegible]

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

R 2195754

Gun I.D.-A-10

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

BLANK FORMS.XLS

R 2195755

Gun I.D.-B-1

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection - Apprais OK			
J. Sims	7/3/07	Safety function test - functions properly			
J. Sims	7/3/07	Trigger Pull w/ Duvek - 5.542, 5.749, 5.501, 5.466, 5.430 Avg. 5.538 lbs.			
J. Sims	7/5/07	Depth of Front Takedown screw hole - .222			
J. Sims	7/5/07	Chamber Cast			
J. Sims	7/6/07	Measure Casting	See Spreadsheet for data		
J. Sims	7/9/07	Headspace	.003 (Targeted screws prior to proofing)		
		Proof	OK	1	1
		Headspace	.004		
JS/JW	7/10/07	Clean & Inspect			
J. Sims	7/11/07	Accuracy	See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect			
JW	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean & Inspect	H.S. + .004, OK		
JW	7/16/07	Endurance		400	521
JS/JW	7/17/07	Clean & Inspect	H.S. + .004, OK		
JW	7/18/07	Endurance		500	1021
JS/JW	7-19-07	Clean & Inspect	H.S. + .004, OK		
JW	7-20-07	ENDURANCE		500	1521
JW	7-23-07	Clean & Inspect	H.S. + .004, OK		
JW	7-24-07	ENDURANCE		500	2021
JW	7-24-07	Clean & Inspect	H.S. + .004, OK		
JEH	7-25-07	Section BRL	Sectioned BRL for metallurgical analysis		

BLANK FORMS.XLS

R 2195756

Gun I.D.-B-2

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection - Appears OK			
J. Sims	7/3/07	Safety Function Test - Functions properly			
J. Sims	7/3/07	Trigger Pull w/ Dvacak - 6.091, 6.142, 6.020, 5.946, 5.836 Avg. 6.007 lbs.			
J. Sims	7/5/07	Depth of Front Takedown screws - .222			
J. Sims	7/6/07	Chamber Cast			
J. Sims	7/6/07	Measure Casting	See Spreadsheet for data		
J. Sims	7/9/07	Headspace	+ .003 (Torgued screws prior to proof)		
J. Sims	7/9/07	Proof	OK	1	1
J. Sims	7/9/07	Headspace	+ .003		
JS/JW	7/10/07	Clean & Inspect			
J. Sims	7/11/07	Accuracy	See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect			
JW	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean & Inspect	H.S. + .003 OK		
JW	7/16/07	Endurance		400	521
JS/JW	7/17/07	Clean & Inspect	H.S. + .003, OK		
JW	7/18/07	Endurance		500	1021
JS/JW	7-19-07	Clean & Inspect	H.S. + .003, OK		
JW	7-20-07	ENDURANCE		500	1521
JW	7-23-07	Clean & Inspect	H.S. + .003, OK		
JW	7-24-07	ENDURANCE		500	2021
JW	7-24-07	Clean & Inspect	H.S. + .003, OK		

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

R 2195757

Gun I.D.-B-3

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

R 2195758

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection. - Appears OK			
J. Sims	7/3/07	Safety Function Test - Functions properly			
J. Sims	7/3/07	Trigger Pull w/ Dronak - 5.447, 5.712, 5.627, 5.444, 5.618 Avg. 5.570 lbs.			
J. Sims	7/5/07	Depth of Front Takedown screw hole - .220			
J. Sims	7/5/07	Chamber Cast			
J. Sims	7/6/07	Measure Casting	See Spreadsheet for data		
J. Sims	7/9/07	Headspace	+ .003		
		Proof	OK	1	1
		Headspace	+ .004		
JS/JW	7/10/07	Clean & Inspect			
J. Sims	7/11/07	Accuracy	- See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect			
JW	7/12/07	Endurance		100	121
JS/JW	7/13/07	Clean & Inspect	H.S. + .004 OK		
JW	7/16/07	Endurance	Grip cap fell off @ 11 rds.	400	521
JS/JW	7/17/07	Clean & Inspect	H.S. + .004 OK		
JW	7/18/07	Endurance		500	1021
JS/JW		Clean & Inspect	H.S. + .004 OK		

Gun I.D.-B-4

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING # TLW2305
PROJECT #241230

BLANK FORMS.XLS

R 2195759

Gun I.D.-B-5

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

R 2195760

Gun I.D.-B-6

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS
J. Sims	7/2/07	Out of Box Visual Inspection -	Appears OK		
J. Sims	7/3/07	Safety Function Test -	functions properly		
J. Sims	7/3/07	Trigger Pull w/ Dwyer	5.890, 5.829, 5.936, 5.632, 5.447 Avg. 5.748 lbs.		
J. Sims	7/9/07	Depth of front Takedown screw hole -	.221		
J. Sims	7/9/07	Headspace	+ .002 (forged screws prior to proof)		
J. Sims	7/9/07	Proof	OK	1	1
J. Sims	7/9/07	Headspace	+ .002		
JS/JW	7/10/07	Clean & Inspect			
J. Sims	7/11/07	Accuracy	- See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect			
JW	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean & Inspect	HS + .002 OK		
JW	7/16/07	Endurance		400	521
JS/JW	7/17/07	Clean & Inspect	HS + .002 OK		

BLANK FORMS.XLS

R 2195761

Gun I.D.-B-7

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

BLANK FORMS.XLS

R 2195762

Gun I.D.-B-8

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

R 2195763

Gun I.D.-B-9

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection - Appears OK			
J. Sims	7/2/07	Safety Function Test - Functions properly			
J. Sims	7/3/07	Trigger Pull - 1 DuraK - 5.612, 5.501, 5.480, 5.520, 5.390 Avg. 5.501 lbs.			
J. Sims	7/9/07	Depth of front Takedown screw hole - .024			
J. Sims	7/9/07	Headspace	+ .002 (Torqued screws prior to proof)		
J. Sims	7/9/07	Proof	OK	1	1
J. Sims	7/9/07	Headspace	+ .002		
JS/JW	7/10/07	Clean & Inspect			

BLANK FORMS.XLS

R 2195764

Gun I.D.-B-10

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection	- Difficult to close (Cam-over)		
J. Sims	7/3/07	Safety Function Test	- Functions properly		
J. Sims	7/9/07	Trigger Pull w/ Drawbar	- 5.972, 5.761, 6.269, 5.672, 5.772, Avg. 5.889 lbs.		
J. Sims	7/9/07	Depth of Front Takedown screw hole	- .219		
J. Sims	7/9/07	Headspace	Min. (Torqued screws prior to pract)		
J. Sims	7/9/07	Pract	OK	1	1
J. Sims	7/9/07	Headspace	+ .002		
J.S./J.W.	7/10/07	Clean & Inspect			

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

R 2195765

Gun I.D.-C-1

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING # TLW2305
PROJECT #241230

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

R 2195766

Gun I.D.-C-2

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING # TLW2305
PROJECT #241230

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection -	Appears OK		
J. Sims	7/3/07	Safety Function Test - functions properly			
J. Sims	7/3/07	Trigger Pull w/ Dvorak	6.322, 6.505, 6.345, 6.226, 6.272 Avg. 6.334 / 65.		
J. Sims	7/5/07	Depth of front Takedown screw hole -	.217		
J. Sims	7/6/07	Chamber Cast			
J. Sims	7/6/07	Measure Casting	See Spreadsheet for data		
J. Sims	7/9/07	Headspace	+ .003 (Torqued screws prior to proof)		
		Proof	OK	1	1
		Headspace	+ .003		
JS/JW	7/10/07	Clean & Inspect			
J. Sims	7/11/07	Accuracy	See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect			
JS	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean & Inspect	H.S. + .003, OK		
JS	7/16/07	Endurance		400	521
JS/JW	7/17/07	Clean & Inspect	H.S. + .004, OK		
JS	7/18/07	Endurance		500	1021
JS/JW	7-19-07	Clean & Inspect	H.S. + .004, OK		
JW	7-20-07	ENDURANCE		500	1521
JW	7-23-07	Clean & Inspect	H.S. + .004, OK		
JW	7-24-07	ENDURANCE		500	2021
JW	7-24-07	Clean & Inspect	H.S. + .004, OK		

BLANK FORMS.XLS

R 2195767

SERIAL # 71378778

CAL- .243 youth

Gun I.D.-C-3

Trial and Pilot

SS M/770

DAILY TEST DATA SHEET

TRACKING # TLW2305

PROJECT #241230

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection - Appears OK			
J. Sims	7/3/07	Safety Function Test - Functions properly			
J. Sims	7/3/07	Trigger Pull w/ Drenk - 5.869, 5.698, 5.658, 5.542, 5.836 Avg, 5.717 lbs.			
J. Sims	7/5/07	Depth of front takedown screw hole - .217			
J. Sims	7/5/07	Chamber Cast			
J. Sims	7/6/07	Measure Casting	See Spreadsheet for data		
J. Sims	7/9/07	Headspace	+ .003 (Torqued screws prior to proof)		
		Proof	OK	1	1
		Headspace	+ .003		
JS/JW	7/10/07	Clean & Inspect			
J. Sims	7/11/07	Accuracy	See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect			
JS	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean & Inspect	H.S. + .003 OK		
JS	7/16/07	Endurance		400	521
JS/JW	7/17/07	Clean & Inspect	H.S. + .003 OK		
JS	7/18/07	Endurance		500	1021
JS/JW		Clean & Inspect	H.S. + .003 OK		

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

Gun I.D.-C-4

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection	Appears ok		
J. Sims	7/3/07	Safety Function Test	Functions properly		
J. Sims	7/3/07	Trigger Pull w/ Dronk	6.067, 5.997, 5.939, 5.912, 5.767 Avg. 5.936 lbs.		
J. Sims	7/9/07	Depth of front Take down screw hole	.222		
J. Sims	7/9/07	Headspace	+ .003 (Torqued screws prior to proof)		
		Proof	OK	1	1
		Headspace	+ .003		
JS/JW	7/10/07	Clean & Inspect			
J. Sims	7/11/07	Accuracy	See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect			
JS	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean & Inspect	H.S. + .003 , OK		
JS	7/16/07	Endurance		400	521
JS/JW	7/17/07	Clean & Inspect	H.S. + .004 , OK		
JS	7/18/07	Endurance		500	1021
JS/JW		Clean & Inspect	H.S. + .004 , OK		

BLANK FORMS.XLS

R 2195769

Gun I.D.-C-5

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection	- Appears OK		
J. Sims	7/3/07	Safety Function Test	- Functions properly		
J. Sims	7/3/07	Trigger Pull w/Prorak	5.974, 5.950, 5.926, 5.784, 5.880 Avg. 5.903lbs.		
J. Sims	7/9/07	Depth of front Takedown screw hole	- .219		
J. Sims	7/9/07	Headspace	+ .003 (Torqued screws prior to proof)		
J. Sims	7/9/07	Proof	OK	1	1
J. Sims	7/9/07	Headspace	+ .003		
JS / JW	7/10/07	Clean & Inspect			
J. Sims	7/11/07	Accuracy	- See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect			
JS	7/12/07	ENDURANCE		100	121
JS / JW	7/13/07	Clean & Inspect	H.S. + .003 OK		
JS	7/16/07	Endurance		400	521
JS / JW	7/17/07	Clean & Inspect	H.S. + .003 OK		

BLANK FORMS.XLS

R 2195770

Gun I.D.-C-6

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection - Appears OK			
J. Sims	7/3/07	Safety Function Test - Functions properly			
J. Sims	7/3/07	Trigger Pull & Duration - 5.920, 5.623, 5.855, 5.685, 6.398 Avg. 5.896 lbs.			
J. Sims	7/9/07	Depth of front Take down screw hub - .216			
J. Sims	7/9/07	Headspace	+ .004 (Torqued screws prior to proof)		
J. Sims	7/9/07	Proof	OK	1	1
J. Sims	7/9/07	Headspace	+ .004		
JS/JW	7/10/07	Clean & Inspect			
J. Sims	7/11/07	Accuracy	- See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect			
JS	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean & Inspect	H.S. + .004 , OK		
JS	7/16/07	Endurance		400	521
JS/JW	7/17/07	Clean & Inspect	H.S. + .004 , OK		

BLANK FORMS.XLS

R 2195771

Gun I.D.-C-7

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

[illegible]

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

R 2195772

Gun I.D.-C-8

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box, Visual Inspection - Appears OK			
J. Sims	7/3/07	Safety Function Test - Functions properly			
J. Sims	7/3/07	Trigger Pull w/ Dronak - 5.007, 4.993, 5.031, 4.909, 5.040 Avg. 4.976 lbs.			
J. Sims	7/9/07	Depth of front Takedown screw hole - .0219			
J. Sims	7/9/07	Headspace	+ .003		
J. Sims	7/9/07	Proof	OK	1	1
J. Sims	7/9/07	Headspace	+ .003		
JS/JW	7/10/07	Clean & Inspect			
BL	7/25/07	Hot Test		100	101
BL	7/26/07	Cold Test		100	201
BL	7/27/07	Clean			

BLANK FORMS.XLS

R 2195773