

GUN: B-8
SHOOTER: BOB LEE
CAL: 30.06

M / 770 STAINLESS STEEL BARREL
HOT TEST (120.2 F)

PROJECT# 241230
TLW# 22305

Ø

AMMO	Rem 180GR. Core-Lokt SPR 30069	LOT#	B08 JAI
MALFUNCTIONS		MALFUNCTIONS	
1	8:00 AM	51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	14:00 PM
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	10:00 AM	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	16:00 PM
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	12:00 NOON	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

GUN: C8
SHOOTER: BOB LEE
CAL.: 243 WIN

M / 770 STAINLESS STEEL BARREL
HOT TEST (120.2 F)

PROJECT# 241230
TLW# 22305

Ø

AMMO Rem 8062 PSP R243W1		LOT# C22 RA1	
MALFUNCTIONS		MALFUNCTIONS	
1	8:00 AM	51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	14:00 PM
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	10:00 AM	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	16:00 PM
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	12:00 NOON	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

GUN: B8
SHOOTER: BOB LEE
CAL: 30.06

M / 770 STAINLESS STEEL BARREL
COLD TEST (-20.0 F)

PROJECT# 241230
TLW# 22305

AMMO Rem 180 GR Core-Lok T PSp R30065		LOT# B15 BBI	
MALFUNCTIONS		MALFUNCTIONS	
1	8:00 AM	51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	14:00 PM
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	10:00 AM	71	
22	MF	72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	16:00 PM
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	12:00 NOON	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

GUN: C8
SHOOTER: BOB LEE
CAL: .243 WIN

M / 770 STAINLESS STEEL BARREL
COLD TEST (-20.0 F)

PROJECT# 241230
TLW# 22305

Ø

AMMO Rem 80GR JSP R243W1		LOT# C02 DC1	
MALFUNCTIONS		MALFUNCTIONS	
1	8:00 AM	51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	14:00 PM
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	10:00 AM	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	16:00 PM
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	12:00 NOON	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	