Bullet Knife 2004 Remington "Old Reliable"

When it comes to jegende, perhaps aching in the outdoors would matches a Remington. Bullet Knife. The origin bullet knifes were things of beauty complemented with fine attworks and built with the attention to quality that distinguished Remington as a pre-emirent cutlery maker. After years out of production, these collectables were reintroduced mit 1982: Immediately the R1123 became as desirable as the product it was promoting. Distinguished as the SMost Collectable Modern-Day Series, this program has proven the test of time lasting through four presidents, a stock market crust and a way.

Now in its 22nd year, the Remington Bullet Krife is still a coveted collectible. So for 2004, we're proud to offer "Old Reliable," A two-blade knife with black cherry pigged bone handles, and features a 2 1/1," spear blade with the Remington logo and a 2 1/1," pen blade with a year stamp. Brass lined with a nickel silver bullet shield and bolster, the 2004 Bullet Krife is ready to take its place alongside its predecessors.

Decause knives are passed down from generation to generation, we hope that you enjoy, the comfort in knowing the dedication to quality the Remington Arms Company has had since 1816. The efforts of hardworking Americans for more than 185 years has brought you products worthy of being called "Collectible." Thank you for your continued support of one of our nation's oldest manufacturers.

©2004 Rendrigton Artis Company, Inc., Medison, NC 77025. For Consumer Information, Arms Service, Parts and Repairs and Custom Shopi: Call (600) 243-9700 or visit www.reningion.com





Remington

FOR ADDITIONAL INFORMATION, VISIT US AT WWW.REMINGTON.COM

3. 20.0 337. Arcuir, ADI, Accelerator, BDI, Brisberr, Bonzus Print, Bruchmarter, Buller, CREE 22, Classin; Comperition Muster, Comperition, Copper-Seld, Cert-Loid, Cyrlone, Develuence Online, Band, Dugler, Extractor Repressived, EZ, xiza, EZ, Clicidizator, Commerciator, Golder, Coderion Solver, Service, Band, Ez, Classon, Andrew, Model 40, Xiza, Carlo, Model 40, Xiza, Model 503, Model 40, Xiza, Model 503, Model 40, Xiza, Model 504, Model 40, Xiza, Model 507, Model 572, Model 572,

Weights, stock dimensions, checkering pattern and wood grain may vary according to the individual firearm. Remington reserves the right to change or modify its products without notice. Pricing may vary by model, specification, cotor, size and availability, Follow the safely rules primated in finearms instruction books and on ammunisten bores, If you do not have an instruction book to your Reminigton firearm, write to Reminington Arms Company, Inc., PCD, Box 700, Madition, NC 27025, for a free copy, Please specify the model and serial number, The firearms herein have been photographed with their actions dosed to properly showcase their features, in actual practice, any firearm not in use must be left with ammunifolm removed, action open, and safety on.

THE HIGHEST STANDARD IN THE HIGH COUNTRY.



There are places still unspoiled by encroaching civilization. Places where the thawing spring snow runs the course nature intended. Places where man's foot has never left its mark. There is a sanctity when you find yourself in such a place. It's when you realize what your feeling is more than just excitement, it's reverence. This is country where mankind shakes hands with raw nature. It's country where the first light of day emerges to illuminate virgin fields in an ethereal glow. And you'll know it when you see it, when you say to yourself in a voice that's just a whisper, "this is Remington country."



Like those of you who share the passion, we know that hunting is more than a sport, it's an experience. And when an entire weekend turns into a single opportunity, you better be ready to make the most of it. That is why so many hunters choose Remington, and have for

nearly 200 years. No other arms and ammunition manufacturer combines so much tradition and experience with innovative technology and precision craftsmanship. You can feel it in the way a gun fits into your hands. You can see it in the rich and graceful design. You can sense it, in the way the action flows and in the way it handles.

The reasons for choosing Remington are as numerous as the models of guns and types of ammunition we make. Some say it's the legendary accuracy. Some say it's the unheatable value. And for some, it's because it was their father's choice, and his father's before that. Regardless of the reason, we remain unwavering on our dedication to producing fixearms, ammunition and accessories which embody the highest standards in quality and are instilled with the spirit of a legendary brand – Remington.





MODEL 504." Legendary Remington® accuracy in a bolt-action rimfire rifle. Full of premium features, the Model 504 performs as good as it looks.




MODEL 710 GOES MAGNUM. Take heart magnum aficionados, Remington* is pleased to announce the addition of two hard-hitting magnum calibers for 2004 – the 7mm Remington Mag and the .300 Win Mag.



MODEL 700° CDL. The newest member of the Model 700° family, the 700 Classic Deluxe; available in eight calibers, the Model 700 CDL offers renowned accuracy in a classically styled design.



MODEL 700" LIGHT VARMINT. Introducing the Model 700 LV SF, an extremely accurate and lightweight option for the serious varmint and predator hunter.



MODEL 11-87** SPS WATERFOWL.*
With proven reliability and full of features, the 11-87** SPS** Waterfowl may be the most well-rounded waterfowl gun we make. Camouflaged in New Mossy Oak* Shadow Grass from stock to muzzle, it's the ultimate in concealment.



GUN CLEANING KITS. There's no better way to keep your guns in pristine condition than with Remington* Fieldmaster' cleaning kits. Give your gun the care it deserves—give it Remington. Page 58



PREMIER* CORE-LOKT* ULTRA.
Absolutely the most accurate bonded hunting bullet
on the market today. Its unmarkets combination
of superb accuracy and uncompromising
bullet integrity delivers devestiding knock down

Defformance at any range, This year, Premier Core-Lokt Ultra will be available

MANAGED RECOLL Introducing Managed-Reconcentration rifle, slugs and buckshot ammunition effective on game performance, yet comfortable to shoot, 100% performance, 50% less recoil. Remington's smaring, new Managed-Recoil ammunition. Place 30-31



NITRO-STEEL." A favorite among today's waterfowlers, our popular line of the finest steel shot has been completely revised and updated for 2004.




B U C K H A M M E R." Devastating knockdown outstanding accuracy. The new 2004 BuckHammer boasts the highest energy 12 ga. 3 inch and 20 ga. 2 ½ inch stugs available anywhere. Phys. 47.

BAGGED COMPONENTS. Now reloaders everywhere can enjoy the highest-quality brass and bullets in the industry, Pages 51-52

MAKING THE CUT FOR 2004. 2004 brings several new knife offerings to the Remington family. There's the collectible bullet knife, and there's also a wide variety of new high-quality fixed and folding bade knives, too. Introducing the new D-Series, M-Series and Model 830 — quits possibly the toughest knives you'll ever.own. 1869-54-55



EYEWEAR. Wrap-ground sports styles with a dual lens design concept provide a great look and a comfortable fit. Reminigion syewear – superior optics for accurate visual perception. Physic 52-53



MODEL

WHERE TECHNOLOGY MEETS CRAFTSMANSHIP.

Whether you use it for hunting, serious target shooting or an afternoon of plinking, one thing is certain. This is no ordinary rimfire rifle. Far from it. In fact, the Model 597" is easily the most advanced autologitus rimfire rifle ever built. And the first breakthrough in autoloading rimfire rifle technology in 35 years. The difference starts with our proprietary bolt-guidance system. It features a unique set of twin tool-steel guide rails (other brands feature only grooved aluminum slots). Because steel is stronger and far more resistant to wear, the result is not only better stability, feeding reliability and accuracy right out of the box, but significantly superior performance through time.

Of course, we didn't stop there. The bolt, hammer and sear of the Model 597 all feature an exclusive Tellon nicket plating for absolutely smooth, dependable operation and an ultra-origin trigger pull (that stays that way). To assure reliable, long-life accuracy we've also incorporated a unique positive locking permanently rigid barrel attachment clamp. Receivers are grooved for standard rimfire mounts and tapped/drilled for Weaverstyle bases Completing the breakthrough design are an innovative last shot hold open, magazine reature and our patented, easy-to-use staggered-stack magazine For additional Model 597 factory

MODEL 597" PEATURES:

- · Bolt-guidance system features twin. tool-steel guide rails
- . Offered in both textured finish synthetic or laminated wood stocks
- · Offered in both blued carbon steel or stainless steel harrel models
- Non-plare matte finish Adjustable big game iron sights (excluding heav) barrel and magnum models)



Constructed from a lightweight, magnesium based alloy and cast as one piece viale non-conventional dis-cast process; our metal magazine holds ultre-precise dimensional. tolerances and yields an exceptional surface finish. Moreover, its extreme rigidity is ideal for demanding, high-volume use. For those who already own an older Model 597 the metal magazine is elso available separately as a Remington* accessory.

~MODEL 597" DESIGN FEATURES~

Model 597" bolt travels on twin tool-steel guide rails fo Sear and hammer are Teflon*/nickel-plated for crisp, smooth trigger pull

Patented drop-out style staggered-stack box magazine assures reliable feeding and fast, easy reloading

Last shot hold open for positive identification of empty chamber

Unique attachment system rigidly joins barrel to receiver for perfect alignment and enhanced accuracy

RIMFIRE RIFLES

LOOKING FOR A CLASSIC RIMFIRE? CHOOSE YOUR MASTER.

For those sportsmen who still love the look and feel of classic rimfire rifles, our Model 572TH BDLTH Fieldmaster* and Model 552TH BDL Speedmaster,* may very well be the finest available. They combine richly blued carbon-steel barrels with stocks of generously checkered, high-gloss American walnut. But don't let the good looks fool you - these are serious shooters. The Model 572 BDL Fieldmaster is one of the most popular pumpaction 22 rimfires made in America today. Ultimately versatile, it handles 22 Short, 22 Long and 22 Long-Rifle cartridges interchangeably. Other features include adjustable big-game sights, positive cross-bolt safety and grooved receiver for scope mounts. The Model 552 BDL Speedmaster is the only American-made 22 autoloader that handles 22 shorts, 22 longs and 22 long-rifle cartridges interchangeably. Like its pump-action counterpart, it features adjustable big-game sights, positive cross-bolt safety and grooved receiver for scope mounts.

MODEL 552"/572" FEATURE:

Patented, 10-shot metal detachable magazin

Last-shot "hold open" bott for added safet

8-shot for marnum

- . Handjes 22 Short, 22 Long and 22 Long-Rifle cartridges
- · High-gloss American walnut stock and fore-end with cut checkering
- Tubular magazine fed
- · Richly blued carbon-steel barrel
- · Adjustable iron sights for open sight plinking
- · Receiver grooved for scope mounts for precision shooting with optics
- Model 572™ Fieldmaster® features a smooth dassic slide action
- Model 552** Speedmaster* features an autoloading action for serious plinking

| Marlel | Order Ma | Action Tyres | Adag Action Costacony | Barrel tength | tength | Acıj, VA. illişt | Stock Mail | Stock Ernsh | ESU (Aut) | BSL FinKh; |
|--|-------------|------------------------------|--------------------------|------------------|--------|---------------------|--------------------|----------------|-----------------|------------------|
| MODE | L 572 | ~/552~ | RIFLE | DIM | ENSI | ONS / | AVERAC | E WE | IGHTS | |
| 552 tm BDL TM Defuxe Speedmaster* | 25594 | Autoloading (22 S, L, LR) | 154 | 21* | 40*1 | 5% | American Walnut | Gloss | Carbon Steel | Polished Blue |
| 572*** BDL*** Deluxe Fieldmaster* | 25624 | Pump (22 S, L, LR) | 15' | 21 * | 40" | 5 % | American Walnut | Gloss | Carbon Steel | Polished Blue |


MODEL 597" RIPLE DIMENSIONS / AVERAGE WEIGHTS 597 5% Gray Synthetic Matte Carbon Steel 597" LSS Autoloadine (22 UI) 40*1 51/2 416 Stainless Satio Stainles 597 T SS 26565 20° 40** 5% Gray Synthetic Matte 416 Stainless Autoloadina (22 LR) Satin Stainless 20-40-6 Black Synthetic Матте Carbon Steel Satin Rive Autoloading (17 HMR) 20" 40** 26579 6 Satin Carbon Steel Satin Rive Autoloading (22 LR) 597" HB LS MAGNUM 26581 Autoloading (22 WMR) 20" 40" Carbon Steel 'Nominal stock dimensions: 14" lenoth of pull, 1 "//" drop at comb, 2 "/-" drop at heel



A WIDE RANGE OF MODEL 597™ VERSIONS ARE AVAILABLE:

- · Standard Model 597: Carbon-steel barrel with a one-piece, gray synthetic stock.
- Model 597 SS (Stainless Synthetic): Stainless-steel barrel and matching alloy receiver with a one-piece gray synthetic stock,
- Model 597 LSS: Features a stainless-steel barrel and matching alloy receiver with a satin finish, brown taminated wood stock with swivel studs.
- Model 597 HB LS: Features heavy-contour barrel for vibration reduction and ultimate accuracy. Chambered for either 22 tong-rifte or 22 Win Mag. Features a brown laminated-wood stock with swivel studs.
- Model 597 Magnum: Serious rimfire rifle that approaches small-bore centerfire performance. Patented heavy-alloy bolt retains uniform bolt speed with magnum ammunition. Blued carbon-steel barrel and alloy receiver with weather-resistant black synthetic stock and factory-installed sting swivel studs. Available in 17 HMR and 22 Win Mag.

R 2198707



WE'VE TURNED COMPACT INTO IMPACT.

Model Seven: With a precision balanced 20% barrel and an overall weight of just 61/2 pounds, it's easy to see why many hunters believe the Model Seven Bolt Action is the ultimate dense-cover rifle. But don't underestimate its range. The Model Seven still teatures the strength of our Model 700 action and delivers exceptional accuracy for long-range shots. For youngsters or small-stature adults, the Model Seven Youth Synthetic is available in four calibers with a 1"-shorter stock and carbon-steel action.

Model Seven Magnum. When we first introduced the Model Seven Magnum, chambered for the Remington Short Action Ultra Mag cartridges, it literally changed the way a lot of serious hunters thought about compact rifle performance. No longer do shooters need to sacrifice ballistic performance for the advantages of a compact, swift handling rifle. Featuring a 22" magnum contour barrel and the same world-renowned action design as the legendary Model 700, the Model Seven Magnum boasts exceptional bolt operation with action strength accuracy and reliability other factory-built rifles can't begin to match. All in all, it's no stretch to say that you're looking at today's ultimate compact magnum centerfire.

MODEL SEVEN" FEATURES:

- 2° shorter overall length than Model 700 counterparts make the Model Seven perfectly sized for small statute shooters
- Compact design ideal for thick cover hunting.
- Boasts legendary strength of the Model 700 action: "Three-rings-of-steel" with the bolt face, barrel and receiver encasing the cartridge head.
- Cylindrical receiver design provides a consistent bedding area in the stock.
- · Available in popular short action calibers as well as in Remington Short Action Ultra Mag calibers for the ultimale in compact magnum performance.

Model Seven" SS

| Model | Length | length | WL(bx) | Matt | Fatish | Muti | Finish |
|------------------------------|-----------|-------------|------------|--------------------|----------|------------------|--------------------|
| RIFLE | DIM | ENS | IONS | / AVE | RAGI | E WEIG | HTS |
| Model Seven" LS Magnum | 22* | 41 1/4** | 74. | Brown Laminate | Satin | Carbon Steel | Polished Blue |
| Model Seven ** SS Magnum | 22- | 41%*1 | 7% | Black Synthetic | Matte | 416 Stainless | Satin Stainless |
| Model Seven" LS | 20~ | 39"/-" | 6% | Brown Laminate | Satin | Carbon Steel | Polished Blue |
| Model Seven* SS | 20" | 391/21 | 61/4 | Black Synthetic | Matte | 416 Stainless | Satin Stainless |
| Model Seven™ Youth | 20" | 381/4" | 6% | Hardwood | Flat | Carbon Steel | Matte Blue |
| * Model Seven* Youth Syn, | 20- | 38'/•" | 674 | Black Synthetic | Matte | Carbon Steel | Matte Blue |
| * New for 2004, * | Nomical s | tock direct | sions: 131 | • length of p | a. 1%* & | op at comb. 1 | ir" drop at hi |

MODEL

THE GUIDE'S FORMULA: MOVE FAST, HIT HARD.

In the mid-60's Remington introduced the Remington Model 600" Magnum, a rifle destined to become legendary with many big game guides. Decades later we bring to you a modern version of the classic Model 600 - the Model 673 TH Guide Rifle. Based on the Model Seven™ action, this swift-handling rifle features a 22" magnum contour barrel with distinct machined steel ventilated rib and iron sights. It is the definition of fast target acquisition. But to consider the Model 673 as merely a performance oriented rifle is to sell it short. Adorned in a two-tone wide striped, laminated, weather resistant straight comb stock with deep cut checkering and swivel studs - it is an extremely handsome gun. The Remington Model 673. Looks good. Moves fast. Hits hard.

MODEL 673" FEATURES:

- · Machined steel ventilated rib with iron sights for fast target acquisition.
- Action based on the popular Model Seven™ platform for strength and consistent shot placement.
- . High strength wood laminate stock boasts stylish alternating light and dark stripes, reminiscent of the Jegendary Model 600 18 Magnum
- 22" Magnum Contour barrel allows for maneuverabil
- · Hinged floorplate magazine

without sacrificing ballistic performance.



| | The state of the s | |
|--|--|--|
| | | |
| - | A STATE OF | |
| E | | |
| SELECTION OF THE PERSON OF THE | AND THE PERSON NAMED IN | |
| | SAMPLE SAME | |
| Model 6 | 373 [™] GUIDE RIFLE | |
| | | |

| Califiers | Order No. | Action Type | BBL Length | Overall Length | Avg. Wt. (lbs.) | Stock Mat'l | Stock Finish | 88L Mat'l | BBL Finish |
|---|-----------------|----------------------------|--------------|----------------|-----------------|-----------------------------|--------------|--------------|---------------|
| 350 Rem Mag 300 Rem SA Ultra Mag * 308 Win. | | MODEL 67 | 3" RIFL | E DIMEN | SIONS / | AVERAGE WEIGHT | rs | | |
| 350 Rem Mag | 24687 | Bolt / SA Magnum | 21. | 411/6*1 | 71/1 | Dark and Light Tan Laminate | Satin | Carbon Steel | Polished Blue |
| 300 Rem SA Ultra Mag | 24689 | Bolt / SA Magnum | 22* | 41%-* | 71/6 | Dark and Light Tan Laminate | Satin | Carbon Steel | Polished Blue |
| * 308 Win. | 24685 | Bolt / SA | 22* | 41 1/4*1 | 71/4 | Dark and Light Tan Laminate | Satin | Carbon Steel | Polished Blue |
| * 6,5mm Rem Mag | 24683 | Bolt / SA Magnum | 21- | 413/4*1 | 7% | Dark and Light Tan Laminate | Satin | Carbon Steel | Polished Blue |
| # New for 2004 ' Naminal | stock dimension | or: 12 %" length of out 1% | dean at comb | " denn at hard | | ' | | | |

good looks to a weather-resistant laminated stock of alternating dark and light veneers.

The Model 673™ owes its striking

MODEL 7400 1 & MODEL 7600 1 M

IN A PERFECT WORLD. EVERY DEER WOULD BE A ONE SHOT KILL.
Maybe you flunched? Or the buck turned at the last split second? Either way, our Model
7400 " and Model 7600 " centerfire rifles set you back on target. Instantly. Because not
only are they built to deliver legendary Remington," first-shot accuracy, they re also designed
for ultra-tast follow-up, shots—without ever having to unshoulder your rifle. For autoloading
fans, there a the gas-operated, soft-recoiling Model 7400 autoloader. And there is the Model
7400 Weathermarter, an all-weather gas-operated autoloader that doesn't miss a best even
in the most inclement conditions. Prefer a side action? There is the Model 7600 pump. Both
feature/unicle-release massages and Remington's rotary both lock-up design for exceptional



MODEL 7600" PEATURES:

- Robust slide-action design allows for fast follow-up shots in the harshest conditions.
- Action, slide release and safety based on the design of the Model 870,⁷⁴ America's most popular pump shotgun, for instantaneous end user familiarity.
- Weight distribution and slim line design result in shotgun like balance and pointability.
- 4-round detachable magazine for convenient and fast loading
- 22" barrel with iron sights and receiver drilled and tapped for scope mounts allow for multiple sighting options.
- · Rotary-bolt lock up provides reck solid action strength.

MODEL 7400" FEATURES:

- Gas-operated action yields softer recoil and speed for quick, accurate follow-up shots.
- Weight distribution and slim line design result in shotzun-like balance and pointability.
- + 4-round detachable magazine for convenient and fast leading
- 22" barrel with iron sights and receiver drilled and tapped for scope mounts allow for multiple sighting options.
- Rotary-bolt lock-up provides rock-solid action strength.
 **

mp/Action

| Model | Barrel Length | Overall Length | Avg. WL(bs) | Stock Mat1 | Stack Finish | BBL Mat'l | BBL Finish |
|--|------------------|-------------------|----------------|--------------------|------------------------|-----------------|------------------|
| R | IPLE 1 | DIMEN | SIONS | / AVER | AGE WE | IGHTS | |
| 7600 IM | 22~ | 42%** | 71/5 | American Walnut | Satin or High Gloss | Carbon Steel | Polished Blue |
| 7400 ^{1M} | 22. | 42%** | 7% | American Walnut | Satin or High Gloss | Carbon Steel | Polished Blue |
| 7600 TM Synthetic | 22* | 42%** | 74, | Black Synthetic | Matte | Carbon Steel | Matte Blue |
| 74001M Synthetic | 22. | 42%-1 | 74, | Black Synthetic | Matte | Carbon Steel | Matte Blue |
| 7600 ^{1M} Carbine (30-06 only) | 187, | 391/1* | 7% | American Walnut | Satin | Carbon Sted | Polished 8lue |
| 7400 TM Carbine (30-06 only) | 18% | 391/.*1 | 77. | American Walnut | Satin | Carbon Steel | Polished Blue |
| 7400 TM Weathermaster | 22. | 427,"" | 7%, | Black Synthetic | Matte | Carbon Steel | Nicket Plated |
| Nominal stock dime | ensions: 14° | length of pul | 1 ¼=" drop a | 1 comb, 2 1/4" di | rop at heel. | | • |

M O D E L 7 1 0 TM

LEGENDARY ACCURACY, REMARKABLE VALUE.

Much like the Model 700," the Model 710TM pussesses exceptional out-of-the-box accuracy, time-honored reliability, crisp, single-stage trigger design, ultra-fast lock time, and famous "three-rings-of-steel" for superior action strength. But while much of the Model 710's base design is owed to its heritage, its real story starts with advancements made possible through the latest technology. Built in America's newest firearms plant – through state-of-the-art manufacturing systems – the Model 710 breaks new ground for firearms engineering and production. Principle among its many remarkable features is its innovative, rugged barrel lock-up design.

Its fiberglass-reinforced nylon receiver insert is blended with Teflon and silicone before molding for continual self-lubrication and ultimately smooth operation. A shorter, 60-degree bolt throw allows for faster follow-up shots.

Boyond the superior mechanics, the Model 710 features a uniquely textured gray synthetic stock with checkpiece. The Remington Model 710 is more than a remarkable value, it's truly a remarkable gun.

Im ā

Chief among the Model 710's advanced features is a unique bott-to-barrel fold-up design. Integrated surfaces on the river of the barrel are machined to accept three unique locking lugs on the bott head. When the bott is engaged, it locks directly into the hards, rather than the receiver. The result is a rigid assembly with incrediate strength.


| Caliber | | Barrel | Overall | Avg | Stock | Stock | 881 | 681 |
|---------------|-----------|---------|---------|-------------|----------------|--------|--------------|--------|
| | Order tto | Length | kengsh | (Vr. (lbs.) | Flah? | finish | l'Isht | finish |
| | MODEL 7 | 10' RIP | LE DIN | ENSIO | NS / AVER | AGE W | EIGHTS | |
| 270 Win | 27408 | 22* | 42%" | 7 7/ | Gray Synthetic | Matte | Carbon Steel | Matte |
| 30-06 SPRG | 27410 | 22" | 42%" | 7% | Gray Synthetic | Matte | Carbon Steel | Malte |
| 7mm Rem Mag | 27412 | 22* | 421/2" | 7% | Gray Synthetic | Matte | Carbon Steel | Matte |
| A 300 Win Mag | 27414 | 22- | 421/2" | 7% | Gray Synthetic | Matte | Carbon Steel | Matte |

With pre-mounted, bore-sighte
Bushnell® Sharpshooter
3-9x40 scope

MODEL 710" FEATURES:

- Three tocking logs lock bolt directly into the barrel for unprecedented action strength.
- 60-degree bolt throw for fast follow-up shots.
- · Six-groove button rifled barrel.
- Single-stage trigger boasts famous Remington, bolt-action rifle 3-millisecond lock time.
- 4-round detachable magazine box for convenient loading. (3-round on Magnum models)
- Rugged all-weather synthetic stock.
- Equipped with mounted Bushnell, Sharpshooter,
 3-9 x 40 scope, bore-sighted from the factory.





. Model 700" BDL" SS / Model 700" BDL SS DM / Model 7001™ CDL comes equipped with Remington's new high-performance Ra™ recoil pad.

For complete caliber listings see page 70.

MODEL 700" ADL" SYNTHETIC

For complete caliber listings see page 70.

A portion of the proceeds on each firearm sold will be donated to the Rocky Mountain Elk Foundation. This is the fourth special edition rifle in this series.

MODEL 700 M LIGHT VARMINT

AS DEADLY AND SWIFT AS THE PREDATORS YOU HUNT.

You can trace Remington's dedication to the varmint hunter back to 1967 – the year the Model 700 BDL "Varmint Special" was introduced. Since then, Remington, has been an industry leader in varmint rifle technology, bringing you its greatest innovations. It has always been a priority for Remineton to listen, and respond to the needs of serious varmint hunters and benchrest shooters and this year is no different.

Introducing the Model-700 LV SE It's deadly accuracy and swift handling are redefining the predator hunt. Based on the reliable Model 700 action, the Model 700 LV SF weighs a mere 6.75 pounds and features a stainless steel, short action, pillar bedded receiver; a blind box magazine; and a jeweled bolt. The 22-inch clean stainless steel barrel has a medium contour (0.657" muzzle O.D.) and is fluted to reduce overall weight and increase heat dissipation. Adding to the weight reduction is a custom designed black composite stock featuring a semi-beavertail

Available in four popular varmint calibers, the Model 700 LV SF is designed to be the newest, and most innovative rifle for the varmint and

fore-end, swivel stude, and a recoil reducing, R3T recoil pad

LIGHT VARMINT" FEATURES:

- Weighs in at a mere 6 1/4 lb.
- · Features a stainless steel short action receives a blind hox magazine and leweled bolt
- · 22" stainless steel barrel has a medium contour (0.657" muzzle O.D.) and a satin stainless finish
- Six longitudinal flutes reduce barrel weight and increase heat dissipation
- · Black composite stock featuring a semi-beavertail fore-end
- · Offered in four, very popular varmint calibers
- . Model 7001" EV SF comes equipped with Remington's high-performance Ry" recoil Pad.

MODEL 700" LV SP Light: Varmint, Stainless Fluted

| | * 700" LV SF * New for 2004. | Action Type | Barrel Length | Overall Length | Avg. Wt. (lbs.) | Stock Mat'l | Stock Finish | BBL Mat I | BBL Finish |
|---|-------------------------------|-----------------------|----------------------|---------------------|---------------------|-----------------|--------------|---------------------|-----------------|
| | | | RIFL | E DIMENS | IONS / AV | ERAGE WE | IGHTS | | |
| 劉 | + 700"LV SF | Short Action | 35. | 41 1/4** | 6 1/4 | Black Composite | Matte | 416 Stainless Steel | Satin Stainless |
| | * New for 2004, 1 | Nominal stock dimensi | ons: 13 'A" length o | !pull,1"₁\" dropato | omb, 1%" drop at he | d. | | | |

VARMINT & SENDERO

THAT PRAIRIE DOG HAD IT COMING. FROM ABOUT 500 YARDS AWAY IN FACT.

Built on the famous Model 700 to cylindrical action, Remington Varmint and Sendero rifles are the most accurate we produce for over-the-counter sale. Barrel choices include heavy contour carbon steel and stainless steel with six longitudinally cut flutes (for lighter weight and increased heat-dissipation). Stock choices for Model 700 Varmint and Sendero rifles are just as impressive. The fiberglass composite models, strengthened by aramid fiber and graphite, are unaffected by temperature or humidity changes. They're further strengthened by aircraft-grade aluminum bedding blocks that run the full length of the receiver. The Model 700 VLS stock offers exceptional strength through the use of laminated strips of resin-impregnated hardwood while maintaining the balance, heft and feel of a traditional wood stock.



RIFLES FEATURE:

- All features of the legendary Model 700" plus:
- . 26° heavy contour barrel for the ultimate in long-range accuracy.

MODEL 700" VARMINT & SENDERO

- . Concave target-style barrel crown.
- · Composite stock with beavertail fore-end, reinforced with carbonfiber, fiberglass and aramid fiber. (VLS features laminate stock)
- · Stock features full-length aluminum bedding blocks for enhanced stability and shot-to-shot consistency, (VS, VS SF and Sendero SF only)

Model 700" Sendero" SF

 Left-handed models available. (VS only) Six longitudinal flutes reduce

barrel weight and increase heat dissipation (VS SF and Sendero SF only)

| Madel | Action Type | Barrel Length | Overall Lenyth | Avg. Wt. (lbs.) | Stock Mat'l | Stack Finish | BBL MatT | BRL Finish |
|----------------------|-------------------------|--------------------|---------------------|------------------|-------------------------------|-------------------|-----------------------|-----------------------|
| | | RIFL | E DIMENS | IONS / A | VERAGE WEIGH | TS | | |
| 700~V\$ SF | Short Action | 26* | 45 %" | 8'4 | Aramid Fiber Reinforced | Matte | 416 Stainless | Satin Stainless |
| 700" VLS | Short Action | 26" | 45 1/1-7 | 9 1/4 | Brown Larninated | Satin | Carbon Steel | Satin Blue |
| 700"VS | Short Action | 26* | 45 %** | 9% | Aramid Fiber ReInforced | Matte | Carbon Steel | Satin Blue |
| 700" Sendero SF | Short Action Mag | 26" | 45 1/4" | 8 1/4 | Aramid Fiber Reinforced | Matte | 416 Stainless | Satin Stainless |
| 700" Sendero SF | Magnum | 26" | 46 1/•" | 81/1 | Aramid Fiber Reinforced | Matte | 416 Stainless | Satin Stainless |
| * Nominal stock dime | nsions (VS/Sendero): 13 | %" length of pull, | 1%" drop at comb, 1 | '/ drop at heel. | Nominal stock dimensions (VLS |): 13 %* length o | f pull, 1" drop at co | nb, 1 % drop at heel. |
| | A STANDARD - A ST | STATE OF | with the Alberta | 18. | 对中国的ECANTER | THE WE | 化 体的创建 | |

SPECIALTY 7 0 0 1 MODEL

LIGHTWEIGHT CONSTRUCTION. "LIGHTS OUT" PERFORMANCE.

High country demands high standards, that's why we've built the phenomenally light Model 700 Titanium. Weighing only 5½ pounds long action, 5½ pounds short action, and the 6% pounds magnum - it's the ultimate rifle for high-altitude spot and stalk hunting. The key to its feathery feel starts with a titanium receiver that's impervious to weather (drilled and tapped for mounts). Titanium delivers incredible strength, but at a lighter weight than steel. Complementing the receiver is a bolt featuring spiral-cut flutes and a skeleton handle - both of which further reduce the overall weight. Finally, the stainless-steel barrel features a trim mountain-style contour (non-magnum calibers only) and is fitted in an ultra-lightweight, carbon-fiber composite stock reinforced with aramid fibers and fitted with sling swivel stude.

For wilderness or high country pack-in hunts that involve rigorous hiking, we make the appropriately named Model 700 Mountain Rifles. Extremely lightweight, they feature trim stocks and tapered barrels to deliver last, carbine-like handling with full-bore range and accuracy.

MODEL 700" TITANIUM

- All features of the Model 700 plus:
- Receiver is machined from solid titanium. resulting in a 1/2 pound weight reduction over steet receivers

Model 700

- · Bolt body is soiral fluted and bolt handle is skeletonized
- Slim 22" "Mountain" (non-magnum only) contou stainless-steel hammer forged barrel further reduces weight. (Magnum calibers feature a 24°
- · Custom designed, lightweight composite stock. reinforced with carbon and aramid fibers
- · Action is palar bedded:
- All these features work together to produce the ultimate lightweight (51/4 lbs long action, 51/4 lbs short action, 6 1/4 lbs magnum) carry rifle to match the harshest conditions.
- Magnum version equipped with the Reminsten high-performance Ram recoil pad

FOR FULL CAUSER LISTINGS

RIFLE DIMENSIONS / AVERAGE WEIGHTS Long Action Short Action 55. 42%** 6% Brown Laminated 700" Mtn. LSS Satin Stainless 42%** 22. 6% 6% Carbon tong Action Short Action American Satin 41 % " 43 % " 42 % " Short Action 416 700" Titanium SA Magnum Long Action

MODEL 700 MOUNTAIN RIPLES FEATURE

• Silm 22" mountain contour barrel to reduce weight.

Hinged floor plate megazine (Model 700 MTN LSS). Minged noor praintings a Model 700 MTN DM features a

FOR FULL CALLBER LISTINGS OFFERINGS REFER TO PAGE 74.

All the features of the Model 700 plus:

Stock Mat'l

ions (700" Mountain LSS/DMI: 13 "A" length of pull. 1"A" drop at romb. 1"A" dro ns (700" Titanium): 13 %" length of pull, 1 %" drop at comb, 1 %" drop at he

MODEL 7001M MUZZLELOADERS

THE ONLY IN-LINE. WITH A FAMOUS BLOODLINE.

Our Model 700™ black powder rifles create a unique marriage of the past and the present. Borrowing from its legendary centerfire counterpart, the Model 700 Muzzleloader features the same look, feel and balance of a standard short-action Model 700. The same ultra-crisp trigger pull. The same 3-millisecond locktime. The same proven accuracy. Take away the ramrod and you'd barely know it was a muzzleloader. But it is, of course, designed to handle all types of muzzleloading ammunition - from round balls to sabots,

as well as up to 150-grains of black powder or Pyrodex. And it's available as the stealthy, satin-blue Model 700 ML, or the weatherdefying, satin-stainless-steel Model 700 MLS Magnum with 26" barrel for increased velocity. The Model 700 MLS Magnum is offered in a fiberglass-reinforced synthetic stock in either matte black or Mossy Oak® Break-Up?

Conversion Kit. Offered as an accessory. this powerful three-way ignition system enables the use of 209 primers, musket caps and No. 11 percussion caps in older Model 700 Muzzieloaders, See page 56



- Model 700 " short action receiver.
- · Handles and shoots like a familiar bolt-action centerline ride.
- . Features famous Model 700 trigger. . Hammer forged barrels with 1:28° rate of twist rated to handle
- 150 grains of black powder or Pyrodex. · Equipped with a full set of nipples which allow the shooter to choose a 209 shot shell primer, musket cap or No. 11 percussion
- cap as the ignition source. Each Model 700 ML is packaged with a full range of accessories including a cleaning tube, breech plug, nipple wrenches, ramned handle,
- ramrod extension, weather shroud, Allen wrench and patch jag. · Shooter can choose between using the included iron sights or mounting
- a score on the drilled and tanned receiver which accepts Model 700 bases.


Barrel Length Overal) Length Avg. Wt. (lbs.) RIPLE DIMENSIONS / AVERAGE WEIGHTS 700 MI 12 Black Syntheti Carbon Steel Satin Blue 700 MLS 1,2 Magnum Black Syntheti Matte 416 Stainless Mossy Oak* Break-Up* 700 MLS ^{1,2} Magnum Camo 7'6" 416 Stainless Satin


CUSTOM SHOP

AMERICA'S FINEST CUSTOM SHOP.

There are many sources for beautiful guns. But none quite like those from the Remington. Custom Shop. Why? Most custom gunmakers specialize in just one element of the gun, say, stock making. Or barrel making. Or engraving. Their own specialty is then combined with components obtained elsewhere. The result can indeed be very handsome. But in the end, it's still a conglomeration. At the Remington Custom Shop, every part of the firearm is created right here — by the nation's oldest gunmaker and the most experienced craftsmen. It starts with the soul of the gun, field proven actions for which Remington is most famous. Then, your dream gun is masterfully created using a wide variety of options from caliber to trigger weight and wood finish to engravings and inlays. Many of the options are shown here, but there's much, much more to see. To find out more, visit our website at www.remington.com or call us at 1-800-243-9700.







| | · · · · · · · · · · · · · · · · · · · | Barrel Length / Muzzle | | |
|---|--|---|-------------------------|---|
| dodel | Stock | Diameter | Weight (lbs.) | Notes |
| Model 700 C Grade | Fancy American Walnut | 24" / .65" | 7% | Monte Carlo stock with rosewood fore-end tip and grip cap. Choice of calibec |
| No. 1 Railing Block Silhouette | American Walnut | 30" / 1,125" | 111/6 | BPCR silhouette requirements, 45-70 caliber only, Options available, |
| Io. 1 Rolling Block Mid-Range Sporter | American Walnut | 30" / .81" | 8 1/4 | 45-70 caliber only. Options available. |
| Model 700 APR (African Plains Rifle) | Brown Laminated | 26* / .65* | 7% | Magnum calibers. Right-hand only. |
| Hodel 700 AWR Alaskan Wilderness Rifle) | Black fiberglass waramid fiber | Magnum: 24* / .65* Ultra Mag: 26* / .65* | 7 7/4 | Stainless steel barreled action, teflon-coated. Right-hand and left-hand available. |
| Model 700 ABG (African Big Game Rifle) | Brown Laminated | 26" / .74" | 916 | Dangerous game calibers, Right-hand only |
| Model 700 Custom KS Safari | Grey fiberglass waramid fiber | 22" / .82" | , | Available in stainless steel or carbon steel. Right-hand and left-hand available |
| Model 700 Custom KS Mountain Rifle | Grey fiberglass w/aramid fiber | Standard: 24" / .59" Magnum: 24" / .65" Ultra Mag: 26" / .65" | 6 1/4 6 1/4 5 1/4 | Available in stainless steel or carbon steel, Right-hand and left-hand available |
| Model Seven AWR (Alaskan Wilderness Rifle) | Black fiberglass w/aramid fiber | 22" / .64" | 61% | Stainless steel barreted action, teffon-coated, short-action calibers. Right-hand only. |
| Model Seven Custom KS | Grey fiberglass wfaramid fiber | 20" / .59" | 5 % | Carbine steel barreled action, short-action calibers. Right-hand only. |
| Model Seven MS (Mandicher Stock) | Full length, brown laminated | 20" / .59" | 6 1/2 | Carbine steel barroled action, short-action calibers. Right-hand only. |
| Model 40-XC Target Rifle (not shown) | Grey fiberglass w/aramid fiber | 24" / .94" | 11 | ,308 Win only. Stainless steel barried action, ("Over the course" stock) |
| Model 40-X8 Target Riße | KS: Black fiberglass waramid fiber Rangemaster: American Walnut Thumbhole: Brown laminated | 27 '/-" f .88" 27 '/-" f .88" 27 '/-" f .88" | 10 % 11 % 11 % | Stainless steel barreled action, single shot or repeater versions available in right- or left-hand, except thumbhole, right-hand only. |
| Model 40-XBBR Target Rifle (not shown) | Green fiberglass w/aramid fiber | 24" / .97" | 10% | Single shot only, benchrest stock, centerfire calibers, Right-hand only. |
| Model 40-XR8R Target Rifle (not shown) | Green fiberglass w/aramid fiber | 24" / .97" | 10 % | Single shot only, benchrest stock, Rimfire calibers, Right-hand only. |
| Model 40-XB Tactical Rifle | Black wigreen, fiberglass wiatamid fiber | 27 1/4" 1 .88" | 1014 | Stainless steel barreled action, fluted barrel, teflon-coated, .308 Win calibec Right-hand only. |
| Model 700 Custom Grade and Model 40-XR Sporter | Choice | Choice | Choice | Custom built to customers' specifications. Numerous options available. |
| D & F Grade Shotguns & Rifles | Very Fancy American Walnut | Choice | Choice | D grade has half coverage scroll design hand cut engraving. F grade has full coverage scroll and game scenes, hand engraved Gold inlaws available. Outions available. |

MODEL 332 TM

A MODERN APPROACH TO A CLASSIC DESIGN.

It's been a year now since the classic was reborn. And based on your reaction, it's a resounding success. Still, we were not satisfied. How could we make a great gun even better? You talked. We listened. So this year, we're offering an enhanced version of the Model 332 to featuring a "dressed up," appearance.

Sure the Remington Model 332 still possesses the same classic lines as the Model 32.

The same balance, Same feel. Same 100% Remington reliability. But this year you'll find some differences, too Like a stylish, high-gloss American Walnut stock and a generous, 20-line per-inch checkening pattern just to name a few.

Based on a modified box lock action of under lock design Model 332 provides exceptionally, low profile for superior pointability that closely resembles that of a side-by-side — without secrificing strongth; safety or case of loading.

The mechanical set trigger, a fast-operating safety/harrel selector and standard automatic ejectors all perform flavlessly under any shooting condition. The Model 332 features light-contour barrels made from high-strength chrome-moly steel. It's elegant receiver panel features the original Model 32 "Pointer & Setter" engraving surrounded by an oval obline scrollwork. The fore-end and classic, straight comb stock are addraged with generous 20-line per inch checkering. Its high glossed wood and high rollshed deep blue steel add.

MODEL 332™ PEATURES:

- Superb styling and handling based on the legendary Remington Model 32.1°
- . 3" chambers, available in three barrel lengths 26", 28", 30"
- . Barrels made of high strength chrome-moly steel.
- More stender grip on the stock and deep finger grooves in the fore-end for superior pointing and control.
- Fully brazed side ribs mean a solid
 harrol/monoblock accombly
- · Hardened trunnions for durability
- . Mechanical trigger with dynamically balanced sears
- Receiver mitted from a solid block of ordnance grade steel.
- Automatic electors.

Madel 332 Over/Under



- 8-millimeter-wide steel vent rib with twin beads.
- For complete specifications see page 72

Marie and the state of the stat

Person Son Mettal 352 or control should be a Mettal 352 or control should be a Metal should be a Metal

MODEL 1100 TM

richness to this gunt hat summistably, 332

A DESIGN PROVEN BY TIME, TREASURED BY GENERATIONS.

More than 40 years ago, the Model 1100¹¹ forever changed the way American shooters viewed autoloading shotgums. It was the first autoloader to combine the repeat-shot versatility of early-century models with the sleek, modern lines and handling qualities of revered double barrels. It's been a field-proven favorite ever since. Its superb balance, handling, durability and soft recoil from the gas operated action are the foundation of the Remington¹⁰ autoloading legacy. Today, the Model 1100 is still going strong — in fact, we're adding a new 20-gauge model in the Classic Field design for 2004. The Remington Model 1100, a classic gun that's still ahead of it's time.

MODEL 1100" CLASSIC FIELD SHOTGUNS FEATURE:

- . Our most popular autoloading shotgun,
- Model 1100 "Classic Field is handsomely styled with American wainut stock and fore-end and a polished plain-sided receiver roll-marked with "Classic Field."
- The classic field stock features machine cut checkering, traditional white diamond grip cap, white line spacers and one-piece butt plate.

MODEL 1100 TSYNTHETIC SHOTGUNS FEATURE:

Over 40 years of reliable
 performance

Model 1100" Classic Field 20-Gauge

Model 1100" Synthetic 12-, 16- and 20-Gauge



- A great choice for an upland autoloader, with light weight, fast handling, low recoil and great balance.
- · Available in 16- and 20-gauge.

For complete model listings and specifications see page 71.

· Smooth operation and light recoil gas autoloader

- Weatherproof synthetic stock and fore-end,
- Receiver milled from a solid billet of steel for strength and durability.
- · Non-glare matte finish,
- Rem " chake vent rib barrel
- Available in a wide variety of gauges, barrel configurations and choke options including deer gun, youth and synthetic stock variations.

For complete model listings and specifications see page 71.



Model 1100" LT-20 Synthetic FR/RS
20-Gauge Fully Rifled, Rifle Sights

18

MODEL 11-87 M SUPER MAGNUM M

LEGENDARY REMINGTON' RELIABILITY WITH 31/1 CAPABILITY.

If you could only have one shotgun, few would disagree that the Model 11-87" Super Magnum" tops the list of candidates. It can handle just about any game in any field or flyway. The unmatched versatility of the Model 11-87 Super Magnum results from the unique metering system of its patented gas-operated action.

With 2 % field loads, an integral pressure relief valve remains closed, utilizing all of the shell's pressure to operate the action. When heavier shells are used, the valve opens proportionately to release the unneeded pressure – retaining just the right amount to operate the action. This not only assures reliable handling of all shell sizes, but prevents excessive bolt velocity that could increase wear it's the same system that hunters have been using for the past seventeen years on the original Model 11-87. Available in a number of versions, ranging from our Model 11-87 Premier. Super Magnum with high gloss walnut stock and polished blue metalsork to fully camouflaged models for the ultimate in waterfood and turkey hunting. All versions are furnished with Improved Cylinder, Modifice and Fall Rem. Chokes.

MODEL 11-87" SUPER MAGNUM

- All the power of a 31/2" 12-gauge shotgun coupled with the soft recoil of the Model 11-87" gas system.
- Ultra-fast Model 11-87 autoloading action for rapid follow-up shale:
- All of the superior handling and ergonomics of the standard Model 11-87.
- Super Magnum^{1*} is available in special purpose, special purpose synthetic, as well as camouflage and Premier[®] versions.
- A broad selection of barrel and choke options provide great versability to match any situation.
- . Solid steel receiver for strength and durability,

For complete model listings and specifications see page 71.

Model 11-87: 5P5 Super: Magnute 1 Come.

MODEL 11-87 PREMIER

EVERY NEW SEASON SHOULD BEGIN WITH A PREMIER.

A beautiful and versatile gun, the Model 11-87" Premier is an intimidating performer. Its patented pressure-compensating gas system is a key reason why. When shooting lighter 2 %" field loads, an integral pressure relief valve remains closed, using all of the shell's pressure to operate the action. When shooting heavier 3" loads, the valve opens proportionately to bleed off unneeded pressure.

Naturally, versatility is also a major advantage of the Model 11-87 Premier. The same gun you use one day on the skeet range can be used the next day in the goose blind. Switch shells. Change a Rem™ choke. And you're in husiness. That's real versatility. Going from great function to great looks, the Model 11-87 Premier's custom-grade finish and finely grained American walnut stock are exactly what makes it so, well, "premier." Finally, you'll find the Model 11-87 Premier in a range of field-proven versions, including the standard 12-gauge and 20 gauge models.

MODEL 11-67" PREMIER' FEATURES:

- Model 11-87 " gas operation softens recoit.
- The patented pressure-compensating gas relief valve enables dependable operation with lighter 2 '/-" loads to heavy 3" magnums.
- Stainless steel magazine tube for easy maintenance and smooth operation.
- · Nickel-plated piston and piston seal for corrosion resistance

Available in 12- and 20-gauge, deer gun, upland special

For complete model listings and specifications

- Handsome American walnut stock and fore-end with high-gloss finish.
- Easily interchangeable barrels and Remington's Rem^{**} choke system.

and left hand configurations.

Model 11-87" Premier 20-gauge Dale Earnhardt Limited Edition

Model 11-87" Premier

Super Magnum



DALE EARNHARDT LIMITED EDITION SHOTGUN: A legendary gun deserves a legendary name. And I

A legendary gun deserves a legendary came. And that's exactly why we're offering the model 2D-gauge 11-87 Premier' in the Oble Eanhardt Ulmite Edition in 2004. A fitting tribute to one of NASCAR's legends, Remington' offers this beautifully appointed Model 11-87" Premier — the second in a four-year series. 150 -2puge 28-indight contoured barrel is complimented with an attractive American water stock and fore-end. Cougle that with a polished disord receiver engraved with Date's literaces and a 24-barat gold signature and "Seven time Winston Cup Champjon" banner, and this firems is truly one-da-kind. Mare than a great callectible, a portion of the proceeds go to the Date Earnhard Foundation, which makes this a very special gun.

21



MODEL 870 WINGMASTER®

THE MOST POPULAR SHOTGUNS EVER MADE. PERIOD.

The original design of the Model 870 Wingmaster is so smooth and so reliable that today - more then five decades after its introduction - it's still the standard by which all other pump action shotguns are judged. Available in standard 12-gauge, Super Magnum' 12-, 16-, 20-, 28-gauge and 410 bore, the 870 Wingmaster combines unique, timeless solid steel design and rugged reliability with a custom-quality finish. Its American walnut stock is generously covered with machine-cut checkering. Of course, heneath the attractive exterior is the workhorse Model 870 action—an unmatched shell-shuoker with dual non-binding action bers. In the field, its classic balance and natural politting qualities provide the handling speed for the most evasive and callenging litting qualities provide the handling speed for the most evasive and could engine litting. The last the strength to handle the heaviest magnum payloads in for long-range waterioo! And because they practically never weat out, there are more Model 870s in use roday than any other shotgun.

COMPETITION SHOTGUNS DESIGN, QUALITY AND BALANCE THAT BREEDS CONFIDENCE.

No company has a more longstanding tradition in the clay target sports than Remington.

In fact, competitive skeet shooting actually began at the Remington Gun Club. Since

then, more skeet records have been set with the Romington Model 1100 than any other

shotgun. The soft-recoiling action cuts down on shoulder fatigue, keeping you fresh and

in a number of versions. The Model 1100 Competition Master features an 8-shot

competition. And the Model 1100 Tournament Skeet features a 26" light-contour

target harrel and twin head target sights available in 12 and, new for 2004,

20 gauge. Also new for 2004 are the Model 1100 Sporting 28 with

27" barrel and the Sporting 410 with 27" barrel. Other models include:

the 1100 Classic Trap, the Model 1100 Sporting 12 and the

most historically significant slide-action in the clay target

sports: the Model 870 THE Classic Trap.

magazine, a 7-shot extra shell holder, and a specially engineered carrier release button

for speed loading - all of which make it the perfect package for practical 3-gun or tactical

giving you an edge over the competition. Remington sporting-grade shotguns are available

MODEL 870° WINGMASTER° FBATURES:

- · Remarkable reliability and durability,
- . The smoothest ourse-action shotpus on the market.

Twin action hars on the

super smooth...

Model 870" positively eliminate

binding or twisting so you get those

important extra shots off fast and

- · Superior balance, handling and looks.
- . Points, swings and functions better than anything else
- . The highly polished and richly blued receiver is milled from a solid billet of steel for the ultimate in rugged
- · A wide array of barrel and choke options make versatility a Wingmaster* hallmark
- Twin-action bar for non-binding action.
- Available in standard 12-gauge, Super Magnum* 12-, 16-, 20-, 28-gauge

MODEL 1100" TOURNAMENT

· Semi-fancy American walnut stock and fore-end with high gloss finish.

SKEBT FEATURES

- . 25° light-contour, vent-rib barrel with Bradley white front bead sight and steet mid bead, 12- and 20- gauge.
- · Highly polished, richly blued receiver and barrel roll marked with "Tournament Skeet
- Gold-plated trigger.

Extended target choke tubes - Skeet and Improved Cylinder

For complete model listings and specifications see page 71.



MODEL:1100" COMPETITION MASTER" PEATURES:

 Built on the legendary, fast handling, well-balance low recoil Model 1100 " platform.

Model 870" Wingmaste

12-Gauge


- Matte black, no-glare finish on receiver and parrel
- . Flat gray synthetic stock and fore-end with sling swivel studs,"
- Remington's high-performance Rs recol pad specially contoured for fast gun mounting
- All-new, 8-mund (2 1/4" shells) magazine capac All-new carrier and carrier release button
- for speed loading
- Extra farge operating handle. Receiver-mounted ammo carrier that can
- hold 7 extra shells. Fiber-optic front sight and steel mid bear
- for rapid target acquisition.

SPECIAL PURPOSE TURKEY

SPRING FEVER? MAY WE SUGGEST SOMETHING IN MAXIMUM STRENGTH.

No species of same is more wary than the wild turkey. Fortunately, no turkey guns are better made than the ones you see here. Truth is, Remington offers the most expansive selection of turkey guns in the industry. That's because we know, for every specific circumstance, there's a specific gun:

Take the Model 870. SPS-T" 20-gauge, for example, Matched with our 20-gauge turkey loads this camo-clad beauty is perfect for anyone looking to head into the woods with a lighter load delivering supern handling without sacrificing the magnum power Add that to a list that includes the Model 11-87." Super Magnum" SPS-T." camo with 23" barrel and Tru-Glo tiber-optic rifle sights and the Model 11-87 SPS-T Super Magnum Camo



MODEL 11-87" SPS-T" FEATURES:

- · Soft recoiling gas operation,
- Comes in both standard 3" 12-gauge and 31//" 12-gauge Super Magnum,"
- Barrels are Rem™ Choked from the factory.
- . Supplied with Turkey Super Full Choke Tube.
- . Equipped with sting swivel studs and matching padded came sting
- . Available in 21" and 23" harrol lengths
- Twin bead sights and Tru-Go* fiber-optic rifle sighted barrel also available.
- Fitted with Remington's high-performance



- · Supplied with Turkey Super Full Chake Tube.
- · Comes in Standard 3" 12-gauge, 3 1/2" 12-gauge Super Magnum and 20-gauge Magnum,
- · Available in 20* and 23* harrel lengths
- . Twin bead sights and Tru-Glo® fiber-optic rifle
- sighted barrel also available.
- · Fitted with Remington's high-performance

For complete model listings and specifications see page 72.



There's more than one way to take a gobbler. The low recoil and light handling 20-gauge shotgun has become a favorite of those on the leading edge of turkey hunting. With the advent of the newer 20-gauge magnum turkey loads and the reliability of the time-honored Model 870" action this is an ideal choice for a Spring morning in the woods. An Extended Turkey Super Full choke tube and a weather-defying, ultra-light synthetic stock in Mossy Oak's New Break-Up® pattern fitted with Remington's high-performance R3TH recoil pad completes the package.

SPECIAL PURPOSE WATERFOWL

Model SP-10 Magnum Came Model 11:87" SPS" Super Magnum Camo Model 11-87" SPS" Waterfowl Camo 12-Gauge* 4 C 2011 Model 870" SPS Super Magnum Camo

It's just plain hard to beat our industry-leading lineup of Special Purpose Waterfowl guns. For a well-rounded, feature-packed gun with proven reliability, there's no better choice than the 11-87 " SPS" Waterfowl. The ultimate in concealment, it's camouflaged in Mossy Oak New Shadowgrass™ from stock to muzzle. The 11-87 SPS Waterlowl comes equipped with a fiber-optic front sight system and a kit with interchangeable light elements. Also included is Remington's fast-loading carrier for quick reloads when the hunting action takes off, If you prefer a slide action, you can choose the equally impressive Model 870™ SPS Super Magnum. Of course, our perennial favorites still emain, including the sure-functioning, 12-gauge Model 11-87 SPS and the powerful 10-gauge Model SP-101 Magnum,

MODEL 870" SPS" & MODEL 11-87" SPS" WATERFOWL SHOTGUNS FEATURE:


- · Available in both pump-action and autoloading configurations.
- · Camp versions are fully camouflaged in Mossy Oak* Break-Up* or Mossy Oak* New Shadowgrass."
- · 26" and 28" barrels available.
- . Comes with sting swivel stude and padded sting.
- · Equipped with Improved Cylinder, Modified and Full Rem™ Chokes.
- · Fitted with Remington's high-performance Rs' recoil pad,

MODEL SP-10" PRATURES:

- · America's most popular gas-operated 10-gauge shotgun.
- . Awesome 10-gauge power will handle any waterfowl or turkey hunting situation.
- · Perfect platform for Remington's 10-gauge Hevi · Shot waterlowl loads.
- 26" and 30" vent rib barrels.
- · Carnouflage version is fully covered in Mossy Oak* Break-Up*
- · All come with sling swivels and matching padded sling
- . Synthetic stock and camo stock versions are equipped with Remington's high-performance Ra" recoil pad.

For complete model listings and specifications see page 72.

SPECIAL PURPOSE DEER/MARINE MAGNUM®



MODEL 870" SPS™ & MODEL 11-87" SPS" DEER SHOTGUNS FEATURE:

- . Comes in 3" Magnum 12- and 20-gauge (870 SPS only).
- Highly accurate slug shotgun platforms, both Model 870" and Model 11-87."
- . Model 11-87 SPS" comes with 21" fully rifled barrel, either with cantilever scope mount or rifle sights.
- . Model 870" SPS comes with 23" fully rifled (12 gauge) or 18 1/1" (20 gauge) barrel with cantilever scope mount.
- Filted with Remington's high-performance Rate recoil pad.

MODEL 870" MARINE MAGNUM' FEATURES:

- 18" cyfinder bore, bead sight barrel.
- · Synthetic slock and fore-end.
- · Fully plated with corresion-resistant electroless nickel
- · Sling swivel studs,
- 7-shot magazine
- Fitted with Reminston's high-performance Ra** recoil pad.

For complete model listings and specifications see page 72.

MODEL 870TH EXPRESS SUPER MAGNUMTH UNRIVALED IN HISTORY, DEPENDABILITY AND VERSATILITY -CHAMBERED FOR 2 4" TO 3 4" MAGNUMS. MODEL STON EXPRESS. SUPER MAGNUM" PEATURES: Because it handles everything from light 2 3/4" loads to heavy 3 1/4" magnums interchangeably, . Will function 2 1/2, 3" and 3 1/2" shells interchangeably. Model 870" Express you've got a shotgun that's unrivaled in versatility. No other pump gun even comes close. . Superior design and inherent strength of America's uper Magnum Turkey Camo favorite pumo shotzun, the Model 870." You can go from shooting heavy 3 1/2" loads at high-passing waterfowl to shooting light 2 1/4" . Super Magnum™ receiver same size as all 12-gauge loads at fast-darting doves without a hitch. And it does it all with the same action stroke. Model 870™ shotguns for same balance point. balance and feel of our original Model 870 the most popular pump gun in history). Finally, Innovative bolt design keeps cycle stroke equal for all 3 lengths of 12-gauge shotshells, we can't forget to mention what may be the most appealing thing about the Express Super · Magazine capacity is three 31/2 shells and four Magnum! It comes at a very affordable price. Many workhorse models are available, including 2 1/4" and 3" shells. stock choices of flat-finished hardwood, durable black synthetic or popular camo finishes. · Available in wood, synthetic and camouflaged version: as well as a combo package, which features both a: To get the most versatile of any Model 870 Express Super Magnum, choose the two-barrel vent no and rifle-sighted deer barrel for Combo. For deer hunting with slugs, you get a 20" fully-rifled barrel with adjustable factory sights and a standard 26" vent-rib Rem™ Choke barrel for just about any other shotgunning imaginable Model 870" Express ~MODEL 870" SUPER MAGNUM" DESIGN FEATURES-Breakthrough bolt re-design keeps cycle stroke equal for all three sizes of 12-ga, shotshells Model 870" Super Magnums will function with 2 1/4", 3", and 31/2 shalls interchangeably Super Magnum ** receiver is same size as all Magazine length unchanged for same balance point; 12-ga, 870™ shotguns for similar balance capacity is three 3 %", and four 2 %" or 3" shells Trigger mechanism retains same dimensions Superior design and inherent strength of 870" receiver easily and crisp feel of all 12-ga, Model 870s accommodates the power and longer length of 3 1/3 shells MODEL 870 TM EXPRESS® AMERICA'S FAVORITE PUMP SHOTGUN. MODEL 870" EXPRESS* SHOTGUNS FEATURE: If you could take a look in every duck blind, stop by every pheasant field or check out Twin action bars on the Model 870. . Receiver milled from a solid billet of steel for every tract of timber where deer and turkey are hunted, you'd probably see more Model positively eliminate binding or twisting strength and durability so you get those important extra shots 870™ Express® pumps than any other shotgun. The standard for over 50 years, and . Twin action hars insure smooth, reliable off fast and super for good reason. Their versatility, reliability and (best of all) affordability, makes them non-binding action, smooth · Legendary pointability and accuracy. shotguns anyone can own. That's why we call them America's Pump Guns. . • Five shot shooting capacity. · Non-glare matte finish. · Rem Choke vent rib barrel odel 870" Express · Offered in 12-, 16-, 20-, 28-gauge and 410 bore

For complete specifications see page 73.

Model 870" Express*

- Legendary Remington bolt-action accuracy.
- 1-inch shorter stock for smaller-statute shooters.
- Receiver machined from ordinance grade steet.
- Three-rings-of-steel (bott, barrel and receiver)
 surround the cartridge head for strongest lock-up.
 Hammer forzed barrel with polished blue linish.

| | Sling swivel: Iron sights st | andard. fe | OR FULL CAUBER LISTINGS FERINGS REFER 10 PAGE 10. |
|--------|----------------------------------|------------|--|
| Mail | Stock Finish | BBL Math | BBL Finish |
| EIGHTS | | | |

| Model | Action Type | Barrel Length | Overall Length | Avg. Wt. (lbs.) | Stock Mail | Stock Finish | BBL Mat's | BBL Finish |
|-------------------------------|-------------------|---------------|------------------|-----------------|------------------|------------------------|--------------|---|
| | | RIPLE | DIMENSIO | NS / AVERA | GE WEIGHT | rs | | |
| Model Seven Youth | Short Action | 20" | 381/- | 67. | Hardwood | Satin | Carbon Steet | Polished Blue |
| Model Seven * Synthetic Youth | Short Action | 20* | 38 1/4" | 6 % | Synthetic | Matte | Carbon Steel | Matte |
| 700" ADL" Synthetic Youth | Short Action | 20" | 38 1/4* | 61/4 | Synthetic | Matte | Carbon Steel | Matte |
| 700" ADL" Synthetic Youth | Long Action | 22" | 39%* | 6% | Synthetic | Matte | Carbon Steel | Matte |
| | SECURIOR SECURIOR | | CERTIFICATION OF | SOLET STOLEN | Stranger and All | and the second section | Cartination | 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - |

Model 1100" Youth Synthetic LT-20 Turkey Camo Model 1100" Youth Synthetic LT-20 Model 870" Express" Youth Turkey Camo Model 870" Express" Youth Synthetic

is our standard Synthetic LT-20 with 2 3/4" chamber, 21" vent rib and Rem" Choke barrel. For years,

this light-recoiling, easy-handling autoloader has been the favorite of instructors for teaching clay

target shooting to youngsters. The second, also a 20-gauge, is the Model 1100** Turkey Camo

featuring 3-inch chambers and finished in Skyline Excel camo. Finally, for an outstanding

combination of proven quality and moderate cost, nothing compares to our four Model 870

Express Youth Guns (see pages 26 and 27 on Express shotguns). Although we call it our Guthifirearry line, theirfles and shotguns liere are ideal

for more than just young shooters. They re also perfect for women or other small statute bunters who need prearms that hit

YOUTH FIREARMS

INVESTING IN OUR FUTURE. We've gone the extra step to redesign some of our standard, premium-grade stocks for a shorter length-of-pull - then fitted them to some of our finest, most proven rifles and shotguns. But we didn't stop there. Because good between-the-

hands balance is essential to the handling qualities of any gun, all Youth rifles we make are counter-balanced with a shorter 20" (ADL, Synthetic Youth has 22") barrel and all Youth shotguns with a 21" (20" for youth deer gun) barrel to keep them from becoming muzzle-heavy while also retaining effective ballistics. Two centerfire rifle choices are available. They include our compact Model Seven" bolt action chambered for 260 Remington, and a new Synthetic model for 2004, chambered for 223 Remington, 243 Win and 7mm-08 Remington. The other is our legendary Model 700." The Model 700 ADL Synthetic Youth is available in a short action synthetic stock configuration, chambered for either 243 Win or 308 Win, and new for this year, the ADL Synthetic Youth Long Action chambered for either 270 Win or 30-06. Specifically designed to take advantage of our new Managed-Recoil ammunition, this is quite possibly one of the best youth firearms ever offered.

The Youth shotgung, we've gone even further. The line starts with two Model 1100" Youth Giuns. The first

MODEL 1100" YOUTH SYNTHETIC 20-GAUGE PEATURES:

- Ideal fit and handling for smaller-stature shooters and hunters.
- 13" length of pull and 21" vent rib Rem" Choka barrel for periect weight and balance.
- Carnouflaged version sports a stock and fore-end in Skyline* Excel* came.
- Comes with Rem[™] Choke modified choke tube.
- · Low-recoil gas operation,

MODEL 870" EXPRESS YOUTH SHOTGUNS PEATURE:

- · Offered in 12-, 16- and 20-gauge versions,
- 20" barrel youth deer gun with fully rifled barrel and rifle sights, camo stock and fore-end. Also available in youth turkey gun with Skyline® Excel® camo and 16-gauge synthetic youth variations.
- All feature Rem^{***} Choke barrels and come with Rem Choke modified tubes.
- Perfect length, weight and balance for smaller-stature shooters.
- Model 870 action is the reliability standard for pump shotguns around the world.

| Gange Mag Capacity Lamphs/Order No. | 20 | 20 (Magnum)* | | Youth ' | Deer Gun |
|---|--|---|--|--|---|
| | | 1 vo kundingun | 20 | 20 | 20 |
| Lennshr/Order No. | 4 | 4 | 4 | 4 | 4 |
| | 217/25367 | 217/25245 | 217/25175 | 21*/25561 | 207/25555 |
| BurntType | Vent Rib Rem Choke (Mod.) | Vent Rib Rem™ Choke (Full) | Vent Rib Rem'* Choke (Full) | Vent Rib Rem'* Choke (Mod.) | Fully Rifted |
| Stylits | Single Bead | Twin Bead | Twin Bead | Single Bead | Rifle Sights |
| Adellik finish | Mage Black Non-Reflect | Matte Black Hon-Relect | Matte Black Non-Reflect | Matte Black Hor-Reflect, | Matte Black Non-Reflect |
| Overall Length | 401/4" | 401/2* | 40 1/1 | 40°/₁° | 39"/," |
| Length of Pull | 13" | 13* | 13* | 13* | 13* |
| Drup (Comb) | 11/4* | 1%" | 1%* | 11/1" | 17,* |
| Drop (Heeli- | 21/." | 21/2 | 27/." | 27.* | 27. |
| Stock Material | Black Synthetic | Camo-Covered Synthetic | Camo-Covered Synthetic | Hardwood | Hardwood |
| Steek Firish | Matte | Skyline* Excel** Carno | Skyline* Excel** Carno | Flat | Flat |
| Avg.V/L (lbc) | 64, | 61/2 | 6 | 6 | 6 |
| | Actual finesh Owned Length Length of Pull Orop (Conth) Drop (Heel- Stock Material Stock finesh | Sigile Bead former finad: Make Book Make Stock Finals Make Make | Siglat Single Bead Twin Bead fictiof fined: Makes Black Howselfest How Marte Black Howselfest April 1970 1970 1970 1970 1970 1970 1970 1970 | Sigle Bead Twin Bead Twin Bead Twin Bead Twin Bead Twin Bead Matte Black Matte Black Matte Black Mon-Refect Mon-R | Sujuk Single Bead Twin Bead Twin Bead Single Bead |

Model 700" ADL Synthetic Youth



HALF THE RECOIL. TWICE THE CONFIDENCE

For years, shooters have wished for and handloaders have attempted to create a lower recoil load — usually by simply reducing the amount of gunpowder. The results did create less kick, but at the expense of bullet expansion and on-game performance. For many years, the gap between low recoil and effective hunting performance seemed an insurmountable one. That is, until now.

This year, we're unveiling a breakthrough in centerlire ammunition design. Introducing Managed-Recoil[™] Centerfire Cartridges by Remington

New Managed-Recoil Centerfire Ammunition delivers the trusted Remington[®] field proven hunting performance out to 200 yards with helf the recoil. How? Through a specialized

new bullet that was developed specifically to perform at these cartridge's velocity levels. These bullets are optimized to provide 2x expansion with over 75% weight retention on shots inside of 50 yards and out to 200 yards. The end result is a high performance bullet optimized to provide the on-game results Remington. Animunition is known for with half the felt recoil.

is Available in 270 Win., 7mm Remington Magnum and 30-06 Springfield, the new Managed-Recoil centerfire cartridges are opening up a new world of possibilities for shooters and hunters in every walk of life. The new Managed-Recoil centerfire cartridges, changing the way you feel about ammunition and as well asothe, way you feel about ammunition and as well asothe, way you feel after you shoot.

Fully effective senergy and expansion out





Slugger

Managed-Recoil Rifled

Slug, 50 yds.,



MANAGED-RECOIL APPLICATIONS.

While the uses for Managed-Recoil centerfire ammunition are numerous, some of the more popular applications are shown here.

All Hunters, Most dear hunting shots are taken well within 200 yards, Managed-Recoil cartridges provide effective performance, with less than 1/s the recoil. The result is quicker scope recovery, better shot placement, and less anticipation of recoil.




Recoil-Sensitive Hunters, For shooters that are unable to tolerate the recoil of a standard cartridge, Managed-Recoil Cartridges are the perfect solution.




Youth and Women, Managed-Recoi allows youth and women to practice and hunt effectively, with neafly the same point of aim as a standard cartridge at 100 yards. Best of all, they can use as existing gun without readjusting the scope.



Practice Makes Perfect. For hunters that target shoot to improve their performance, Managed-Recoil carridges provide more time on the rarge, without the bruises to prove it. It offers great hunting performance at ranges out to 200 yards, and you can switch to full-power ammo without scope adjustment.



MORE ENERGY THAN THE 30-30.



Point of Impact comparison at 100 yards.

30:05 Sprg. 125 grain Managed Recoil."

30:05 Sprg. 150 grain PSP Core-Lokt

Remington^e Managed-Recoil Point of Impacts nearly identical to full velocity loads.

| | Index | Bullet W.L | | Viticity (FLSec.) | | | | | | Trajectory | | | | | | | |
|-------------------|----------|------------|----------------|-------------------|------|------|------|------|--------|------------|------|------|-------|------|------|------|------|
| Caliber | EFN Rio. | (grs) | ended type | Morde | 50 | 109 | 150 | 200 | tAuzde | 50 | 100 | 150 | 200 | 50 | 100 | 15/1 | 200 |
| | | REMI | NGTON' | MANA | GED. | REC | OIL" | CENT | ERFIR | E RI | PLE | CAR | TRIDG | ES | | | |
| 270 Win | RL270W2 | 115 | Core-Lokt" PSP | 2710 | 2558 | 2412 | 2270 | 2133 | 1875 | 1671 | 1485 | 1315 | 1161 | 0,1 | zero | -1,6 | -4,8 |
| 30-06 Springfield | RL30062 | 125 | Core-Lakt* PSP | 2660 | 2495 | 2335 | 2182 | 2034 | 1964 | 1727 | 1513 | 1321 | 1148 | -1.2 | zero | -1.7 | -5.2 |
| 7mm Rem Mag | RL7MM4 | 140 | Core-Lokt PSP | 2710 | 2594 | 2482 | 2372 | 2265 | 2283 | 2092 | 1915 | 1749 | 1595 | 0.0 | 2010 | -1.5 | -4,5 |

SLUGGER MANAGED-RECOIL RIFLED SLUG LOADS



BENEFITS:

· Fully effective hunting performance

with less than 50% of the recoil

. Increased shooter confidence and

· Quicker scope recovery for faster

standard cartridge at 100 yards.

• Target practice without the

from standard cartridges.

· Less anticipation of recoil.

improved shot placement.

second shot placement,


recoil pounding.

. Point of aim is within 2" of a

Slugger Managed-Recoil Rifled Slugs offer remarkably effective performance but with 45% less felt recoil than full velocity Sluggers. With effective energy out to 80 yards, these 1-ounce slugs easily handle the majority of shotgun deer hunting ranges. Less recoil means sighting-in at the range becomes a more comfortable,

fun experience. And since the shooter is able to recover the target more

quickly after firing, the accuracy and speed of the second shots is greatly improved.



EXPRESS MANAGED-RECOIL BUCKSHOT LOADS



With less felt recoil than full velocity loads, Express Managed-Recoil Buckshot is an ideal close-range performer. Less recoil means second shot recovery is quicker, allowing the user to get back on target more easily. These new loads are built with the same precision of our standard 9-pellet 00 Buckshot loads and are buffered for dense patterns, allowing for highly effective performance at up to 40 yards.

| Indix EDI Na | Gauge | shtil Çəngələ | V-lenty (It/sec. 50 3 ft.) | Pollet Count | Slug fype |
|--------------|----------|------------------|-------------------------------|--------------|-----------|
| | EXPRESS* | MANAGED | -RECOIL" | BUCKSHO | T |
| RL12BK00 | 12 | 2 %. | 1200 | 9 | 00 BK |

GOLD STANDARD



GAME DROPPING ACCURACY. JAW DROPPING PERFORMANCE.

The new standard in premium ammunition has a name. and it's called Remington Gold Box." A culmination of extensive research and development, state-of- the-art loading facilities, and, of course, the highest-quality components. Gold Box ammunition is just what you expect from the market

leader in centerfire rifle ammunition.

The Gold Box family includes a line of five premier ammunitions - Premier* Core-Lokt* Ultra, the new standard in accuracy for bonded hunting bullets: Premier Scirocco," the original bonded polymer-tipped bullet; Premier A-Frame," the most reliable cross-membered bullet made; Premier Match, for world-class accuracy performance; and Premier AccuTip,™ the most accurate rapid expansion, polymer-tipped bullet on the market - each with a unique performance advantage. From accuracy, to expansion, to weight retention, Remington Gold Box has the specialized ammunition to meet your specific needs.

Remineton Gold Box ammunition has proven to actually enhance the performance capabilities of your favorite centerfire rifle. Its superior ballistic capabilities allow you to shoot more accurately, with cleaner kills, at distances longer than you ever thought possible. So if you're ready to step up in performance, then look for the box whose color represents the new standard - look for Gold.

THE GOLD BOX FAMILY:

- Premier Core-Lokt Ultra
- Premier Scirocco Premier Acculin-
- Premier A-Frame
- Premier Match

PREMIER® CORE-LOKT® ULTRA



New jacket design is 20% heavier, Engineered with a new wall profile to even better initiate expansion over broad range of terminal velocities.

50% thicker Core_I okt* section maintains bullet integrity by better controlling and limiting expansion at higher velocities, increases core into lacket.


Core-Lokt Ultra

expands reliably at all reasonable

hunting



Bonded bullet design further insures controlled



a class of its own. Core-Lokt Ultra offers hunters the unique combination of excellent

accuracy, superb weight retention and expansion with overall superior terminal results. The unique design of the bullet combined with the bonded lead core

provides the hunter with a Premier bullet that yields unmatched performance from 50 to 500 yards. Premier

Core-Lokt Ultra the standard in high-performance hunting bullets.

30-06 SPRG, 150-gr. Premier Core-Lokt* Ultra



| (16.01) | man wres not | Otto Corr Open | Die let type |
|----------------------|--------------|----------------|----------------------------------|
| PREMI | R COR | E-LOKT* | ULTRA |
| 243 Win | PKC243WC | 100 | Core-Lokt" Ultra PSP |
| * 25-06 Rem ngton | PRC2506RA | 115 | Core-Lokt* Ultra PSP |
| * 260 Remington | PRC260RB | 140 | Core-Lokt Ultra PSP |
| 270 Win | PRC270WB | 140 | Core-Lokt Ultra PSP |
| 7mm Remirgton Mag | PRC7MMRA | 140 | Core-Lokt' Ultra PSP |
| 7mm Remirgton Mag | PRC7MMRC | 160 | Core-Lokt* Uttra PSP |
| 7mm Rem, SA UM | PR7SM1 | 140 | Core-Lokt ^e Ultra PSP |
| * 7mm Rem, SA UM | PR7SM4 | 160 | Core-Lokt' Ultra PSP |
| * 7mm Rem, Ultra Mag | PR7UM1 | 140 | Core-Loid* Ultra PSP |
| 30-06 Springfield | PRC3C06A | 150 | Core-Lokt* Ultra PSP |
| * 30-06 Springfield | PRC3006B | 168 | Core-Lold* Ultra PSP |
| 30-06 Springfield | PRC3C06C | 180 | Core-Lokt' Uttra PSP |
| * 300 Win Mag | PRC300WA | 150 | Core-Lokt* Uttra PSP |
| 300 Win Mag | PRC300WC | 180 | Core-Loid* Uttra PSP |
| 308 Win | PRC308WA | 150 | Core-Lokt' Ultra PSP |
| 308 Win | PRC308WC | 180 | Core-Lokt' Ultra PSP |
| 300 Rem. SA UM | PR300SM1 | 150 | Cons-Loid! Ultra PSP |
| * 300 Rem, SA UM | PR300SM4 | 180 | Core-Lokt Ultra PSP |
| 300 Rem, Ultra Mag | PR300UM4 | 180 | Core-Loid* Ultra PSP |
| ± 338 Win Mag | PRC338WA | 225 | Core-Lokt' Ultra PSP |

PREMIER® SCIROCCO



Premier' Swift" Bonded 5 shots .8". 100 yds.

> Tin initiates expansion for

maximum energy

High ballistic

coefficient for

for controlled

THE ORIGINAL RONDED POLYMER-TIPPED BULLET.

A break-through line of big game ammunition that combines all the best performance features developed over the last half-century. The remarkable Swift* Scirocco'* Bonded bullet combines polymer tip ballistics with bonded weight retention is unquestionably the most advanced high-performance bullet ever to sit aton a factory load.

90

130

150

150

180

180


150

165

150

180

Of course, our precision loading process Index/EDI No Bidlet VVL (grs.) Edilet Syste - using the finest available components -PREMIER'SCIROCCO" BONDED ensures that it's delivered with quality unmatched by any other brand. Scirocco" Bonded Scirocco^m Bonded Swift[™] Scirocco[™] Bonded bullets expan Scirocco** Bonded







300 yards

PREMIER® ACCUTIP®

Sciences" Bondari

Scirocco" Bonder

Scirocco" Bonded

Scirocco** Bonded

Scirocco** Bonde

THE MOST ACCURATE RAPID **EXPANSION POLYMER-TIPPED** BULLET AVAILABLE.

PRSC243WA

PRSC270W

PRSC7MMB

PRSC3006C

PBSC-3006B

0000000000

PRSC308WA

PRSC308WB

PR300UM5

PR300UM3

7mm Remington Mag

300 Rem, Ultra Mag

300 Rem, Ultra Mag

30-06 Springfield

30-06 Springfield

300 Win Mag

308 Win

308 Win

The new Remington® Acculin is the ultimate mid-size came cartridge available. The precision-engineered polymer tip provides match type accuracy, more energy on-game combined with rapid expansion.

New Varmint offerings for 2004. AccuTip-V offers sub-minute of angle accuracy and superflat trajectories with explosive fragmentation on impact.

243 Win, 95-gr. Promier

| Callier | Index/EDI (In. | BulletsVI (eps.) | Bullet Type |
|--------------------|----------------|------------------|------------------------|
| PRE | MIER. | ACCUT | P* |
| *17 Remington | PRA17RA | 20 | Accuracy "-V Boot Tall |
| *221 Rem. Fireball | PRA221FB | 50 | Acculip"-V Boat Tet |
| * 222 Remington | PRA222RB | 50 | Accultip**-V Bost Tall |
| * 223 Remington | PRA223RB | 50 | Accultip "-V Boat Tail |
| * 223 Remington | PRA223RC | 55 | Accutip**-V Bost Tell |
| * 22-250 Remington | PRAZZSORB | 50 | Accutip**-V Boat Tail |
| *243 Win | PRA243WB | 75 | Accurato "-V Bost Tall |
| 243 Win | PRA243WA | 95 | Accump Boat Tal |
| 260 Remington | PRA260RA | 120 | AccuTip™ Boat Tail |
| 270 Win | PRA270WA | 130 | Acculip** Boat Tail |
| * 7mm-08 Remington | PRA7MOSRB | 140 | AccuTip™ Bost Tail |
| 7mm Remington Mag | PRA7MMR8 | 150 | AccuTip™ Boat Tail |
| 30-06 Springfield | PRA3006A | 150 | Accurrip" Boat Tail |
| 30-06 Springfield | PRA30068 | 165 | Accutip" Boat Tall |
| 300 Win Mag | PRA300WC | 180 | AccuTip™ Boat Yad |
| 308 Win | PRA308WB | 165 | AccuTip™ Boat Tail |

Acculip"-V; Varmint Specific Cartridges

PREMIER® A-FRAME™

THE MOST RELIABLE CROSS-MEMBERED BULLET MADE.

Premier A-Frame™ bullets reliably expand at long-range decreased velocities, vet do not over-expand at short-range high velocities. Mushroom to a devastating 2x caliber diameter with nearly 100% weight retention. Suitable for all big or dangerous game - the best



tip provides

Flat trajectory with outstanding

accuracy -excellent fo

medium-sized



Progressively tapered jacket controls mushrooming in a Ishiform and ictable manner or totally dependable

Protected rear core provides momentum for deep penetration



banded to pure

A-Frame™ cross-member diameter of 2x

The combination of A-Frame's construction and proprietary bonding process produces extremely uniform, controlled expansion to 2x caliber with nearly 100% weight retention.

| No. | Buller W.C. 1953) | Brillet Type |
|-----|-------------------|---------------|
| * A | FRAME | |
| NA | 140 | A-Frame" PSP |
| AA. | 160 | A-Frame™ PSP |
| WA. | 140 | A-Frame " PSP |
| 6A | 180 | A-Frame™ PSP |
| WA | 200 | A-Frame™ PSP |
| | | |

| Caliber | Index/ED) No. | Bullet WE 1953) | Billet Type |
|--------------------|---------------|-----------------|--------------|
| PR | EMIER* A | -FRAME | |
| 270 Wn | RS270WA | 140 | A-Frame" PSP |
| 7mm Remington Mag | RS7MMA | 160 | A-Frame™ PSP |
| 7mm STW | RS7MSTWA | 140 | A-Frame" PSP |
| 30-06 SPRG | RS3006A | 180 | A-Frame™ PSP |
| 300 Win Mag | R\$300WA | 200 | A-Frame™ PSP |
| 8mm Remington Mag | RSSMMRA | 200 | A-Frame" PSP |
| 338 Win Mag | RS338WA | 225 | A-Frame™ PSP |
| 338 Rem. Ultra Mag | PR338UM1 | 250 | A-Frame" PSP |
| 375 H&H Mag | RS375MA | 300 | A-Frame" PSP |
| 375 Rem, Ultra Mag | PR375UM3 | 300 | A-Frame PSP |
| 416 Remington Mag | RS416RA | 400 | A-Frame* PSP |

PREMIER® MATCH



IF THERE WERE A STRONGER WORD THAN ACCURATE, WE'D USE IT HERE.

Ever hear the phrase, "you could drive tacks with 'em?"
Well they're probably talking about Remington® Premier®
Match ammunition. Using only match-grade bullets,
Premier Match ammunition employs special loading
practices to ensure world-class performance and accuracy
with every shot.

Developed in conjunction with the U.S. Military, the 6.8mm Remington SPC provides greater downrange

effectiveness and ballistics than the 5:56x45mm. It's unique design is based on the 30 Remington case, which has been necked down to 6.8mm(.277).


PREMIER MATCH FEATURES:

- Specifically designed to meet the exacting standards for competition, military and law enforcement
- · World-class, pin-point accuracy
- Loaded with match grade components using special loading techniques to ensure "one-hole" performance

Other offerings within the Premier Match line.

include a 223 Kemington, a 308-Win, a 300-Kemington SA Ultra Mag, and a 300 Win Mag.

Maybe some day there will be a stronger word than accurate todgesome Premier Match, until then well continue:



Using only match-grade components and specialised

loading techniques, Premier' Match delivers world-class

| Cibe | Index/FDI No | Pullet Wit (grs.) | Bullet Type |
|------------------|--------------|-------------------|--------------------|
| | PREMIE | R'MATC | H |
| 223 Remington | R223R6 | 62 | Hollow Point Match |
| # 6,8mm Rem, SPC | RM68R1 | 115 | MatchKing* BTHP |
| * 300 Rem, SA UM | RM3005M7 | 190 | MatchKing* BTKP |
| * 300 Win Mag | RM300W7 | 190 | MatchKing BTHP |
| 308 Win | R308W7 | 168 | MatchKing* BTHP |

THE ULTRA MAG STORY



The Remington® family of Ultra Mag and Short-Action Ultra Mag calibers is offered in our most popular lines of centerfire ammunition.

Trans. Remaington* Ultira Mag. With over 1450 fps muzzle velocity, there is no better choice for long-range shots on antidoxe, duer and sheep. Remington Trans Ultra Mag shoots flatter than Trans STW. Even flatter than 22-250 warmin tod. (In fact, it delivers a flatter trajectory with a 140-gain butlet han a 22-250 does with a 50-gain butlet! It also produces 20% flatter trajectory than standard Trans Remington Magnum, Also available in Short Action.

300 Remington* Ultra Mag. Field tests confirm this as the new standard for big game from deer to eit to carbou. The 300 Remington Uttes Mag dilvers a muzzle velocity of 3300 fps with 2145 ff-lists of retained energy a 1500 yards (more than enough energy for effective performance on eit at that range). Al 200 yards, it delivers nearly 450 ff-list greater retained energy from the 300 Why Mag and up to 26% greater retained energy from the 300 Win Mag. Also available in Short-Action.

338 Remington® Ultra Mag. An excellent cartridge for bear, clk and mooss. The 338 Remington Ultra Mag is one of the most powerful 333-caliber rounds available. The figures speak for themselves, it delivers over 500 ft-1bs greater muzzle energy than 338 Win Mag and retains a flatter trajectory all the way out to 500 yards.

375 Remington* Ultra Mag. The 375 Remington little Mag is the best carridge in its class. With over 5000 Holls of energy at the mutzle, the 375 Remington Little Mag delivers nearly 800 ft-lbs more energy than the 375 H & H. It delivers more energy at 200 yards than 375 H&H at 100 yards — and with the same flat-shooting trajectory as a 150-grain 270 Win load, Don't go to Alaska or Africa without it.


REMINGTON® ULTRA MAG. A REVOLUTION IN HIGH-PERFORMANCE BIG GAME AMMUNITION.

Perfection is a rare thing. It's not easily attained. But when you see it, you know it. And the Remington® exclusive Ultra Mag system has got it. It's what happens when the leaders in ammunition and gun design create a new breed of cartridge for one of the world's most accurate guns ... the Model 700.™ The result is a gun and ammunition system that continues to revolutionize big game hunting.

The incredible performance of the Remington Ultra Mag cartridges comes from the innovative case design. The result is a "non-belted magnum" with a larger case diameter which allows for dramatically increased powder capacity, more overall power, and better accuracy due to precise bore alignment. The Remington Ultra Mag family of cartridges produce the highest velocities, the

flattest trajectories and the most energy within their respective calibers.

| | | | 200 yds. | | | |
|--------------------|------|------|----------|------|------|------|
| 300 Rem, Ultra Mag | | | | | | |
| 300 Win Mag | 3501 | 3011 | 2578 | 2196 | 1859 | 1584 |



REMINGTON® SHORT-ACTION ULTRA MAG. MAGNUM PERFORMANCE IN A LIGHTWEIGHT.

SHORT-ACTION FIREARM AND AMMUNITION PACKAGE.

Premier* SA Ultra Mag cartridges feature a state-of-the-art design unlike any previous short-action

ammo to date. The highly efficient case design duplicates or exceeds belted magnum ballistics with less powder, in turn, generating less felt recoil. The cartridge headspaces off the shoulder of the case, rather than a belt, promoting more precise bore alignment and, therefore, improved accuracy. This product delivers ballistic performance equivalent to the two most popular belted magnums from a fast handling short-action

rifle, with a more efficient and more

Premier' SA Ultra Mag available in Core-Lokt' Ultra

REMINGTON'SHORT-ACTION ULTRA MAG 7mm Rem. SA UM Core-Loke Ultra PSP 7mm Rem, SA UM PR75M2 Core-Lott' PSP 7mm Rem, SA UM PR7SM4 160 Core-Loke Ultra PSP 300 Rem, SA UM PR3005M1 150 Core-Loke Uttra PSP 300 Rem. SA UM PR300SM2 165 Core-Lokt* PSP 300 Rem. SA UM PR300SM4 180 Core-Lokt Ultra PSP







Core-Loke*
profile precisely
designed to
control nearly
2x expansion

Rear core
mechanically
locked to
jacket for deep
penetration

55


he World's Best-Selling RIFLE CARTRIDGES EXPRESS CORE-LOKT 20 CF TERFIRE RIFLE CARTRIDGES


A TRIOTE BUSH PROBLEM AND THE

REMINGTON CORE-LOKT A REPUTATION DESERVED.

Hunters with a knack for filling their deer tag tend to have more than success in common. They trust their hunt to Remington" Core-Lokt. For more than six decades, it has remained the leader in centerfire deer ammunition. And deservedly so.

The Core-Lokt bullet design is the original controlled-expansion bullet - and one of the most effective ever developed. Its progressively tapered copper jacket is locked to a solid lead core, promoting perfectly controlled expansion and high weight retention for absolutely dependable on-game results. You'll find its time-proven performance in both soft point and pointed soft point versions - and in a range of bullet weights for virtually every centerfire hunting caliber made.





BRONZE POINT" TIPPED

Aerodynamic tip for superior long-range ballistics and

Introduced by Remington, these were the first bullets to utilize a tipped design. Exceptional long-range performance on medium-sized game. Sleek profile generates flat trajectory. On impact, the bronze tip is driven backward to create rapid, but controlled expansion.



Another breakthrough from Remington. Delivers unmatched performance for small game and varmint hunting. Thin copper jacket is electrolytically plated to the lead core for near-perfect concentricity and gyroscopic balance. The result? Dead-on, benchrest-type accuracy with instant fragmentation on impact.

Plated copper jacket for superior accuracy and instant

REMINGTON POWER-LOKT HOLLOW POINT



HPJ

Nose cuts go completely

through jacket for better

mushroom initiation over

widest range of practical

Cases are nickel-plated for

reliable feed and function

freated powders suppress

in all types of pistols

Primers are triple-

inspected during

The buffet diameter directly

ehead of the Driving Band

is reduced from groove to bore diameter, so the bullet is precisely aligned before the Driving Band engages the riffing. The result: match-grade accuracy and reduced barrel friction that

manufacturing process

muzzle flash

TOP QUALITY AMMUNITION FOR A BROAD RANGE OF APPLICATIONS.

Remington has been making centerfire handoun ammunition longer than anyone. It should then come as no surprise that we offer the broadest line of pistol and

revolver ammunition available. With loadings tailored to virtually

every potential shooting application, our line includes vast choices of calibers, bullet weights, bullet styles and combinations of all these. Choose from a complete range of traditional bullet styles, as well as from some of the most sophisticated handgun bullets made. All cartridges are assembled from the highest quality components with meticulous quality control - to assure reliability in all handgun actions.

| Calber | Ind-selection | Primer No. | the (grs) | Bullet Style | Vel Muz. | lacity (IL/s 50 yds | er.) 100 yds | Fi Mus. | rengy allatt Stryck | K.) 100 yds | | range fra 100 yds | |
|-------------------|---------------|------------|-----------|----------------------------------|-------------|------------------------|-----------------|------------|------------------------|----------------|------|----------------------|-----|
| | | | | EMINGTON. P&I | MAS | | | N | | | | | |
| 25 (6.35mm) Auto. | R25AP | 17: | 50 | Metal Case | 760 | 707 | 659 | 64 | 56 | 48 | 2.0" | 8.7* | 2" |
| 32 SAW | R325W | 11/2 | 88 | Lead Round Nose | 680 | 645 | 610 | 90 | 81 | 73 | 2.5* | 10,5* | 3* |
| 32 S&W Long | R325WL | 11/: | 58 | Lead Round Note | 705 | 670 | 635 | 115 | 98 | 88 | 2.3* | 10,5 | 4" |
| 32 (7.65mm) Auto. | R32AP | 11/4 | 71 | Metal Case | 905 | 855 | 810 | 129 | 115 | 97 | 1.4" | 5.8" | 4. |
| 357 Mag ** | R357M7 | 51/1 | 110 | Semi-Jacksted Hollow Point | 1295 | 1094 | 975 | 410 | 292 | 232 | 0.8" | 3,5' | 4" |
| | R357MI | 5% | 125 | Semi-Jacksted Hollow Point | 1450 | 1240 | 1090 | 583 | 427 | 330 | 0.6 | 2.8" | * |
| | R357M2 | 5 V: | 158 | Semi-Jacketed Hollow Point | 1235 | 1104 | 1015 | 535 | 428 | 361 | 0.8* | 3,5" | 4* |
| | R357M3 | 5 1/4 | 158 | Soft Point | 1235 | 1104 | 1015 | 535 | 428 | 361 | 0.8* | 3,5* | * |
| | R357M5 | 514 | 158 | Semi-Waskurter | 1235 | 1104 | 1015 | 535 | 428 | 361 | 0.8* | 3,5 | 4" |
| | R357M10 | 5 1/: | 180 | Sem-Jacksted Hollow Point | 1145 | 1053 | 985 | 524 | 443 | 388 | 0.9" | 3.9 | 8 % |
| 9mm Luger | R9MM) | 11/2 | 115 | Jacketed Hollow Point | 1155 | 1047 | 971 | 341 | 280 | 241 | 0,9" | 3.9 | 4 |
| | R9MM3 | 1 V: | 115 | Metal Case | 1135 | 1041 | 973 | 329 | 277 | 242 | 0.9 | 4.0" | * |
| | R9MM6 | 199 | 115 | Jacketed Hoffow Point +P \$ | 1250 | 1113 | 1019 | 399 | 316 | 265 | 0.8* | 3.5' | 4* |
| | R9MM2 | 1% | 124 | Metal Case | 1110 | 1030 | 971 | 339 | 292 | 259 | 1.0 | 4.11 | 4* |
| | R9ANA8 | 1 1/2 | 147 | Jacketed Hollow Point (Subsenic) | 990 | 941 | 900 | 320 | 289 | 264 | u | 4.9 | * |
| 380 Auto. | R38QA1 | 11/2 | 88 | Jacketed Hollow Point | 990 | 920 | 868 | 191 | 165 | 145 | 1.2" | 5.1* | 4" |
| | R38OAP | 176 | 95 | Netal Case | 955 | 865 | 785 | 190 | 160 | 130 | 1.4" | 5.9* | 4 |
| 38 S&W | R36SW | 11/4 | 145 | Lead Round Nose | 685 | 650 | 620 | 150 | 135 | 125 | 2,4" | 10.0 | 4 |
| 38 Special** | R38\$10 | 1 1/1 | 110 | Semi-Jacksted Hollow Point +P ‡ | 995 | 926 | 871 | 242 | 210 | 185 | 1,2" | 5,1' | * |
| | R38\$16 | 1 1/: | 110 | Semi-Jacketed Hollow Point | 950 | 890 | 840 | 220 | 194 | 172 | 1,4" | 5,4" | • |
| | R38S2 | 11% | 125 | Semi-Jacketed Hollow Point +P \$ | 945 | 898 | 858 | 248 | 224 | 204 | 1,3* | 5.4" | 4* |
| | R38S3 | 1 1/2 | 148 | Targetmaster® Lead WC Match | 710 | 634 | 566 | 166 | 132 | 105 | 2,4" | 10,6 | 4* |
| | R38S5 | 11/: | 158 | Lead Round Nose | 755 | 723 | 692 | 200 | 183 | 168 | 2.0 | 8.3* | 4" |
| | R38\$14 | 1% | 158 | Sem-Wadcutter +P \$ | 890 | 855 | 823 | 278 | 257 | 238 | 1.0 | 6,0" | 4* |
| | R3856 | 11/2 | 158 | Semi-Wadoutter | 755 | 723 | 692 | 200 | 183 | 168 | 2.0 | 8.3* | 4* |
| | R38512 | 1% | 158 | Lead Hitlow Point +P t | 890 | 855 | 823 | 278 | 257 | 238 | 3.4 | 6.0 | 4* |
| 38 Short Catt** | R38SC | 11% | 125 | Laad Round Nose | 730 | 685 | 645 | 150 | 130 | 115 | 2.2 | 9.4' | 6. |
| 357 Sig. | R35751 | 5 1/4 | 125 | Jacketed Hollow Point | 1350 | 1157 | 1032 | 506 | 372 | 296 | 0,7 | 3.2* | 4" |
| 40 S&W | R40SW1 | 51/4 | 155 | Jacketed Hollow Point | 1205 | 1095 | 1017 | 499 | 413 | 356 | 0,8 | 3.6 | 4 |
| | R405W2 | 51/- | 180 | Jacketed Hollow Point | 1015 | 960 | 914 | 412 | 368 | 334 | 1.3* | 4.5' | |
| 41 Ram, Mag.** | R41MG1 | 2 1/2 | 210 | Soft Point | 1300 | 1162 | 1062 | 788 | 630 | 526 | 0,7 | 3,2 | 4" |
| 44 Rem, Mag.** | R44MG5 | 2 1/1 | 180 | Semi-Jacketed Hollow Point | 1610 | 1365 | 1175 | 1036 | 745 | 551 | 0,51 | 2,31 | 4* |
| | R44MG2 | 2 1/2 | 240 | Soft Point | 1180 | 1081 | 1010 | 741 | 623 | 543 | 0,9 | 3,7* | 4 |
| | R44MG3 | 2 1/2 | 240 | Semi-Jackeled Hollow Point | 1180 | 1081 | 1010 | 741 | 623 | 543 | 0,9 | 3,7* | 4* |
| 44 S&W Special** | R44SW | 2 1/2 | 246 | Lead Round Nose | 755 | 725 | 695 | 310 | 285 | 265 | 2.0" | 6.31 | 6* |
| 45 Cdt** | R45Ci | 2 1/2 | 225 | Semi-Wadoutler | 960 | 890 | 832 | 450 | 395 | 346 | 1.3" | 5.5 | 5 |
| | R45C | 2 1/2 | 250 | Lead Round Nose | 860 | 820 | 780 | 410 | 375 | 340 | 1.6* | 6.6 | 5 |
| 45 Auto. | R45AP2 | 2 1/1 | 185 | Jackstod Hotlow Point | 1000 | 939 | 889 | 413 | 362 | 324 | 1.1* | 4.9 | 5 |
| | R45AP4 | 2 1/2 | 230 | Metal Case | 835 | 800 | 767 | 356 | 326 | 300 | 1.6* | 6.8 | 5* |
| | R45AP7 | 2 % | 230 | Jacketed Hollow Point (Subscric) | 835 | 800 | 757 | 356 | 326 | 300 | 1,6" | 6,8" | 5 |

Themunision with "+P" on the case headstamp is loaded to higher pressure. Use only in fireams designated for this cartridge and so recommended by the gun manufacture "Test Barnel Length ""Vented Barnel Ballistics

Jacketed Hollow Point Full-tength jacket and hollow-point construction provide and excellent penetration white assuring dependable cycling in autoloading pistols.

> Lead Round Nose. Versatile, general purpose bullet for

Lead Hollow Point

Full Metal

All-purpose bullet

for autoloading pistols — assures

Case.







Unique scalloped jacket design is engineered to combine optimum expansion with controlled penetration for maximum energy transfer,

Soft Point Exposed soft point tip provides deeper penetration with less expansion than semi-jacketed hollow points.







Wadcutter Match. Our specialized Targetmaster* version Delivers superb accuracy and precision paper-cutting performance.

bullet that delivers clean wadcutter

39

HIGH-PERFORMANCE HANDGUN AMMUNITION.

GOLDEN SABER™

Exclusive brass lacket

controls mustroom and

releases energy over

Primer and mouth

waterproofing for

Reduced bearing

of Driving Band"

allows precise bore

alignment for

The high-performance jacket expands to a larger diameter

than lead core - over 1,6x catiber diameter. The minimal

lead deformation retains energy for deeper penetration,

Bottom of rifling groovs

Top of stiling band

longer distance

An outstanding example of Remington® bullet innovation. Designed for law enforcement, home security and personal defense applications, the Golden Saber™ High Performance Jacket successfully combines

four critical elements of handgun bullet performance: Match-type accuracy, deep penetration, maximum expansion and virtually 100% weight retention. No other bullet has ever been able to fulfill these performance parameters so completely.

| Coliker | Index (0) Us. | Primer No. | We lost | | | er.) 100 yılı | | nengs (III) Silyils | 100 yds | | 100 / Ju | Ranel Length |
|------------------|---------------|------------|---------|------|------|------------------|-----|------------------------|---------|--------|----------|-----------------|
| PRI | MIER | GOLD | EN S | ABEI | 1" F | PJ (I | HOR | PERF | ORMA | NCE JA | CKET) | |
| 357 Magnum* | GS357MA | 5% | 125 | 1220 | 1095 | 1009 | 413 | 333 | 283 | 0,8* | 3.5* | 4. |
| 9mm Luger | GS9MMB | 1% | 124 | 1125 | 1031 | 963 | 349 | 293 | 255 | 1,0 | 4.01 | 4" |
| | GS9MMC | 114 | 147 | 990 | 941 | 900 | 320 | 289 | 264 | 1.1- | 4,9* | 4* |
| 9mm Luger (+P) | GS9MMD | 1% | 124 | 1180 | 1089 | 1021 | 384 | 327 | 287 | 0,8" | 3.8* | 4" |
| 380 Auto, | G\$3808 | 119 | 102 | 940 | 901 | 866 | 200 | 184 | 170 | 1.2 | 5,1" | 4" |
| 38 Special (+P)* | GS38SB | 1 1/1 | 125 | 975 | 929 | 885 | 264 | 238 | 218 | 1.0 | 5.2* | 4* |
| 40 S&W | G\$40\$WA | 5% | 165 | 1150 | 1040 | 964 | 485 | 396 | 340 | 1.0 | 4,0" | 4* |
| | GS40SWB | 51/4 | 180 | 1015 | 960 | 914 | 412 | 368 | 334 | 1.3* | 4,5" | 4. |
| 45 Auto | GS45APA | 2 % | 185 | 1015 | 951 | 899 | 423 | 372 | 332 | 1,1* | 4,5* | 5. |
| | GS45APB | 2 1/3 | 230 | 875 | 833 | 795 | 391 | 355 | 323 | 1.5 | 6,1* | 5" |
| 45 Auta (+P) | G\$45APC | 2 1/5 | 185 | 1140 | 1042 | 971 | 534 | 446 | 388 | 1.0" | 4.0" | 5* |

**Ammunition with "+P" on the case headstamp is loaded to higher pressure, Use only in firearms designated for this cartridge and so recommended by the cum manufactures. "Note: These ballistics reflected vented barret.

rilustrooms over wide range of velocities

Nicket-plated cases

extract easily and function flawlessly.

Primer and mouth ar

waterproofed for a modifium reliability

CORE-LOKT HANDGUN


Precise Sors alignment and match grade accuracy sechieved from reduced physics bearing diameter shall of the Driving Band

LEGENDARY CONTROLLED EXPANSION DESIGN FOR HANDGUN HUNTING.

The same stopping power of our Core-Lokt* rifle ammunition, in a handgun cartridge. Specifically designed for optimum performance at handgun velocities.

Progressively tapered copper jacket is locked to a solid lead core, promoting perfectly controlled expansion and high weight retention for dependable on-game results.

| | to Joel | Latted 5.2 | | | | city ift.fi | | | ergy (IL) | | | ge frametor | Parel 9 |
|-----------------|----------|------------|-------|----------------------|------|-------------|-------|------|-----------|-------|--------|-------------|---------|
| f. Start | 519 MC | Ha | Spr.) | Brille & Style | Muc. | 23.546 | no yk | Muz. | 30 1-12 | matar | אוק עב | 10171 | tengt |
| CORE | -LORT | · HI | GН | PERFORMA | NCE | P& | R H | JNTI | NG | AMM | UNI | LION | |
| 357 Magnum* | RH357MA | 5% | 165 | Core-Lokt* JHP | 1290 | 1189 | 1108 | 610 | 518 | 450 | 0.7* | 3.1* | 8% |
| 44 Rem. Magnum* | RH44MGA | 2% | 275 | Core-Lokt* JHP | 1235 | 1142 | 1070 | 931 | 797 | 699 | 0.8* | 3.3* | 6% |
| Rife Belistics | | li | | | 1580 | 1427 | 1293 | 1524 | 1243 | 1020 | 0.5* | 2.2" | 201 |
| 454 Casull* | PRC454CA | 7% | 300 | Core-Lokt* Ultra JHP | 1625 | 1472 | 1335 | 1759 | 1442 | 1187 | 0.5* | 2.0" | 7 % |
| Rife Ballistics | | 1 | | | 2085 | 1899 | 1724 | 2895 | 2401 | 1979 | 0.3* | 1.2 | 20 |





UMC* RIFLE CARTRIDGES.

For practice, target shooting and training exercises, our UMC centerfire rifle ammunition is loaded in seven popular calibers. These include the 7.62x39, 303 British and 30 Carbine rounds

for related rifles, as well as three other American standards. All UMC rifle loadings are ideal for high-volume shooting. The 45-grain jacketed hollow-point in 223 Reminston and a 45-grain jacketed hollow-point in 22-250 Remington are superb choices for varmint hunters.

UMC HANDGUN CARTRIDGES.

Our UMC handgun ammunition covers a broad spectrum of loadings in 12 different pistol and revolver calibers. You'd be hard-pressed to find more dependable performance anywhere.



UMC* LEADLESS" HANDGUN CARTRIDGES.

A must-have for shooters that frequent indoor ranges, UMC LeadLess™ cartxidges virtually eliminate lead exposure at the firing line. Specially designed Flat Nose Enclosed Base bullet actually prevents the vaporization of lead from the bullet's base upon firing. Also features the industry's best heavy-metal-free primer. Standard bullet weights duplicate the ballistics of conventional loads. As always, economical UMC pricing is ideal for high-volume shooting.

Nose profile designed to function smoothly in all action types

Full-length copper jacks Powder blended for consistent High-quality reloadable brass case

Solid lead core

Enclosed base virtually eliminates airborne lead at firing line

| Captage | to let | 115, | CPCI | 2011- | evania. | 20 20 | ILO YES | r. r.a.s. | 213/17 | HIND AGE | 20 304 | rue yan |
|------------------|----------|-------|------|-------|---------|-------|---------|-----------|--------|----------|--------|---------|
| | UN | IC. F | EADI | .E85" | HAN | DGU | N CA | RTRI | DGE | 8 | | |
| 9mm Luger | LL9MM2 | 1% | 124 | FNEB | 1100 | 1030 | 971 | 339 | 292 | 252 | 1.0* | 41" |
| | LL9MM11 | 1% | 115 | FNEB | 1135 | 1041 | 973 | 329 | 277 | 242 | 0.9 | 4.0* |
| 357 Magnum | LL357M1 | 51/2 | 125 | FNEB | 1450 | 1240 | 1090 | 583 | 427 | 330 | 0.6' | 2.8° |
| 38 Special | LL36S17 | 1 1/1 | 125 | FNEB | 850 | 822 | 796 | 201 | 188 | 176 | 1.4 | 6.4" |
| *38 Special+P | 11.3852 | 1 1/2 | 125 | FNEB | 975 | 935 | 899 | 254 | 242 | 224 | 1,2" | 4.9* |
| 380 Auto | LL380AP2 | 1% | 95 | FNEB | 955 | 865 | 785 | 190 | 160 | 130 | 1.4" | 5.9* |
| 40 S & W | LL40SW5 | 5% | 180 | FNEB | 985 | 936 | 893 | 388 | 350 | 319 | 1.4' | 5.0 |
| 45 Auto | LL45AP8 | 2% | 230 | FNEB | 835 | 800 | 767 | 356 | 326 | 300 | 1,6° | 6.8* |
| | | 1 | IMC. | HAND | GUN | CAR | TRID | GES | | | | |
| 9mm Luger | L9MM3 | 1 1/4 | 115 | MC | 1135 | 1041 | 973 | 329 | 277 | 242 | 0.9* | 4.0" |
| | L9MM3B1 | 1% | 115 | MC | 1135 | 1041 | 973 | 329 | 277 | 242 | 0.9 | 4,0" |
| | L9MM1 | 1% | 115 | лнР | 1155 | 1047 | 971 | 341 | 280 | 241 | 0,9 | 3,9 |
| | L9MM2 | 1% | 124 | мс | 1100 | 1030 | 971 | 339 | 292 | 259 | 1.0 | 4.1* |
| | L9MM9 | 1% | 147 | MC | 990 | 941 | 900 | 320 | 289 | 254 | 1.1* | 4.9" |
| 10mm Auto | L10MM6 | 2% | 180 | NIC | 1150 | 1063 | 998 | 529 | 452 | 398 | 0,9° | 3.7* |
| 25 Auto (6,35mm) | L25AP | 1% | 50 | MC | 760 | 707 | 659 | 64 | 56 | 48 | 2.0 | 8.7* |
| 32 Auto | L32AP | 1% | 71 | MC | 905 | 855 | 810 | 129 | 115 | 97 | 1.4' | 5,8* |
| 357 Magnum** | L357M12 | 514 | 125 | JSP | 1450 | 1240 | 1090 | 583 | 427 | 330 | 0'6. | 2.8" |
| 357 Sig. | L357S1 | 51/1 | 125 | MC | 1350 | 1146 | 1018 | 506 | 422 | 359 | 0.7 | 3.3" |
| | L357S2 | 5% | 125 | JHP | 1350 | 1157 | 1032 | 506 | 372 | 296 | 0.7* | 3.2* |
| 38 Super Auto | L38SUP | 1 % | 130 | MC | 1215 | 1099 | 1017 | 426 | 348 | 298 | 0.8 | 3.6* |
| 38 Special + P** | L38S2 | 1 % | 125 | JHP | 945 | 898 | 858 | 248 | 224 | 204 | 1.3 | 5.4" |
| 38 Special | L3855 | 1% | 158 | LRN | 755 | 723 | 692 | 200 | 183 | 168 | 2.0* | B.3* |
| | L38511 | 1% | 130 | WC | 790 | 766 | 743 | 173 | 163 | 153 | 1.7* | 7,2* |
| 380 Auto | L380AP | 1 1/2 | 95 | AIC | 955 | 865 | 785 | 190 | 160 | 130 | 1.4' | 5.9* |
| 40 S & W | L40SW2 | 51/4 | 180 | JHP | 1015 | 960 | 914 | 412 | 368 | 334 | 1,3 | 4.5* |
| | L40SW3 | 5 % | 180 | MC | 985 | 936 | 893 | 338 | 350 | 319 | 1.4" | 5.0* |
| | L40SW4 | 5 1/2 | 165 | MC | 1150 | 1040 | 964 | 485 | 396 | 340 | 1.0 | 40* |
| 44 Rem, Mag** | L44MG7 | 21/1 | 180 | 921 | 1610 | 1365 | 1175 | 1036 | 745 | 551 | 0.5 | 2.31 |
| 45 Auto | L45API | 21/1 | 185 | MC | 1015 | 955 | 907 | 423 | 375 | 338 | 1.1* | 4.8" |
| | L45AP4 | 2 1/2 | 230 | MC | 835 | 800 | 767 | 356 | 326 | 300 | 1.6 | 6.8* |
| | LASAP7 | 2 % | 230 | JHP | 835 | 800 | 767 | 356 | 326 | 300 | 1.6 | 6.8* |

| | Indres | Fret (1 | 141 | 2.6[0] | Wil | nor (tus | (1) | £n | erge (ft-lb | i, j | | Sho | nunge | Trajector | rin net | ε1 · |
|---------------|-----------|---------|--------------------|--------|--------|----------|---------|------|-------------|--------|------|------|-------|-----------|---------|-------|
| Calibri | 0.000 kg. | tio. | $\{(i,j)_{i\in I}$ | \$1,12 | 11.12, | 100 j.K | 20 yılç | Mur. | 100 pds | 200 pK | 10 | 100 | 150 | 700 | 15C | 300 |
| | | U | MC. | CE | NTE | RFI | RE F | IPL | B CA | RTR | IDG | R S | | | | |
| 223 Remington | L223R3 | 714 | 55 | MC | 3240 | 2759 | 2326 | 1282 | 929 | 660 | -0.1 | 0.6 | Telo | -1,9 | -5.5 | -11.0 |
| | L223R7 | 1% | 45 | JHP | 3550 | 2953 | 2430 | 1259 | 871 | 590 | -0.1 | 0.4 | 28/0 | -1.7 | -4.B | -9.7 |
| | L223R7B | 7% | 45 | JHP | 3550 | 2953 | 2430 | 1259 | 871 | 590 | -0.1 | 0.4 | Zero | -1.7 | -4.8 | -9.7 |
| 22-250 Rem | 122503 | 9% | 45 | JHP | 4000 | 3340 | 2770 | 1598 | 1114 | 767 | -0.3 | 0.2 | zero | -1.2 | -3.5 | -7,2 |
| | L22503B1 | 9% | 45 | JHP | 4000 | 3340 | 2770 | 1598 | 1114 | 767 | -0.3 | 0.2 | zero | -1.2 | -3.5 | -7.2 |
| 7.62x39 | L762391 | 7% | 123 | MC | 2365 | 2060 | 1780 | 1527 | 1159 | 865 | 0,1 | 2010 | -2,2 | -6.8 | -14,1 | -24,5 |
| 30 Carbine | L30CR1 | 6 V: | 110 | MC | 1990 | 1567 | 1236 | 967 | 600 | 373 | 0.6 | zero | 4,2 | -12.9 | -27,2 | -48,6 |
| 308 Win, | L308W4 | 9 % | 150 | WC | 2820 | 2533 | 2263 | 2648 | 2137 | 1705 | -0.1 | zero | -1,2 | -3.9 | -8.4 | -14,7 |
| 30-06 Sprgfd. | L30062 | 9% | 150 | MC | 2910 | 2617 | 2342 | 2820 | 2281 | 1827 | -0,2 | 2610 | -1,1 | -3,6 | -7.7 | -13,6 |
| 303 British | L303B1 | 9 1/2 | 174 | MC | 2475 | 2209 | 1960 | 2366 | 1885 | 1484 | 0,1 | zero | -1.9 | -5,9 | -12,2 | -21,4 |

RIMFIRE


FROM INTERNATIONAL COMPETITION TO TIN CAN DEMOLITION.

Over the years, no manufacturer has been responsible for more advancements in rimfire ammunition than Remington? No doubt this is because we give our rimfire ammunition the same meticulous manufacturing attention as our centerfire ammunition. As a result, we produce the

widest variety of rimfire loadings for every possible end use. Whether it's hunting, plinking or competing, Remington rimfire cartridges offer consistently outstanding performance.

At Remington, we're more than just the industry leader in quality and reliability. By bringing you industry firsts, like the Yellow Jacket* and Viper* hyper velocity ammunition, we've solidified our reputation as leaders in innovation, too. Our commitment to bring you the hottest ammunition on the market continues with the 17 HMR. Offered in an

explosive 17 grain V-Max™ bullet with an astonishing muzzle velocity of 2550 fps this popular rimfire cartridge is the fastest and flattest shooting rimfire ammunition available - eclipsing the 22 Win Mag by over 500 fps in velocity.



| | lo tes/ | | | | Velocity Illuface | | | 18600 | | | | |
|--|------------|-----|-----------------------------|-------|---------------------------|----------|------|-------------------------|----------|----------|--------------------------|-------------|
| | 24 (03 | Wr. | Collet Style | Muz. | resocity incres 50 m/s | 100 vils | Mur. | Evergy (114b) 50 yds | 100 vils | 50 tile | ran je fraje 100 v.K. | 150 yds |
| | | | | MAGNI | JM | | | | | | | |
| Premier 17 HMR | PR17HML | 17 | V-Max** Boat Tail | 2550 | 2212 | 1901 | 245 | 185 | 136 | 0.1 | 0.0 | -2,6 |
| Premier* 22 Win Mag | PR22M1 | 33 | V-Max*** Boat Tail | 2000 | 1730 | 1495 | 293 | 219 | 164 | 0,6 | 0.0 | -4.3 |
| 22 Win Mag | R22M1 | 40 | Jacketed Hollow Point | 1910 | 1610 | 1350 | 324 | 230 | 162 | 0,9 | 0,0 | -5,7 |
| | R22M2 | 40 | Pointed Soft Point | 1910 | 1600 | 1340 | 324 | 227 | 159 | 1.0 | 0.0 | -5,8 |
| | | | REMINGTON | /ELEY | COMP | ETITIO | N | | | Mid-rang | e Trajector | y (100 yds) |
| 22 Match EPS | RE22EPS | 40 | Lead Flat Nose | 1085 | 1006 | 941 | 105 | 90 | 79 | 1 | 4.5 | |
| 22 Club Xtra | RE22CX | 40 | Lead Round Nose | 1085 | 1006 | 941 | 105 | 90 | 79 | 1 | 4,5" | |
| 22 Targel Rifle | RE22T | 40 | Lead Round Nose | 1085 | 1006 | 94) | 105 | 90 | 79 | 1 | 4,5 | |
| 22 CALIBER RIMFIRE Mid-range Trajector | | | | | | | | | | | y (100 yds) | |
| Subsonic** | | | | | | | Γ, | | | T | | |
| 22 Subsonic Long Rifle | SUB22MP | 38 | Hollow Point | 1050 | 965 | 901 | 93 | 79 | 69 | L | 4.7 | |
| Target | 1 | | | | | | | | | T | | |
| 22 Long Rifle | 6122/6100+ | 40 | Round Nose | 1150 | 1048 | 976 | 117 | 98 | 85 | ł | 4,0* | |
| High Velocity Golden" Bullet | | | | | | | | | | 7 | | |
| 22 Long Rifle | 1522/1500+ | 40 | Plated Lead Round Nose | 1255 | 1113 | 1017 | 140 | 110 | 92 | 1 | 3,4" | |
| | 1622/1600+ | 36 | Plated Hollow Point | 1280 | 1117 | 1010 | 131 | 100 | 82 | 1 | 3.5* | |
| 22 Short | 1022 | 29 | Plated Lead Round Nose | 1095 | 982 | 903 | 77 | 62 | 52 | 1 | 4.5 | |
| Hyper Velocity | | | | | | | | | | | | |
| 22 Yellow Jacket* Long Rifle | 1722 | 33 | Truncated Cone Hollow Point | 1500 | 1247 | 1075 | 165 | 114 | 85 | 1 | 2,8" | |
| 22 Viper* Long Rifle | 1922 | 36 | Truncated Cone Solid | 1410 | 1198 | 1056 | 159 | 115 | 89 | } | 3.0 | |
| * 22 Long Rule (High Velocity) | GL 22HP | 36 | Hollow Point | 1280 | 1117 | 1010 | 131 | 100 | 82 | | 3,5 | |
| Hi-Speed | | | | | | | | | | T | | |
| 22 Thunderboll" Long Ride | TB 22A | 40 | Round Nose | 1255 | 1113 | 1017 | 140 | 110 | 92 | i | 3,4" | |
| 22 Cyclone" Long Rite | CY 22HP | 36 | Hollow Point | 1280 | 1117 | 1010 | 131 | 100 | 82 | 1 | 3.5 | |
| Long Riffe | | 1 | 1 | T - | | | 1 | | | 1 | | |
| * Long Rifle Shot | 9322 | 25 | #10 Shot | - | - | - | - | - | - | 1 | - | |

* New for 2004. ""Note: Sight height 1.5" above axis of bore. + These long rife 22s available in slide-open plastic parks of 100



HEVI·SHOT TURKEY FEATURES:

- · Routinely achieves patterns in excess of 90%
- · Made of a tongsten, nickel and iron alloy
- . Yields a 10% higher density than lead
- · Superior product for serious turkey hunters
- Special shot collar protects barrel and chokes


| Total | Tota

PREMIER HEVI SHOT MAGNUM TURKEY LOADS.

This is the load that won 13 out of 15 events over the last three years at National Wild Turkey Federation Still Target Shoots. Remington's 20-gauge load swept all event championships in Jakes, Ladies and Men's Open 20-gauge classes in 2002 and 2003. Premier* Hevi*Shot* Magnum Turkey loads, available in 12- and 20-gauge, routinely achieve patterns in excess of 90%. And because its shot material is made of a tungsten, nickel and iron alloy, they yield a 10% higher density than lead, which

creates denser patterns and delivers higher of the createst denser patterns and delivers higher of the createst dense de

Premier* Hevi * Shot* routinely achieves patterns in excess of 90% efficiency with Remington's optimal Hevi * Shot choke tube.



| Index EFA The | Googe | SheB Lenyth | Velocity (huser, vb 1 ht) | Ounces of Shot | Shot Si. r S |
|---------------|------------|----------------|------------------------------|-------------------|--------------|
| PREMIER HEV | 1.8HOT: HI | GH VELOC | ITY MAGNUM T | URKBY LOAI | S - BUFFERED |
| PRHSHV12M | 12 | 3, | 1300 | 1 1/6 | 4, 5, 6 |
| PRHSHV1235M | 12 | 3 1/2* | 1300 | 1% | 4, 5, 6 |
| PREMIER* | HEVI · SH | OT' MAG | NUM TURKE | Y LOADS | BUFFERED |
| PRHS10M | 10 | 314" | 1225 | 1 % | 4, 5, 6 |
| PRH\$12SM | 12 | 2 % | 1250 | 1 % | 4, 5, 6 |
| PRHS12HM | 12 | 3" | 1225 | 1 % | 4, 5, 6 |
| PRHS1235M | 12 | 3 1/2" | 1225 | 174 | 4, 5, 6 |
| PRHS20M4 | 20 | 3* | 1175 | 1% | 4, 5, 6 |

LEAD MAGNUMS

PREMIER HIGH VELOCITY
MAGNUM COPPER-PLATED BUFFERED
TURKEY LOADS.

The high-performance lead load for avid turkey hunters. 3" and 3 1/5" 12-gauge payload leaves the muzzle at 1300 fps. Delivers hard-hitting knockdown power. Loaded

with our Power Piston[®] one-piece shot cup and Magnum-grade Copper-Lokt[®] lead shot for dense patterns and deep penetration.

PREMIER® MAGNUM COPPER-PLATED BUFFERED TURKEY LOADS.

Our original Magnum turkey loads. As fine a lead shotshell as you can carry in the woods. Magnum-grade Copper-Lokt* shot is cushioned with special polymer buffering and further protected by our Power Piston* shot cup for dense, even patterns. Delivers superb performance and devastating knockdown power out of tightly constricted turkey chokes.

NITRO MAG* BUFFERED MAGNUMS.

12 3 Ms

Excellent for turkey or long-range pheasants. Heavy payloads of Magnum-grade shot are packed with shock-absorbing polymer buffering and enclosed in our patented Power Piston® wad to provide dense, even patterns and uniform shot strings.

PREMIER* DUPLEX* MAGNUM COPPER-PLATED BUFFERED LOADS.

A specialized layering of Magnum-grade Copper-Lokt^a No. 4 shot over No. 6 shot.

| Indeutiti Na | Gauge | Shell Length | (fulsec, 62 § ft.) | Ounces of Shot | Shot Sizes " |
|--------------|------------|-----------------|--------------------|-------------------|--------------|
| PREMIER HIG | H-VELOCITY | MAGNUM C | OPPER-PLATED | TURKEY LOAD | DS - BOFFERS |
| PHV12M | 12 | 3" | 1300 | 1 7. | 4, 5, 6 |
| PHV1235M | 12 | 3 1/1" | 1300 | 2 | 4,5 |
| PREMIER'M | AGNUM CO | PPBR-PLA | TED LEAD TUR | KEY LOADS | - nupperer |
| P10HM | 10 | 3 % | 1210 | 2 1/4 | 4,6 |
| P12SM | 12 | 2 %* | 1260 | 1% | 4, 5, 6 |
| P12XHM | 12 | 3 | 1175 | 2 | 4, 5, 6 |
| P1235M | 12 | 31/1. | 1150 | 27. | 4,6 |
| P20XHM | 20 | 3 | 1185 | 1% | 6 |
| PREMIER' | DUPLEX. | LAGNUM | COPPER-PLA | TED LOAD | 3 - nurrens |
| MP12S | 12 | 5.7. | 1260 | 11/6 | 4x6 |
| MP12H | 12 | 3* | 1210 | 1% | 4x6 |
| | NITRO | MAG' LE | AD LOADS . | BUFFERED | |
| NM12S | 12 | 2 1/- | 1260 | 11/6 | 2, 4, 6 |
| NM12 | 12 | 3" | 1280 | 1% | 4,6 |
| NM12H | 12 | 3" | 1210 | 176 | 2, 4, 6 |
| NM20S | 20 | 21/4* | 1175 | 1 1/4 | 4, 6 |
| NM20H | 20 | 3 | 1185 | 1 1/4 | 4.6 |



. .

NITRO-STEEL" WATERFOWL



premium price? Nitro-Steel™ delivers. Greater hull capacity means heavier charges and larger pellets, which makes these loads ideal for large waterfowl. Nitro-Steel M delivers denser patterns for greater lethality and is zine-plated to prevent corrosion. Available in a complete line of full payloads and high-velocity, Nitro-Steel is a

> New for 2004. Remington® Nitro-Steel* High-Velocity loads.

- · Greater hull capacity means heavier charges
- · Complete line for all waterfowl hunting situations
- . Wet Pruf " sealed at primer and mouth



214

2 1/4

316

31/1

21/4

20 2 ¼° 1 390

1275

1550

1390 1 %

1300 1 %

1450

1300 1%

1300

1425

NS12HVS

NS12S

NS12HV

NS12M

NS12HM

NS1235H

NS1235

* NS16HV

EXPANDED OFFERING WITH NEW - HI-SPEED' LOADS.

T 888, 88, 2

2.4

88, 2, 4

88. 2. 4

T 888 88.2.3

T RRR RR 2

T. BBB. BB. 2

2.4

E BBB, BB, 1, 2, 3, 4

. New 10-gauge loads

1 %

1 %

- · Economical, Hi-Speed™ steel loads
- . Waterfowl loads for every hunting situation
- . Upland loads for use in non-toxic zones and for practice shooting
- . Shot size selection to match your game

| Index EDI No. | fauge | Stiell Length | Velocity Husel, 54 3 ft. | Ounces of Shot | Shot Sizes |
|---------------|-------|------------------|-----------------------------|-------------------|----------------|
| | SPOR | TSMA | N" STEE | L LOA | DS |
| *SSTHV10 | 10 | 34 | 1500 | 13/4 | 98, 2 |
| SST12 | 12 | 2% | 1365 | 1 | 6,7 |
| SST12S | 12 | 2 1/- | 1375 | 1% | 2, 4 |
| SSTHV12H | 12 | 3* | 1550 | 11/4 | 68, 2, 4 |
| *SSTHV12HM | 12 | 3* | 1400 | 11/4 | 88, 1, 2, 3, 4 |
| SST12HM | 12 | 3" | 1300 | 11/4 | BB, 2 |
| SSTHV1235 | 12 | 37/ | 1550 | 11/4 | BB, 2 |
| OSTZZ | 20 | 24. | 1425 | l % | 7 |

PREMIER HEVI SHOT WATERFOWL. MAKING LEAD THE "BAD OLD DAYS."

Hunters who have longed for the "good old days" of lead shot now have a non-toxic shot that's not just a lead alternative. It's a lead improvement. Remington Premier Hevi · Shot Nitro Magnums - the most dramatic performance increase in waterfowl shotshells ever. Manufactured of a tungsten-nickel-iron alloy,

> Hevi Shot is 10% denser (heavier) than lead and an amazing 54% denser than steel. This significant density increase is unmatched in any other shot material and translates. into greater per-pellet energy at virtually all

distances. Compared to steel shot, there simply is no comparison in retained energy or pattern density. Shooting an equal payload and shot size. Hevi Shot pellets have 25% more energy at 50 yards than steel pellets have at 30 yards. This allows you to drop down three shot sizes to maintain pattern energy and dramatically increase ourgame pellet count. The resulting Hevi Shot? patterning, with full chokes, yields an average of 88% efficiency So say goodbye to the agood old days and welcome the even

PREMIER* HEVI-SHOT* NITRO MAGNUM HIGH VELOCITY.

better new days of Hevi Shot.

With a massive 1450 fps velocity, this is the hardest hitting waterfowl load on the market. Add this kind of velocity to Hevi . Shot pellets, with unsurpassed density and down-range patterns and you've got the best of the best - of the best - magnum waterfowl loads.

| Index/ED) tro. | Gazje | Snull Lorgin | Velonity Huseo, 22 3 ft.) | Onces of Stot | Shot 5 5/5 |
|----------------|---------|-----------------|------------------------------|------------------|-------------|
| PREMIER HEV | TOB8-1 | NITRO N | SAGNUM HIGH | VELOCITY | - BUPPERE |
| PRHSNHV12M | 12 | 3" | 1450 | 1 1/4 | 2, 4, 6 |
| PRHSNHV12HM | 12 | 3* | 1450 | 1% | 2, 4, 6 |
| PRHSNHV1235 | 12 | 3% | 1400 | 1% | 2, 4, 6 |
| PRHSNHV1235M | 12 | 345 | 1350 | 1 1/4 | 2, 4, 6 |
| PREMI | R' HEVI | ·SHOT | NITRO MAG | INUM - BO | FFERED |
| PRHSN10M | 10 | 31//1 | 1300 | 1 1/4 | 2,4 |
| PRHSN12SM | 12 | 2 % | 1325 | 1 % | 4, 6, 7 1/2 |
| PRHSN12HM | 12 | 3 | 1300 | 1 1/5 | B, 2, 4, 6 |
| PRHSN1235 | 12 | 31/6* | 1300 | 1% | B, 2, 4, 6 |
| PRHSN20SM | 20 | 2 % | 1300 | 1 | 4, 6, 7 1/2 |
| PRH\$N20M | 20 | 3* | 1300 | 1 1% | 4,6 |

SHOISHELIS

HEVI·SHOT FEATURES:

. Heavier Than Lead ' - tungsten-nickel iron alloy

• Equal pellet energy - 3 shot sizes smaller than steel

. Fully approved by the US Fish & Wildlife and Canada

. Denser patterns - 18% tighter patterns than steel

PREMIER'

· A Remington" exclusive

BLAVER YEAR LEAD

Premier Hevi Shot, #6, 1 % os, 1325 fps. 40 yds, Full Choke, S11 bits

Use pollets 3 sizes smaller with Hevi · Shot* and get pellet energy equal to steel; and double the pellets on the target.

| DENSITY CO | MPARISON |
|-----------------------|---------------|
| Density of Steel | 7.8 grams/cc |
| Density of Lead | 10.9 grams/cc |
| Density of Hevi+Shot* | 12.0 grams/cc |





5 PLASTIC SHOTSHELLS

The 50-caliber Core-Lokt' is a jacketed, bonded lead builtet that bits with toll weight retention at 2x expansion.

THE SURGICAL PRECISION OF CORE-LOKT ULTRA.

Core-Lokt[®] Ultra Bonded. Sophisticated design, flawless performance.

This is one slug that's anything but sluggish when it comes to performance. The Remington® Core-Lokt Ultra Bonded is a sleek, ultra-fast, flat-shooting shotgun sabot slug that's virtually in a class of its own. With incredible accuracy, it delivers a 385-grain; 50 calibes, jacketed, bonded bullet that yields riear 100% weight retention and expands to 28 in diameter. Designed

for use in fully rifled beirels only, the Core-Loke "Ultra". Bonder offers a high-tech blend of sabot power and Eurgical precision that corld be just what the doctor ordered:

| | | Shirt | MagWe | V | douts (9 ho | (C) | E | serv iftelb | 4) | 1 | taketon (ir | 1.1 |
|----------------|--------|--------|---------|------|-------------|---------|------|-------------|---------|----------|-------------|---------|
| off IG Exalter | Glasge | Lyngth | (.5m) | Muz. | 50 /45 | 100 yds | Mat. | SO puls | 100 yes | SO yels. | 100 pts | 150 yık |
| PR | EMIER | . CO | RE-LC | KT. | ULTR | LA BOI | NDED | SAB | OT SL | UG L | OADS | 3 |
| PR12CLU | 12 | 27. | 385-gt. | 1900 | 1770 | 1648 | 3086 | 2682 | 2325 | 1.8 | 2,4 | 0,0 |
| PR20CLU | 20 | 21/4 | 260-gz | 1900 | 1750 | 1615 | 2084 | 1774 | 1506 | 2.0 | 27 | 0.0 |

PREMIER COPPER SOLID SABOT SLUGS

The unique, all-copper shotgun deer load. Designed specifically for use in fully rifled barrels. Outstanding on-game performance with 2x caliber expansion and virtually 100% weight retention. Consistently delivers 2 ½", 5-shot groups at 100 yards.





| | | Shell . | Stay Vic | | iouty (ft.As | | £1 | pergy (LIt | 5) | Pagest | ary fin.) |
|---------------|-------|---------|----------|------|--------------|---------|------|------------|-----------|---------|-----------|
| IndextEDI No. | Gauge | tingh | (02.) | MIL | 50 yels. | 100 yds | Mark | 50 yes | 100 ye/s. | 53 ; 55 | 100 y l |
| | PR | BMIE | R. CC | PPE | R 80 | LID~ | SABO | T SL | UG LO | ADS | |
| PR12CS | 12 | 2 % | 1 | 1450 | 1320 | 1208 | 2040 | 1689 | 1417 | 0.01 | -3.5 |
| PR12MCS | 12 | 3" | 1 | 1550 | 1408 | 1283 | 2331 | 1923 | 1597 | 0.01 | -2.9 |
| PR20CS | 20 | 2 %* | 1 % | 1500 | 1360 | 1240 | 1444 | 1187 | 986 | 0.01 | -3.1 |

f 0.0 indicates yardage at which shotgun was sighted in



PREMIER® HEVI·SHOT® BUCKSHOT



PREMIER NICKEL-PLATED BUCKSHOT. Magnum-grade, nickel-plated lead

pellets provide deeper penetration than unplated lead. Dense, evenly balanced patterns are 25% tighter than those of normal lead burkshot

EXPRESS' BUCKSHOT.

One of the great values in shotgun deer loads. A combination of heavy cushioning behind the shot column and a granulated polymer buffering helps maintain pellet roundness for tight, even patterns.

| IndexpEDI 'In | Conge | Sticill trenth | Velocity distance (188) | Backshot Size | Pollet Couge |
|---------------|---------|-------------------|----------------------------|------------------|-----------------|
| PREMIER | * H E V | 1 · SHO | T. BUCKS | HOT - BU | FFBRED |
| PRHS12B00 | 12 | 24* | 1325 | 00 | 9 |
| PREMIER' N | CRET- | PLATED | BUCKSHOT 1 | OADE - B | UPPERED |
| 12SN00 | 12 | 27/* | 1290 | 00 | 12 |
| 12HN00 | 12 | 3. | 1225 | 00 | 15 |
| EXPRESE. | MAGNU | M DUCKS | HOT LEAD L | DADS - BU | PPERED |
| 12358001 | 12 | 3 %* | 1125 | 00 | 18 |
| 12HB000 | 12 | 3, | 1225 | 000 | 10 |
| 12HB00 | 12 | 3" | 1225 | 00 | 15 |
| 12HB4 | 12 | 3" | 1225 | 4 | 41 |
| 12SB00 | 12 | 21/4* | 1290 | 00 | 12 |
| EXPR | ss. Br | CKSHOT | LEAD LOADS | - BOFFER | ED |
| 128000 | 12 | 2 7/1 | 1325 | 000 | 8 |
| 128004 | 12 | 24. | 1325 | 00 | 9 |
| 1280 | 12 | 27/- | 1275 | 0 | 12 |
| 1281 | 12 | 27. | 1250 | 1 | 16 |
| 1284 | 12 | 2 % | 1325 | 4 | 27 |
| 20B3 | 20 | 27/ | 1200 | 3 | 20 |
| EXPR | E88. P | CANAGE | D-RECOIL" | BUCKSH | 07 |
| RL128K00 | 12 | 2 1/4* | 1200 | 00 | T - |

SLUGGER* / SLUGGER*

SLUGGER * HIGH VELOCITY SLUGS.

Remington introduces the first high-velocity Foster-style lead slug. This higher velocity slug exits the barrel at 1800 fps, 13% faster than standard 1 oz. slugs. The 1/4 oz. Slugger High Velocity delivers 200 ft-lbs more energy at 50 yards with flatter trajectory on deer than standard 1 oz. slugs. Produced in most popular slug loadings - 2 1/4" and 3" 12-gauge and

2 1/4" 20-gauge with a 1/2 oz. lead slug. Designed for the avid deer hunter using smooth bore guns.

SLUGGER* RIFLED SLUGS.

Remington's most popular, accurate, hard-hitting slug. Slightly oversized for great smooth-bore shotgun performance, resulting in better sealing against the barrel wall

for greater accuracy.



| Index Effi No. | | Stiell | N KJ W. | | facily ift is | 160 vds | | n Ja (i Celi | | | 27 (N) |
|----------------|------|--------|---------|------|---------------|---------|------|--------------|------|--------|--------|
| IPOCYTES ISO. | Guge | Leigth | (ut.) | Mu | SO yds. | | Mur. | 50 yds | | 50 pcs | 100 32 |
| | 81 | LUGG | ER. H | IGH | VELO | CITY | SLUG | LOA | DS | | |
| SPHV12RS | 12 | 24 | 7/8 | 1800 | 1252 | 978 | 2751 | 1334 | 813 | 0.01 | -4,1 |
| SPHV12MRS | 12 | 3" | 7/8 | 1875 | 1302 | 998 | 2989 | 1442 | 847 | 0.01 | -3.7 |
| SPHV20RS | 20 | 2 %* | 1/2 | 1800 | 1321 | 1037 | 1575 | 848 | 523 | 0.01 | -3,6 |
| | | SI | UGGI | R'R | IFLE | DSLU | G LO | DS | | | |
| SP12RS | 12 | 2 % | 1 | 1560 | 1175 | 977 | 2361 | 1340 | 926 | 0.01 | -4,8 |
| S12SRS | 12 | 2 1/4* | 1 | 1680 | 1285 | 1045 | 2738 | 1605 | 1059 | 0.01 | -3,8 |
| S12MRS | 12 | 3 | 1 | 1760 | 1345 | 1075 | 3005 | 1753 | 1121 | 0.01 | -3.4 |
| SP16RS | 16 | 2 1/4 | 4/5 | 1600 | 1175 | 965 | 1989 | 1072 | 724 | 0.01 | -4,8 |
| SP20RS | 20 | 2 1/4* | 5/8 | 1580 | 1240 | 1034 | 1513 | 931 | 648 | 0,01 | -4,2 |
| SP41RS | .410 | 2 %* | 1/5 | 1830 | 1335 | 1040 | 654 | 348 | 211 | 0.01 | -3,5 |
| | M | ANAG | ED-R | ECOL | L" R | IPLE | SLU(| LO | ADS | | |
| RL12RS | 12 | 2 1/1- | | 1200 | 988 | 873 | 1397 | 948 | 739 | 0.01 | -7.4 |

Utilizes Reminaton Power-Piston one-piece wad.

Slugger

ALFOCITA

Remingtor


UPLAND

PREMIER • HEVI • SHOT • EXTRA LONG RANGE. EXTEND YOUR SPHERE OF INFLUENCE.

High-performance upland loads provide superior long-range pattern energy and are suitable where non-toxic shot is required.

Excellent pattern performance. Shot material constructed of tungsten, nickel and iron features a 10% higher density than lead which leads to greater on-game penetration.

the same energy per-pellet as lead #6 or steel #4.



EXPRESS* EXTRA LONG RANGE LOADS.

Time-proven performance for every upland game bird. The choice of experienced quail, pheasant and grouse hunters

across the country because our Expresse line offers the best balance of payload and performance. Available in a broad selection of loadings from 12-gauge to 410 bore with shot sizes ranging from BB all the way down to 9.

HOTSHELLS

HEAVISH THEN

Remington



SHURSHOT* HEAVY FIELD AND HEAVY DOVE LOADS.

Ideal balance of dram equivalents and shot charges creates nearperfect patterns for pass shooting. Better vet, the light recoil doesn't leave you sore after a long day in the dove field.

LEAD GAME LOADS. Budget-stretching shotshells for a wide variety of hunting. Available in 410 bore, 20-, 16- and 12-gauge loadings. Lead shot selection ranges from 4s to 8s.



SPORT LOADS. Economical, multi-purpose loads. Built with our premium Power Piston" wad and plastic Unibody hulls. Loaded with No. 8 shot. Ideal for skeet, trap and sporting clays, as well as quail, doves and woodcock.

EXPRESS' HIGH-VELOCITY LONG RANGE LOADS.

High velocities dramatically shorten necessary leads so these shells are great for those birds that are hard to get close to - chukar, Huns, grouse, pheasants and sharptails. Full 1 1/4-ounce, 12-gauge payload achieves a scorching muzzle velocity of 1400 fps. Full 1-ounce, 20-gauge payload leaves the muzzle at 1300 fps. Loaded with premium high-antimony, copper-plated shot for superior penetration.

| IndexEDI Na | Gange | Slick tropit | Valuety (Patric, Patric) | Outres Of Shot | Sant Sizes | | | | | |
|--|--------|-----------------|-----------------------------|-------------------|--------------------------|--|--|--|--|--|
| PREMIER' H | EVI-SE | OT' BXT | RA LONG RAN | GE PIBLD | LOADS - BUFFERED | | | | | |
| PRH\$12 | 12 | 2 1/4. | 1325 | 14 | 4, 5, 7 1/2 | | | | | |
| PRHS20 | 20 | 3" | 1300 | 1 46 | 4, 6, 7 1/2 | | | | | |
| EXPRESS | · HIGF | .VELO | CITY EXTR | LONG | RANGE LOADS | | | | | |
| SPHV12 | 12 | 2 7/3 | 1400 | 1% | 4, 6, 7 1/2 | | | | | |
| SPHV20 | 20 | 27/ | 1300 | 1 | 4, 6, 7 1/2 | | | | | |
| | EXPRE | 85 EX | TRA LONG | RANGE L | OADS | | | | | |
| SP12 | 12 | 2 % | 1330 | 14 | BB, 2, 4, 5, 6, 7 1/2, 9 | | | | | |
| SP16 | 16 | 2 7/- | 1295 | 1 '4 | 4, 6, 7 1/2 | | | | | |
| SP20 | 20 | 2 %* | 1220 | 1 | 4, 5, 6, 7 1/2, 9 | | | | | |
| SP28 | 28 | 2 7/- | 1295 | у. | 6, 7 1/2 | | | | | |
| SP410 | .410 | 2 '/- | 1250 | '/6 | 4, 6, 7 1/2 | | | | | |
| SP413 | .410 | 3" | 1135 | "/4 | 4, 6, 7 1/2 | | | | | |
| SHURSHOT' HEAVY FIELD AND HEAVY DOVE LOADS | | | | | | | | | | |
| RP12H | 12 | 5.4. | 1220 | 1% | 6, 7 1/2, 8 | | | | | |
| RIZKD | 12 | 2 %* | 1255 | 1 1/4 | 6, 7 1/2, 8 | | | | | |
| R20HD | 20 | 2 7/* | 1165 | 1 | 6, 7 1/2, 8 | | | | | |
| | PROM | NOITOR | AL HEAVY | GAME LO | ADS | | | | | |
| HGL12 | 12 | 2 % | 1330 | 1% | 4, 6, 7 1/2 | | | | | |
| HGL16 | 16 | 2 % | 1295 | 1 4 | 6 | | | | | |
| HGL20 | 20 | 2 %* | 1220 | 1 | 4, 6, 7 1/2 | | | | | |
| | P | ROMOT | IONAL GAM | E LOAD | ş | | | | | |
| GL12 | 12 | 2 % | 1290 | 1 | 6, 7 1/2, 8 | | | | | |
| GL16 | 16 | 2 1/4. | 1200 | 1 | 6, 7 1/2, 8 | | | | | |
| GL20 | 20 | 2 7.* | 1225 | 7, | 6, 7 1/2, 8 | | | | | |
| GL410* | .410 | 21/4" | 1200 | 14 | 6 | | | | | |
| | | | PORT LOAD | S | | | | | | |
| R12SL | 12 | 2 7. | 1290 | 1 | 8 | | | | | |
| R20SL | 20 | 2 % | 1200 | 7 6 | 8 | | | | | |

REMINGTON RELOADING

COMPONENTS.

TARGET LOADS



PREMIER' NITRO 27' HANDICAP TRAP LOADS. Designed for long yardage trapshooting and long range sporting clays, our new powder, wad and primer mix have improved the Nitro 27's performance, allowing more consistent velocities, 15% better pattern performance and softer recoil. So if you're looking for tremendous targetbreaking performance choose the improved Nitro 27.

PREMIER' NITRO GOLD SPORTING CLAY TARGET LOADS. A Premier load developed by

Remington to meet the demands of avid sporting clays shooters. At 1300 fps, the extra velocity gives you an added advantage for those long crossers - making target leads closer to normal for ultimate target-crushing satisfaction. Also makes a great high-velocity dove load.

PREMIER' STS' REDUCED RECOIL. YOU'LL RUN OUT OF TARGETS BEFORE YOU RUN OUT OF SHOULDER.

Designed specifically for the avid skeet shooter, these reduce shooter fatigue and help conserve energy for a winning day in the shootoffs. Also an excellent training load for youth. (May not operate all autoloading shotguns.)



| IndeetDLGo. | Eauge' Bore | toai lipe | Shell Length | Pavakr De Eq | Vidority (ILSM, Sc.) IL | Greek & S Cd Shot | Shot Sizes |
|-------------|----------------|----------------------------------|-----------------|-----------------|----------------------------|----------------------|------------------|
| PREMI | ER* 8 | TS' TARGET LO. | ADB. | - EXT | RA HA | RD TAF | GET SHOT |
| 513121 | 12 | Premier STS Target | 275 | 27 | 1185 | 1 | 71/4, 8, 81/4, 9 |
| STS12LR | 12 | Premier STS Low Recol | 2% | 2% | 1100 | 1% | 71/2, 8 |
| STS12L | 12 | Premier ST\$ Light Target | 27/ | 2 % | 1145 | 1% | 7%, 8, 8%, 9 |
| STS12LH | 12 | Premier STS Light Handicap | 27/ | 3 | 1200 | 1% | 71/4, 8 |
| STS12H | 12 | Premier STS Heavy Target | 2 %- | 3 | 1200 | 1% | 9 |
| STS12NH1 | 12 | Premier Nitre 27 Handicop | 27/ | HNDOP | 1290 | 1 | 7%, 8 |
| STS12NH | 12 | Premier Nitro 27 Handicap | 2% | HNDCP | 1235 | 1% | 71/4, 8 |
| ST\$12NSC | 12 | Premier 515 Nitro Sporting Clays | 2 % | Мах | 1300 | 1% | 71/2,8 |
| STS12P | 12 | Premier STS Pigeon | 2% | 31/4 | 1235 | 1% | 7%,8 |
| STS12IT | 12 | Premier STS International | 2 %- | 3 % | 1325 | % (24 pm.) | 7%, Cu-P,* 8% |
| STS20LR | 20 | Premier STS Low Recol | 27/ | 21/4 | 1135 | % | 8, 9 |
| STS20SC | 20 | Premier STS Target | 2% | 21/6 | 1200 | 7. | 8 |
| ST\$20 | 20 | Premier STS Target | 2 %* | 21/2 | 1200 | 7/6 | 9 |
| ST\$20H | 20 | Premier STS Target | 2% | l | 1200 | 1 | 9 |
| ST\$28SC | 28 | Premier STS Target | 27 | 2 | 1200 | 7. | 8 |
| ST\$28 | 28 | Premier STS Target | 240 | 2 | 1200 |) y. | 9 |
| \$75410 | .410 | Premier STS Target | 2% | Max | 1200 | 45 | 9 |
| STS410SC | .410 | Premier STS Target | 2 1/1" | Max | 1200 | 1/5 | 81/5 |
| | | GUN CLUB | TAF | GET | LOAD | 8 | |
| GC121 | 12 | Gun Club | 2% | 2 % | 1185 | 1 | 8 |
| CC12I | 1 12 | Cure Club | 211.5 | 1 21/ | 11146 | 1.1/ | 24 00 |

PREMIER' STS TARGET The standard in target shooting reliability. Absolutely consistent from shot to shot. Bar none. the most reliable, most reloadable shells you can shoot. Available in all gauges

TARGET LOAD LINE.

An excellent choice for economical shooting. These highquality shells are loaded with the same care as our top-of-theline loads and now feature the reliable STS Primer. Many shooters are disco they can get acceptable reloading



CLAY TARGETS

CLAY TARGETS. Whether you are a shooting facility or a retailer, you can count on Remington to fulfill all your clay target needs. Remington has the variety of clay targets you want from a brand name you can trust. Standard targets are available in orange, yellow-orange, white, green and black, so you'll

always have the perfect targets no matter what the background. New for 2004. This year we're offering a full line of sporting clay specialty targets, including rabbits, battues, midis (90 mm) and minis (60mm).

1200

If you reload your own cartridges, then you shouldn't settle for anything than the best reloading components in the business - Remington. We offer industry-leading products that are changing the way sportsmen think about reloading. As far as brass goes, when it comes to strength, precision and consistency there's no better reloadable brass on the market. A premium Remington reload isn't complete without the bullet. Great bullets in a variety of styles are available to meet even the most discriminating bench workers' needs. And this year, for the first time, we're offering



the Core-Lokt bullets for the reloader who's serious about performance. So whether you're on the range or in the field, there's only one brand that makes components this good. You guessed it - Remington.

| Inde dEDI Nr. | Di su plica |
|---------------|-------------------------------------|
| ETRONX" | LECTRIC CENTERFIRE PRIMERS |
| XEL22610 | 9 1/4 Large Riffe (Electric) |
| | ENTERFIRE PRIMERS |
| X22600 | 1 1/4 Small Pistol |
| X22604 | 2 1/2 Large Pistol |
| X22625 | 5 1/2 Small Pistol |
| X22606 | 61/s Small Pistol |
| X22628 | 7 1/2 Small Rife BR |
| X22608 | 9 % Large Rifle |
| X22622 | 91/m Magnum Ritle |
| CONST | MER PACK RIPLE BULLETS |
| RB2241 | 224, 45-grain HP |
| RB2242 | 224, 50-grain PSP |
| RB224P1 | 224, 50-grain PLHP |
| RB2244 | 224, 55-grain MC |
| RB2243 | 224, 55-grain PSP |
| RB224P2 | 224, 55-grain PLHP |
| RB2247 | 224, 62-grain HP Match |
| RB243P1 | 243, 80-gain PLHP |
| RB2432 | 243, 80-grain PSP |
| RB2433 | 243, 100-grain PSP Core-Lokt |
| R82571 | 257, 100-grain PSP Core-Lokt |
| RB2642 | 264, 140-grain PSP Core-Lold |
| RB2772 | 277, 130-grain PSP Core-Lokt |
| RB2842 | 264, 150-grain PSP Core-Lokt |
| RB3085 | 308, 150-grain MC |
| RB3081 | 308, 150-grain PSP Core-Lekt |
| RB3083 | 308, 180-grain PSP Core-Lokt |
| RB30301 | 308 (30-30), 150-grain SP Core-Lold |
| RB3038 | 310 303, 180-grain SP Core-Loit |
| RB3231 | 323, 185-grain PSP Core-Lokt |
| RB4571 | 457, 300-grain SJHP |
| CONST | MER PACK PISTOL BULLETS |
| RB9ММ3 | 9MM Caliber, 115 MC |
| RB9MM11 | 9MM Caliber, 115 FNEB |
| RB9MM5 | 9MM Calber, 115 JHP |

| IndexEDING | De crintion |
|------------|-----------------------------|
| | PACK PISTOL BULLETS (cont.) |
| RB9MM2 | 9MM Caliber, 124 MC |
| RB9MM8 | 9MM Caliber 147 JMP |
| RB380AP | 356 380 Auto, 95 MC |
| RB38S11 | 356 38 Special, 130 MC |
| RB357M7 | 357/38 Caliber, 110 SJHP |
| RB357M1 | 357/38 Caliber, 125 SJHP |
| RB357M2 | 357/38 Caliber, 158 SJHP |
| RB40SW1 | 40/10mm Caliber, 155 JHP |
| RB40SW3 | 40/10mm Caliber, 180 MC |
| R840SW5 | 40/10mm Caliber, 180 FNEB |
| RB40SW2 | 40/10mm Caliber, 180 JHP |
| RB41MG1 | 41 Caliber, 200 SJHP |
| RB44MG6 | 44 Caliber, 210 SJHP |
| RB44MG3 | 44 Caliber, 240 SJHP |
| RB45AP4 | 45 Automatic, 230 MC |
| RB45AP8 | 45 Automatic, 230 FNE8 |
| RB45AP7 | 45 Automatic, 230 JHP |
| CONS | OMER PACK RIPLE BRASS |
| RC17R | 17 Remington |
| RC22H | 22 Homet |
| RC221FB | 221 Firebati |
| RC222R | 222 Remington |
| RC223R | 223 Remington |
| RC225OR | 22-250 Remington |
| RC220S | 220 Swift |
| RC243W | 243 Win |
| RC6MMR | 6mm Remington |
| RC2506R | 25-06 Remington |
| RC2520W | 25-20 Win |
| RC257R | 257 Roberts |
| RC65S | 6,5x55 Swedish Mauser |
| RC26DR | 260 Remington |
| RC270W | 270 Win |
| RC7MOSR | 7mm-08 Remington |
| RC7MMG | 7mm Remington Magnum |

| IndruEDI Ha | Destriction |
|-------------|-------------------------------|
| CONSUM | ER PACK RIPLE BRASS (cont.) |
| RC7MMRS | 7mm Remington SA Ultra Magnum |
| RC7MMRA | 7mm Remington Ultra Magnum |
| RC280R | 280 Remington |
| RC3030W | 30-30 Win |
| RC300RS | 300 Remington SA Ultra Magnum |
| RC300RA | 300 Remington Ultra Magnum |
| RC3006 | 30-06 SPRG |
| RC300WM | 300 Win Mag |
| RC303B | 303 British |
| RC308W | 308 Win |
| RC3220W | 32-20 Win |
| RCBMSA | Brnm Mauser |
| RCBMMG | 8mm Remington Magnum |
| RC338W | 338 Win Mag |
| RC338RA | 338 Remington Ultra Magnum |
| RC350R | 350 Remington Magnum |
| RC35W | 35 Whelen |
| RC375H | 375 H&H Magnom |
| RC375RA | 375 Remington Ultra Magnum |
| RC4440W | 44-40 Win |
| RC4570G | 45-70 Government |
| CONST | MER PACK PISTOL BRASS |
| RC357MG | 357 Magnum |
| RC357X | 357 Maximum |
| RC9MM | 9nm Luger |
| RC38AS | 38 Super Auto Colt Potol + P |
| RC38SP | 38 Special |
| RC4DSW | 40 S&W |
| RC41RA | 41 Remington Magnum |
| RC44RA | 44 Remington Magnum |
| RC44SW | 44 SEW |
| RC45C | 45 Call |
| RC45A | 45 Auto |
| RC454C | 454 Cesuli |

Remington protective eyewear offers more than just the latest styles at a great price, they provide the ultimate in protection, too Made from impact resistant polycarbonate, hard-coated lenses all of our eyewear meets the latest ANSI Z87+ and CSA Z94.3 safety standards. Durable and lightweight, our shooting glasses are as comfortable as they are attractive. You'll appreciate features like an auto-adjustable soft nose bridge and 3D contour temple tips with adjustable temple length

Superior vision and protection. Maximum comfort and fit. Remington shooting glasses definitely hit the mark.

T60. Remington is taking shooting glasses to another level with our new lineup of premium eyewear. The attractive new sports-style lenses and metallic gray finish frame make these glasses some of the best looking shooting evewear ever made, Available in Clear AP", Amber HC", and Grav Not there's

a lens color perfect for all occasions. Comfortable and lightweight, each pair comes with a premium black carrying case and an adjustable black retainer cord.

* All-Purpose, For indoor and outdoor use, Provides UV protection,

** High Contrast, Enhances contrast and definition in overcast weather conditions. Provides UV protection.

*** Neutral Gray, Fights glare and provides superior UV protection on bright days, Meets color recognition requirements ANSI Z80.3,

T40. The practical choice for all types of shooters, these all-new glasses leature a conventional shaped lens and are available in both Clear AP* and Amber HC** coloring. Snug and comfortable, Remington glasses are everything you're looking for in dependable and attractive evewear.

Remington⁴ makes

it easy to prepare for a day on the range with our

convenient eye and hearing protection combo use. Provides UV protection. * High Contrast, Enhances contrast and definition in overcast weather





Next time someone compliments your shooting, we think you deserve to hear it. That's why we've gone through great lengths to offer hearing protection worthy of the Remington name. From the latest filtering technology to simple foam plugs, Remington takes your hearing as seriously as we take our guns and ammo.



Lightweight, 10-oz. muffs provide the world's highest muff noise-reduction rating (NRR) of 31, Soft foam ear cups pivot independently on the wide, padded headband for a comfortable fit and tight, protective seal, NRR of 31



M-28 EAR MUFFS

Super-compact folding muffs store easily when not in use. Soft foam construction and light weight make them ideal for extended wear. Furnished with convenient belt clip for easy toting, NRR of 28.



M-24 EAR MUFFS.

PC-27 INSERT PLUGS

Soft, confortable construction, Work

exceptionally well to fracture

air waves and reduce * sound intensity, NRR of 27.

(Also available uncorded.)

Adjustable, three-position muffs feature comfortable vinyl cushions for an effective seal around the ear, NRR of 25.



tapered surface allows quick easy insertion and snug fit.

P-30 INSERT PLUGS.

Convenient, disposable plugs

made of comfortable, self-

adjusting feam, Smooth High NRR of 30.

YOUTH EAR MUFFS. Protects young ears with positive sealing vinyl ear cushions. Durable, multi-position headband and gun stock relief cuts deliver comfortable shooting - the key to getting young shooters to wear protection, NRR of 22,



M-22 COLLAPSIBLE MUFFS.

SAFETY

COMBO

M24 Muffs and

PACK.

Collapsible design makes for easy stowing. Positive sealing vinyl ear cushions, multiposition headband and gun stock relief cuts make them comfortable. NRR of 22.

R2000" ELECTRONIC EAR MUFFS

The most advanced ear protection ever made, the R2000 includes an

allow specific adjustment on each side for a custom fit and its lightweight,

thin-profile muffs seal snugly around the ears for maximum comfort.

improved on/off switch for secure positioning. You'll appreciate its superior design with features like a wind filter and extended battery usage up to 300 hours. Firearm reports and other loud sounds above 84 decibels are blocked out, while normal conversation is actually enhanced. Individual controls

R 219873

REMINGTON KNIVES

CARVING OUT A PLACE IN OUTDOOR HISTORY. During the early half of the last century, Remington established itself as the nation's leading producer of quality cutlery offering an incredible array of models and designs. The most famous knives of that original line (and those with the greatest collectible value) are the unique "Bullet" knives Each one featured a distinctive nickel-silver cartridge shield (or "Bullet") on the handle. The original Remington knife line became a casualty of the company's World War II conversion to exclusive military production. But today's modern line re-establishes the Remington cutlery tradition - not only through a new collectible series of the renowned Bullet

knives, but with a wide selection of finely crafted hunting

and utility knives as well.

DELRIN*-HANDLE FOLDING KNIVES.

Family of traditional Delrino-handle folders feature everything from small pocket knives to full-size hunting models. Includes two "one-hander" versions (not pictured).



Gentleman's Knife (3° Closed Length



Big Came Knife (5" Clased Length)

NEW! D.SERIES FIXED BLADE KNIVES.

Remington's reputation for quality knives just keeps getting better with the introduction of the tough and sleek D-Series. With 420 HC stainless steel blades and handle scales made from 6061 T-6 aircraft aluminum, these knives are built to take on even the toughest assignments. Each D-Series knife comes with a riveted Kydex. sheath with lashdown fixtures and a removable belt clip.

NEW! M-SERIES KNIVES. Looking for D-Series toughness in a folding

blade? We'll you're in luck. It's called the M-Series and it's more than all-steel,

it's all Remington. The M-Series features 6061 T-6 aircraft aluminum precision-

milled handles. Available in Clip Point or Drop Point 440A stainless steel blades,

this series comes complete with a stainless steel pocket clip, a high-tech lanyard

The New D-Series from Remington serious knives for serious hunter

to carve out a niche in knife history.

Large M-Series Clip Point

Remington



Medium M-Series Clin Point

(3" Blade, 4 1/11" Folded Length)

(3" Blade, 4 1/11" Folded Length)

D-Series Drog Point (8 1/4" Overall Length)

Your new D-Series

a removable belt clip.

knife deserves the best protection.

that's why each one comes with a riveted Kydex® sheath with lashdown fixtures and



(7 % Overall Length). hole and ambidextrous thumb stud for easy opening. The New M-Series is destined

NEW! MODEL 830 FOLDING KNIVES

Tough as they come, Model 830 knive feature a drop point blade constructed of 440A stainless steel with a bead. blast finish and a laser mark logo

830 Gray handled model also available.

(3 1/4" Blade, 4 11/14" Folded Length Larve M-Series Drop Point Medium M-Series Drop Point (3 1/4" Blade, 4 11/4" Folded Length)

Waterfowl Knife (4 1/4" Closed Length)

BIRDSEYE MAPLE FIXED-BLADE KNIVES.

One-piece laminate birdseve maple handles complement these high-carbon stainless steel blades with Remington etching and tang stamp. An embossed leather sheath completes the package.



Drep Paint w/Gut Hook Jr Skinner (3" Blade Length) (4 1// Blade Length)

CONQUEST FIXED-BLADE.

steel. Ballistic sheath included

AND THE RESERVE

High-performance hunting knives feature a handsome rosewood handle. Hollow-ground blade is constructed of tough tool steel. 4" cutting blade and full-length tang. Leather sheath included.

2004 "OLD RELIABLE" BULLET" KNIFE

two-blade design and black cherry jigged bone handles - is

an admirable addition to the Bullet Knife series. It features

a 2 1/4 spear blade with the Remington logo and a 2 1/4"

bullet shield and bolster, the 2004 Bullet Knife

BIRD HUNTER'S TOOL. The ultimat

upland/waterfowl hunter a multi-tool. Folds to

upland, water own numer a miner control is a piece 40/8" long and heatings touch, game shears, a hird gut hook, 3" dip blade, saw flathead screwdrive, metric ruler and best of all happened to the pretrief 112 and 20 gauge choice tube when h. 100% nust resistant stainless.

remains one of our finest traditions.


pen blade with a year stamp. Brass lined with a nickel silver

The new 2004 "Old Reliable" Bullet Knife – with ita.



FIXED-BLADE KNIVES.

Remington offers a complete line of quality fixed-blade, stainless steel knives in a variety of popular designs. All of our Deerhunter™ and Sportsman series fixed-blade knives feature Kraton handles. These all weather non-slip synthetic handles are made from strong, yet flexible, rubber





(93/4" Overall Length)





Deerhunter** Clip (8 1/4" Overall Length)









Sportsman Drop Point w/Gut Hook

BLACK POWDER ACCESSORIES

VORTEX. 5-MINUTE BORE CLEANER, Ultra-fast and completely reusable. Our revolutionary Vortex Bore Cleaner takes the hassle out of black powder bore cleaning duties. The advanced foaming action quickly breaks up powder residues and other deposits from patches, wads or plastic sabots. Your bore has never been so clean. Quick, non-toxic, convenient and re-usable. Won't harm blued metals, stainless metals or wood stocks,

> MODEL 700" ML CONVERSION KIT. Once installed, the powerful three-way ignition system enables the use of 209 primers, musket cape and

No. 11 percussion caps simply by changing nipples. The kit includes everything you need: firing pin assembly (available in stainless steel or carbon steel), musket cap nipple, 209 primer

nipple, de-priming tool and our Universal Bolt Disassembly Tool Made in the USA.

Tr. BANDLE RAM ROD. Easily set a snug-litting build lift the Root goe as fely extract a bullet, hall or patch if necessary. Store like it regular and be worker like a field too. Compatible with Remington 24, in 12 leader hareds

SHOOTING ACCESSORIES

SINGLE SHELL POUCH AND RELOADER'S BAG.

Both of these traditional English-style bags are offered in either a double-laminate backing of rugged polyester/PVC or a genuine suede with leather trim. Our single shell model leatures a handy side pocket to hold essentials and comes with a belt loop feature for easy removal and to keep it on your side at the range. Or choose the Reloader bag which features one pocket for shells and another to store spent hulls: It includes a belt loop and has a mesh bottom for release of unwanted debris.

DOUBLE SHELL POUCH. English-styled and available in your choice of either rugged polyester/PVC or genuine suede with leather trim Our Double Shell Pouch features two shell compartments with

a strong, internally bound baffle so you can separate two gauges of shells or just hold twice as many if you plan ona long day of near-constant shouldering It also comes with a side choke tube pocket and

a belt loop.

MESH BAG. With a mesh

EZ" Riffe/Shotgun Sling, Made with rugged military-spec, 1 1/2-wide (54*-long) mil-spec webbing with Black Oxide/Brass Chicago screws, Easily adjusts with simple rivion stide buckle. Swivels not included. Available in Mack or Advantage® Timber

Xtra EZ" Rifle/Shotgun Sling Same webbing construction as our EZ" Sling but with added features

Thumb-loop provides more control on the shoulder white also reducing hand and arm fatigue. Also features heavy-duty detachable swivels and simple one-hand length adjustment. Available in adjustment, Available i black and Advantage*

Xtra EZ' Sling with Universal Magazine Cap. Same as Xtra EZ" rifle/shotgen sling above but complete with a universal magazine cap for use on 12-gauge model 870's, 1100's, 11-87's and 15-gauge models.

Padded Leather Sting Handsome gadded leather sling is suede-lined to eliminate stipping. Lifetime

> Remington* Slings, Available in neoprene or leather versions. Shockabsorbing neoprene slings provide a cushioned. no-din hold and feature black leather frim and quede-lined to eliminate clinning All are AZIJ ni sheM vtnarraw emitetil a vd backet

PACKAGED FACTORY PARTS




Remington

5 Minute

Bore Cleaner

R3*** Recoil Pad.
The Remington** R3*** Recoil Pad is the ultimate in shooter protection. Designed and manufactured using Remington Rs, 3-step technology from LimbSaver,** the Rs Recoil Pad relieves recoil over 30% better than conventional recoil pads. Fits most Remington synthetic rifle and shotgun stocks,



The only thing that stands out as much as our product is the packaging we put them in. Simply put, there's only one way to get Remington' quality parts, make sure it says Remington on the package.

Model 597" Metal Magazine, Constructed from a lightweight, magnesium-based alloy and cast as one piece using a non-conventional die-cast process, the 597 magazine has an 8-shot (magnum) and 10-shot (long-rifle) capability. Their extreme rigidity is ideal for demanding, high-volume use,

Model 504" Metal Magazine, Constructed from a lightweight, magnesium-based alloy and cast as one piece via a non-conventional die-cast process, our six-round metal magazine holds ultraprecise dimensional tolerances and yields an "exceptional" surface finish. Moreover, its extreme rigidity is ideal for demanding

Scope Mounts, Easy to install and lightweight, our shotpun scope mount are perfect for adding magnification



Universal Bolt Disassembly Tool For use on all Model 700 rifles and Model 700 Muzzlejoaders Aids safe removal of

firing pirv'spring assembly

"Remington" Green" synthetic materia won't scratch bolt

Simple, three-step operation

Remington® Factory-Fit Synthetic Stocks & Fore-Ends,



Available in Mossy Oak* Break-Up* stocks and fore-ends for Model 870," Model 1100" and Model 11-87."



Available in black synthetic stocks and fore-ends for Model 870**
16 ga, and 12 ga, — youth and adult, Model 1100** and Model 11-87,**

(Model 700 BDL shown)

Rifle stocks available for the Model 7001* ADI Model 700 " BDL and Model Seven."



Universal Magazine Cap, Universal Magazine Cap allows you to add a sling to your Remington hotgun, Fits all 12-gauge and 16-gauge 870s, 1100s and 11-87s models, Excellent companion to our Xtra EZ" Rifle Slings

Hevi - Shot - Choke Tube. Optimal choke tube designed specifically with Reminstor Hevi • Shot • loads in mind, although it also works well with steel and lead. With a diameter of 675", the 12-gauge choks constriction is an impressive .060" for unprecedented pattern ing - in a 30° circle at 40 yards it patterned at an unbelievable 95%. The 20-gauge tube has a diameter of ,5775" with a constriction of .040.* Made of heattreated stainless steel with a black coating for low reflectivity and knurled for easy installation. A must for all turkey hunters. Now available in both 12- and 20-gauge!

> "The Ventilator" Ported Choke Tube. High-performance, extended-range choke for turkey hunting, Features, 010 tighter constriction than Super Full Turkey Rem" Choke, Delivers substantially increased effective range and tight, dense patterns. 42-hole porting dramatically reduces recoil, 12-gauge, designed for



| REM" CHOKE TUBES AN | D WR | ENC | HES |
|--|------|-------|--------|
| | Hqu | 16-ya | 20 ga. |
| "The VentRator" Ported Choke Bube | • | | |
| Hevi*Shot* (Super Full) | • | | • |
| Turkey Super Full (lead shot only) | • | | • |
| Turkey Extra Full (lead shot only) | • | | |
| Full (12-ga, and 16-ga, sized or lead, 20-ga, lead only) | • | • | • |
| Modified (steel or lead) | • | | ٠ |
| (improved Cytinder (steel or lead) | ٠ | • | ٠ |
| Skeet (steel or lead) | • | | ٠ |
| (mproved Skeet (stee) or lead) | • | | |
| Extended Rifled | • | | |
| Rifled | • | | |
| Standard Wrench | | | |

56

GREAT GUNS DESERVE GREAT CARE. To some it is a necessary chore. To others, a right of passage. But to many, it is a time-honored tradition considered a critical part of the hunt itself. Keeping your gun clean has its rewards in accuracy, longevity and pride of ownership. And that's why we offer a wide variety of premium gun cares products. With the proper care, your gun will be around for generations. So when it comes to protecting your prized possessions, you want to

choose a brand you can trust - choose Remington? FIEIDMASTER KIT. A clean hrearm simply performs better and there's no better

way to keep your guny in pristine condition than with the Remington. Fieldmasterioleaning ikit: Back kit includes a higas: Epiece rod Rem COL (1921) and Brite Bore C(2 oz): You'll ikil. Those kit includes a brass. Spiece rod (Kerth, 2011,1787), and Brite Bore. (2 oz.). Youll also find a gride variety of patches and patch pullers, brass pistol and shotgur adapting, along with an assortment of bronze bors. has all devote years of percentage and percentages, many percentages and an extractive problem for the Beldmaster hit makes the percent gift Give your gup the care it deserves — give it Remington Sec. 1.

REM." OIL. The most versatile gun oil you can buy. Cleans dirt and grime from exposed metal. surfaces while displacing non-visible moisture from metal pores: Also protects internal and external metal parts from rust and corrosion. Exclusive Tellon, of formula provides a thin, long-lasting film that keeps actions working smoothly by reducing netal-to-metal wear Comes in 4-oz and 10-oz or I-oz squeeze bottle for held use.



REM" ACTION CLEANER. Easily cleans dirt, powder residue and caked-on lubricants from disassembled actions and fire

control mechanisms. Dries quickly and leaves no residue. CFC-free : rmula. Comes in 10:5-oz can h jet-spray extension tube.



BORE CLEANER."

and plastic-wad fouring. N soldie non-corresive form is ideal and will not damag



BRITE BORE. deaner for barrels actions, CFC-free formula (Comes in



REM" PAD GUN CLEANING MATS. Ideal for use on table tops or benches for easy gun cleaning. Soft, acrylic surface material that won't scratch guns or tabletops and helps keep small parts from rolling away. Absorbent top material traps and holds up to eight times its weight in fluids, while a non-slip vinyl bottom forms a barrier to prevent

spilled fluids from soaking through. "Remington" Green" color. Fully machine-washable and available in two sizes - 12" x 28" and 16" x 54".

HOME SECURITY / SAFES

IS YOUR HOME SECURITY SYSTEM COMPLETE?

Some of us will spend a lifetime collecting guns. So when it comes to keeping them out of the wrong hands, you want the best in the business. You want Reminston, What do we mean by best in the business? We mean Remington gun safes are not only the best looking, they're the best built, too. Built to withstand the punishments of fire and water as well as the hands of a skilled thief or determined child, it's one brand of safe that's tough to crack.

With a wide variety of styles and configurations to choose from Remington makes a safe that's verfectly suited to your needs. Whether you choose the Silver, Gold or the Platinum Elite, you'll sleep easy knowing Remington's got your back.

PLATINUM ELITE 48. The finest all-around safes in the Reminston line, Ideal for firearm enthusiasts looking for high capacity and high-end features. Sporting external hinges with 24-K gold hinge caps, the massive Platinum Elite 48 safe easily stores up to 41 firearms, 48-cubic-foot volume with 30" overall depth. The Platinum Elite 48 also features a 10-gauge body, 15 active 1" locking bolts (2 on the top and 1 on the bottom) with upgraded, aluminum whisper-quiet bolt protectors and an Omega-certified fire resistant rating of 1200° for 60 minutes. Premium, velour buckskin interior and covered inside door namel.



PLATINUM ELITE

COLORS:

PLATINUM ELITE 35. Many of the same features as our Platinum Elite 48: Extra-large 35-cubic-foot volume with 30" overall depth. Capacity for up to 37 firearms. The same 10-gauge body but with 13 active I" door bolts (2 on the top and 1 on the bottom) offers Omega-certified fire protection rating of 1200° for 60 minutes. Available in black, metallic burgundy and green finishes with gold Remington logos and double gold pinstriping around door.

Refer to page 60 for shelving configurations.

Metallic Burgundy


PLATINUM ELITE SAFE FEATURES

- · Omega-certified 1200° for 60 minutes fire rating
- · Patented Flex Interior System
- · 24K-gold-plated three-spoke handle and dial
- . U.L.-listed residential security rating
- . 1" composite door with external hinges
- . 10-gauge steel body with 1" locking bolts
- · Beige velour buckskin interior
- . Sargent & Greenleaf bank-type locks
- · Drill-resistant multi-layered hardplate
- · Triple relockers
- · Aluminum whisper-quiet bolt protectors
- · Limited lifetime break-in warranty,

| PLATINUM ELITE SAPES | | | | | | | | | | | | | | |
|----------------------|-------------------------|-----|----------------------|----------|---------------|-------------------|----|---------------------|-----------------|-----------------|-------------------|------------------|-------------------|------------------|
| Sale Atodol | Cimensions (Walter)) | | Volume (Cubic fL) | | Artise Balts | Body Thickness | | Type of Interest | Interior fabric | fabric Color | flex Universal | Flex Easy-Out | flex Collector | Hex Excenteré |
| Platinum Eite 48 | 42" = 72,5" x 27.5" | 30" | 48,46 | 1250 lbs | 15 At Active | 10 ga. | 12 | Plex | Velour Buckskin | Beige | 24 gun | 17 gun | 41 gun | 7 shelves |
| Platinum Elde 35 | 36° x 60,5° x 27.5° | 30° | 34,66 | 870 lbs | 13 All Active | 10 ga, | r | Res | Velour Buckskin | Beige | 20 gun | 17 gun | 37 gus | 6 shalves |



HOME SECURITY / SAFES



GOLD ELITE 38. The Gold Elite series incorporates many of the features found in our Platinum Elite safes. Features Omega fire protection package with 1200"/ 45-minute rating. Spacious 23-cubic-foot; solume with 24.5" overall depth. Aduminum bolt guides and 1" composite door with three-spoke, polished brass handle. 12-gauge steel body features external hinges with polished brass hinge caps. Fremium fabric interior. Capacity for up to 25. firearms. Available in black, metallic burgundy, and green finishes with gold Remington. logos and gold pinstripe around door.



Eleven active door bolts with all-aluminum bolt protectors ensure maximum security, and operate with whisper-quiet operation.



GOLD ELITE SAFE FEATURES

- Omega-certified 1200°
 for 45 minutes fire rating
- Patented Flex Interior System
- . U.L.-listed residential security rating
- . Drill-resistant hardplate
- · Aluminum whisper-quiet bolt protectors
- · Limited lifetime break-in warranty


GOLD ELITE 26 & 35 The Gold Elite 26 features large 26-cubic-foot volume with 27" overall depth (up to 27 firearms capacity). The Gold Elite 35 has a spacious 35-cubic-foot volume with 30" overall depth (up to 39 firearms capacity). Both models feature: Eleven active door bolts with aluminum bolt suides. I" composite door with a polished brass, three-spoke handle and a fire protection package with Omega-certified 1200°/45-minute rating, 11-gauge steel body also features wider-opening external hinges with polished brass hinge caps. Like the Gold Elite 23, the interior is a premium fabric and the body is offered in black, metallic burgundy or green.



| ł | | | | | GOLD | ELITE | SAFE | 5 | | | | | | |
|---------------|---------------------|------|----------------------|---------|-------------------------|-------------------|-------------------|---------------------|-----------------|-------------------|------------------|------------------|------------------|------------------|
| Safe filedel | (Wirth 0) | | Vrlume (Cubic It; | Approx. | Active Bulls | Body Thyckness | Boor Thickness | lype of Interior | Interior Fabric | Falsing Cultur | Hex Universal | Flex Fusy-Out | Hex Collector | Hea Executive |
| Gold Elite 35 | 36" x 60.5" x 27.5" | 30. | 35 | 785 lbs | 11 All Active | ll ga. | 1- | Flex | Premium Fabric | Beige | 22 gun | 17 gun | 39 gvn | 6 shelves |
| Gold Elite 26 | 30" x 60.5" x 24.5" | 27* | 25,73 | 660 lbs | 11 All Active | 11 ga. | l P | Flex | Premium Fabric | Beige | 14 gun | 13 gun | 27 gun | 6 shelves |
| Gold Elite 23 | 30° x 60.5° x 22° | 24,5 | 23,11 | 560 lbs | 6 Active / 5 Stationary | 12 ga. | l r | flex. | Premium Fabric | Beige | 15 gun | 10 gun | 25 gun | 6 shelves |

~SAFE/GUN CABINET OPTIONS & ACCESSORIES~









SHELVING CONFIGURATIONS - FLEX INTERIOR DESIGN

4-in-1 Interior System for Platinum and Gold Series allows customized shelving arrangements to optimize storage capabilities. (Note: line drawings represent Platinum 48.)










FIRE PROTECTION PERFORMANCE

CERTIFIED FIRE PROTECTION BY OMEGA POINT LABS. The Remington Fire Protection Package is one of the finest available. So much so, in fact, that it meets stringent certification for protecting fire-sensitive paper items by Omega Point Laboratories (a level of protection that's also ideal for fine firearms). To achieve such performance, we install multiple layers of 5/8° fire insulation, along with a Palusol, fire-seal door gasket. Contents are protected up to 1200°F for at least 60 minutes for Platinum Elite, 45 minutes for Gold Elite and factory certified for 30 minutes on Silver Elite.



All Remington® Safes Are U.L.—Listed Burgiarproof. The best safe-crackers in the business never steal a dime, when for the dermitter Luberatories (U.L.). Since 1921, U.L. has tried to outsmart and overprower the most sophisticated security devices in America. Using state-of-the-art betwhiques, they test each safe to its rink—Unying to force open the handle, blow off the lock and offit the bott mechanism. You can rest assured that all Remington safes exceed these night yearhands and proofly bear ULL security certification.



60

HOME SECURITY / SAFES

SILVER ELITE SERIES. Ideal for hunters and sport-shooters looking to step up from a traditional gun cabinet, the Silver Elite series offers proven fire security protection at a very affordable price.



SILVER ELITE 23. This 23-cubic-foot safe features external hinges with polished chrome hinge caps, aluminum bolt guides and holds up to 25 firearms. With ten 1' locking bolts (5 active/5 stationary), a 12-gauge gray granite textured body and three-spoke polishedchrome handle, it features a fire resistant rating of 1200° for 30 minutes. Gray fabric flex interior and covered inside door panel. Limited lifetime break-in warranty.

SILVER ELITE 15.

Features roomy 15-cubic-foot volume with 22.5" overall depth. Capacity for up to 21 hrearins Fire protection option features:1200°/30-minute

SILVER ELITE SAFE FEATURES

- . Factory-certified 1200° for 30 minutes fire rating
- . Polished-chrome three-spoke handle and key dial
- . U.L.-listed residential security rating
- . I" composite door with external hinges
- . 12-gauge steel body with 1" locking bolts
- · Dark gray fabric interior
- Aluminum bolt guides
- . U.L.-listed Group 2 lock
- · Limited lifetime break-in warranty





| | | | | | SILVER | ELIT | E SAF | E 8 | | | | | | |
|-----------------|-------------------------|--------------------|-------|---------|-------------------------|------------------|-------|-----------|------------------|-----------------|--------|------------------|-------------------|-------------------|
| Safe Model | Gémenteur v -AVaH+D) | Depth Overall (| | | Actine Bolts | Redz Theiness | | | Esteror Fator | Fubric Color | | Fier Fasysbut | Flea Collector | ffre Executare |
| Silver Elite 23 | 30° x 60.5° x 22° | 24.5 | 23.11 | 500 ibs | 5 Active / 5 Stationary | 12 ga. | I. | Hex | Fabric | Gray Fabric | 15 gun | 10 gun | 25 gun | 6 shelves |
| Sever Elta 15 | 24" x 55" x 20" | 22.5 | 15.28 | 375 lbs | 4 Active / 4 Stationary | 12 ga. | r | Collector | Fatric | Gray Fabric | N/A | N/A | 21 gun* | 2 shelves |
| | | | | | | | | | | | | | | |




Remington The best-known name in the outdoors has joined with one of the best-known names in NASCAR. In a multi-year deal that began in 2000, Remington has become a significant

supporter of Dale Earnhardt, Jr. in his quest for the NASCAR® Winston Cup title. In fact, Remington is an Associate Sponsor on the #8 Budweiser car. An avid hunter, outdoorsman and Remington shooter, Dale Jr. will share his love for Remington Country with millions of NASCAR* fans.

For more on Remington Racing, visit www.remington.com.







CENTERFIRE BALLISTICS





Finding the correct ammunition and understanding how it performs is key to not only getting the most out of your rifle, but for safety's sake as well. To help you better understand centerfire ballistics, Remington has compiled a series of tables to make it easy to identify the proper ammunition and to measure its performance through velocity, energy and trajectory.

RIFLE VELOCITY VS BARREL LENGTH.

These tables were calculated by computer. A standard scientific technique was used to predict trajectories from the best available data for each round. Trajectories shown typify the ammunition's performance at sea level, but note that they may vary due to atmospheric conditions and the equipment.

All velocity and energy figures in these charts have been derived by using test barrels of indicated lengths.

Ballistics shown are for 24" barrels, except those for 30 carbine and 44 Remington Magnum, which are for 20" barrels. These barrel lengths were chosen as representative, as it's impractical to show performance figures for all barrel lengths.

The muzzle velocities, muzzle energies and trajectory data in these tables represent the approximate performance expected of each specified loading. Differences in barrel lengths, internal firearm dimensions, temperature and test procedure can produce actual velocities that vary from those given here.

| CENTERPIRE RIPLE | VELOCITY VS. BARREL LENGT |
|-------------------------------------|--|
| MUZZLE VELOCITY BANGE (FT./SEC.) | APPROX. CHANGE IN MUSELE VILOCITY PER 1" CHANGE IN BARREL LENGTH (FT./SEC |
| 2000-2500 | 10 |
| 2500-3000 | 20 |
| 3000-3500 | 30 |
| 3500-4000 | 40 |
| | |

- 1. Determine how much shorter, or longer, your barrel is than the test barrel
- 2. In the left column of the chart (left), select the muzzle-velocity class of your cartridge.
- 3. To the right of that class, read the approximate change in velocity per inch of barrel length.
- 4. Multiply this number by the difference in the length of your barrel from that of the test barrel.
- 5. If your barrel is shorter than the test barrel, subtract this figure from the muzzle velocity shown for your cartridge.
- 6. If your barrel is longer, add this figure to the muzzle velocity shown

The trajectory figures shown in these ballistic tables are the rise or drop, in inches, of the bullet from a direct line of sight at selected yardage. Sighting-in distances have been set at 100 to 250 yards.

The line of sight used is 11/2" above the axis of the bore. Since the rise or drop figures shown at the stated yardage are points of impact, you must hold low for positive figures, high for negative figures.

Many shooters who use the same cartridge often find it helpful to commit the rise and drop figures for that cartridge to memory, or tape them to their rifle stock. That way, they know instantly the right "hold" as soon as they estimate the target's range.

VENTED TEST BARREL BALLISTICS.

This Remington-patented, industry-accepted method provides data that more precisely reflect actual use of revolver ammunition. It considers cylinder gap, harrel length, powder position, and production tolerances. Although our final values differ from conventional figures, the ammunition is unchanged. Key elements of our patented procedure include: (a) horizontal powder orientation; (b) cylinder gap: .008"; (c) barrel length: 4".

整合素原性素質的複数質素を含むなどの質問です。こ INTERCHANGEABILITY CHART

Cartridges within groups shown are interchangeable. Other substitutions should not be made without specific recommendation of the firearms manufacture. since improper combinations could result in firearm damage or personal injury.

| RIMFIRE | CENTERFIRE (CO. |
|--------------------------------------|------------------------------------|
| 22 W.R.F. | 30-30 Sav. |
| 22 Remington Special | 30-30 Win. |
| 22 Win. Model 1890 in a 22 Win. Mag. | 30-30 Win, Accelerator (|
| Rimfire but not conversely | 30-30 Marlin |
| CENTERFIRE | 30-30 Win. High Speed 30 W.C.F. |
| 25-20 Remington | 32 Cult Automatic |
| 25-20 W.C.F. | 32 Auto, Colt Pistol (ACI |
| 25-20 Win. | 32 (7,65mm) Automatic |
| 25-20 Win. High Speed | 7.65mm Automatic Pistol |
| 25-20 Marlin | 7.65mm Browning (not in |
| 25 W.C.F. | with 7.05mm L |
| 6mm Rem. | 32 Short Colt in 32 Long |
| 244 Remington | but not conversely |
| 25 Automatic | (SEE NOTE C) |
| 25 Auto, Colt Pistol (ACP) | 32 S&W in 32 S&W Lon |
| 25 (6.35mm) Automatic | hut not conversely |
| 6.35mm Browning | 32 S&W Long |
| 7mm Express Remington | 32 Colt New Police |
| 280 Remington | 32 Colt Police Positive |

| 30-30 | Sav. |
|--------|----------------------------------|
| 30-30 | Win. |
| 30-30 | Win, Accelerator' (SEE NOTE A) |
| 30-30 | Marlin |
| 30-30 | Win, High Speed |
| 30 W. | |
| | t Automatic |
| 32 Au | to, Colt Pistol (ACP) |
| 32 (7. | 55mm) Automatic |
| 7.65# | m Automatic Pistol |
| 7.65+ | ns Browning (not interchangeable |
| | with 7.05mm Larger) |
| 32 SI | ort Colt in 32 Long Colt |
| but ne | t conversely |
| | NOTE C) |
| 32 € | W in 32 S&W Long |
| hut no | t conversely |
| 32 88 | Nº Long |
| 32 Cc | lt New Police |
| 32 Cc | It Police Positive |

| • | |
|---|--|
| | CENTERFIRE (CONT.) |
| | 32 W.C.F. (SEE NOTE A) |
| | 32 Win. (SEE NOTE A) |
| | 32-20 Win. High Speed (SEE NOTE A) |
| | 32-20 Calt L.M.R |
| | 32-20 W.C.F (SEE NOTE C) |
| | 32-20 Win. and Marlin |
| | 38 S&W |
| | 38 Colt New Police |
| | 380 Webley |
| | 38 Colt Special |
| | 38 SUN Special |
| | 38 Special Targetmaster® |
| | 38 SOW Special Mid-Range (SEE NOTE D) |
| | 38 Special +P (SEE NOTE B) |
| | 38-44 Special +P (SEE NOTE B) |
| | 38 Special |
| | 38 Special Flat Point |
| | 38 Short Colt in 38 Long Colt but not |
| | conversely. Buth can be used in 38 Special |
| | 38 Marin |
| | 38 Win, (SEE NOTE A) |
| | 30 Will, Take NOTE A |

| CENTERFIRE (CONT.) |
|---------------------------------|
| 18 Reminston (SEE NOTE A) |
| 88-40 Win. |
| 88 W.C.F. (SEE NOTE A) |
| 18 Automatic in 38 Super +P |
| but not conversely |
| 380 Automalic |
| Imm Browning Short (Corto Kurz) |
| Imm Luger (SEE NOTE E) |
| Jinni Parabellum |
| H SOW Special (SEE NOTE F) |
| 14 Marlin |
| I-l Win. |
| I-I-Remington |
| I-I-40 Win. |
| ₩.C.F. |
| 15-70 Government |
| 45-70 Marlin, Win. |
| LE 70 405 |

NOTE D: All 38 Special cartridges can be used in 357 Magnum revolvers but not con NOTE E: 9mm sub machine gun cartridges should not be used in handguns

IOTE 7: 44 Russian and 44 SEW Special can be used in 44 Remington but not conversely.

CENTERFIRE BALLISTICS

17 Remington - 270 Win

| : | CAUMA | MANAGE | WL (ORS.) | MALET STILE | PRIMER | VELOCITY (FL/MC.) | DYRECT (FE-LES.) | DIOST-RAVILL [®] (TRAFFCTORTY [®] 30 100 130 200 230 300 | LONG-RANCE TRANCTORY 100 150 200 250 300 400 500 | MAJUSTIK CO-BYNOSIST |
|--------|----------------------|------------|--------------|--------------------------------------|--------|---------------------------------------|------------------------------------|---|--|-------------------------|
| 1 | 17 Remington * | PRA17RA | 20 | According Boat Tail | 71/2 | .4250 : 3594 . 3328 2529 2081 . 1684 | 802 574 407 284 192 126 | 44 '01 200 49 -28 -59 | 1.3. 1.7 1.3 ano -2.5 -11.6 -29.2 | 0,185 |
| | - | R17R2 | 25 | Homady Hollow Point | 742 | 4040 3284 2644 2086 1606 1235 | 906 599 388 242 143 85 | 0,0 Q3 zero -1,3 -1,6 -7,8 | 1,8 23 1,8 zero -1,3 -16,6 -4),6 | 0,151 |
| , | 22 Hornel | A22HN1 | -65 | Pointed Soft Point | 61/2 | 2690 2042 1502 1128 948 840 | 723 417 225 127 90 70 | 0.0 zero -2.1 -7.1 -16.0 -30,0 | 1,4 sero -4.3 -12.4 -25.8 -742 -162.0 | £130 |
| : | | R22HN2 | 45 | Hollow Print | 6 V2 | 2690 2042 1502 1128 948 840 | 723 417 225 127 90 70 | 0.0 zero -2.1 -7.1 -16.0 -30.0 | 1,4 zero -4.3 -12,4 -25,8 -742 -162,0 | @130 |
| 1 | 220 Swift | R22051 | 50 | Pointed Soft Point | 71/5 | 3780 3158 2617 2135 1710 1357 | 1586 1107 760 506 325 204 | 0,0 0,3 zero -1,4 -40 -8,2 | Q4 1,0 zero -2,3 -6,2 -20,1 -46,1 | 0175 |
| ć | 221 Rem, Fireball # | PRA221F8 | 50 | According Sout feet | 745 | 2995 2605 2247 1918 1622 1368 | 996 753 560 400 292 200 | 42 47 res -22 -41 -121 | 1,8 1,7. zero -3,4 -4,8 -27,1 -58,0 | 0.234 |
| | 222 Remington | R222R1 | 50 | Pointed Soft Point | 74, | 3140 2602 2123 1700 1350 1107 | 1094 752 500 321 202 136 | 0.1 0.7 zero -2.3 -6.5 -13.1 | 1.9 1.7 zero -3.6 -9.7 -31.7 -72.8 | 0,175 |
| , | - | RZZZRO | 50 | Power-Lakt* Hallow Point | 7 Va | 3140 2635 2182 1777 1432 1172 | 1094 771 529 351 228 152 | 0.1 0.7 zero -2,2 -6,2 -12,5 | 1,8 1,6 zero -3,5 -9,2 -29,6 -67,1 | 0.168 |
| ì | | PRAZZZRB | 50 | Acquilip" Boat lai | 742 | 3140 2744 - 2380 - 2045 - 1740 - 1471 | 1094 - 836 - 619 - 464 - 336 - 240 | 0.1- 0.6 200 -1.9 -5.4 -10.7 | 1,6 1,5 zen -3,0 -7,8 -23,9 -51,7 | 0242 |
| į | 223 Remington * | PRA223#8 | 50 | Acculip* lost fall | 715 | 3300 2889 2514 2166 (851::1568:) | 1209 ,927 701 522 300 ,273 | 0.0 0.5 200 -1.7 -48 -9.4 | -0.1 1,3 zm -2.6 -4.9 -21.2 -45.8 | 0.242 |
| i L | | PRA2239K | 55 | Accuring Boat Ini | - 7 % | 3240 2854 2500 2172 1871 1598 | 1202 995 ~763 576 427 312 | 02 05 are -18 -51 -49- | 1.5 1.4 mm -2.8 -7.1 -21.7 -46.3 | 0.255 |
| | | 8223R1 | 55 | Pointed Soft Point | 74 | 3240 2747 2304 1905 1554 1270 | 1282 921 648 443 295 197 | 0.0 0.6 zero -2.0 -5.6 -11,2 | 1,6 1,5 2000 -3,1 -4,2 -26,2 -54,6 | Q197 |
| À | | R223R2 | 55 | Power-Loid" Hollow Point | 74, | 3240 2773 2352 1969 1627 1341 | 1282 939 675 473 323 320 | 0.0 0.6 zero -1,9 -5,4 -10,7 | 1,5 1,4 zero -2,0 -7,9 -248 -55,1 | 0,209 |
| 1 | | R223R3 | SS | Metal Case | 741 | 3240 2759 2326 1933 1587 1301 | 1282 929 660 456 307 207 | 0.0 0.6 zero -1,9 -5,5 -11,0 | 1,6 1,5 zero -3,1 -8,1 -25,5 -57,0 | 0,202 |
| į | | R223R6 | £ | Hallow Paint Match | 745 | 3025 2572 2162 1792 1471 1217 | 1260 911 643 442 259 204 | 6.2 0.7 zero -2.3 -6.5 -12.9 | 1.9 1.7 2010 -3.6 -9.4 -29.9 -66.4 | 0.205 |
| ٠. | 22-250 Remington | #22501 | 55 | Pointed Soft Point | 941 | 3680 3137 2656 2222 1832 1493 | 1654 1201 861 603 410 272 | 0.0 0.3 zero -1.4 -4.0 -4.1 | 1,9 2,4 1,8 zem -3,3 -155 -38,3 | 0,197 |
| | | R22502 | 55 | Power-Lot? Hollow foint | 942 | 3680 3209 2785 2400 2046 1725 | 1654 1257 947 703 511 363 | 0.0 0.3 zero -1.3 -3.7 -7.4 | 1,8 2,2 1,7 zero -3,0 -13,7 -32,8 | 0.230 |
| 1 | | PRA2250RB | 50 | Accolip* Bost fai | 945 | 3725 3272 2864 2491 21471832; | 1540 1168 910 689 512 372 | 0.0 0.3 zero -1.2 -15 -7.0 | 1,7 2,1 1,6 zero -2.8 -12.8 -30,4 | 0242 |
| į. | 6mm Remingtons | R6MM4 | 100 | Core-Loke Pointed Soft Point | 9 1/2 | 3100 2829 2573 2332 2104 1889 | 2133 1777 1470 1207 983 792 | Q0 Q6 zero -1,8 -4,8 -9,3 | 1.4 1.3 2010 -2.6 -6.7 -19.8 -40.8 | 0,356 |
| ć | 243 Win. 5 | PRAZASWS | 75 | Acculip" Boat Tall ; | 942 | 3375 3065 2775 2504 2248 2008 | 1897 1564 1282 1044 842 671 | 0.0 0.4 zero -1.4 -4.0 -7.8 | 20 24 1.8 zno -3.0 -133 -30,6 | 0.330 |
| ; | | 1243W1 | 80 | Pointed Soft Point | 9 1/1 | 3350 2955 2593 2259 1951 1670 | 1993 1551 1194 906 676 495 | 0,0 0,5 zero -1,6 -4,5 -8,8 | 2.2 2.7 2.0 ten -3.5 -15.6 -37.3 | Q.755 |
| | | N243W2 | 20 | Power-Lokt* Hollow Point | 94 | 3350 2955 2593 2259 1951 1670 | 1993 (55) 1194 906 676 495 | Q0 Q5 zero -1,6 -4,5 -4,8 | 22 27 20 200 -15 -154 -173 | 0.255 |
| | | PRSCAGWA | 90 | Swift Scirozo" Bonded | 94, | 3120 2871 2635 2411 2199 1997 | 1945 1647 1388 1162 966 797 | 40 Q5 200 -1.7 -45 -49 | 1.4 1.3 zero -2.5 -6.4 -18.6 -38.3 | 4390 |
| ÷ | | PRAZ43NA | 95 | Acculio" Boat Tail | 916 | 3120 2847 2590 2347 2118 1902 | 2053 1710 1415 1162 946 763 | 00. 05 zero -1.7 -46 -92 | Q5 13 zero -27 -6.6 -195 -40.2 | 0.355 |
| | | PRCZ43WC | 100 | Core-Loke Ultra Pointed Soft Point | 945 | 2960 2709 2471 2246 2033 1832 | 1945 1629 1356 1120 917 745 | 40 Q5 zzn -20 -13 -103 | 1,6 1,5 zeo -29 -7,3 -21,6 -44,3 | 0373 |
| , | | R243W3 | 100 | Core-Loke" Poinced Soft Point | 341 | 2960 2697 2449 2215 1993 1786 | 1945 1615 1332 1089 882 708 | 0.1 0.7 tem -2.0 -3.4 -10.4 | 1,6 1,5 zme -2,9 -7,5 -721 -45,4 | 0,356 |
| i, | 25-06 Remington | R25062 | 100 | Core-Loke' Poisted Soft Point | 942 | 3230 2893 2580 2287 2014 1762 | 2316 1858 1478 1161 901 689 | 0.0 0.5 ano -1.7 -4.6 -0.1 | 1.3 1.3 zero -2.6 -6.6 -19.8 -41.7 | 0,292 |
| • | , | PRC2506RA | 115 | Core-Loke" Liftra Pointed Soft Point | 94, | 3000 2751 2516 2293 2081 1881 | 2298 1933 1616 1342 1106 903 | 0,1 0,6 zem -1,9 -5,1 -9,9 | 1,5 1,4 200 -2,8 -7,1 -20,7 -42,5 | 0,380 |
| | | A25063 | 120 | Core-Loks* Pointed Soft Point | 9 1/2 | 2990 2730 2484 2252 2032 1825 | 2382 1985 1644 1351 1100 817 | 0,1 0,6 zero -1,9 -5,2 -10,1 | 1.6 1.4 zen -2.8 -7.2 -21.4 -44.1 | 0.362 |
| • | 25-20 Wh. | N25202 | 15 | Soft Point | 6 V) | 1460 1194 1030 931 852 797 | 407 272 203 165 141 121 | zero -3.5 -13.2 -30.0 -54.7 -89.1 | zem -7.9 -72.9 -45.0 -76.5 -171.0 -315.5 | 0.190 |
| , | 250 Savage | R2505V | 100 | Pointed Soft Point | 910 | 2820 2504 2210 1936 1684 1461 | 1765 1392 1G84 832 630 474 | 0.0 zero -1,3 -41 -47 -153 | 2.0 1.8 200 -3.6 -9.2 -27.7 -58.6 | 0,285 |
| 75 | 257 Roberts | R257 | 117 | Core-Lakt' Soft Point | 945 | 2650 2291 1961 1663 1404 1199 | 1824 1363 999 718 512 373 | 0.0 zero -1.6 -5.2 -10.5 -19.5 | 26 23 zero -4.1 -11,7 -36,1 -78,2 | 0.240 |
| | 6,5x55 Swedish | R6SSWE1 | 140 | Care-Lakt* Pointed Soft Point | 94; | 2550 2353 2164 1984 1814 1654 | 2021 1729 1456 1224 1023 850 | 0.0 2610 -1.5 -4.8 -3.9 -17.0 | 24 21 zero -3.9 -9.8 -27.0 -57.8 | 0,435 |
| | 6.5mm Remination Mag | R6SMM2 | 120 | Core-Lokt" Pointed Soft Point | 9 15 M | A 3210 2905 2621 2353 2102 1867 | 2745 2248 1830 1475 1177 929 | 0.4 0.7 zero -1.8 -4.9 -9.5 | 27 10 21 100 -15 -155 -353 | 0.323 |
| , | 260 Remington | PRAZEORA | 120 | Acculip" foat fall | 94, | 2890 2697 2512 2334 2163 2000 | 2392 2083 1807 1560 1340 1146 | 01 07 zen -1.8 -49 -9.5 | 1.6 1.5 zero 20 -7.2 -20.7 -41.7 | 0,480 |
| Ż | - | R260R1 | 140 | Core-Loke* Pointed Soft Point | 94, | 2750 2544 2347 2158 1979 1812 | 2351 2011 1712 1448 1217 1021 | 0.3 0.8 zero -2,3 -6,1 -11,7 | 1,9 1,7 zero -3,3 -8,3 -24,0 -47,2 | 0,435 |
| 1 | | PRC250RB | 140 | Core-Loka" Ultra Pointed Soft Point | 94, | 2750 2554 2365 2185 2013 1849 | 2351 2027 1739 1484 1260 1063 | 0,3 0,8 zero -2,2 -5,0 -1,5 | 1,9 1,7 zero -3,2 -8,1 -23,5 -47,6 | 0,457 |
| Ţ | 264 Win, Mag | R264W2 | 140 | Core-Loke" Pointed Soft Point | 9 % M | 3030 2782 2548 2326 2114 1914 | 2854 2406 2018 1682 1389 1139 | 61 66 zero -1.8 -5,0 -5,6 | 15 1,4 mm -2,7 -4.9 -202 -41.3 | 0.384 |
| 7 | 6.8mm Rem. SPC | REDAT | 115 | Open Tip Match (DTM) | 941 | 2800 2535 2285 2049 1828 1625 | 2002 1641 1333 1072 653 674 | 43 08 zero -2.3 -6.3 -12.1 | 20 1.7 zero -2.4 -8.7 -25.6 -53.0 | 0.340 |
| ٠ | | RGBR2 | 115 | Metal Case | 94, | 2800 2523 2262 2017 1789 1580 | 2002 1625 1307 1039 817 638 | 6.3 0.8 zero 2.3 -6.4 -12.3 | 20 1.8 rere -3.5 -4.8 -26.2 -54.5 | 0.325 |
| ् | | RM68R1 | 115 | Boat Tail Hollow Point (March) | 941 | 2800 2535 2285 2049 1828 1625 | 2002 1641 1333 1072 853 674 | 0.3 0.0 zero -2,3 -6,3 -12,1 | 20 1.7 200 -3.4 -4.7 -25.6 -53.0 | 0,340 |
| | 270 Wn | 4270W1 | 100 | Pointed Soft Point | 9 V) | 3320 2924 2561 2225 1916 1636 | 2448 1898 1456 1099 815 594 | 00 05 zero -1,6 -4,6 -9,7 | 23 28 20 200 -26 -162 -385 | 0.252 |
| ÷ | | RL270W2 | 115 | Core-Loke" Pointed Soft Point | 3 V2 | 2710 2412 2133 1673 1636 1425 | 1875 1485 1161 896 683 519 | Q1 2010 -16 -43 -100 -17,8 | 1.0 tero -2.7 -7.4 -14.2 -31.6 -70.1 | 0,295 |
| Ż. | | PRA270NA | 130 | Acculto" feat fail | 915 | 3050 2845 1639 2442 2254 2076 | 2702 2335 2009 1721 1467 1243 | 80 05 200 -1.7 -47 -10 | 1,4 1,3 zero 24 64 -116 -37,7 | 0.447 |
| á | | PRSC270H/A | 130 | Swift Scirozo" Bonded | 9 4, | 3060 2838 2627 2425 2232 2048 | 2702 2325 1991 1697 1438 1211 | 46 45 100 -1.7 -47 -40 | 1,4 1,3 2ero -2,5 -4,5 -18,8 -38,2 | 0,433 |
| :: | | N270W2 | 130 | Core-Lokt' Pointed Soft Point | 942 | | 2702 2225 1818 1472 1180 936 | 0,1 0,6 zero -1,8 -5,1 -9,8 | 1,5 1,4 200 -2,8 -7.0 -20,9 -43,3 | 0,336 |
| 'n | | R270W3 | 130 | Brosze Pont* | 942 | 3060 2802 2559 2329 2110 1904 | 2702 2267 1890 1565 1285 1046 | 0.0 0.6 sero -1,8 -4,9 -9,5 | 1.5 1.3 zero -2.7 -6.8 -20.0 -41,1 | 0.372 |
| | | PRCZ70WS | 140 | Core-Loke' Littra Pointed Soft Point | 94) | 2925 2667 2424 2193 1975 1771 | 2659 2211 1826 1495 1212 975 | 0.1 0.7 zero -2.0 -5.5 -10.7 | 1,7 1.5 zero -3.0 -7.6 -22.5 -46.4 | 0,360 |
| | | RS270WA | 140 | A-Frame" Pointed Soft Point | 94 | | 2659 2186 1782 1439 1150 910 | 02 07 200 -21 -56 -109 | 1.7 1.5 zero -3.1 -7.8 -23.2 -48.0 | 0,339 |
| ń | | R270W4 | 150 | Core-Loke Soft Point | 916 | | 2705 2087 1587 1185 872 639 | 6.3 6.8 zero -2.4 -6.7 -13.0 | | 0.261 |
| 3 | | | ., | <u> </u> | | | <u> </u> | | | |

| Note: These ballistics reflected a test barrel length of 24° except those for 30 Carbine and 44 Remington Magnut |
|--|
| which are 20° barrels. Specifications are nominal, Ballistics figures established in lest barrels, Individual |
| rifles may vary from test barrel results, "zero" indicates yardage at which rifle was sighted in, |

- † 180 Remington and 7mm Express Remington are Interchange
- ogton and 244 Remington are interchangeable.
- Butlet does not rise more than 1" above line of sight from muzzle to sighting-

| Premier Core-Lokt Ultra (page 32) | Premier AccuTip |
|-----------------------------------|-----------------|
| | |

Premier Swift Scirocco Bonded (page 33)

| Premier [®] (page 33) | A-Frame |
|---------------------------------------|----------------|
| | 1 2 - 1 101110 |

| CON-OUT OF THE CANADA THE TABLE THE |
|---|
| 150 Core-Loke Ultra Pointed Soft Paint 91/5 |
| 150 Lone-Lour Putters Son Forti 5 19 |
| POLYDOWN 166 Acute teach 154 - 954 2700 2501 2711 2159 1956 1782 2670 2292 1957 1661, 461-11767 1759 1759 1759 1759 1759 1759 1759 175 |
| PICTORNC 160 Constant Utra Pained Soft Paint 1916 2020 2004 2159 2002 1819 1844 ontones 1919 Constant College |
| 180 Core-Loke" Pointed Soft Point 9 Vs |
| |
| 125 Pointed Soft Paint 71/2 |
| 150 Core-Loke" Liftra Pointed Soft Point 9 vis M 3200 |
| PRODOSMA NO CONFLORT FORMED SMITHOUT 3 T M SM 2 L732 CAJ 1226 2094 WITH PRODOSMA NO CONFLORT Utm Printed Suff Print 9 T M 1960 2727 1506 2295 2094 1904 |
| 190 Soat lail Hollow Point (March) |
| H 46 |
| PH300UMA 180 SWR1XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX |
| 100 Lead 615 |
| 170 Core-Lokt' Soft Polnt 9 1/1 |
| A 200 A Frame Pointed Soft Point 94; M |
| RESISTANT 225 Arture Pointed Soft Point 391, 1250 1503 151, 1331 112, 591 RESISTANT 225 Arture Pointed Soft Point 399, Nr. 2265, 2517, 2266, 2029, 1808 1605 |
| 225 Covelakt Pointed Soft Point 9 4s M |
| A 225 Core-Lots Una Pointed Soft Point 9 Vy M |
| N33NY2 250 Cove-Lod" Pointed Soft Paris 9 V, M. 2660 265 265 205 889 731 P833818N 250 Cove-Lod" Pointed Soft Paris 9 V, M. 2660 2647 2443 3249 2064 1887 |
| 250 Afrane Pointed Soft Point 9 14, 34 |
| 150 Core-Lold" Polated Soft Point 915 |
| R35R2 200 Generald Soft Peint 9 th 2000 1658 (376 1140 100) 911 assessed 200 911 assessed 200 510 200 1658 (378 200 1658 350 200 1650 200 1650 200 1650 200 1650 200 1650 200 |
| 250 Pointed Saft Point 91th M. |
| 200 Core-Lots' Pointed Soft Point 9 VJ. M. |
| 270 Soft Point |
| 200 |
| 300 A-France Pointed Soft Point 915 M |
| Southed Soft Point 9 1/2 MA |
| 200 Soft Paint 21/2 |
| 240 Soft Petri |
| RHAIMGA 275 Cort-Loff MP 2 2 1/5 1/50 1/50 1/50 1/50 1/50 1/50 1/50 |
| R4446M 240 Soft Point 914, 2350 |
| 300 Semi-Jackered Hollow Point 9 V _I |
| R4570G 445 SOMPOUNT 97/2 1330 1168 1055 977 |
| |
| |
| Note: These ballistics reflected a test barrel length of 24" except those for 30 Carbine and |
| 44 Kemington Magnum Whith are 20 Darrets, Specificatons are nominal satissics figures established in test barrets, Individual rifles may vary from test barrel results. |
| Zero Indicates yardage at which rifle was sighted in. |
| nicities above on priore line of argus, more form for positive numbers, negative numbers. |
| . 280 Remington and 7mm Express Remington are interchangeable. |
| 6 6mm Remington and 244 Remington are interchangeable. |
| Bullet does not rise more than 1" above line of sight from muzzle to sighting-in range. Bullet does not rise more than 3" above line of sight from muzzle to slokting-in range. |
| |
| |
| |

 $\mathbf{88}$

| | | | | | : |
|--|--|--|---|--|-----------------------------------|
| | | | | | |
| , | | | Ē | | |
| | | | IFICALION | 20.0 | |
| IMENSIONS / AVER | CALIBER LIS | MODEL 11-87" SUPER MAGNUM" | SUPER MAGNUM" SHOTGUN DIMENSIONS / AVERAGE | WET | |
| ACTION TITLE ACTION TITLE ACTION THE ACTION THE ACTION AND ACTION ACTION AND ACTION AND ACTION ACTION AND ACTION ACTION AND ACTION | 12. 2478 | CHANCE INVO. CAPACITY THE CHANCE NO. | Rekris | OF PART (COME) (NELL) | |
| 100°CO1 * Inspiritor 16 45 1 1 American Wilma Safan Calvan Street Satan | .s. | - 1 | Twin Bead | 45 % 14 % 1 % 2 % Amendan | Sets 8.8 |
| Santaton 24 134 74 | 976. 24795 | 11-87" SP5" 12 (3 ½ 7) 3(3 ½ 7), 4(2 ½ * & 3 ° 7) 28 7 253337 Vent Rib iuper Magnum | Vent Rib Rem" Choke ^{1,2} Twin Bead Black Matte. | 45 W. 14 1 1 2 W. Synthetic | Black Matte 8 % |
| 200 EDL" MADELLE 24 41 71 American Walnut Gloss Calbon Street Polished Street Calbon Stree | 10, 24789 | 11-87" SPS" Camo 12 (3 hr.) 3(3 hr.), 4(2 hr. 8.3 7) 28 7 25343 Vers Rib. | Vent Rib Rem" Choke ^{1,2} Twin Bead Break-Up* Camo | 48" 14" 178" 275 Synthetic | Mossy Oak 87/8 |
| 22 41W 7% | 26791 AUM Is 3, 3 | 11-47" Premier 12 (3 %") 3(3 %"), 4(2 %" & 3") 28"/ 25303 Vent Rib. | Veni Rib Rem" Choke 1.2 Twin Bead High Polish Blued | 48" 14%" 1% 2% American | Hi-Gloss 874 |
| 700 BDL DW Lang Action 22 42 W 714 American Michael Gress Carbon Sires Politimed Blee | NOTE: Model Seven Manufader | The Property of the State Library Address with Am. Coch bard core ecceed with inspeed Clinick, Middle and fell fam. Ochs they. 2 WARNICK Model 11-2' stant land | the corn sourced with improved Caledia, Modified and Fall | em Chete tubes, 2 WARMING Model 11-87 barrels and Model 11-87 | Super Magnum berreds are nes |
| 26. 46.½. 7% | Luston shop brough your total dealth. I MACK synthetic stock. A hardwood stock. | tierchangeadla, 3 some tister may require plugs. | | | |
| NO BUL 35 Loop Action 24 44 74 Aprilloco Matter 4 to Manager Material State Action 124 24 74 Aprilloco Material Action 124 24 24 April 24 | CALIBER LISTIN | MODEL 11-87" PREMIER SHOTGUN, DIMENSIONS / AVERAGE WEIGHTS | UN, DIMENSIONS / AVE | | |
| Tool 100 Tool 155 De State Sta | TWIST - IP-N, WALKET 1 TUTON IN MEDINGSS | TOTAL CHANGE THE LACE BELLINGS AGESTS SAGES | TATPE STORTS METAL MAGIN | CONTRACT (2785) (SOME) (STEEN SALESALE STORE STO | STOCK ANG, PC. |
| 700 155 "Une Augum 26 46 W 7% Gray Lamand Chan 416 Stairless Sath Stairless | 24) Worderster 9 W 29755 20999 120000000000000000000000000000000000 | | | 50 Vr | |
| 22. 42% 5% C | 29757 29769 29783 | 11-87 Framer 12 4 28/15/89 Rem* Ch | Jean Brad | 14.4 1.9 7.5 | HI-GIOSS |
| 200 Handum * Stort Action Mag 24 43 W 5th Symbolic Matter 416 Stairfess Sand Stairfess | 19765 | 11-87" Premier" 20 4 26'7/2953 Vent Rib Rem" Chola 26'7/2953 | Twin Bead | 48 14 1 2 14 American 46 Walnet | H-Gloss 7 |
| 700 Gosde "Leon Acidon 24 4415 716 American Walnut Safan Carbon Street Polished Blow | | 11.87 Permer" 12 4 287/2909 Ught Contour Went Rb | w Yest To Twen Board High Police | 14% 1,8, 5%. | H-Gos 74 |
| 700 ADL MEDIUM 24 44 1 1 American Walnut Safen Carbon Strel Pulished Blow | | 18300.7.40 | | | ul Class |
| 7. 47. 7. 7. 47. 7. | ALIBER LISTINGS | | **** | | |
| 700-ADL Syn. Long Action 22 42 1 74 Hack Synthetic Matte Carbon Sted Matte Was | | 11-07 Premary 12-07 Premary 12-07 28831 Fully Rifled Monat Paris Gran | Kifed Cantlever High Polish Scope Mount Blued | 41½ 14' 1¼' 2½' American Wahrot | - quy |
| 5m Youth Sand Action 20 31% 64% Back Synthesis Matte Calon Stell Matte Bae | 279 Waddester 10" 24667 24655 25145 | 11-07 12 A 23/73557 (1 Contact then Bib Rem Choles ² | 1 | 43 16 1 19 2 19 American | Sabin 7 % |
| 22. 42 69 | 24671 | 20 21.73359 | | | |
| 22. 42% 64 (cm. 446.04m. c | | i Medel II-IF. Deer bandt av not equapped with a persure-comperieding gas byslent, and wi 2 NOTE AI Model II-87- shotgans with a Ram" Choke band come equipped with Improved Cy | will red hanchen with largel or light had loads. "Kinder, Modified and Full Rem." Choke taber. | | A Mew for 2004 |
| 22 414' 6's worse commerce start at Startes | Magazine capacity for all calibers is 4, | MODEL 1100" SHOTGHN DIMENSIONS / AVERAGE WEIGHTS | TONS / AVERAGE WEL | HTS | 3. |
| 25 45 10 10 Aumid flow Residence Matte 416 Staintess Satin Staindess | MODEL 700" ML/MLS IN-LINE MUZZLELOADING RIFLES | איל זא האפעק | METAL | CHICTH DAD SADE | stect Ays. Yr. |
| 25 4347 835 26 6536" 636 hourstanding Salin Carbon Seed Salin Blue | TMST - R-M, 1 TABW (H | GAMCE CANGITY | LELL TYPE SCHIS ANSH | (unco) Tree 40 | No. |
| 700" VS Short Acilon 26" 45 W 944 Armit fibe Phistored Mitte Carbon Sted Satin Bire | ж. — | 1100" Gassic Field 16 28"7 2525 Vent 830 F | Vent Rib Rem" Chake Twin Itead Blood | 48* 14* 1W* 2W* American Walnut | Mr Sation 7% |
| Short Action 23 43-96 819 Armed Row Mustered Multile 416-Statetess Salah Stanetes Short Action 22" 41-96" 616 Each Composite Muster 416 Stateters Salah Stanetees | 26 27381 2 | 1367.1347 | | | - |
| 17 Residyan, 122 Kanlegan, 223 Reningan, 23-256 Kashiyan, Then, 300 Remingan Shar Action Utra Mag and 25-06 Remings on the second | arc Model 700 * Nazidejasden are supplief with cleaning take, combo breech plug and dipple wrench, named handle, | Symbolic 20 4 26 7.25371 (Moo | Vest, Fig. Single Bead Most Ballert (Most Orby) | 45 (10-ga.) 14" 114" 214" Synthetic | that watte |
| CANTED TICOTAGE | Sel mand aut avenue waters was product and and a selection of the selectio | Full Symbolic Fully Rifted 12 4 21"7 2353 Fully | Fully Rated Constituent Marte Black | 41% 14" 1% Synthetic | Black Marte 7 % |
| 106, 108 106, 108 | 2 | 36 4 21773555 | Rife Sohts | 14" 15" 15" | ł |
| Cusadir Lucera Translate Lis 14 sm, par franklitt | Day street streets | led / Drest | | | |
| 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | 20 4 21-7.25367 | (Mod. Only) Single Bead mark being (Mod. Only) | 40 1/4" 13" 1 1/4" 2 1/4" Symbetk | - |
| 1 1 | 1 | 1100*LE20 Youth 20 21*/15245 Veri (Nb) Synthetic Darkey Camo (NAgrum) 4 21*/15245 Veri (Nb) | Vent Rib Rem " Choke Twin Bead Matte Black fruit Only) Non-Reflect | 40 Yr 13" 1 Yr 2 Yr Synthetic | Styling 6 % |
| 2 | 1 | otshels and will not function satisfa | ith Langel and field loads. 2 Classic Reid furnished with Impre- | ed Cylinder, Medified and Fid Rem." Chake Luber, | A base for 7004 |
| | 17491 3903-6735-6-4 | MODEL 870" WINGMASTER SHOTGHN DIMENSIONS / AVERAGE WEIGHTS | TGHN DIMENSIONS | VERAGE WEIGHTS | |
| | 27512 25783 | PUDRAT 168 YWW | | SOUTH LEAST PROP. PROP. STOCK | The story worst |
| | - 27493 Protestina | GAVEE CONCIT OLDER MG. | MONIE | OF PART (KOME) DELL! | 100 |
| 1 2 2 3/6 ,02 7 | 23474 Astaurana | | Light Centiour Vent Rib Rem* Choke 2 Twin Bead High Polith Bloed | 48 %* 14 ¼* 1 ½* American Walnu | Valuat N4-Gloss 7% |
| 1 1 1 | 1 | 13 54 347, 15053 | Hight Contour Train Sead Kinh Palish Eland | 50%, 14%, 14, 3% Arreston William | Man Mades 7 |
| | | 15051.15021 | | | |
| 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | distriction of the control of the co | | Ught Cottods Vent Ito Rem - Chots 2 Twin Boad High Polich Blued | 48 Yr 14 Yr 1 Yr 2 Yr American Waleud | |
| 4 27 10 2851 2621 1 1 2500 2020 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 27476 2579-WZMIN, 26559 | | Light Contour Trein Brad High Publik Bland | 48.15 14 11 21 American Walnut | Makeut Saries (287) 6 14 |
| 1 1 1 1 | | 71 15 157 157 | Twin Bead | 45 % 14" 2 % | Satin |
| 26285 - 76931 75692 23933 | 6850 130507100 Oth | ,410 Bore 4 ¹ 25'7.24987 | Twin Bood | 45.9° 14' 119' 2.9° | |
| 17506 | | ly and come furnished | with a 3-shot plug. At 3" and 3 \" chambers handle 2 \" shells. Super N | agnums have 4-shot total capacity when using 1 1/1" shelts. | |
| - 2633 - 2625 - 26275 - 26275 - 26275 - 2635-170361 | - Mostrikalı | Wingmaster* and Model \$70" Wingmaster* Super Magnu | ns with a Rem" Choise barrel come equipped with Improved Cy | inder, Modified and Full Rem ⁻ Chake takes, | |
| 1 1 1 1000 | 27305 M) | COMPETITION SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS | ISIONS / AVERAGE WE | IGHTS | 1 2 4 2 7 3 7 3 7 3 7 |
| 4 34 10 18915 29717 - | 1 | AND ALTHOUGH THE CAME OF THE C | NAME OF TAXABLE PARTY. | ONDALL LINGTH SOME PARTY CONTRACT NATIONAL STATES AND MAINTAIN CONTRAC | TAY WAY NOOLS |
| CECCY MONEY CECCY - | 1 1 1 1 1 | - | Twin Bead | 14 W 144 7' Sen | mt Ki-Goss |
| | 1818/1 WESSE | p 12 4 30"7.25333 | B Rem" Choke 1 Twin Bead High Polish Blued | 50 1/6" 14 1/6" 1" Seni-Fancy Am | NA NA |
| | 27516 258104 27805 2456073514 | Medel 1100 Tournament Skeet 12 4 25/155341 LL Contour Vent Rib Nam Cholas ⁴ | Twin Bead | 47" 14 9h. 1 1%" 2 1/4" Sembfang Amet Walen | et Walnut Hi-Gloss B |
| - 18319 - 18436 - | | 3 | tour Vent Rib Rem - Choles 2 Twin Bead High Polish Blued | 49" 14 %1" 1 % 2 %" Serak lancy Amet Walnu | er Walnu Hi-Gous B |
| | - Milewally | ting 20 [L] 20 4 28"/ 25399 Lt Com | 2 Twin Bead | W. 14. 1% 2W | 11 |
| 33 Nam. Ulto Mag 3 76 10 - 18377 - 36101 NAM-ANAH-1 NAM-ANAH-1 NAM-2 NAM-1 NAM-2 NAM | | * Model 1100 Sporting 410 410 box 4 27*1.29549 Wat It B. Rem | Ordin Twin Bead High Polish Blood | . 45 | NEC Walnut Hi-Gloss 6 75 |
| 134, 134, 134, 134, 134, 13 | 1 13 W. 13 W. 13 W. | Model 1100 Sporting 28 71 29583 Vent Rib Rem Model 1100 Sporting 28 71 29583 Vent Rib Rem Model 1100 Sporting Marter 11 8 727 29585 Vent Rib Rem | Chots Ber Onic / Stell Red | 47% 14" 1% 2% Sentitory Amer Walnu | _ |
| 1.16 1.16 1.16 1.16 1.16 1.16 1.16 1.16 | | Competition Master 12 8 22 12333 | COURT HOSE OWNER SHARE DEED | 10 miles 11 | The same of the |

| 1. | THE OFFICE STATES AND THE STATES AND |
|----|--|
|----|--|

SPECIFICATIONS SHOTGUN

SPECIAL PURPOSE TURKEY SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

| MODE. | EANG | MAG. CAMOTTY | OFFICE NO. | BARRER, TYPE | stearts | MCDAL ROBSH | LEMETR OF PALL (COMM) (CERT) | 1 | (B) | 7 | MUTHAL | TTOCK RUGH | 3 |
|---|-------------|---|-------------------------|----------------------|-----------|-------------------------------------|------------------------------|-----|--------|------|----------------------------|------------------------------------|-----|
| 870" 59-1 Super Mag Camo \$ 12 (3 14 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18 | 1,4951 | 30%1 40%. 437 | 13-7 249683 | Vent Ro Rem - Choke | Twin Bead | Mossy Oak* Break-Up* Camo | .44 | 14" | . 4.70 | .4.2 | 44 % 14" 1% 2 %" Synthetic | Mossy Oath* Break-Up* Camo | * |
| 11-87" SPS-T Super Mag Camo RS/TG | 12 (2 % 1) | 12 0 12 11 10 11 40 14 23 1 23 1 25 15 15 | 13.775353 | Ren" Choke Tra-Glo* | Ta-Go* | Mossy Oak* Break-Up* Camo | ., | 14. | 1,19. | ., | 43" 14" 1'h" Synthetic | Mossy Oak* Break-Up* Camo | 4,0 |
| 11-87" SPS-T Super Mag Camo 12 (3 Nr) 3 (3 Nr) 4 (2 Nr) 21" 21" 2345 | 12 (2 14.7) | 30 N.1. 404'43" | 11"/ 75345 [‡] | Vent Rib Rem" Cholse | Twin Bead | Mossy Oak* Break-Up* Camo | | ž | 1,1 | .w. | 43" 14" 111 211" Symbotic | Mossy Oak* Break-Up* Camo | 4,8 |
| 870" SPS-T Camo RS/TG | 20 (7.) | - | 20"/ 249893 | Ren * Chake 2 | fre-Glo* | Mossy Oak" "New" Break-tip" Camo | | 3 | 4.1 | * | 41" 14" 11%" Synthetic | Mossy Oak" "New" Break-Up" Camo | %9 |

18.7 ms 37. dates to wast 37. cm. I kee, taked 11-17 92.1 ms level 107 92.1 keep to support on hinty days fact taked 12. Meet 11. Lacky and twee teach 11. Lacky and twee teach 11. Lacky and twee teach 11. Lacky and 11. Lacky 11. Lacky 11. Lacky 11. Speel support 12. Speel support to 12. Comber 11. Lacky 11. Lacky 11. Speel support to 12. Speel support 12. Sp

| West Early Codes 1 had been start State from Better, 170° 14° 17° 20° 20° 20° 20° 20° 20° 20° 20° 20° 20 | | - | | BEL LEWSTA | | - | | OFFICE . | Ē. | | ġ. | S TOCK | - | ¥. |
|---|---|---|---|--|---|---|---|---|----------------|-----------------------------|---------------------------------------|---|------------------------------|---------------------------------------|
| 10 7 10/12423 Verifia hard Codes ¹ Note has later field have falled on 10 ¹ 11 ¹ | Thomas . | | MAN CANGIL | DEPTH ACT. | MARKET IN A | Months | MI DAY MARTIN | | | | | To State of the last | STOCK SHEEK | ì |
| 19 2 30'12459 West Ra Marin Rador Toka Rador Toka Rador Sin Rado | SP-10 Magnum Synthetic | 2 10 | ~ | 26*1 24822 | Vent Rib Rem" Choke | Twin Bead | | .4.4 | ž | | , ₁ , 2 | Synthetic | Black Matte | 10 % |
| 13 10 7 16/12459 Wat 18 hart Clode Not lead March Clode Not lead Not lead Not lead March Clode Not lead Not lea | SP-10 Magnum ² | 2 | ~ | 30"/ 24808 | Vent Rib Rem." Choke | Twin Bead | | .4.15 | F | ١.٧٠ | ٠,4. | Amet Walnut | Satin | 11 |
| 13 13 13 13 13 13 13 13 | SP-10 Magnum Camo ² | 2 | ~ | 26*/ 24409 | | Twin Bead | Mossy Oak* Break-Up* Camo | 4.0 | . . | .%1 | .4,2 | Synthetic | Mossy Oak* Break-Up* Camo | 10 % |
| 13 43 13 13 13 13 13 13 | 870 SPS* Super Mag Camo ³ | 2 | 3(3%') | 28*124949 | Vent Rib Aem" Choke | Nwin Bead | Mossy Oak* Break-Up* Camo | .s. % | 7. | 1,4 | , ų, z | Synthetic | Mossy Oak* Break-Up* Camo | 7.16 |
| 1.1 4 37/15571 When this form " Order 4" I Now Band Hook Robert 6" 1" 1" 1" 2" 1" 5" Syndrate Black Main Plant Robert 6" 1" 1" 2" 2" 5" Syndrate Black Main Plant Robert 6" 2" 1" 1" 2" 2" 5" Syndrate Black Main Plant 2" 2" 2" 2" 2" 2" 2" 2" 2" 2" 2" 2" 2" | 11-87" SPS" Super Mag Carso | ä | 3(3%) | 28-7.25343 | Vent Rib Rem" Choke 4.5 | Iwin Bead | Mossy Oak" Break-Up" Canso | | 3 | ķ | .4,7 | Synthetic | Mossy Oak Break-Up* Camo | .s. |
| 12 4 21/12852 Vent Rib Rem 'Grods' 1 New Beard Resplic Case 14" 11" 11" 11" 19" 19 Resplic Case 14" 14" 14" 15" 14" 15" 14" 15" 14" 15" 14" 15" | 11-87 * SPS* | 7 | • | 26"1 25269 | Vent Rib Rem* Chake 4.5 | Twin Bred | Matte Black Non Reflect | .%.99 | 7 | ١,٧٠ | , u, z | Synthetic | Black Matte | % 8 % 8 |
| 13 4 31/1383 Wint Rib Bern Codal M. Kife Haup pal-imp Galergong (15)" 14" 15" 15" Species. Has pal-imp Dakespan. A supported that de select select Codar date. Supported from Codar date comparability of the selection of the sele | 11-87-5P5" Camo | 21 | • | 2821.52 | | Twin Bead | Mousy Oak* Break-Up* Camo | ., | 7 | , K. | 2,4. | Synthetic | Mossy Oak* Break-Up* Camo | ,ç |
| 10 and 11 | # 11-87" SPS" Waterford | | 7 | 28"/ 2983 | | H-Vir | Mossy Oak* New Shadowgrass | .4, 83 | ٠. | 178. | 3,7 | | cary Oak' New Shadewyass | 1/, 8 |
| | 1 These Model 50-10" short are not interchangeable. 3 Special Purpose waterfood s | purs ruppik I KOTE: All thotguns wi | rd with full and Mod Model \$70 "Super Mi ith a Rem" Cheke ba | Ren" Chale tubes, aprums have 3 %" or mt come equipped | 2 IMPORTANT NOTE: Citilic chambers except Over barrd n with Improved Cylindez Mod | al components which has 3" ch ifted and Full Re | - induding the barrel, bott asseml amber, Super Magnums can shoo rm" Chobs tubes, \$ WADRENG: | 17 and trigge (2 ½", 3" as Madel 11-8; | of 1% the | embly of the Se intercha | e Rentingt. engeably 1-87 Super | or Model 59-10" and 4 All 870, 870 Sepec Magnum burnels are | 8 E | shotguns ier Magnum New for 200 |

| | 1 5 E | MARKINE | MAGNUM | TOTES | SPECIAL FUNCOSE DEFINIMANTINE MAGNOM SHOTOUNS DIMENSIONS / AVENAGE WEIGHTS | 2 | G | | | 3 | | 0 |
|---|-------|-------------------------------|-------------------------------|---------------------------|---|--------|-----------------|----------|-------|-------------------------------|---------------|-----|
| AND CANAGE CANAGITY | SECT. | CH LINGTH CHDER HO. | BACKS THRE | BOME | HERAL GRESS | UNCH | MENTA OF PAL | 10 mg | \$ (i | DYTHAI LINGTH BROS PROS STOCK | STOCK APACUT. | 1 |
| 770" SPS "Super Slug" 121 Vily Rifled Cantillever 20 scope Mount Dear Gun | | 23"/ 24946 18'A'' 26457 ** | Fully Rifled Heavy Contour | Cantilever Scope Mount | Matte Sjack Non-Reflect 43 No. 14" 119" 174" Synthetic Black Matte | .94 67 | <u>*</u> | *. | .%. | Syntheric | Black Matte | - |
| 1-87" SPS Fully Ritled Imidewer Scope Mount Deer Gun | | 12 4 21"/ 298193.4 | Fully Ritled | Cantilever Scope Mount | Matte Black Non-Reflect 41 %" 14" 1 %' Symbetik Glack Matte 6 % | 41 14. | 7 | -%- | ** | Synthetic | Black Matte | 4.0 |
| 1.67" SPS ully Rifled Deer Gun | 7 | 12 4 21"/29676.1.4 | Fully Ritted | Rifle Sights | fille Sights Hatte Black Noo-Reflect 41 h" 14" 2 h" Synthetic Black Mane 8 | .ų, ts | | .4.1 | 2,19. | Synthetic | Black Matte | |
| 70" Marine Magnum*2 121 | | 121 6 1877 25012 | Cylinder Choise | Single Bead | Single Bead Electroles Nichtel Planed 38 %" 14" 1 1%" 2 1%" Synthetik Black Matte 7 % | .486 | ž | <u>*</u> | .s. | Synthetic | Black Matte | ž |

| Mood | 112" ovtabreta | MODEL SP. 10" MAGNUM EXTHA |
|---------------------------|---|--|
| Gauge | 13 | |
| BBL tengths/Order No. | 30"/ 25235, 20"/ 25237 | SP* Magnum, Vent Rib 30° Rem* Chake 27559 |
| Barrel Type | Light Contout Vent Rib, Rem" Choke | SP" Magnutt, Vent Rib 26" Rem" Chake 27598 |
| Spite | Ivory Bead From, Steel Middle | |
| Netal Flats | Satin Blued | |
| Overal Length | 47 14" (20" 881), 45" (28" 881) | PLEASE MOTE THE POLICYMING AMBUNITION RECOMMENDATIONS FOR USE WITH THE MODEL (100" LIELL SHOT BARREL. |
| Length of Pull | 14, | When used with Model 1100" Magnum shatguns: |
| Drop (Coerb) | 176. | - Use 2 1/2 magnum or 3 magnum lead shouthells. |
| Orop (Heef) | .*. | When used with Model 1100" non-Magnum shotguns: |
| Stock Material | American Walnut | . Use 2 1/4 magnum or 3 magnum steel shotchells. |
| Stock Finish | Sath | shotshells in non-Magnum Model 1100" shotsums, as this will |
| Ang Wt. (Ba.) | 9 (30_881), 7%; (28_881) | cause extra wear and decrease the life of the gun. |
| NOTE: Madel 332 comes equ | 40TE: Model 332 comes equipped with Improved Cylinder, Modified | |

| 19-64, 19-64, 1754 | ## ## ## ## ## ## ## ## ## ## ## ## ## | | |
|--|--|---|---------------|
| 19-6-4, 2754 2758 2758 2758 2758 2758 2758 2758 2758 | istre & croke 11 Grade Deet Cantiever Scope Mount 1 Fully Ribed 16 Grade, Deet Rife Sights 7 Fully Ribed | | ŀ |
| 2754 2758 2758 2758 2758 2758 2758 | | | 20-04. LF-261 |
| 27538 OMMERDATIONS | | | ١, |
| OMMERDATIONS | | | |
| OMMERBATIONS 1881. | | 19565 | 11 |
| OMMERBATIONS 1816. | 21 Timps Cyl. | 2 | 26438 |
| | 21" Ren" Choke 1 | 12821 | |
| | Vent-Rib ² (see ammunitio | n note at Jeft) 29505 | ١, |
| nagnum steep structurals | 26" Rem" Choke | 29509 | , |
| | Held Grade, Vent Rib | | |
| o recommendation and a second a | | 1000 | 1 75 |
| nagnum sten snounest. odshelk Do not use 3" marrum lead | | | 34486 |
| | Skeet Vent Rib 26" Rem" Chate | 2460 | |
| - 2 4 2 | 1 HORE LU-20, Dogasya Uppraedyn) barnel (eddo Series) well nei Open-197) Dogasya Uppheedyk es standard Dogasya Medel 1100 - Ansywer, Richer to parti. The tree 1779 barnel. 2 Relacional er een Darel supplied with Rized and Inn Cyl, Chake thee, 3 Supplied with fell Ordes only. | 1000 Series) will not fit pre- lodel 1100° shorgwer, (Refi "Choke Deer barrets suppl with Full Choke anty. | ar to parts |

SHOTGUN SPECIFICATIONS

14" 11/6" 21/6" Synthetic Black Matte 71/4 MODEL 870" EXPRESS SUPER MAGNUM" SHOTGUNS DIMENSIONS / AVERAGE 14. 11. 21. | Control | Cont

Stack Matte 7 Vs

| MODEL 870' | EX. | PRES | S'SHO | MODEL 870" EXPRESS SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS | NOISN | S / AVERA | GE.W | втен | TS | | | | |
|---|-------------|---------|-----------------------|--|-------------|-------------------------|----------------|---------|--------|--------|------------------|----------------------------|------------|
| MOONE | ewicz. | CUMATIV | EEL LENGTHU OKDER NO. | Mun The | steams | METAL BRISH | LIDIGTH | CF PULL | (COME) | (KEEL) | STOCK MATTRAL | STOCK RINGH | TIEST. |
| 870" Espress* | 13 | • | 18,735548 | Yest Rib Rem" Choke (Mod) | Single Brad | Matte Black Hoe-Reflect | 48 %. 66 %. | 7. | 1,1% | 1,7% | Нагемен | Satin | £ 5. |
| B70" Express* | ع | - | 161521.92 | Light Contour Vent Rib Rem - Choke (Mod) | Single Brad | Matte Black Han-Reflect | *4.89 | .,, | 11% | .4,2 | Harewood | Alles | 1,1 |
| 670° Express* | 2 | - | 267,25543 | Veet füb Rem" Choke (Mod) | Single Boad | Matte Stack Non-keftert | .48 %. | 11. | .4.1 | .4,2 | Hardwood | Satin | % 9 6 % |
| \$70" Express" Youth | 2 | - | 11,125561 | Vent No Ren" Choke (Mod) | Single Bead | Matte Black Non-Reflect | -V 04 | 13. | 1 1/1 | 7.76 | Hardwood | flat | |
| 170" Epress* | R | - | 25.125599 | Vent Rib Flord Mod Choke | Single Brad | Mante Black Hors-Redect | 45 % | ¥ | , t/. | , W. 2 | Нагомоси | where | |
| 670" Espress* | .410 Bore | - | 15,1,25601 | Vent Rib Fland Full Choke | Single Brad | Matte Slack Non-Reflect | .W.S. | ., | š | .4.7 | Hardwood | Satin | |
| 870" Egress" Synthetic | 71 | - | 18,12581 | Vent Rib Rem * Choize (Mad) | Single Brad | Matte Black Non-Reflect | 48 W. | .,1 | 1 1/4* | 2,1/2 | Synthetic | Elack Mane | 176 |
| 170° Express' Synthetic | 91 | - | 102521.82 | Ught Centow Vert R3b Rem" Choke (Mod) | Single Brad | Matte Black Non-Reflect | .4, 10 | 14. | .4.1 | 1.4. | Synchetic | Black Matte | 1,1,1 |
| 670" Espress' Turkey Carmo! | 71 | - | \$1,725205 | Vent Rib Rem ' Chake Turkey (Extra Full) | Twin Bead | Matte Black Hon-Reflect | 45 1/4 | 2 | 1,1% | , W, Z | Synthetic | Shyline* Excel* Camo 3 1/4 | 7.4 |
| \$70" Express" Turkey | ~ | 7 | 11.13823 | Vent No Rem" Choke (Extra Full) | Iwn Bead | Matte Black Non-Reflect | Q W. | .,1 | 1.1/2 | .4.2 | Нагомора | Rat | 1.4 |
| 170' Express* Turkey Youth | 02 | , | 21,25135 | Vent Rib Stred Full Choke | Iwin Bead | Matte Black Non-Reflect | 40 W | 13. | 1 14. | 1.76 | Synthetic | Styline Excel Cano | |
| 870 Epress' Synthetic Fully Affed Ocer | 13 | + | 10,115097 | Fully Rifled | Rife Sights | Matte Black Hon-Reflect | *40 1/2. | ., | 114. | 1 1/4" | Synthetic | Black Matte | , |
| 870" Express" Deer | 13 | - | 10.135565 | Fixed Imp. Cyl. Choke | Rife Sights | Matte Black Hon-Reflect | 40 1/2 | . 11 | .4.1 | // | Hardweod | flat | 1.4 |
| 870" Express" Deer Youth | 02 | - | 30,13555 | Fully Rided | Aife Sights | Matte Black Non-Reflect | 39 % | 13. | 1 1/0 | 1.74 | Hardward | Ret | 9 |
| \$70" Express Fully Rifled Deer | 13 | • | \$45521.02 | Fully Rished | Nite Sights | Matte Black Non-Rebect | 40 % | | 1.79 | . 1/4 | Hardwood | Rat | ٧,٢ |
| 870" Espress" Left Hand | 13 | 7 | 18,12533 | Vent Rib Rena" Choke (Mod) | Single Bead | Matte Black Non-Reflect | . 4 | 'n | 1.16 | 1.4. | Hardwood | An | Š |
| 870" Erpress" Synthetic 18" | ~ | - | 18,125549 | Fixed Cylinder Clicke | Single Brad | Matte Clack Non-Reflect | 39 %. | ٤. | .4 | 5 14. | Synthetic | Black Mutte | * |
| 1 Stock and love-end in Skyline* Excel" camp. | Excel camp. | | | | | | | | | | | | |

| MODIL | Causi | EAUS CANGTY | SH LENGTHÖRDER NO. | , III | BANKI IYM | Hems | MTA. AMESO | OVERALL UNITH | UDICTH OF PULL | (comm) | (Mary) | OF PALL (COMS) (MET) MATTRAL | STOCK AMBESS | ź-c |
|--|-------------|-------------|--|-----------------------------------|---|--|--------------------------|--|-------------------|--------|--------|------------------------------|-----------------|------|
| 870" Express* Combo | ~ | • | 28" (Vent Rb)/20" (Imp. C) 26" (Vent RB)/20" (Fully Rif | of Deet)/25571 and Deet)/25578 | 18t Veni RAJON* Inns. CAL Devel (2557) Veni RA Rem. Code Dated. Singst Enes (Veni RA) Mare Back. 48 VV., 48 VV. Ober RAJ. 14* 1 VV. 1 VV. 1 VIII. Nathbood Safe 7 VV. 1 St. Veni RAJON (Edis Stabe Devel 7557) L.C. Deve er Lay, Raked Devel 7 Rafs Signst, Open RAJ 1 VVIII VON PRESS. 1 VVIII VIII VIII VIII VIII VIII VIII | Single Brad (Vent Rib) Ride Styrks (Deer BBI) | Mate Black Non-Refect | 48 1/1 , 46 1/1 (Vent Rib) 40 1/1 (Deer 881) | . <u>.</u> | 1,19, | .4.7 | Hardwood | ¥3. | 7.76 |
| \$70" Express* | 2 | | 28 (Vent RA)/20" Grap. Cyl. 26 (Vent RA)/20" Grafy Rift | L Deer)/25545 red Deer)/25597 | 18 (New 1887) Vern (A. Der (g. Der 1873) 15, Der de Der i Ade 1874 Bire (A. Oste Bird) (A. 1977 1977 1977 1977 1978 1879 1879 1879 | Single Bead (Vent Rib) Rifle Sights (Deer Bill) | Mane Back Hos-Relect | 49 1/1", 45 1/1" (Vent Rb) 40 1/1" (Deer BB1) | ž | * | .ç. | Kardwood | £ | 6.70 |
| 1 Combo Deer band has 3" chamber | 14 has 3. c | chamber | | | | | | | | | | | | |
| MODEL | 970 | EX. | MODEL 970" EXTRA BARRELS - 3" CHAMBERS | .8 - 3" | CHAMBERS | MODE | L 11-8 | MODEL 11-87" EXHRA BARRELS - 3" CHAMBERS | ARRE | - S1 | 3. | RAMB | ERS | |
| The state of the s | | | | | | Same & course | | **** | **** | | | | | |

| 4 1/1 Cumo Mousy Cath Ereabulp* Pr | | 34629 | SP Magnum Deer Barrel, Kiffe Sights 23 Team Felty Kiled welfale Sights | | 111 | 113 | 2635 2625 2635 | P", Vent Rib 30" Meni" Choke 28" Meni" Choke 26" Meni" Choke |
|--|-------|-------|---|---|-------|---------------|-----------------------|---|
| 3 2 %" chember. | | I | 3 % CHAMBERS | ı | 50992 | ' | 24611 | ixpress* Deet 'uliy Kifed, Rifle Sights (20") |
| 2 Nilesighted Rem * Choke Deer | 1 | 5462 | 30" Ren" Choke Trap | Brath-Up Patien. | ' | ' | 24622 | ights, Deet. iffe Sights (20°), Imp. Cyl. |
| with improved Cylinder and Esta | | , | Premier" Target Barrels (2 %" chamber only | TO THE PROPERTY. | ı | 1 | 24589 | apress* Vent Rib |
| at www.remington.com. 1 Cantilever Rem * Choke Deer be | Н | 350 | 26" Rem" Choke 26" Rem" Choke, Light Contour | chambers will fit both Magnum and 2 1 " receivers. Use only 2 16 | ı | - | 24549 | SP Deer, Riffe Sights 20" feen" Choke? |
| Madson, NC 27025-0700 or visi | 1 1 | 23500 | 30" Rem" Choke Light Contour | 170" extra bands with 2 % | 11 | 11 | 2627 | 20" Kem" Choke |
| Obsion Reminator Arms Co. P. | | | Premier Vent Rib | 3 Caprest 20-ga. hally Rilled Deer | ı | 1 | 57792 | 20" Fully Rifled |
| s particular provide long-con trains | 1 1 | 9 | To Date Chair | Improved Cylinder Choks tubor. | | | to Manual | Or Dave Barrel Conflavor Cross Marsel |
| competent gunsmith or stockmat | • | 24631 | 30' Rem" Choka | 2 Rife-sighted Rem" Chalte Deer barrals supplied with Rifed and | 24578 | 11 | 3455 | 20 Fully Rilled 20 fms Cvl |
| your gun unless you do one of to | ı | 3960 | 21° Fully Rolled | and Extended Rited Choke tybes | | 30711 |) Aleae | Deer Barrel, Niffe Sights |
| protated LC Darret, which means to Verit Rib or Deer barrel cannot b | | ğ | SP" Deer Barret, tiffe Sights | 1 Cantleves Rem Choke Deer barrels | ı | ster" | ount, Wingma | Deer Burel, Cantilerra Scope Mount, Wingmaster* 20" Fully Rilled 24557 |
| shaped to follow the curve of the | 1 1 | 39 | 21° Ren" Chokel | 870" outs | , | - | zg2 | 23 Fully Rated |
| Contour Shotguns - The fore Light Contour Model 11-87" sho | ı | 26645 | SP Deer Banel, Cantilever Scope Mount 21 Fully Rifled | 20-gauge 870" Lightweight bands | 54608 | nt. New Conto | 24582 er 5100e Mos | 26 Ram Choke 24582 — |
| Fitting Standard Barrels on | 1 | 2863 | 21 ' Arm Choles? | only 2 % shells when these barrels | ş 1 | 1 1 | | 26 Ren Chois, Light Contour |
| field loads. | 19360 | 39565 | Deer Barrel, Mile Sights | both 2 % and 3" shells only, Use | 1 | l I | 2627 | 30" fem" Choke 28" fem" Choke, Light Contour |
| with a pressure-compensating g | 1 | 23615 | Deer Barrel, Cantlever Scope Mount 21 Fully Rifed | Chambers used on Super Magnum | 1 | ı | ~ | ield Grade, Vent Rib, Wingmaster" 30° Rem" Choke, Light Contour |
| and the state of the formula and | 1 | | | | | | | |

| 17 14 14 15 15 15 15 15 15 | 1-14. 1-14 | Pod. Model 10" cost hamel with 3" Cost hamel | | | 4 | | | | | | | | |
|--|--|--|---------------|--|---|---|---|--|--|--|--|---|----------------------------------|
| 11-ton & Orest 13-ton, | | Moded 10° certs harmed with 31° certs harmed beautiful and 32000. 3 | | Model 11-57 Deer barrets are not equipped with a pressure-compensating gas system, | field loads. | Contour Shatgura — The fore-ends on our Light Contour Model 11-97" shotgura are shaped to follow the curve of the dimmer- | profiled LC barrel, which means that a standard Verit Rib or Deer barrel cannot be littled to your gun unless you do one of two things: | have your LC fore-end wood opened up by a campetent gunschilt or stockmaker, or purchase a standard profile fore-end from our Arms | Service Division by writing tix Arms Service Obvision, Remington Arms Co., P.O. Box 700, Madison, NC 27025-0700 or visit our website | at www.remington.com. 1 Cantierer Rem ' Cholts Dere barnets supplied with improved Cyfloder and Ersended Rilled | Cheke tubes. 2 Null-sighted Rem * Choke Deer berruts supplied | with Ribert and Improved Spinder Chesa Nates, 3 2 VF chember, 4 3 VF, chember | |
| 11-10-10 & OCCOT 13-44, Opt. Mark, Califorer Sope Motal 1915 11-10-10 Mark, Califorer Sope Motal 1915 11-10-10 Mark, Mark 1915 11-10-10 Mark, Mark 1915 11-10-10 Mar | representation of the company of the | Moded 10° cects turned with 31° cects turned with 32.000 cects turned with 32.000 cects turned with 32.000 cects turned with 32° cec | 1942 | 1 | 13567 | 111 | 111 | 11 | 1 1 | 111 | | | 1 |
| One hand, Considered Stope Mount 11 (14) field 12 (14) field 13 (14) field 14 (14) field 15 (14) field 16 (14) field 16 (14) field 17 (14) field 18 (14) field 18 (14) field 19 (14) field 19 (14) field 19 (14) field 19 (14) field 10 (14) field 10 (14) field 10 (14) field 11 (14) field 12 (14) field 13 (14) field 14 (14) field 15 (14) field 16 (14) field 17 (14) field 18 (14) field 18 (14) field 19 (14) field 19 (14) field 10 (14) field 10 (14) field 11 (14) field 12 (14) field 13 (14) field 14 (14) field 15 (14) field 15 (14) field 16 (14) field 17 (14) field 18 (14) field 18 (14) field 19 (14) field 19 (14) field 10 (14) field 10 (14) field 11 (14) field 12 (14) field 13 (14) field 14 (14) field 15 (14) field 15 (14) field 16 (14) field 17 (14) field 18 (14) field 19 (14) field 19 (14) field 10 (14) field 10 (14) field 11 (14) field 12 (14) field 13 (14) field 14 (14) field 15 (14) field 15 (14) field 16 (14) field 17 (14) field 18 (14) field 18 (14) field 19 (14) field 19 (14) field 10 (14) field 10 (14) field 11 (14) field 12 (14) field 13 (14) field 14 (14) field 15 (14) field 15 (14) field 16 (14) field 17 (14) field 18 (14) field 18 (14) field 19 | representation of the company of the | Moded 10° cects turned with 31° cects turned with 32.000 cects turned with 32.000 cects turned with 32.000 cects turned with 32° cec | 13-64 | 29615 | 29423 | 555 | 38627 | 11542 11542 | 33600 | | - 1 | | 34629 |
| | Meded 10°C acts harde with 2°C development and 5°C development of 5°C | 2007. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | LEMEN & CNOKE | Deer Barrel, Cantlever Scope Mount 21" Fully Alfed | Deer Barrel, Mile Sights 21 ' Fully Miled 21 ' Arra" Chobse | SP* Deer Banel, Cantlever Scope Mount 21 * Edity Riled 21 * Edity Riled Cano* 21 * Ban* Cheel | SP Deer Bartel, Mile Sights 21 Rem Choke? 21 Fully folled | 59" Magnum Veet Rib 30" Rem Choke 28" Rem Choke | 26 Arm Cheke Premier Vent Rib 30 Arm Chek Light Contour 30 Arm Chek Light Contour | 28 Ren Chake 26 Ren Chake Light Contour 26 Ren Chake Light Contour Premier Taxon Barrels (2 % Chamber por | see Rem" Choke target BBL note at left) 30" Men" Choka Trap | 3 % CHAMBERS | 23" Rem" Fafy Rited willde Sghts |
| 2013 1144, 1944, 1 | 14-CA. A. New Conto | | | | | | | | | | | | |





Madison, NC – Absent from the bolt-action rimfire market since the mid 1990's when the Model 541-TTM was discontinued from the lineup, Remington is pleased to announce the Model 504 Bolt Action Rimfire Rifle Series. This high-grade, bolt action rimfire rifle will be available in .22LR in early 2004 and will compliment Remington's existing line of rimfire rifle offerings including the Model 597TM Autoloading Series, Model 572TM BDLTM Fieldmaster® and Model 552TM BDLTM Speedmaster®.


The Model 504 features a classic, satin finished American walnut stock with a trim, tapered styling designed with the rimfire shooter in mind. A rubber butt pad provides for ease of mounting and the Model 504 is field-ready with sling swivel studs. Adding to the classic touch is a grip cap medallion featuring a stylized Remington® script "R".

Emphasis on design integrity and quality workmanship is evident in the many features of the new Model 504 rimfire rifle. The receiver is machined from a solid bar of steel with a rear lock-up design and positive bedded action with twin takedown screws. Dual extractors provide for positive feeding from the 6-round, flush mount metal magazine. The Model 504 features a newly designed, fully adjustable trigger group (by Factory or Authorized Repair Center only) and semi-match grade chamber to reduce freebore, enhancing accuracy and allowing for use with a wide variety of .22LR ammunition. The 20-inch clean barrel has a standard sporter contour with 5R button rifling (derived from the Model 40-XR rimfire target rifle), recessed target crown and advanced barrel clamp design that provides a strong action-to-barrel union and allows for after-market customization for competitive shooting. A satin blued finish on all exposed metal parts completes the classic look of the Model 504. The bolt has a 90-degree throw, is field strippable without tools and features a nickel-plated body finish and smooth round ball handle. Drilled and tapped for scope bases, all Model 504 rimfire rifles will be shipped with machined steel, Weaver-style scope bases during the first year of introduction and comes with a cable lock (CA DOJ approved) for safe storage.

Designed in Remington's stand-alone R&D facility in Elizabethtown, Kentucky, and manufactured in Remington's state-of-the-art facility in Mayfield, Kentucky, the Model 504 Rimfire Rifle Series epitomizes Remington's commitment to accuracy, innovative design and quality workmanship. For the dedicated rimfire enthusiast and loyal Remington firearms owner, the Model 504 bolt-action rimfire rifle fills a void in the legendary Remington lineup and will become the Model 700TM of the rimfire world. Available at a suggested retail price of \$710.

(cont'd.)

Remington Arms Company, Inc.




Classically Styled Model 504™ Brings Remington to the Forefront of Bolt-Action Rimfire Rifles (cont'd.)

| Model | 504 Bolt Action Rimfire | | | |
|----------------|-------------------------|--|--|--|
| Action | Bolt Action (.22 LR) | | | |
| BBL Length | 20 inches | | | |
| Overall Length | 39.5 inches | | | |
| Avg. Weight | 6 lbs. | | | |
| Stock Material | American Walnut | | | |
| Stock Finish | Satin | | | |
| BBL Material | Carbon Steel | | | |
| BBL Finish | Satin Blue | | | |

###

Remington Arms Company, Inc.





Madison, NC - Responding to the demands of today's avid hunters and shooters, the Remington® Model 700 CDL (Classic Deluxe) combines the time-proven, reliable action of the Model 700 with classic styling and rugged durability. For 2004, this newest member of the Model 700 family is available in eight calibers ranging from the versatile .243 Win to the non-belted, high performance .300 Remington Ultra Magnum.

Recognized for its legendary performance and accuracy, the Model 700 has a rigid, cylindrical receiver design that adds stiffness and a solid bedding area for the action in the stock. A counterbored bolt face encloses the cartridge head with an unbroken ring of steel, which then fits inside of the barrel chamber, surrounded by the receiver – creating the famous Remington "three-rings-of-steel." This revolutionary design creates an action of unparalleled strength. Combining an impressive lock time, solid construction and advanced design, the Model 700 has earned a reputation for its out-of-the-box accuracy.


The Model 700 CDL provides that same renowned accuracy and reliability in a classically styled, well-designed version. Housed in a straight comb, satin finished American walnut stock with right-handed cheek piece, black fore-end tip and grip cap, this Model 700 provides durability as well as a traditional, classic look. The standard calibers feature a clean 24-inch, carbon steel barrel (26-inch on magnum calibers) and barreled action with satin blued finish. A jeweled bolt body completes the look. The hinged floor plate magazine has a four round capacity in the standard calibers and three round in the magnum calibers. Fit with the revolutionary R3TM Recoil Pad, even the unwelcome "punch" of the high-powered magnums is significantly diminished.


The new Model 700 CDL is a welcomed addition to the extensive family of Remington Model 700 rifles. Caliber offerings for 2004 include .243 Win, 7mm-08 Remington, .270 Win, .30-06 Spfd, 7mm Remington Mag, .300 Win Mag, 7mm Remington Ultra Mag and .300 Remington Ultra Mag. Available at suggested retails ranging from \$709 to \$749.

| Model | 700 CDL | |
|----------------|---|--|
| Action | Bolt/Short, Long & Magnum | |
| BBL Length | 24 inches (Short & Long) 26 inches (Magnum) | |
| Overall Length | 43.625 inches (Short) 44.5 inches (Long) 46.5 inches (Magnum) | |
| Avg. Weight | 7.375 lbs. (Short) 7.5 lbs. (Long) 7.625 lbs. (Magnum) | |
| Stock Material | American Walnut | |
| Stock Finish | Satin | |
| BBL Material | Carbon Steel | |
| BBL Finish | Satin Blued | |

###

Remington Arms Company, Inc.







Remington® Model 700™ LV SF is the Ideal "Tool" for Varmint Hunters

Madison, NC – Dating back to 1967, when the Model 700 BDLTM "Varmint Special" was introduced to today's highly advanced Model 700 EtronXTM system, Remington has responded to the needs of serious varmint hunters and benchrest shooters with a variety of heavy barreled, extremely accurate rifles. Now varmint and predator hunters have an equally accurate, lightweight option designed just for the varmint hunter on the move – the Model 700 LV SF (Light Varmint, Stainless Fluted).

Built on the reliable Model 700 action, the **Model 700 LV SF** weighs in at a mere 6.75 pounds and features a stainless steel, short action receiver that is pillar bedded, a blind box magazine and jeweled bolt. The 22-inch, clean stainless steel barrel has a medium contour (0.657" outside muzzle diameter) and is fluted to reduce overall weight and increase heat dissipation. Adding to the weight reduction is a custom designed, black composite stock featuring a semi-beavertail fore-end, swivel studs and the recoil reducing, R3TM Recoil Pad.

The Model 700 LV SF is offered in four, very popular varmint calibers – the recently reintroduced .221 Remington Fireball, the flat-shooting .17 Remington and the medium to long-range .223 Remington and .22-250 Remington cartridges. Magazine capacity for the .22-250 Rem is four rounds and five for the .221 Rem Fireball, .223 Rem and .17 Rem.

Early introduction of the Model 700 LV SF in the third quarter of 2003 will give varmint hunters a new lightweight, working tool for late fall and spring hunts. Available at a suggested retail price of \$919.

| Model | 700 LV SF | |
|----------------|-----------------|--|
| Action | Bolt/Short | |
| BBL Length | 22 inches | |
| Overall Length | 41.75 inches | |
| Avg. Weight | 6.75 lbs. | |
| Stock Material | Black Composite | |
| Stock Finish | Matte | |
| BBL Material | Stainless Steel | |
| BBL Finish | Satin Stainless | |

###

Remington Arms Company, Inc.



Contact: Linda Powell
Eddie Stevenson
(800) 537-2278 (Press only)

The High Performance of Remington's Short Action Ultra Mags Now Available in the Model 700™ Titanium Magnum

Madison, NC - Pairing the well-designed Model 700 Titanium with the highly efficient, magnum performance of the .300 and 7mm Remington® Short Action Ultra Mag (SAUM) cartridges, results in the "ultimate" lightweight big game, centerfire rifle - the Model 700 Titanium Magnum.

This featherweight, bolt-action Model 700 rifle features a receiver machined from solid Titanium, providing incredible strength at a much lighter weight than standard steel receivers and improved weather resistance. Further weight reduction results from the spiral-cut barrel flutes and skeletonized design of the bolt. A custom designed, lightweight carbon fiber composite stock reinforced with aramid fibers and 24-inch medium magnum contour, 416 stainless steel clean barrel complete this trim profile rifle. These innovative construction features result in an impressive overall weight of 6 3/8 pounds, one pound lighter than steel receiver counterparts. Other features of the Model 700 Titanium include receiver drilled and tapped for scope mounts, sling swivel studs and blind magazine with a two plus one magazine capacity. And to tame the recoil, the **Model 700 Titanium Magnum** features the revolutionary Remington R3TM Recoil Pad that utilizes LimbsaverTM technology.

When it comes to performance, the Remington Short Action Ultra Mag cartridges have set a new standard. Introduced in 2001, the .300 and 7mm Remington SAUM beltless case design provided hunters with velocities and terminal performance that rival comparable long action magnums. The Remington Gold Box Premier® line of SAUM ammunition offers a bullet type and bullet weight appropriate for most North American big game.


The Model 700 Titanium Magnum is at the top of the class of high performance, lightweight rifles with its feather-light feel and incredibly rugged construction. And now partnered with the unparalleled ballistics of the .300 and 7mm Remington Short Action Ultra Mags, the Model 700 Titanium Magnum lives up to its name. Available at a suggested retail price of \$1279.

| Model | 700 Titanium Magnum | |
|----------------|---------------------|--|
| Action | Bolt/Short | |
| BBL Length | 24 inches | |
| Overall Length | 43.625 inches | |
| Avg. Weight | 6.375 lbs. | |
| Stock Material | Composite | |
| Stock Finish | Matte | |
| BBL Material | Stainless Steel | |
| BBL Finish | Satin | |

###

LimbSaverTM is trademark of Sims Vibration Laboratory.

Remington Arms Company, Inc.





2004 Remington® Model 700™ Classic Bolt-Action Rifle Chambered in 8mm Mauser

Madison, NC-Chambered in 8mm Mauser (8x57mmS), the 2004 Model 700 Classic becomes the 24th offering in this Limited Edition series. Recognized as the German military rifle cartridge during both World Wars the 8mm Mauser received little recognition with U.S. hunters, though long a favorite of European hunters and gunmakers. Following World War II, surplus 8mm military rifles in the United States increased the use and popularity of this medium to big game cartridge.

The Model 700 Classic bolt-action rifle features a traditional American walnut, straight-combed "Classic" style stock with low-gloss, satin finish, crisp-cut checkering and swivel studs. Adding to the distinguished appearance of this Model 700 is the clean 24-inch high polished, blued carbon steel barrel and long action receiver. The hinged floor plate magazine has a capacity of four plus one in the chamber. With a twist rate of one turn in 91/2-inches, this Model 700 delivers on-game performance in a classic model that will please even the most discerning collector.

The 8mm Mauser chambering joins a notable list of previous "classic" offerings.


| 1981 | 7mm Mauser (7 x 57 mm) | 1993 | 222 Remington |
|------|------------------------|------|------------------------|
| 1982 | 257 Roberts | 1994 | 6.5 x 55mm Swedish |
| 1983 | 300 H&H Magnum | 1995 | 300 Win. Magnum |
| 1984 | 250-3000 Savage | 1996 | 375 H&H Magnum |
| 1985 | 350 Remington Magnum | 1997 | 280 Remington |
| 1986 | 264 Win. Magnum | 1998 | 8mm Remington Magnum |
| 1987 | 338 Win. Magnum | 1999 | 17 Remington |
| 1988 | 35 Whelen | 2000 | 223 Remington |
| 1989 | 300 Wby. Mag. | 2001 | 7mm-08 Remington |
| 1990 | 25-06 Remington | 2002 | 221 Remington Fireball |
| 1991 | 7mm Wby. Mag. | 2003 | 300 Savage |
| 1992 | 220 Swift | | |

The 2004 Remington Model 700 Classic is available for one year only at a suggested retail price of \$683.

| Model | 700 Classic | |
|----------------|-----------------|--|
| Action | Bolt/Long | |
| BBL Length | 24 inches | |
| Overall Length | 44.5 inches | |
| Avg. Weight | 7.25 lbs. | |
| Stock Material | American Walnut | |
| Stock Finish | Satin | |
| BBL Material | Carbon Steel | |
| BBL Finish | Polished Blue | |
| | | |

###

Remington Arms Company, Inc.



Contact: Linda Powell Eddie Stevenson (800) 537-2278 (Press only)

Fourth Annual Rocky Mountain Elk Foundation Rifle Chambered in Popular .300 Win Mag

Madison, NC - Remington is pleased to announce a fourth edition of the Model 700™ BDL™ SS Rocky Mountain Elk Foundation (RMEF) Camo rifle, chambered in .300 Win Mag for 2004. This special commemorative rifle will feature a laser engraved floorplate recognizing the 20th anniversary of the Elk Foundation. Previous offerings of the Model 700 RMEF rifle have included the .300 Remington® Ultra Mag, 7mm Remington Ultra Mag and .300 Remington Short Action Ultra Mag calibers.

The Model 700 BDL SS RMEF Camo rifle has a weather resistant synthetic stock, fully covered in the Realtree® Hardwoods® Gray HDTM pattern, the official camouflage of the Rocky Mountain Elk Foundation, and is fit with the recoil-taming, Remington R3TM Recoil Pad. The legendary design features of the Model 700 BDL SS include a 416 stainless steel long action receiver and clean 24-inch magnum contour barrel, hinged floor plate with three + one round magazine capacity and receiver drilled and tapped for scope mounts.


The fourth annual Model 700 BDL SS RMEF Camo rifle will be available for one year only at a suggested retail price of \$835. Included with each rifle is a free RMEF membership, courtesy of Remington, and a portion of the sales of this special limited edition rifle will be donated to the Elk Foundation to support their efforts of ensuring the future of elk, other wildlife and their habitat.

| Model | 700 RMEF Camo Bolt/Long Action Magnum | |
|----------------|--|--|
| Action | | |
| BBL Length | 24 inches | |
| Overall Length | 44.5 inches | |
| Avg. Weight | 7.5 lbs. | |
| Stock Material | Camo-Covered Synthetic | |
| Stock Finish | Realtree Hardwoods Gray HD | |
| BBL Material | Stainless Steel | |
| BBL Finish | Satin | |

###

Realtree®, Hardwoods® and Gray HDTM are trademarks of Jordan Outdoors Enterprises, LTD.

Remington Arms Company, Inc.



Contact: Linda Powell
Eddie Stevenson
(800) 537-2278 (Press only)

The Model 673™ Guide Rifle Offered in Two Additional Short Action Calibers for 2004

Madison, NC - Following the resounding introduction of the Model 673 Guide Rifle in .300 Remington® Short Action Ultra Mag and .350 Remington Magnum, Remington is pleased to announce the addition of two new calibers for 2004 – the highly accurate .308 Win and the return of the 6.5mm Remington Magnum.

The distinct appearance of the Model 673 Guide Rifle combined with its easy handling characteristics sets it apart from the competition. This weather resistant, big game rifle features a straight-comb stock with wide laminate strips of alternating dark and light veneers, deep cut checkering and swivel studs. The 22-inch magnum contour barrel has a machined steel ventilated rib with iron sights allowing for quick sight acquisition or the easy addition of a scope with the receiver drilled and tapped for mounts. The magazine has a three plus one round capacity with hinged floor plate.

Pairing this Model 673 Guide Rifle with one of the many Remington Premier® .308 offerings or the newly re-introduced 6.5mm Rem Mag Core-Lokt cartridge, redefines the meaning of short action performance. Available at a suggested retail of \$825.

| Model | 673 Guide Rifle | |
|----------------|-----------------------------|--|
| Action | Bolt/Short | |
| BBL Length | 22 inches | |
| Overall Length | 41.187 inches | |
| Avg. Weight | 7.5 lbs. | |
| Stock Material | Dark and Light Tan Laminate | |
| Stock Finish | Satin | |
| BBL Material | Carbon Steel | |
| BBL Finish | Polished Blue | |

###

Remington Arms Company, Inc.



Contact: Linda Powell
Eddie Stevenson
(800) 537-2278 (Press only)

Remington Adds Magnum Calibers to Model 710™ Offerings

Madison, NC – The highly successful launch of the Model 710 bolt-action rifle in the initial two offerings of .30-06 Spfd. and .270 Win, left the magnum aficionados longing for their version of this affordable centerfire rifle. Remington is pleased to announce the addition of two hard-hitting, magnum calibers for 2004 – the 7mm Remington® Mag and the .300 Win Mag.

The Model 710 Magnum rifle is constructed with a satin blued, 24-inch carbon steel clean barrel that features a unique bolt to barrel lock-up and gray textured, weatherproof synthetic stock. The all steel bolt operates with a 60-degree throw for more efficient cycling and the receiver insert, constructed of nylon-reinforced fiberglass impregnated with Teflon® and silicon, provides self-lubrication. The Model 710 Magnum also features a center-feed, three round capacity, detachable steel magazine that is easily removed for cleaning and loading. Completing the package is a factory bore-sighted, fully water and fog-proof Bushnell® SHARPSHOOTER® 3-9x40 black matte scope and heavy-duty Weaver-style base and rings.

The Model 710 family of bolt-action, centerfire rifles is the result of state-of-the-art engineering design and innovative manufacturing technology, developed at Remington's freestanding R & D facility and assembled at our newest manufacturing site in Mayfield, Kentucky. Delivering the same accuracy and reliability that consumers expect from Remington's line of legendary Model 700TM bolt-action rifles, the **Model 710 Magnum** is an exceptional value for hunters. Available at a suggested retail of \$426.

| Model | 710 Magnum | |
|----------------|----------------|--|
| Action | Bolt/Long | |
| BBL Length | 24 inches | |
| Overall Length | 44.5 inches | |
| Avg. Weight | 7.25 lbs. | |
| Stock Material | Gray Synthetic | |
| Stock Finish | Matte | |
| BBL Material | Carbon Steel | |
| BBL Finish | Satin Blued | |

###

Bushnell® and SHARPSHOOTER® are registered trademarks of Bushnell Teflon® is a registered trademark of DuPont.

Remington Arms Company, Inc.



Contact: Linda Powell
Eddie Stevenson
(800) 537-2278 (Press only)

Model 700™ ADL™ Synthetic Youth Provides Smaller Stature Hunters with a Long Action Option

Madison, NC – The standard Model 700 ADL was originally redesigned in 1998 to a 12 ³/₈-inch length of pull and fit with a shorter 20-inch barrel to provide young hunters and smaller stature adults with their own short action version of Remington's time-proven, rigid Model 700. New for 2004 is the Model 700 ADL Synthetic Youth Long-Action chambered in .270 Win and .30-06. This newly designed bolt-action model is being introduced in conjunction with Remington's exciting new Managed RecoilTM Ammunition offerings for 2004.

The Model 700 ADL Synthetic Youth Long-Action rifle features a durable black synthetic stock with cheekpiece and sling swivel studs with 12 ³/₈-inch length of pull (one inch shorter than standard Model 700 rifles). This long action version features a 22-inch carbon steel barrel equipped with iron sights and the barrel, receiver and bolt are dressed in a matte blued finish. The blind box magazine has a four round capacity.

When young hunters are ready to move up to a big game rifle or adult hunters are looking for a bolt-action rifle that fits, the **Model 700 ADL Synthetic Youth Long Action** rifle provides an affordable, rugged and dependable option. Available at a suggested retail of \$500.


| Model | 700 ADL Synthetic Youth Long Action |
|----------------|--|
| Action | Bolt/Long |
| BBL Length | 22 inches |
| Overall Length | 41.5 inches |
| Avg. Weight | 7.25 lbs. |
| Stock Material | Black Synthetic |
| Stock Finish | Matte |
| BBL Material | Carbon Steel |
| BBL Finish | Matte Blued |

###

Remington Arms Company, Inc.

Press Relations Office – (800) 537-2278 870 Remington Drive, Madison, NC 27025

R 2198751





Popular Model Seven™ Offered in New Youth Synthetic Version

Madison, NC – Introduced in 1983, the Model Seven short action rifle has long been a standard in the Remington® family of bolt-action rifles for its accuracy, precision balance and easy-handling characteristics. New for 2004 is the Model Seven Youth Synthetic rifle, available in three offerings - .223 Remington, .243 Win, and 7mm-08 Remington. The ideal pairing of firearm and caliber for small to medium-sized game in a rifle designed specifically for smaller stature shooters.

The Model Seven Youth Synthetic rifle is housed in a newly designed, charcoal gray synthetic stock that features unique texturing in the grip and fore-end areas rather than traditional checkering. These textured areas allow for a more comfortable grip and easier handling. Fit with the revolutionary Remington R3TM Recoil Pad which utilizing a three-step process designed by Sims Vibration Laboratory, the R3 Recoil Pad absorbs both noise and vibration and redirects that energy outward, not directly back into the shoulder of the shooter, making this Model Seven a pleasure to shoot with noticeably less felt recoil. The 20-inch carbon steel barrel with iron sights has a satin blued finish, as does the carbon steel receiver, which is drilled and tapped for scope mounts. The hinged floor plate magazine has a five round capacity in .223 Remington and a four round capacity in the other caliber offerings.

Smaller stature adults and youth now have the legendary action and exceptional accuracy of the Model 700TM in a compact design – the **Model Seven Youth Synthetic** rifle. Available at a suggested retail of \$547.

| Model | Seven Synthetic Youth |
|----------------|-----------------------|
| Action | Bolt/Short |
| BBL Length | 20 inches |
| Overall Length | 38.25 inches |
| Avg. Weight | 6.25 lbs. |
| Stock Material | Gray Synthetic |
| Stock Finish | Matte |
| BBL Material | Carbon Steel |
| BBL Finish | Satin Blue |

###

Remington Arms Company, Inc.



Remington's Model 332™ O/U Undergoes a Cosmetic Update

Madison, NC - Following the successful "rebirth of a classic" - the Model 332 Over/Under 12-gauge shotgun in 2002, Remington is pleased to announce an enhanced version featuring a "dressed up" appearance and traditional engraving design. The new Model 332 O/U High Gloss will begin shipping in late 2003 and delivered at no additional cost at the consumer level.

Listening to the requests of our customers, the Remington® Model 332 O/U now features a stylish, high gloss American walnut stock and fore-end with the generous 20-line per inch checkering pattern. The high quality appearance of the wood compliments the new high polished, blued finish on the metalwork – a look that is demanded by today's discriminating shotgun purchaser. Adding to the material-finishing enhancements is a fine, detailed engraved design directly inspired by an "F" grade Model 32TM built in 1938. The original "Pointer" and "Setter" remain on the receiver and are now encircled in an oval of fine scrollwork. The heritage of this new engraving design adds to the value and appeal of this cosmetically enhanced version of the Model 332.

Manufactured with a durable under lock, modified box lock action, the Model 332 O/U has a low profile for ease of loading and the feel of a side-by-side without sacrificing strength. Adding to its reliability, the Model 332 features a mechanical set trigger, well-designed safety/barrel selector and standard automatic ejectors. The light-contour, vent rib barrels are constructed of a high-strength, chrome-moly steel, enhancing its sturdiness and balance. The Model 332 is available in 26, 28 and 30-inch barrel lengths with the versatile RemTM Choke system.


These product enhancements combined with the durable manufacturing design of the Model 332 reflects the commitment of Remington to deliver the finest, high quality firearms in the industry.

Available at a suggested retail price of \$1624.


| Model | 332 Over/Under High Gloss | | |
|---------------------|---|----------------|---|
| Gauge BBL Length | 12 (3 inch) 26 inches 28 inches | Overall Length | 42.75 inches 45 inches 47.25 inches |
| | 30 inches | Length of Pull | 14 inches |
| Barrel Type | Light Contour Vent Rib Rem™ Choke | Drop (Comb) | 1.437 inches |
| | | Drop (Heel) | 2.125 inches |
| | | Stock Material | American Walnut |
| Sights | Twin Bead | Stock Finish | High Gloss |
| Metal Finish | High Polished Blued | Avg. Weight | 7.5 lbs. 7.75 lbs 8 lbs. |

###

Remington Arms Company, Inc.







Contact: Linda Powell
Eddie Stevenson
(800) 537-2278 (Press only)

Second Limited Edition Model 11-87™ Premier® to Honor Dale Earnhardt

Madison, NC - In 2003 Remington recognized a true friend and outdoorsman, Dale Earnhardt, with the introduction of a Model 11-87 Dale Earnhardt Tribute shotgun in 12 gauge. Continuing this commemorative four-year series, Remington is pleased to announce the Limited Edition 20 gauge Model 11-87 Premier Dale Earnhardt Tribute shotgun for 2004.

Earnhardt's love of the shooting sports and his achievements in the world of NASCAR racing are captured on this special edition Model 11-87 Premier and as a gesture of respect, Remington will donate a portion of each sale generated from this shotgun to the Dale Earnhardt Foundation. This charitable foundation supports wildlife initiatives and children's educational programs, two of Earnhardt's favorite causes.

The Dale Earnhardt Tribute shotgun is a 20 gauge, 3-inch autoloading Model 11-87 Premier featuring a 28-inch, light contour RemTM Choke vent rib barrel and American walnut stock and fore-end with high gloss finish and cut checkering. Engraved on the polished blue, highly embellished receiver are Earnhardt's likeness, his signature and scrollwork on the left side with a "7 Time Winston Cup Champion" tributary banner on the right side. The signature and banner are inlayed in 24 karat gold. The special series of serial numbers on this commemorative Model 11-87 will start with "DE3".

The Model 11-87 Dale Earnhardt Tribute Limited Edition 20 gauge shotgun, the second in a four-year series, is available at a suggested retail of \$972

| Model | 11-87 Dale Earnhardt Tribute | |
|----------------|--|--|
| Gauge | 20 (3-inch) | |
| Mag. Capacity | 4 | |
| BBL Length | 28 inches | |
| Barrel Type | Light Contour Vent Rib Rem™ Choke (Full, Mod & IC) | |
| Sights | Twin Bead | |
| Metal Finish | High Polished Blued | |
| Overall Length | 48.25 inches | |
| Length of Pull | 14 inches | |
| Drop (Comb) | 1.5 inches | |
| Drop (Heel) | 2.5 inches | |
| Stock Material | American Walnut | |
| Stock Finish | Gloss | |
| Avg. Weight | 7 lbs. | |

###

Remington Arms Company, Inc.



Contact: Linda Powell
Eddie Stevenson
(800) 537-2278 (Press only)

The Remington® Model 11-87™ SPS™ Waterfowl Camo Shotgun is Specially Equipped for Waterfowl Hunters

Madison, NC - Today's hunters want a firearm designed with their specific hunting needs in mind. The new Model 11-87 SPS Waterfowl Camo 12 gauge, 3-inch autoloading shotgun joins Remington's extensive line of specialty, high performance shotguns and rifles.

Concealment is a must for the serious waterfowl hunter and this Model 11-87 Special Purpose Synthetic (SPS) Waterfowl Camo shotgun is fully covered with Mossy Oak® New ShadowgrassTM camouflage pattern. The rugged, weather resistant synthetic stock and fore-end are equipped with sling swivel studs and a durable nylon sling is included. The 28-inch, vent rib camo barrel features the versatile RemTM Choke system with Improved Cylinder, Modified and Full steel choke tubes included. Features designed for the waterfowl shooter include a new fast-loading, lengthened carrier assembly for quick reloading; the high performance Remington R3TM Recoil Pad which tames the recoil of even the hardest-hitting, magnum loads; and a light-gathering Hi-Viz® fiber optic front sight assembly with interchangeable light elements included. Adding to its versatility, this 12-gauge autoloader handles 2 3/4 and 3-inch shells providing for use of a variety of steel and non-toxic loads.


When you combine high performance, durability and less recoil with the reliability of Remington's Model 11-87 autoloading shotguns, ducks and geese don't stand a chance. The new fully camouflaged Model 11-87 SPS Waterfowl shotgun is available at a suggested retail of \$926.

| Model | 11-87 SPS Waterfowl Camo | | |
|----------------|--|--|--|
| Gauge | 12 (2 ³ / ₄ or 3-inch) | | |
| Mag. Capacity | 4 | | |
| BBL Length | 28 inches | | |
| Barrel Type | Vent Rib Rem™ Choke (Full, Mod & IC) | | |
| Sights | Hi-Viz Fiber Optic | | |
| Metal Finish | Mossy Oak New Shadowgrass | | |
| Overall Length | 48.25 inches | | |
| Length of Pull | 14 inches | | |
| Drop (Comb) | 1.5 inches | | |
| Drop (Heel) | 2.5 inches | | |
| Stock Material | Synthetic Stock | | |
| Stock Finish | Mossy Oak New Shadowgrass | | |
| Avg. Weight | 8.25 lbs. | | |

###

Mossy Oak® and New Shadowgrass™ are trademarks of Haas Outdoors, Inc. Hi-Viz® is a trademark of North Pass, Ltd.

Remington Arms Company, Inc.





Model 1100™ Classic Field Available in 20 gauge for 2004

Madison, NC - Extending the line of Model 1100 Classic Field shotgun offerings, Remington is pleased to announce the return of the 20-gauge version for 2004. These handsomely styled, low-recoiling autoloading shotguns offer the same reliability as our target grade shotguns in an easy-handling field gun.


The Model 1100 Classic Field 20-gauge autoloader has a gloss-finished, American walnut classic styled stock and fore-end that are complimented by traditional cut checkering. Designed for the upland hunter, the Model 1100 Classic Field features a light contour 26-inch vent rib, RemTM Choke barrel. The non-embellished carbon steel receiver and barrel have a traditional high polished blue finish. Completing the classic look are the White Diamond grip cap, white line spacers, butt plate and Classic Field roll mark.

Joining the 16-gauge version that was reintroduced in 2003, the Model 1100 Classic Field in 20-gauge offers upland hunters and small game hunters the classic handling and low-recoiling features of our most popular autoloading shotgun. Available at a suggested retail of \$765.

| Model | 1100 Classic Field | |
|----------------|---|--|
| Gauge | 12 (2 ³ /4-inch) | |
| Mag. Capacity | 4 | |
| BBL Length | 26 inches | |
| Barrel Type | Vent Rib Rem™ Choke (Full, Mod & IC) | |
| Sights | Single Bead | |
| Metal Finish | High Polished Blued | |
| Overall Length | 46.75 inches | |
| Length of Pull | 14 inches | |
| Drop (Comb) | 1.5 inches | |
| Drop (Heel) | 2.5 inches | |
| Stock Material | American Walnut | |
| Stock Finish | Gloss | |
| Avg. Weight | 6.75 lbs. | |

###

Remington Arms Company, Inc.





Contact: Linda Powell
Eddie Stevenson
(800) 537-2278 (Press only)

Remington Expands Model 1100™ Tournament Skeet Line

Madison, NC – Remington's rich tradition of building quality shotguns combined with the Model 1100 autoloader's long history on the skeet fields sets the Model 1100 Tournament Skeet apart from the competition. Joining the 12-gauge version for 2004 is the Model 1100 Tournament Skeet 20 shotgun designed to be "at home on the range".


The soft-recoiling Model 1100 Tournament Skeet 20 features a semi-fancy American walnut stock and fore-end with distinct cut checkering, finished in a lustrous high gloss. The 26-inch light target, vent rib barrel has Bradley white bead front and steel mid bead sights. Extended target choke tubes (Skeet and Improved Cylinder) are supplied with the Tournament Skeet line of shotguns. The receiver and barrel have a high polished blued finish and adding to the classic look is the gold-plated trigger and Tournament Skeet roll mark on the receiver.

This competition 20 gauge Model 1100 combines the elegant look of the Remington® sporting-grade line of shotguns with the low recoil and easy-handling characteristics of our best-selling autoloader. The Model 1100 Tournament Skeet 20 is available at a suggested retail of \$868.

| Model | 1100 Tournament Skeet | | |
|----------------|--|--|--|
| Gauge | 12 (2 ³ /4-inch) | | |
| Mag. Capacity | 4 | | |
| BBL Length | 26 inches | | |
| Barrel Type | Vent Rib Rem TM Choke (Skeet & Imp Skeet) | | |
| Sights | Twin Bead Target Sights | | |
| Metal Finish | High Polished Blued | | |
| Overall Length | 46.75 inches | | |
| Length of Pull | 14 inches | | |
| Drop (Comb) | 1.5 inches | | |
| Drop (Heel) | 2.5 inches | | |
| Stock Material | Semi-Fancy American Walnut | | |
| Stock Finish | High Gloss | | |
| Avg. Weight | 6.75 lbs. | | |

###

Remington Arms Company, Inc.



Contact: Linda Powell
Eddie Stevenson
(800) 537-2278 (Press only)

Model 1100™ Sporting 28 Redesigned for Optimum Performance

Madison, NC – Designed with the serious clay target shooter in mind, the Remington® family of Model 1100 Sporting shotguns matches competition-style performance with the classic styling and beauty of our high-grade line of sporting shotguns. Responding to the comments of competitive shooters, the Model 1100 Sporting 28 will be offered with a new 27-inch barrel length in 2004.

As with all members of the Remington line of sporting shotguns, the Model 1100 Sporting 28 is finely crafted with a semi-fancy American walnut stock and fore-end enhanced with cut checkering and beautiful high gloss finish. Complimenting the handsome wood stock is a high polished, deep blue finish on all exposed metal and gold trigger. This 28-gauge, autoloading shotgun has a 27-inch vent rib, RemTM Choke barrel that provides better balance and the smooth handling characteristics required for target shooting. The barrel comes equipped with standard twin bead sights and Skeet, Improved Cylinder, Light Modified and Modified choke tubes are included.

A long-standing favorite on the range and in the field, the soft-recoiling Model 1100 autoloader is designed for the challenges on the sporting clays course or the challenges of an opening day dove field. The **Model 1100 Sporting 28** with 27-inch barrel is available at a suggested retail of \$901.

| Model | 1100 Sporting 28 |
|----------------|---|
| Gauge | 28 (2 ³ / ₄ -inch) |
| Mag. Capacity | 4 |
| BBL Length | 27 inches |
| Barrel Type | Vent Rib Rem™ Choke (Skeet, IC, Light Mod & Mod) |
| Sights | Twin Bead Target Sights |
| Metal Finish | High Polished Blued |
| Overall Length | 47.75 inches |
| Length of Pull | 14 inches |
| Drop (Comb) | 1.5 inches |
| Drop (Heel) | 2.5 inches |
| Stock Material | Semi-Fancy American Walnut |
| Stock Finish | High Gloss |
| Avg. Weight | 6.75 lbs. |

###

Remington Arms Company, Inc.



New 20-Gauge Model 870™ Slug Gun Gives Deer Hunters an Ultra-Light, High Performance Option

Madison, NC - With the introduction of newer, high performance 20-gauge slug loads, Remington now offers hunters the choice of a lower-recoiling, lightweight 20-gauge magnum shotgun – the Model 870 SPSTM (Special Purpose Synthetic) 20-Gauge Deer shotgun. Slug performance in 20 gauge shotguns is no longer an issue in the woods.


The Model 870 SPS 20 Gauge Deer shotgun features a weather defying, black synthetic stock and fore-end equipped with sling swivel studs. A black nylon sling is included making this shotgun ready to take afield. This easy-handling 20-gauge pump action is capable of handling 3-inch magnum slug loads and the 18 1/2-inch fully rifled barrel maximizes the performance of today's slug loads. Fit with the new R3TM Recoil Pad, designed by Sims Vibration Laboratory, the felt recoil of this lightweight pump gun is significantly reduced. For the convenience of adding a scope, the Model 870 SPS Deer gun features a cantilever scope mount, which accepts Weaver-style rings.


The combination of the venerable Model 870 action, the rugged features of our Special Purpose Synthetic shotguns and the newly introduced Remington® 20-gauge BuckHammerTM slug loads delivers rifle-like accuracy in a lightweight, great-handling 20 gauge pump action. The Model 870 SPS 20 Gauge Deer shotgun is available at a suggested retail of \$580.

| Model | 870 SPS 20-Gauge Deer |
|----------------|----------------------------|
| Gauge | 20 (3-inch) |
| Mag. Capacity | 4 |
| BBL Length | 18.5 inches |
| Barrel Type | Fully Rifled Cantilever |
| Sights | |
| Metal Finish | Matte Black |
| Overall Length | 39.5 inches |
| Length of Pull | 14 inches |
| Drop (Comb) | 1.5 inches |
| Drop (Heel) | 2.5 inches |
| Stock Material | Black Synthetic |
| Stock Finish | Matte |
| Avg. Weight | 6.25 lbs. |

###

Remington Arms Company, Inc.







Remington Offers New Factory Extra Barrels for the Model 870™

Madison, NC – Remington is proud to announce two additions to their factory extra barrel offerings with the introduction of a 16-gauge Deer Barrel for the Model 870 Wingmaster® and a 12-gauge, 30-inch barrel for the Model 870 Express®.

Model 870 Wingmaster 16-Gauge Deer Barrel - With over 175,000 16-gauge Model 870 Wingmasters in circulation, deer hunters have not had a readily available slug barrel until now. With the addition of a 20-inch smooth bore barrel equipped with adjustable rifle sights, hunters can utilize 16-gauge Foster-Style slugs. For improved accuracy with slugs, this extra barrel features the RemTM Choke system with an Improved Cylinder and Rifled (1:34 twist rate) choke tubes included. Suggested retail: \$197.

Model 870 Express 12-Gauge 30-Inch Vent Rib Barrel – With this first-time 30-inch offering in our line of Express barrels, Model 870 owners can update their pump action shotgun for improved performance in the duck blind or at the gun club. This Express extra barrel features a black matte finish, vent rib and Rem™ Choke system. A 12-gauge Modified choke tube is supplied. Suggested retail: \$179.

Remington offers an extensive line of Factory Authorized Parts and Accessories, so when it is time to update your Remington® firearm or for added versatility, visit your dealer for a complete listing of Genuine Remington Factory Authorized Parts.

###

Remington Arms Company, Inc.



Contact: Linda Powell

Eddie Stevenson
(800) 537-2278 (Press only)

Remington® Managed-Recoil™ – Half the Recoil, Twice the Confidence

Madison, NC – Shooters of all ages and experience levels can be intimidated by the recoil of many of today's rifle cartridges. Nothing degrades accuracy and confidence quite like severe recoil. Remington has met this challenge with a series of "Managed-Recoil" centerfire rifle ammunition offerings for 2004.

Now shooters of all experience levels can spend time on the range without the discomfort of stiff recoil. With recoil less than half that of standard loadings, Remington's Managed-Recoil line offers young shooters the ability to enjoy shooting and hunting without the anxiety o frecoil anticipation. Imagine firing a 30-06 Springfield with the felt recoil of a standard 243Win. That's exactly the type of recoil reduction delivered by Remington's Managed-Recoil ammunition.

Not only are Managed-Recoil loads a pleasure to shoot on the bench, they are deadly performers on game. Each load features a Core-Lokt® bullet that has been optimized for reliable 2x expansion, 85% weight retention and at least 1100 ft-lbs of energy out to 200 yards. Managed-Recoil loads provide the accuracy, game dropping energy and confidence needed for deer-sized game.


Whether you're an experienced shooter seeking more enjoyment at the bench, or you're introducing a newcomer to the world of shooting and hunting, Remington's new Managed-Recoil offerings will take you to the next level of performance with comfort, confidence, and superb on-game results.

Remington® Managed-Recoil™ 2004 offerings:

| Cartridge | Bullet Style | Bullet Weight | |
|-------------------|----------------|---------------|--|
| 270 Win | PSP, Core Lokt | 115 grain | |
| 30-06 Springfield | PSP, Core Lokt | 125 grain | |
| 7mm Remington Mag | PSP, Core Lokt | 140 grain | |

###

Remington Arms Company, Inc.





Contact: Linda Powell
Eddie Stevenson
(800) 537-2278 (Press only)

Remington® Teams Up with the U.S. Military to Produce the 6.8mm Remington SPC

Madison, NC – In a joint effort to develop a centerfire rifle cartridge with greater medium range capability and effectiveness than standard 5.56 x 45mm, the US Military has collaborated with Remington to produce the 6.8mm Remington SPC.


The 6.8mm Remington SPC is an intermediate length rifle cartridge based on the 30 Remington case. Designed to function in M4/M16 type rifles, the 6.8mm Remington SPC was specifically developed to provide increased reliability, incapacitation, and accuracy not only at close quarters combat distance, but ranges out to 500 meters.

The 6.8mm Remington SPC, (Special Purpose Cartridge) will be offered in three versions for 2004, including Remington's new Premier® Match, line of ammunition. The 115 grain MatchKing® BTHP bullet will deliver a muzzle velocity of 2800 fps and 2002 ft-lbs of energy while providing low felt recoil and 1 MOA accuracy at 100 yards. The 6.8mm Remington SPC will also be available in both BTHP and Metal-Case 115 grain versions.

###

MatchKing® is a registered trademark of Sierra Bullets.

Remington Arms Company, Inc.





6.5 Remington® Magnum -One of the Original Short Action Magnums


Madison, NC - Remington has reintroduced the 6.5mm Remington Magnum, one of the original short action magnum cartridges. Based on a necked-down version of the .350 Remington Magnum case (the original short action magnum), it was indeed a cartridge with performance advantages offered well ahead its time. Now, hunters and shooters can again enjoy the superior ballistic performance of the legendary 6.5mm Remington Magnum.


New for 2004, the 6.5mm Remington Magnum will be offered in the Express® Core-Lokt® 120 grain PSP bullet. The Core-Lokt bullet exhibits controlled 2x expansion with 75% weight retention, perfect for medium sized big-game. With a muzzle velocity of 3210 fps, the 6.5mm Remington Magnum rivals existing long action cartridges in trajectory and terminal performance. With a sight-in of just 2.7 inches high at 100 yards, the 6.5mm Remington Magnum strikes just 3.5 inches low at 300 yards while the 120 grain Core-Lokt bullet retains nearly 1000ft-lbs of energy at 500 yards.

As the perfect partner for the new offering, Remington has unveiled the Model 673TM Guide Rifle chambered in 6.5mm Remington Magnum. This classic combination will surely peak the interest of big-game hunters seeking true magnum performance, in a short action platform.

###

Remington Arms Company, Inc.





Contact: Linda Powell

Eddie Stevenson
(800) 537-2278 (Press only)

Remington® GOLD BOX™ Unsurpassed Accuracy, Devestating Knock-Down Power

Madison, NC – Remington, the world leader in centerfire rifle hunting ammunition, has introduced the most advanced line of ammunition available today. Remington Gold Box is comprised of three premier rifle ammunition products available exclusively from Remington. Core-Lokt® Ultra, Scirocco™ Bonded, and AccuTip™ form the Remington Gold Box line and are nothing short of revolutionary. The result of extensive research and development and meticulous loading practices, Remington Gold Box provides discriminating hunters with custom-load performance right out of the box. From unsurpassed accuracy to optimal expansion and weight retention, Remington has a Gold Box product uniquely suited to meet the needs of the most demanding hunting conditions.

• Premier Core-Lokt Ultra

The Remington CoreLokt Ultra sets a new standard of accuracy in a bonded hunting bullet. This bullet is so well designed, it is the first in over 65 years to be named after the most trusted product in big-game hunting ammunition, Core-Lokt. The phenomenal performance of the Core-Lokt Ultra bonded bullet is the result of over 2 years of research and development. It is designed to provide sub-minute-of angle accuracy with up to 95% weight retention to solidly anchor game in their tracks. Remington's proprietary bonding process metallurgically locks the copper jacket to the lead core, ensuring absolute reliability on game. The proprietary process also eliminates voids in the core and guarantees accuracy while providing maximum knock-down power. From 50 to 400 yards you can expect up to 95% weight retention with nearly 2x original diameter expansion. You can count on superior accuracy with absolute reliability.

• Premier Scirocco Bonded

There is only one chance to be the original, the first. The Scirocco is the original bonded polymer tipped bullet. Loaded exclusively by Remington, this is the first bullet to combine the great ballistic performance of a polymer-tipped design with the reliable performance of a bonded bullet. The high ballistic co-efficient of this sleek, tipped bullet with a boattail base profile provides super flat trajectories and high down range energy for superior on-game results. The heavy-based boattail jacket is bonded to the lead core to preserve bullet integrity for over 75% weight retention at all velocities, including the punishing impact velocities of the 300 Remington Ultra Mag. The Scirocco Bonded is an excellent choice for big-game at all hunting distances.

• Premier AccuTip

Remington originated the tipped bullet design with Bronze Point® and continues that tradition with a 21st century design in AccuTip. It is the most accurate rapid expansion polymer-tipped boattail bullet available. In-house testing demonstrated up to a 20% accuracy improvement when evaluated against other popular polymer-tipped bullets. The AccuTip delivers laser flat trajectories with greater down-range energy due to the exceptionally high ballistic co-efficient and boattail base. The distinctive gold colored tip initiates expansion for immediate energy transfer, while the copper jacket is designed to limit over-expansion. It is a superb choice for hunting deer-sized game, especially at longer ranges.

###

Remington Arms Company, Inc.



Remington® Premier® Core-Lokt® Ultra The New Standard of Accuracy In Bonded Hunting Bullets

Madison, NC – Following a tremendously successful introduction, the Remington Core-Lokt Ultra has established itself as the most accurate bonded hunting bullet available. Holding the top seat in our line of Gold Box ammunition, Premier Core-Lokt Ultra offers hunters the unique combination of excellent accuracy, superb weight retention and expansion with superior terminal results. For 2004, the Remington Premier Core-Lokt Ultra ammunition line has been expanded to include seven new offerings ranging from the 25-06 Remington on up to the 338 Win Mag.


Premier Core-Lokt Ultra high-performance bullets feature a lead core that is metallurgically adhered to a progressively tapered, 20 percent heavier jacket that delivers controlled expansion over a wide range of velocities. Its increased Core-Lokt section provides controlled 1.8X expansion with deep penetration and 95% weight retention. Remington Core-Lokt Ultra features all the qualities of a true high performance hunting bullet, while providing outstanding minute of angle accuracy previously unheard of in a bonded bullet. Remington Core-Lokt Ultra ammunition is built to anchor big-game in its tracks with superior accuracy and absolute reliability.


Remington® Premier® Core-Lokt® Ultra offerings for 2004:


| | C | D-II-4 C4-1- | D-11-4 3W-5-L4 |
|-----|-------------------------------|----------------------|----------------|
| | Cartridge | Bullet Style | Bullet Weight |
| | 243 Win | PSP, Core-Lokt Ultra | 100 grain |
| New | 25-06 Remington | PSP, Core-Lokt Ultra | 115 grain |
| New | 260 Remington | PSP, Core-Lokt Ultra | 140 grain |
| | 270 Win | PSP, Core-Lokt Ultra | 140 grain |
| | 7mm Remington Mag | PSP, Core-Lokt Ultra | 140 grain |
| | 7mm Remington Mag | PSP, Core-Lokt Ultra | 160 grain |
| | 7mm Remington SA Ultra Magnum | PSP, Core-Lokt Ultra | 140 grain |
| New | 7mm Remington SA Ultra Magnum | PSP, Core-Lokt Ultra | 160 grain |
| | 7mm Remington Ultra Magnum | PSP, Core-Lokt Ultra | 140 grain |
| | 30-06 Springfield | PSP, Core-Lokt Ultra | 150 grain |
| New | 30-06 Springfield | PSP, Core-Lokt Ultra | 168 grain |
| | 30-06 Springfield | PSP, Core-Lokt Ultra | 180 grain |
| New | 300 Win Mag | PSP, Core-Lokt Ultra | 150 grain |
| | 300 Win Mag | PSP, Core-Lokt Ultra | 180 grain |
| | 308 Win | PSP, Core-Lokt Ultra | 150 grain |
| | 308 Win | PSP, Core-Lokt Ultra | 180 grain |
| | 300 Remington SA Ultra Mag | PSP, Core-Lokt Ultra | 150 grain |
| New | 300 Remington SA Ultra Mag | PSP, Core-Lokt Ultra | 180 grain |
| | 300 Remington Ultra Magnum | PSP, Core-Lokt Ultra | 180 grain |
| New | 338 Win Mag | PSP, Core-Lokt Ultra | 225 grain |

###

Remington Arms Company, Inc.







Contact: Linda Powell Eddie Stevenson (800) 537-2278 (Press only)

Remington® Premier® AccuTip™ The Most Accurate Rapid-Expansion Bullet Available

Madison, NC - Remington's Premier AccuTip line of Gold Box ammunition has expanded to include popular varmint cartridges. AccuTip-V offerings boast all the performance advantages of Premier AccuTip with the explosive expansion needed in high performance varmint calibers.

Remington Premier AccuTip ammunition features a precision engineered polymer tipped bullet that is designed for sub minute-of-angle accuracy and rapid expansion. The tip and sleek profile produce an extremely high ballistic coefficient that flattens trajectory and preserves down range energy while the copper jacket is specifically constructed, under a proprietary manufacturing process, to deliver rapid expansion on impact.


Premier AccuTip hits the mark with match grade precision and extremely flat trajectory. These performance characteristics, coupled with superior down-range energy and expansion, make it the perfect choice for serious hunters and target shooters alike.


Remington® Premier® AccuTip™ offerings for 2004:

| Cartridge | Bullet Style | Bullet Weight | |
|------------------------|--------------|---------------|--|
| 17 Remington | Varmint | 20 grain | |
| 221 Remington Fireball | Varmint | 50 grain | |
| 222 Remington | Varmint | 50 grain | |
| 223 Remington | Varmint | 50 grain | |
| 223 Remington | Varmint | 55 grain | |
| 22-250 Remington | Varmint | 50 grain | |
| 243 Win | Varmint | 75 grain | |

###

Remington Arms Company, Inc.





Contact: Linda Powell Eddie Stevenson (800) 537-2278 (Press only)

Remington® Announces Premier® Match Ammunition

Madison, NC - Serious rifle shooters, both law enforcement and civilian, have put their trust and confidence in Remington factory-loaded match ammunition to provide precision, sub minute-of-angle accuracy for the ultimate in duty, training and competition. In keeping with that well-earned reputation, Remington has again set a new standard with the unveiling of Remington Premier Match ammunition.

Remington Premier Match ammunition combines Sierra's renowned MatchKing® bullets with the most stringent loading methods available today, to deliver true match-grade accuracy with absolute lot to lot consistency.

Not only does Remington Premier Match cover the classic 223 Remington and 308 Win. cartridges, Premier Match sets the standard for the new, Remington exclusive, 6.8mm Remington SPC (Special Purpose Cartridge) and the 300 Remington Short Action Ultra Magnum. Available only from Remington, the Premier Match version of the 300 Remington Short Action Ultra Magnum provides shooters with velocities and energies previously only available in a long action magnum platform. These inherently accurate short action cartridges provide for quick second shot follow-ups with less felt recoil than standard long action magnums.

Remington® Premier® Match offerings for 2004:

| | Cartridge | Bullet Style | Bullet Weight |
|-----|----------------------------|-----------------|---------------|
| | 223 Remington | Hollow Point | 62 grain |
| New | 6.8mm Remington SPC | MatchKing® BTHP | 115 grain |
| | 308 Win. | MatchKing® BTHP | 168 grain |
| New | 300 Win. Mag | MatchKing® BTHP | 190 grain |
| New | 300 Remington SA Ultra Mag | MatchKing® BTHP | 190 grain |

###

MatchKing® is a registered trademark of Sierra Bullets

Remington Arms Company, Inc.



Contact: Linda Powell
Eddie Stevenson
(800) 537-2278 (Press only)

Remington® Managed-Recoil™ Shotshell Ammunition – Comfort, Confidence and Performance

Madison, NC – In the hunting and shooting world, nothing is more important than proper training and confidence in your firearms and ammunition. On the other hand, nothing degrades confidence and proper training quite like harsh recoil and the effects of recoil anticipation. Remington has met this challenge with a series of Managed-Recoil ammunition products.

In 2004, Remington Managed-Recoil ammunition will be available in both 12 gauge rifled slug and buckshot offerings. Boasting an amazing 40% reduction in felt recoil versus standard loads, Remington Managed-Recoil shotshell ammunition adds a whole new dimension to practice is cesssions and actual in-the-field hunting applications. Whether you're training a youngster or you're an experienced hunter just wanting to tame down the recoil a bit, Remington Managed-Recoil ammunition will get the job done without the stiff recoil normally associated with 12 gauge slug and buckshot loads.

Even though Remington Managed-Recoil loads are a pleasure to shoot, they are still completely effective on big game out to standard shotgun ranges. With a muzzle velocity of 1200 fps in each load, the 12ga 1oz foster slug remains effective out to 100 yards while the tight patterning, 9-pellet 00 buckshot load remains deadly out to 45 yards.

Remington Managed-Recoil shotshell ammunition is the first commercial line of effective low recoil big game ammunition. In the hunting world, practice and confidence lead to success and Remington Managed-Recoil ammunition makes it easy to accomplish both.

Remington® Managed-Recoil™ offerings for 2004:

Slugger® Managed-Recoil™ Rifled Slug

| Gauge | Shell Length | Dram Equiv. | Velocity | Payload | Slug Type |
|----------|--------------|-------------|----------|---------|-------------|
| 12 gauge | 2 3/4" | 3 | 1200 fps | 1 oz | Rifled slug |

Express® Managed-RecoilTM Buckshot

| Gauge | Shell Length | Dram Equiv. | Velocity | Payload | Slug Type |
|----------|--------------|-------------|----------|----------|-----------|
| 12 gauge | 2 3/4" | 3 | 1200 fps | 9 Pellet | 00 Buck |

###

Remington Arms Company, Inc.



Contact: Linda Powell
Eddie Stevenson
(800) 537-2278 (Press only)

Remington® BuckHammer™ – The Most Devastating Lead Sabot Slug - Now Available in 20 Gauge and 12 Gauge 3"

Madison, NC – The introduction of the Remington BuckHammer in 2003 created a renewed excitement for lead shotgun slugs in the minds of serious slug hunters. The BuckHammer's unique design and performance characteristics set it apart from all other lead shotgun slugs. New for 2004, Remington now proudly offers the BuckHammer in both 20ga. 2 3/4", 1oz. and 12ga. 3," 1 3/8 oz. versions.

The Remington BuckHammer lead shotgun slug combines the devastating knockdown power of a full bore diameter lead slug with unsurpassed accuracy. When used in conjunction with a fully rifled barrel, the Remington BuckHammer slug delivers 3" or better groups at 100 yards.


This specialized Remington slug system with its uniquely engineered BuckHammer slug delivers outstanding accuracy, near 100% weight retention and controlled expansion to nearly 1 inch in diameter. These attributes combine to produce the most devastating lead shotgun slug available to hunters today.

Remington® BuckHammerTM offerings for 2004:

| | Gauge | Shell Length | Wt. Slug | Muzzle Velocity | Muzzle Energy |
|-----|----------|--------------|----------------------------------|-----------------|---------------|
| | 12 gauge | 2 3/4" | 1 ¹ / ₄ oz | 1500 fps | 2935 ft-lbs |
| New | 12 gauge | 3'' | 1 3/8 oz | 1500 fps | 3007 ft-lbs |
| New | 20 gauge | 2 3/4" | 1 oz | 1550 fps | 2236 ft-lbs |

###

Remington Arms Company, Inc.





New Remington® Premier® Nitro 27® - Smoking the Competition

Madison, NC – The Premier Nitro 27 target load has a permanent place on the Nation's trap fields, Sporting Clays ranges and in the vests of many of today's top shooters due to its consistent velocities and pattern uniformity. Not to mention its unique gold hull that is the most "reloader friendly" design available to clay target shooters.


Remington ammunition engineers have taken several steps to improve upon the best, taking the Premier Nitro 27 to the pinnacle of clay target ammunition technology. The New Premier Nitro 27 load features a new powder loading, a different wad, and an improved primer resulting in even softer recoil, better pattern performance, and more consistent handicap velocities. Just ask competitors at this year's Grand American in Vandalia, Ohio.

Shooters at the 2003 ATA Grand American World Trapshooting Championships using Remington ammunition won more trophies than any other brand. As a matter of fact, people who trusted Remington for their ammunition won more trophies than any other brand in singles, doubles and handicap events! Competitors at the 2003 Grand American purchased an astonishing 63% more Premier Nitro 27 than last year! Now that shows confidence! When one target makes the difference between winning and losing, shooters depend on Remington.

The improved design features of the Premier Nitro 27 result in the most important things to all clay target shooters; consistency, confidence, and more broken birds.

###

Remington Arms Company, Inc.





Remington's New "Stitched" Wads A Boon To Reloaders

Madison, NC - Remington® has announced a new, "stitched" petal design upgrade to their popular Fig8TM and TGT12TM component wads. This unique, innovative feature increases reloading speed by eliminating the need to separate wads often stuck together in bags and improves shot-to-shot consistency by eliminating the chance for folded petals.

Each petal is held to the next one by a small strip of plastic near the mouth of the wad. This stitched strip easily separates on exiting the shotgun barrel. Load testing in Remington's Ballistics Lab indicates improved patterns versus unstitched wads with ballistics identical to Fig8 and TGT12 wad performance. No changes to reloading recipes are required.


In fact, pre-production testing by reloading machine manufacturers and knowledgeable reloaders gave the new stitched design resounding approval for ease of reloading and consistent pattern performance. The new wads, designated Fig8STM and TGT12STM will be available this fall from all the major reloading component sources.


For best results when reloading the best hull on the market – STS® – use only genuine Remington components: 209P STS® primers, STS® Magnum 6% Shot, and new Fig8STM or TGT12STM wads. Always consult your powder manufacturer's reloading manual before reloading ammunition.

Remington, the Ammunition Technology Leader, is committed to developing innovative products to improve shooting performance in the field and at the range.

###

Remington Arms Company, Inc.







Remington Continues Its Line of Collectible Knives with Two New Additions for 2004

Madison, NC - Remington's line of limited edition, collectible knives embodies the history and tradition of the Remington Arms Company and reflects the exceptional quality that fine collectors demand. Joining an impressive list of Remington's highly collectible cutlery products is the 2004 Bullet Knife, appropriately named, "Old Reliable" and the 2003 Wildlife Knife - "Rubbing Off the Velvet".


Dating back to 1982 when the first in the series of Bullet Knives was unveiled, avid collectors have eagerly awaited the annual introduction of these classically styled, limited production knives. The 2004 version "Old Reliable" is designed in an R 103-B pattern with two stainless steel blades encased in genuine Black Cherry jigged bone handles, that is further enhanced with nickel silver bolster, brass lining and traditional nickel bullet shield. With an overall closed length of 3 ⁵/₈-inches, this Bullet Knife houses a 2 ³/₄-inch spear point blade, etched with the traditional Remington® logo and a 2 ¹/₈-inch pen blade featuring the year stamp. When open, the 2004 Bullet Knife has an overall length of 6 ¹/₄-inches.

Recognized as one of the greatest wildlife artists, Bob Kuhn's "Rubbing Off the Velvet", from Remington's extensive collection of artwork, is captured on the 2003 Wildlife Knife. The 7th in this series of impressive, limited edition knives is packaged in a four-color display box and is numbered from one to 1000. Measuring 3 ³/₄-inches, this distinct, two-blade canoe style knife features a 3-inch long drop point blade and 2 ¹/₄-inch pen blade with genuine stag handles. Like other series of Remington's high quality, collectible knives, the Wildlife series features solid brass liners, nickel silver bolster and rivets with the Remington shield on the face side.

Continuing the tradition, these long-standing series of Remington's collectible knives are made in the USA and will compliment the collection cases of the most discriminating cutlery collectors.

###

Remington Arms Company, Inc.



Contact: Linda Powell
Eddie Stevenson
(800) 537-2278 (Press only)

Remington Adds New Series of "Cutting Edge" Field-Ready Knives

Madison, NC - Maintaining its position as a leader in the field of utility and hunting knives, Remington is pleased to announce the following additions for 2004. Non-traditional in design and utilizing high tech materials, the hard-anodized aluminum handled Fixed Blade D-Series Knives, M-Series Folding Knives, and the moderately priced Model 830 Folding Knives bring Remington to the forefront of hunting knife options. Each knife in these series is made in the USA and designed for the end user in mind.

The Remington® **D-Series of Fixed Blade Knives** is offered in three rugged, well-designed versions – the **D-Series Skinner** with easily-sharpened gut hook, featuring a deep belly 3.5-inch blade profile and overall length of 7.62-inches; the 8.38-inch **D-Series Clip Point** and the **D-Series Drop Point** with handy 4.3-inch cutting blade and 4-inch blade respectively. All D-Series knives feature 420 HC stainless steel blades etched with the Remington logo and precision machined 6061-T6 aircraft aluminum handle scales with black hard-anodized finish. Each knife is housed in a riveted Kydex® sheath with lash down fixtures and removable belt clip.

The M-Series Folding Knives offers clip point and drop point blade versions in medium and large frames. Aggressively designed for the discriminating tastes of today's consumer, these folders are constructed with 440A stainless steel blades with stainless steel pivots and liners. The black matte-finished handles are precision milled from 6061-T6 aircraft aluminum and feature a stainless steel pocket clip and hi-tech lanyard hole. The medium frame versions have a folded length of 4⁵/₁₆-inches with 3-inch cutting surfaces and the large frame has a 3 ³/₈-inch blade with an overall folded length of 4 ¹³/₁₆-inches. The hallmark Remington logo is etched on the face of the blade.


As functional and dependable as our premium D and M-Series knives, the Remington Model 830 Folding Knife is a more economical option. Housed in a black or gray hard-anodized aluminum, precision-machined handle, the Model 830 has a 440A stainless steel, 2 ³/₄-inch drop point blade with bead blast finish and laser-marked logo. The stainless steel liners and pocket clip are bead blasted complimenting the utilitarian design of this knife. Machined from 6061-T6 aircraft aluminum, the handle features an ambidextrous thumb stud and stainless steel lanyard hole. Completing the package is the Remington shield on the face side. Overall closed length of the Model 830 is 3 ⁵/₈-inches.

Consumers look to Remington brand for durability, quality and innovative products, the addition of these three tactical series of knives puts the Remington name on the "cutting edge" of high performance knives.

###

Kydex® is a registered trademark of Kleerdex Company.

Remington Arms Company, Inc.





Contact: Linda Powell
Eddie Stevenson
(800) 537-2278 (Press only)

Fieldmaster® Gun Cleaning Kit Joins Remington's Line of Gun Care Products

Madison, NC - Remington offers a versatile array of gun care and cleaning products and new for 2004 is the Fieldmaster® Gun Cleaning Kit - ideal for a gift or for your own gun care needs. Now you can clean and protect your firearms investment with Remington's high quality gun care products, conveniently packaged in a complete cleaning kit for all types of firearms - shotguns, rifles and pistols.

Offered in an attractive, dark stained wood box with the Remington logo branded onto the top, this universal cleaning kit features our best-selling cleaning products – RemOilTM, the industry-standard lubricant with exclusive Teflon® formula; Brite BoreTM, a CFC-free cleaner for barrels, choke tubes and actions; three piece brass rod that will not mar the barrel; and a complete assortment of swabs, brushes, patches and patch pullers.

Gun care doesn't have to be a "dirty" business with the attractively packaged, Remington Fieldmaster Gun Cleaning Kit.

###

Teflon® is a registered trademark of DuPont.

Remington Arms Company, Inc.





Model 504™ Magazine Clip Added to Remington's Factory Authorized Parts and Accessories Line-Up

Madison, NC – Remington offers a comprehensive line of traditionally crafted factory parts and accessories to compliment your firearms and to maximize their performance. With the introduction of the highly anticipated Remington® Model 504 Bolt Action Rimfire Series of rifles, Remington is adding a factory designed and manufactured metal magazine clip.

The 6-round, .22LR detachable metal box magazine is designed with a fitted floor plate to flush mount with the Model 504 stock. The staggered feed design allows for positive feeding and the magazine is spring-loaded for easy removal. Easily disassembled, the **Model 504 Magazine** Clip can be cleaned to optimize performance.

Look to Remington and your local dealer for Factory Authorized Parts and Accessories. For a complete listing of Remington products, visit our web site at www.remington.com.

###

Remington Arms Company, Inc.



Contact: Linda Powell
Eddie Stevenson
(800) 537-2278 (Press only)

.410 Bore Joins the Extensive Line of Model 1100™ Sporting Shotguns

Madison, NC - Rounding out the Remington® family of sporting firearms is the Model 1100 Sporting 410 - the only autoloading .410 bore available on the market today. With Remington's long-standing tradition in the field of competitive sporting firearms, this 3-inch .410 bore shotgun will make its mark at the gun club.

The Model 1100 Sporting 410 has the all-new 27-inch competition-style barrel for better balance and ease of handling in the quick paced world of clay target sports. The stock and foreend are crafted of semi-fancy American walnut enhanced with a high gloss finish and crisp cut checkering. Complimenting the handsome wood stock is a high polished, deep blue finish on all exposed metal and gold trigger. This .410 bore autoloader has a 27-inch vent rib, RemTM Choke barrel with twin bead sights and Skeet, Improved Cylinder, Modified and Full choke tubes supplied.

Long a favorite of competitive shooters, the light-recoiling Model 1100 autoloader is available in 12 gauge, 20 gauge, the redesigned 28 gauge and now the avid clay shooter's favorite – the .410 bore. The Model 1100 Sporting 410 with 27-inch barrel is available at a suggested retail of \$901.

| Model | 1100 Sporting 410 |
|----------------|------------------------------------|
| Gauge | .410 (3-inch) |
| Mag. Capacity | 4 |
| BBL Length | 27 inches |
| Barrel Type | Vent Rib |
| | Rem™ Choke (Skeet, IC, Mod & Full) |
| Sights | Twin Bead Target Sights |
| Metal Finish | High Polished Blued |
| Overall Length | 47.75 inches |
| Length of Pull | 14 inches |
| Drop (Comb) | 1.5 inches |
| Drop (Heel) | 2.5 inches |
| Stock Material | Semi-Fancy American Walnut |
| Stock Finish | High Gloss |
| Avg. Weight | 6.75 lbs. |

###

Remington Arms Company, Inc.