2003 New Products

Rifles

Model 673TM Guide Rifle



- Evolved from the Model 600 Magnum
- Wide striped (alternating dark and light) Laminate Stock with cheek piece, swivel studs and cut checkering
- 22" magnum contour barrel with machined steel ventilated rib and iron sights
- Based on Model Seven Action
- Receiver drilled and tapped for scope mounts (Same as Model Seven)
- Chambered for .300 Rem SA Ultra Mag and .350 Rem Mag
- Hinged floor plate magazine with 3+1 round capacity
 Remington.

Model 673 Guide Rifle

Product Specifications

Caliber	Action Type	Barrel Length	Twist Rate	Overall Length	Average Weight	Item#	MSRP
.300 Rem SAUM	Short Action Bolt	22"	1:10"	41 3/16"	7 ½ Lbs	24689	\$825
.350 Rem Mag	Short Action Bolt	22"	1:16"	41 3/16"	7 ½ Lbs	24687	\$825

LOP= 13 11/16"; Drop @ Comb = 3/4"; Drop @ Heel = 3/4"

2003 Model 700TM Classic



- 23rd version of the Limited Edition Classic series chambered for .300 Savage
- Traditional walnut straight-combed "Classic" style stock with swivel studs and cut-checkering
- 24" high polished blued "clean" barrel
- High polished blued carbon steel short action receiver
- Hinged floor plate magazine with 4+1 round capacity

2003 Model 700TM Classic

Product Specifications

Caliber	Action Type	Barrel Length	Twist Rate		Average Weight	Item#	MSRP
.300 Savage	Short Action Bolt	24"	1:12"	44 ½"	7 ¼ Lbs	25869	\$683

LOP= 13 3/8"; Drop @ Comb = $\frac{1}{2}$ "; Drop @ Heel = 1 3/8"

Model 700TM Sendero® SF Short Action



- Premier long range short-action magnum platform in its class
- Chambered for 7mm & .300 Rem SA Ultra Mag cartridges
- Short-action 416 Stainless Steel receiver, drilled and tapped for scope mounts
- Hinged floor plate magazine with 3+1 round capacity
- 26" long range 416 Stainless Steel barrel with longitudinal fluting for heat dissipation and added rigidity
- Hand laid-up composite stock, reinforced with aramid fiber
 fitted with swivel studs

 Remington.


Model 700TM Sendero® SF Short Action

Product Specifications

Caliber	Action Type	Barrel Length	Twist Rate	Overall Length	Average Weight	- Item#	MSRP
7mm Rem SAUM	Short Action Bolt	26"	1:9 1/4"	45 ¾"	8 ½ Lbs	26323	\$1016
.300 Rem SAUM	Short Action Bolt	26"	1:10"	45 ¾"	8 ½ Lbs	26329	\$1016

LOP= 13 3/8"; Drop @ Comb = 5/8"; Drop @ Heel = 5/8"

Model 700TM BDLTM SS Rem SA Ultra Mags



- Available in 7mm and .300 Rem SA Ultra Mag Cartridges
- 416 Stainless Steel Short Action Receiver, drilled and tapped for scope mounts
- 24" 416 stainless steel magnum contour clean barrel
- Rugged matte black all-weather synthetic stock
- Remington "R₃"TM Recoil Pad with Patented LimbsaverTM Technology
- Hinged floor plate magazine with 3+1 round capacity

Model 700TM BDLTM SS


Product Specifications

Caliber	Action Type	Barrel Length	Twist Rate	Overall Length	Average Weight	Item#	MSRP
7mm Rem SAUM	Short Action Bolt	24"	1:9 1/4"	43 5/8"	7 ¼ Lbs	26434	\$775
.300 Rem SAUM	Short Action Bolt	24"	1:10"	43 5/8"	7 ¼ Lbs	26436	\$775

LOP= 13 3/8"; Drop @ Comb = 3/8"; Drop @ Heel = 1/2"



Model 700TM BDLTM SS RMEF Camo



- Portion of proceeds donated to RMEF
- 2003 offering chambered for .300 Rem SA Ultra Mag
- 2003 offering will also feature Realtree Hardwoods® Gray HDTM camo patterned stock with Remington "R₃"TM Recoil Pad
- 416 Stainless Steel Short Action Receiver, drilled and tapped for scope mounts
- 24" 416 stainless steel magnum contour clean barrel
- Hinged floor plate magazine with 3+1 round capacity


Model 700TM BDLTM SS RMEF Camo

Product Specifications

Caliber	Action Type	Barrel Length	Twist Rate		Average Weight	Item#	MSRP
.300 Rem SAUM	Short Action Bolt	24"	1:10"	43 5/8"	7 ¼ Lbs	26438	\$835

LOP= 13 3/8"; Drop @ Comb = 3/8"; Drop @ Heel = 1/2"

Model 7400TM WeathermasterTM



- All-weather gas autoloading centerfire rifle
- Low-sheen nickel plated receiver drilled and tapped for scope mounts
- Low-sheen nickel plated 22" barrel with iron sights
- Rugged matte black synthetic Monte Carlo stock and fore end
- 4-round detachable magazine box
- Chambered for .270 Win and .30-06

Model 7400TM WeathermasterTM

Product Specifications

Caliber	Action Type	Barrel Length	Twist Rate	Overall Length	Average Weight	Item#	MSRP
.270 Win	Autoloading Long Action	22"	1:10"	42 5/8"	7 ½ Lbs	26458	\$624
30-06	Autoloading Long Action	22"	1:10"	42 5/8"	7 ½ Lbs	26459	\$624

LOP= 14"; Drop @ Comb = 1 3/16"; Drop @ Heel = 2 1/4"

Model 597TM Magnum Synthetic .17HMR



- Our most popular Model 597 platform now chambered for the new .17 Hornady Magnum Rimfire
- Matte black synthetic stock with swivel studs
- Detachable metal magazine box with 8-round capacity
- 20" sporter contour button-rifled clean barrel with blued finish
- 1:9" Twist rate Six lands and grooves
- Receiver drilled and tapped for scope mounts and shipped with Weaver style scope rail

Model 597TM Magnum Synthetic .17HMR

Product Specifications


Caliber	Action Type	Barrel Length	(**) (**) (**)	Overall Length	Average- Weight	Item#	MSRP
.17HMR	Blowback Autoloader	20"	1:9"	40"	5 ½ Lbs	26516	\$361

LOP= 14"; Drop @ Comb = 1 1/2"; Drop @ Heel = 2 1/4"

2003 New Products

Custom Shop Rifles

Model 700 Custom "C" Grade



- Fancy American walnut Monte Carlo stock with cheek piece
- Satin wood finish
- Rosewood fore end tip and grip cap
- Machine cut point pattern checkering
- 24" Custom Shop Clean Barrel (26" on Ultra Mags)
- Glass bedded action
- High polish metal finish
- Standard BDL style trigger guard with hinged floor plate
- Available in all standard calibers

Model 700 Custom "C" Grade

Product Specifications*

Caliber	Action Type		E. Valley 20, 177 (2017).	Overall- Length	Average Weight	Item#	MSRP
Various	Bolt Action	24"**	Varies	44 ½"	7 ½ Lbs	25946	\$1733

LOP= 13 3/8"; Drop @ Comb = 1/2"; Drop @ Heel = 1 3/8"

^{*}Dimensions listed for standard long action/long action magnum

^{**}Ultra Mag barrel length is 26"

Model 40-XBTM Tactical



- Stainless 40-XB bolt action repeater with Teflon® coating
- Adjustable Remington 40-X trigger
- Stainless 27 ¼" barrel with Teflon® coating and three longitudinal flutes for weight reduction
- Button rifled with 1:12" twist (chambered for .308 Win)
- H.S. PrecisionTM Pro Series Tactical stock with vertical pistol grip
- Precision machined aluminum bedding block
- Guaranteed to shoot 0.75" 5-shot groups at 100yds with match loads*

 **Remington.*

Model 40-XBTM Tactical

Product Specifications

Caliber	Action Type	\$2.5 A		Overall Length	Weight	Item#	MSRP
.308 Win	Bolt Action	27 ¼"	1:12"	47 1/8"	10 ¹ / ₄ Lbs	27174	\$2108

LOP= 13 1/2"; Drop @ Comb = 1 1/8"; Drop @ Heel = 1"

^{*}Accuracy performance based on shooter, ammunition and optics

2003 New Rifle Products

Summary By SKU

2003 New Products Rifles

SKU	DESCRIPTION
24687	Model 673™ Centerfire Bolt Action Guide Rifles, .350 Rem. Mag.
24689	Model 673™ Centerfire Bolt Action Guide Rifle, .300 Rem. SA Ultra Mag
25869	Model 700™ Classic, .300 Savage
26323	Model 700™ Sendero® SF, 7mm Rem SA Ultra Mag
26329	Model 700™ Sendero® SF, .300 Rem SA Ultra Mag
26434	Model 700™ BDL SS 7mm Rem SA Ultra Mag
26436	Model 700™ BDL SS, .300 Rem SA Ultra Mag
26438	Model 700™ BDL SS RMEF, .300 Rem. SA Ultra Mag
26458	Model 7400™ Weathermaster™, .270 Win.
26459	Model 7400 TM Weathermaster TM , .30-06
26516	Model 597™, .17 HMR

2003 Rifle Deletions

Summary By SKU


2003 Product Deletions Rifles

SKU	DESCRIPTION
25777	Model 700™ ADL, 7mm Rem Mag
25797	Model 700™ BDL, .280 Rem
26348	Model 700™ Classic, .221 Rem Fire Ball
25799	Model 700™ BDL, 7mm-08 Rem.
25805	Model 700 TM BDL, .338 Win. Mag.
26412	Model 700™ BDL, .338 Rem. Ultra Mag
26414	Model 700™ BDL, .375 Rem. Ultra Mag
29696	Model 700™ BDL SS, .338 Win. Mag
29728	Model 700™ BDL, SS, .375 H&H
26277	Model 700™ BDL SS, .375 Rem. Ultra Mag
26389	Model 700™ BDL SS RMEF, 7mm Rem. Ultra Mag.
29675	Model 700™ Sendero®, .25-06 Rem.
29679	Model 700™ Sendero®, 7mm Rem. Mag.

2003 Product Deletions Rifles (Continued)

SKU	DESCRIPTION
29681	Model 700™ Sendero®, .300 Win. Mag.
26199	Model 700™ Sendero® SF .25-06 Rem.
27502	Model 700™ Sendero® SF, 7mm STW
25849	Model 700™ Mountain DM, .25-06 Rem.
26971	Model 700™ BDL DM, .300 Win. Mag.
26907	Model 700™ BDL SS DM, .25-06 Rem
26911	Model 700™ BDL SS DM, .280 Rem
24758	Model Seven TM LSS, .22-250
24762	Model Seven TM LSS, 7mm-08 Rem
24745	Model Seven™ SS, .223 Rem.
26566	Model 597™ Magnum LS, .22 WMR

- •Designed and Manufactured using Remington R₃ Three Step Technology from LimbsaverTM
- •Technology Optimized for the ultimate in recoil abatement
- •Available exclusively on select Remington Firearms and as an Accessory item for most synthetic stock Firearms



Limbsaver[™] & NAVCOM[™] are trademarks of Sims Vibration Laboratory

Remington R₃ Three Step Technology

- 1. ABSORBS
- 2. REDIRECTS
- 3. COMPRESSES

1. ABSORBS Vibration

- LimbsaverTM proprietary NAVCOMTM (Noise And Vibration Control Material) material ABSORBS shock and reduces vibration
- Less vibration allows the shooter to stay on target
- Allows for faster follow-up in multiple shot scenarios

2. REDIRECTS Energy

- LimbsaverTM technology utilizes specially designed internal "mushrooms" to redirect recoil energy outward in a 360° range rather than straight back into the shooter's shoulder
- Results in greater comfort to the shooter

3. COMPRESSES under recoil


- Specially designed internal air chambers allow the pad to compress under recoil
- Pad acts as a shock-absorber between the firearm and the shooter
- Turns the "punch" of recoil into a "push"

Remember the Three Steps:


- 1. ABSORBS
- 2. REDIRECTS
- 3. COMPRESSES

Lead to more comfortable shooting!






Recoil Force (lbf)
Ammunition: Remington Premier Magnum 2.25 oz. Turkey Load, PR1235MAG-4
Firearm: M870 Express Super Magnum




Recoil Force (lbf)
Ammunition: Remington 30.06 180 Grain Core-Lokt PSP, R30065
Firearm: Remington M700 BDL SS 30.06 Springfield



Recoil Force (lbf) Ammunition: 300 Remington Ultra Mag 180 Grain Nosler Partition, PR300UM1

Firearm: Remington M700 BDL SS 300 Rem Ultra Mag



Featured On These Rifles for 2003:

Model 700 BDL SS Model 700 BDL SS DM



