

TITLE OF PROJ. _____

PROJ. No. _____


SUBJECT _____

WORKS _____

COMPUTER _____

DATE _____

19 _____



$$\cos 22^\circ = \frac{.037}{x} = .927$$

$$x = \frac{.0399}{.927}$$

$$\cos 22^\circ = \frac{1.223}{x} = .927$$

$$x = \frac{1.320}{.927}$$

$$\cos 27^\circ = \frac{x}{.0399} = .891$$


$$x = \frac{.0356}{.891}$$

$$\sin 5^\circ = .087 = \frac{x}{1.322}$$

$$x = \frac{.115}{.891}$$

$$\text{d to top} = \frac{.1563}{.1504}$$

$$\begin{array}{r} .115 \\ .0413 \\ \hline .1563 \end{array} \quad \begin{array}{r} .1148 \\ .0356 \\ \hline .1504 \end{array}$$



TITLE OF PROJ. _____ PROJ. No. _____

SUBJECT _____ WORKS _____

COMPUTER.

DATE _____

-19-

Handwritten calculations and diagrams on graph paper.

Top Left Calculations:

$$\begin{array}{r} 11561 \\ 182 \\ \hline 3381 \end{array}$$

$$\begin{array}{r} 1504 \\ 3645 \\ \hline 5149 \\ 3381 \\ \hline 1768 \end{array}$$

Top Right Calculations:

$$\begin{array}{r} 11502 \\ 178 \\ \hline 3282 \end{array}$$

$$\begin{array}{r} 1563 \\ 3645 \\ \hline 5208 \\ 3282 \\ \hline 1926 \end{array}$$

Bottom Left Calculations:

$$\begin{array}{r} 543 \\ 347 \\ \hline 196 \\ 0066 \\ \hline 2026 \\ 1703 \\ \hline 0323 \end{array}$$

$$\begin{array}{r} 540 \\ 350 \\ \hline 190 \\ 0022 \\ \hline 1828 \\ 1864 \\ \hline 0014 \end{array}$$

Bottom Right Calculations:

$$\begin{array}{r} 531 \\ 335 \\ \hline 196 \end{array}$$

$$\begin{array}{r} 528 \\ 338 \\ \hline 190 \end{array}$$

$$\begin{array}{r} 350 \\ 187 \\ \hline 537 \end{array}$$

Center Diagrams and Notes:

Left side: A diagram of a person's head and shoulders with the word "Asphyx" written next to it.

Right side: A diagram of a person's head and shoulders with the word "Engage" written next to it.

Bottom center: A large, stylized "X" shape.

Bottom Left Calculations:

$$\begin{array}{r} 518 \\ 160 \\ \hline 358 \end{array}$$

$$\begin{array}{r} 522 \\ 150 \\ \hline 372 \end{array}$$

Bottom Right Calculations:

$$\begin{array}{r} 338 \\ 190 \\ \hline 148 \end{array}$$

$$\begin{array}{r} 338 \\ 1969 \\ \hline 1381 \end{array}$$

$$\begin{array}{r} 518 \\ 144 \\ \hline 370 \end{array}$$

$$\begin{array}{r} 522 \\ 138 \\ \hline 384 \end{array}$$

Bottom Center Calculations:

$$\begin{array}{r} 4144 \\ 384 \\ \hline 030 \end{array}$$

$$\begin{array}{r} 428 \\ 384 \\ \hline 058 \end{array}$$

1.240 ±.001 ✓	.00001
+ .062675 ±.000175 ✓	.000,000,306
= 1.302675 ±.001175 ✓	
- .06245 ±.00005 ✓	.000,000,025
= 1.240225 ±.001225 ✓	
+ 000225 ±.000225 ✓	.000,000,506
= 1.240450 ±.001450 ✓	
- .972 ±.001 ✓	.000,01
= .26845 ±.00245 ✓	
- .075 ±.001 ✓	.000,01
= .19345 ±.00345 ✓	

top of trigger from
fire control holes

201124116

diff .17835 ±.00805
= .1703 to .1864

.650 ±.001 ✓	.000,01
- .280 ±.002 ✓	.000,01
= .370 ±.003 ✓	
+ .062675 ±.000175 ✓	.000,000,306
= .432675 ±.003175 ✓	
- .06245 ±.00005 ✓	.000,000,025
= .370225 ±.003225 ✓	
+ .062675 ±.000175 ✓	.000,000,306
= .432900 ±.003400 ✓	
- .124 ±.001 ✓	.000,01
= .3089 ±.0034 ✓	
+ .0629 ±.00002 ✓	.000,000,4
= .3718 ±.0036 ✓	
- .1845 ±.0015 ✓	.000,0225
= .1873 ±.0051	


top of socket from fire control
holes.

19345	
1873	
.00615 ±.00855	
0029	.00015
.00905	.01470
.00325	.00240

.00805
2
.01710

.0148	
.0059	
0207	
01710	.0059
.00360	.0025
	.0035

.000,084374⁻² = ±.0029



$$\begin{array}{r} .001 \\ .000 \\ .001 \\ 000 \\ 430 \\ \hline .431 \end{array}$$

602

433

84

Seaw

(Handwritten signature)

✓ 12 2 6

$$\begin{array}{r} 062675 \\ 06245 \\ \hline 0.0225 \end{array}$$

$$\begin{array}{r} 1250 \\ 1248 \\ \hline 2 \end{array}$$

$$\begin{array}{r} 1250 \\ 1248 \\ \hline 2 \end{array}$$

TITLE OF PROJ. _____

PROJ. NO. _____


SUBJECT _____


WORKS _____


COMPUTER _____

DATE _____

19 _____







$$\cos 22^\circ = \frac{1.220}{x} = .9272$$

$$x = \frac{1.220}{.9272} = 1.316$$

$$\sin 5^\circ = \frac{y}{1.316} = .08715$$

$$y = \begin{matrix} .1149 \\ .1152 \end{matrix}$$

$$\begin{array}{r} .1149 \\ .1369 \\ \hline .1518 \checkmark \\ .178 \\ \hline .3298 \\ 19 \end{array}$$

$$\begin{array}{r} .1152 \\ .0428 \\ \hline .1580 \checkmark \\ .182 \\ \hline .3400 \end{array}$$

$$\begin{array}{r} .19345 \\ .00345 \\ \hline .190 \\ .19690 \end{array}$$

$$\begin{array}{r} 1.316 \\ \times 22 \\ \hline 1.270 \end{array}$$

$$\begin{array}{r} 1.850 \\ \times 86 \\ \hline 936 \end{array}$$

$$\cos 5^\circ = \frac{z}{.043} = .9962$$

$$z = .428$$


$$z = .0369$$



95
90000

$X \cdot 10^{-5}$

$X \cdot 10^{-5}$



K.P.

