Miller

MAR 6 1947 FECHNICAL BEPT.

C.K.DAVIS
D.F.CARPENTER
W.O.REISINGER
B.E.STRADER
F.J.CRAIG
G.O.CLIFFORD
M.R.WARDEN
G.E.PINCKNEY
A.L.FRENCH
W.L.CLAY
BRIDGEPORT, CONN.

H.K.FAULKNER
W.H.DAVIS
H.A.BEOLIN
R.H.GRACE
C.W.BORDEN (5)
P.B.RUTHERFORD
D.E.MILLER
S.W.ROSE
R.J.SEILER
R.A.WILLIAMSON
A.J.BROWN
S.M.ALVIS

CUSTOMERS' COMPLAINTS ON FIREARMS FOR MONTH ENDED FEBRUARY 28, 1947.

MESSRS.

•		PRODUCED WITHIN ONE YEAR	TOTAL
MOE	DEL 81		
0	JACKET HEAD LOOSE	6	9 .
0	EXTRACTOR OUT OF ADJUSTMENT	3	4
0	FAILS TO EJECT	1	1
0	MAGAZINE SIDE SPRING OUT OF ADJUST	TMENT 1	2
	EXTRACTOR BROKEN		1 '
	STOCK CHECKED	2	. 2
` 0	STEMS CHAMBER	1	2
•	MAGAZINE SPRING BROKEN	3	3
Χ.	NOT ACCURATE		1
0	BARREL EXTENSION LOOSE		1
X	JACKET SPLIT	<u> </u>	1
		18	27
	ORTSMAN - 12 GA.		
0	SHELLS STEM CHAMBER	_	1
0	SEAR AND TRIGGER OUT OF ADJUSTMEN		
~	FIRING PIN RETAINING PIN BROKEN	•	
X	THREADS STRIPPED IN MAGAZINE PLUG		
•		7	Φ.
90	ORTSMAN - 20 GA.		•
Ž.	CARRIER DOG FILED TOO THIN		1 .
Ô	SHELLS STEM CHAMBER		i
Õ	FAILS TO EJECT	1	i
•	17,120 10 20201		-3-
	•	·	
MOI	DEL 11 - 12 GA.		
— চ	SHELLS STEM CHAMBER	1	1
~	BARREL LEADS UP (ROUGH)		
	•	· •	2

SHEET NO. 1

	•	PRODUCED WITHIN ONE YEAR	TOTAL
MOD	EL 11 - 16 GA.	ONE TEAR	TOTAL
0	HAMMER AND TRIGGER OUT OF ADJUSTMEN	NT 1	1
X	EXTRACTOR FILED POORLY	ì	ì
		2	2
MOD	<u>EL 121</u>		,
	FIRING PIN BROKEN	3	4
X	FIRING PIN STRIKES INSIDE RIM	3	4 .
-0.	STEMS CHAMBER	5	5
-· 0	TAKES MAX. PLUG	·	Ž
0 .		Ž	Ž
X	NOT ACCURATE	1.	. 1
0	SAFETY SPRING WEAK	1	1
	EXTRACTOR BROKEN	· · · · · · · · · · · · · · · · · · ·	2
0	FAILS TO FEED	ž	2
v	EXTRACTOR PLUNGER CASE BROKEN	1	Ţ
X	HAMMER BUSHING HOLE TOO LARGE	1	1
0	CARRIER OUT OF ADJUSTMENT		
MOD	EL 141	26	27
MOD	FORE-END SPLIT		
0	SEAR AND SEAR LOCK OUT OF ADJUSTMEN	NT 3	2 3 2
ŏ.		71 2	્રું .
Ď.	SHELLS STEM CHAMBER	1	<u>د</u> 1
Ü	FIRING PIN EXTENSION RIVET BROKEN	i	1
0	FAILS TO FEED	•	. ,
. •	STOCK CHECKED	วิ	1
0	CARRIER LEVER BINDS	ż	· ,
X	BREECH BLOCK TIGHT ON MIN.PLUG	1	ī
õ	JARS OFF	1	· · i
X	FIRING STRIKES OFF CENTER	1_	· 2
Ñ	CARRIER LEVER FILED TOO MUCH	1	ī
•••	CARRIER SPRING BROKEN	1	1
X	ACTION BAR OUT OF ADJUSTMENT AT LOS	ADING .	
	DOOR	1	1.
	BARREL RUSTED AND PITTED OUTSIDE	1	1
	RECEIVER CRACKED	1	1 .
0	ACTION UNLOCKS HARD		
		21	24
MOC	EL 241	_	
0	CARTRIDGES STICK IN CARTRIDGE GUIDE	.	•
_	FEEDING STORY TO THE STORY TO T	2	Ļ
0	FAILS TO DISCONNECT	Ĭ	4
_	EXTRACTOR BROKEN		Į.
0	FAILS TO EJECT	•	1
	SIGHTS OUT OF LINE	ŧ	
	NOT ACCURATE (MUZZLE UPSET)	بجيكت	
		3	ı

	PRODUCED WITHIN	
MODEL 31 - 12 GA.	ONE YEAR	TOTAL
O CARRIER BINDS	_	1
O CARTRIDGE STOPS OUT OF ADJUSTMENT MODEL 31 - 16 GA.	$\frac{1}{3}$	$\frac{1}{3}$
STOCK CHECKED	-1-	1
MODEL 31 - 20 GA. O SAFE WORKS HARD	, , , , , , , , , , , , , , , , , , ,	•
MODEL 37		-
X BARREL PITTED AHEAD OF CHAMBER	1	1
BOLT BROKEN AT EXTRACTOR SLOT	1	1
O FAILS TO EJECT O MISFIRES	1 2	1 3
MODEL 511	4	5
STOCK CHECKED O EJECTOR OUT OF POSITION	1. 2	1 2 2
NOT ACCURATE	-2-	<u>2</u> 5
MODEL 512 O CARTRIDGE RETAINER OUT OF ADJUSTI	MENT 2	2
SEARS WORN FAILS TO COCK O EJECTOR TOO LOW (FAILS TO EJECT) STOCK CHECKED	j	3
TRIGGER BROKEN BOLT HANDLE BROKEN	1	1
FIRING PIN FOLLOWS DOWN	-3-	<u> </u>
MODEL 513	13.	'3
O CARTRIDGES FEED HARD O EJECTOR TOO LOW (FAILS TO EJECT) STOCK CHECKED		1
MODEL_550	2	3 ·
O RIGHT HAND EXTRACTOR OUT OF ADJUST		2
		≺ -

SHEEET NO.

NOT COVERED BY INSPECTION.
CORRECTED IN RECENT PRODUCTION.
OVERSIGHT IN INSPECTION.
CLOSE ADJUSTMENT NOT SHOWING UP IN FACTORY TESTS,
RESULTING IN MALFUNCTION THROUGH USAGE.

TOTAL FOR FEBRUARY, 1947	
TOTAL FOR FEBRUARY, 1946	94
GRAND TOTAL TO DATE, 1947	275
GRAND TOTAL TO DATE, 1946	189
GRAND TOTAL MARCH 1ST,1946 TO FEBRUARY 28TH 1947	1100
GRAND TOTAL MARCH 1ST, 1945 TO FEBRUARY 28TH 1946	433
LAST 12 MONTHS' RUNNING AVERAGE	91
12 MONTHS' RUNNING AVERAGE (1 YEAR AGO)	36
12 MONTHS' RUNNING AVERAGE (6 MONTHS AGO)	70
PRODUCED WITHIN ONE YEAR	107
PRODUCED WITHIN ONE YEAR (6 MONTHS AGO)	76
PRODUCED WITHIN ONE YEAR (1 YEAR AGO)	74
PRODUCED WITHIN ONE YEAR (2 YEARS AGO)	· . o

SHEET NO. 4