

Rev. 1-14-80

REVISED 8-24-82¹

REMINGTON STANDARDS - ARMS

SHEET 4 of 8

MODEL 700 Version		ADL Grade			BDL Grade		
GUN LENGTH & WEIGHT:	Barrel	Receiver	Overall	Weight	See below	Weight	
243 Win.	22"	Short	41 5/8"	7 lbs.	Add 4 oz.		
308 Win.	22"	"	"	"	Sling, etc.		
6mm Rem.	22"	"	"	"	"		
(2) 7 mm Exp. Rem.	22"	Long	42 1/2"	"	"		
30-06	22"	Long	42 1/2"	7 lbs.	Sling, etc.		
270 Win.	22"	"	"	"	"		
(3) 7mm Mauser	22"	"	"	"	"		
17 Rem.	24"	Short	43 5/8"	7 lbs. 4 oz.	Sling, etc.		
222 Rem.	24"	"	"	"	"		
22-250	24"	"	"	"	"		
(4) 7mm-08 Rem.	24"	"	"	8 lbs. 15 oz.	(Max.) Sling, etc.		
7mm Rem. Mag.	24"	Long	44 1/2"	7 lbs. 8 oz.	Sling, etc.		
25-06 Rem.	24"	"	"	"	"		
264 Win. Mag.	24"	"	"	"	"		
300 Win. Mag.	24"	"	"	"	"		
(1) 8mm Rem. Mag.	24"	"	"	"	Sling, etc.		
(5) 223 Rem.	24"	Short	43 5/8"	7 lbs. 4 oz.	"		
MAGAZINE	Fixed box. Slagger column loading.						
Capacity:	(Add one (1) for Gun Capacity)						
(5) 5 cts.	222, 17 Rem. & 223 Rem.						
(2)(4) 4"	22-250, 243, 308, 6mm, 270		30-06, 25-06	7 mm Exp. Rem.	7mm-08		
3"	7mm, 264, 300 Mag.						
Floor Plate	(hinged with latch)		None		Yes		
Follow-up:	* Polished Stainless Steel						
Loads: (or unloads)			Top only		Top & Bottom		
* Finish corrected. Was bright nickel.							
(1) Added							
(2) Added 7 mm Exp. Rem.							
(3) Added							
(4) Added							
(5) Added 223 Rem.							

Rev. 1-14-80

REVISED 8-24-82

REMINGTON STANDARDS - ARMS

SHEET 2 of 8

MODEL	700	1974 Version	ADL Grade	BDL Grade
ANNOUNCEMENT				
(3) 7mm Mauser		1980	(Discontinued)	
30.06		1962		
270 Win		1962		
222 Rem.		1962		
7mm Rem. Mag.		1962		
264 Win. Mag.		1962		
300 Win. Mag.		1964		
308 Win.		1962		
243 Win		1962		
25.06 Rem.		1970		
6mm Rem.		1963		
22-250 Rem.		1965		
17 Rem.		1971		
6.5 Rem. Mag.		1969	1972	
350 Rem. Mag.		1969	1972	
(1) 8mm Rem. Mag.		1977		
(2) 7mm Exp. Rem.		1979		
(4) 7mm - 8 Rem.		1980		
(5) 223 Rem.		1982		
(5) 257 Roberts		1982		
(5) 300 H & H Mag.		1982		
BARREL		Round tapered to breech, crowned, Black color, Medium lustre.		
Material:		Remington specified alloy steel, Stainless steel for 17 Rem. only.		
Bore - Groove:		See Rifling Index.		
Optional Barrel:			w/o Sights	w/o Sights.
Markings:		See Marking - Barrel		
BOLT ASSEMBLY:		3 piece brazed assembly - Bolt body, Bolt head, Bolt handle		Includes Firing Pin Assembly
Bolt Plug:		Cover firing pin head. Black color.		
Bolt Handle:		Swept back oval shape ball, Checker on upper and lower face of ball, Black color.		
Bolt Body:		Bright Steel - damascene finish.		
Bolt Head:		Black color.		
Feature:		Anti-blind design		
Markings:		See Marking - Bolt		
Size:				
(5) Short		222, 17 Rem., 223 Rem.		
(4) Short Std.		243, 6mm, 308, 22-250, 7mm-08 Rem.		
(1) Added 8mm Rem. Mag.		(2) Added	7 mm Exp Rem. (3) Added 7mm Mauser (4) Added 7mm-08 Rem. (5) Added	

MODEL 700		1974 Version		ADL Grade		BDL Grade	
BOLT ACTION REPEATER							
ACCURACY		Use open sights, fore-end and elbow rest. Set rear sight eye piece on fourth mark from rear on ramp and centered.					
Test Ammunition:		See Accuracy Index.					
Group Size:		See Accuracy Index.					
Center of Impact:		Not more than 6 inches below or 2 inches above, or 6 inches either side of point of aim.					
Point of Aim:		6 o'clock on target.					
Range:		100 yds.					
ACTION		Bolt action, center fire, hand operated repeater. Solid frame with take-down stock. Fixed magazine. Bolt cocks as handle lifts. Rifle cocks as bolt handle is lowered to lock action closed. Extracts and ejects as bolt is "opened". Direct action trigger. 2 stop safety. FIRE position - forward. SAFE position - rearward. Rear position on safety locks bolt closed.					
(5) Short Action Calibers		222, 308 243, 6mm 22-250		222, 223 Rem., 308, 7mm-08 Rem. 243, 6mm 22-250, 17 Rem.			
(2) Long Action Calibers		30-06, 25-06 270, 7mm 7mm Exp., Rem. 7mm Mauser		30-06, 25-06 270, 7mm 264, 300 Maq. 8mm Rem. Mag.		mm Exp. Rem.	
(1) (3)		Action must load, fire, extract and eject (includes extraction and ejection without firing), satisfactorily with all varieties of ammunition listed as standard for listed calibers in Technical Committee Manual of the Sporting Arms and Ammunition Manufacturers' Institute (SAAMI).					
(1) Added 8mm Rem. Mag.							
(2) Added 7 mm Exp. Rem.							
(3) Added 7mm Mauser							
(4) Added 7mm-08							
(5) " 223 Rem.							