

EV 0.390625E 00 0.273438E 00
MEAN 0.522109E 01 0.588086E 01
STAN DEV. 0.707926E-01 0.575095E-01
ALL PREDICTED VALUES CALCULATED AT 95 PERCENT CONFIDENCE
MINIMUM 0.508234E 01 0.576814E 01
MAXIMUM 0.535985E 01 0.599358E 01
TN AVG 0.520722E 01 0.586959E 01
AX AVG 0.523497E 01 0.589213E 01

11,500 10,000



MINIMUM 0.287031E 01 0.464844E 01
MAXIMUM 0.550781E 01 0.601563E 01
EV 0.343750E 01 0.136719E 01
MEAN 0.320000E 01 0.585078E 01
STAN DEV 0.324161E 00 0.132879E 00
ALL PREDICTED VALUES CALCULATED AT 95 PERCENT CONFIDENCE
MINIMUM 0.456464E 01 0.599034E 01
MAXIMUM 0.583536E 01 0.611122E 01
MIN AVG 0.513646E 01 0.582474E 01
MAX AVG 0.526354E 01 0.587083E 01

11,500 10,000

MINIMUM 0.511719E 01 0.574219E 01
MAXIMUM 0.542969E 01 0.600375E 01
EV 0.312500E 00 0.351563E 00
MEAN 0.522812E 01 0.588594E 01
STAN DEV 0.742640E-01 0.612372E-01
ALL PREDICTED VALUES CALCULATED AT 95 PERCENT CONFIDENCE
MINIMUM 0.508237E 01 0.576591E 01
MAXIMUM 0.537368E 01 0.600596E 01
MIN AVG 0.521357E 01 0.587394E 01
MAX AVG 0.524268E 01 0.589794E 01

11,600 10,100

MINIMUM 0.503906E 01 0.574219E 01
MAXIMUM 0.542969E 01 0.597656E 01
EV 0.390625E 00 0.234375E 00
MEAN 0.322656E 01 0.583398E 01
STAN DEV 0.689981E-01 0.479611E-01
ALL PREDICTED VALUES CALCULATED AT 95 PERCENT CONFIDENCE
MINIMUM 0.509133E 01 0.573998E 01
MAXIMUM 0.536180E 01 0.592799E 01
MIN AVG 0.521304E 01 0.582408E 01
MAX AVG 0.524005E 01 0.584338E 01

11,700 10,200

MINIMUM 0.511719E 01 0.574219E 01
MAXIMUM 0.542969E 01 0.593750E 01