

MEAN 0.666953E 01 0.625000E -02
STAN DEV 0.228749E 00 0.143205E -01
ALL PREDICTED VALUES CALCULATED AT 95 PERCENT CONFIDENCE
MINIMUM 0.622118E 01 -0.218183E -01
MAXIMUM 0.711788E 01 0.343183E -01
MIN AVG 0.662470E 01 0.344317E -02
MAX AVG 0.671437E 01 0.905683E -02

21,000

MINIMUM 0.613281E 01 0.000000E 00
MAXIMUM 0.769531E 01 0.390625E -01
EV 0.156250E 01 0.390625E -01
MEAN 0.672344E 01 0.468750E -02
STAN DEV 0.251781E 00 0.12938E -01

ALL PREDICTED VALUES CALCULATED AT 95 PERCENT CONFIDENCE

MINIMUM 0.622995E 01 -0.201924E -01
MAXIMUM 0.721693E 01 0.295674E -01
MIN AVG 0.667409E 01 0.219951E -02
MAX AVG 0.677279E 01 0.717549E -02

21,100

MINIMUM 0.628906E 01 0.000000E 00
MAXIMUM 0.785156E 01 0.781250E -01
EV 0.156250E 01 0.781250E -01
MEAN 0.673359E 01 0.703125E -02
STAN DEV 0.253080E 00 0.159918E -01

ALL PREDICTED VALUES CALCULATED AT 95 PERCENT CONFIDENCE

MINIMUM 0.623756E 01 -0.243127E -01
MAXIMUM 0.722963E 01 0.383752E -01
MIN AVG 0.668399E 01 0.389686E -02
MAX AVG 0.678320E 01 0.101656E -01

21,200

MINIMUM 0.613281E 01 0.000000E 00
MAXIMUM 0.746094E 01 0.781250E -01
EV 0.132813E 01 0.781250E -01
MEAN 0.666641E 01 0.654062E -02
STAN DEV 0.163524E 00 0.156786E -01

ALL PREDICTED VALUES CALCULATED AT 95 PERCENT CONFIDENCE

MINIMUM 0.634590E 01 -0.240695E -01
MAXIMUM 0.698691E 01 0.373707E -01
MIN AVG 0.663436E 01 0.356762E -02
MAX AVG 0.669846E 01 0.971363E -02