

Date

11/3/80

Tester

A. Long

Page

DRY CYCLE SUMMARY

(For deviation attach supplementary sheet)

Previous Cycles

7500

Cycle Rate

Rem 63

TEST:

Take on - 41

2685 Cycles		Total 10185			
Sear Lift					
Trigger Pull 6.25-6.25-6.25-6.25-6.25					
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation	
5.5	5.5	5.5	5.5		
5.5	5.5	5.5	5.5		
5.5	5.5	5.5	5.5		

2315 Cycles		Total 12000			
Sear Lift					
Trigger Pull 6.25-6.25-6.25-6.25-6.25					
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation	
4.5	4.5	5.5	5.5		
4.5	4.5	4.5	4.5		
5.5	5.5	4.5	4.5		

2501 Cycles		Total 15000			
Sear Lift					
Trigger Pull 6.5-6.25-6.25-6.5-6.25					
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation	
4.5	4.5	4.5	4.5		
4.5	4.5	4.5	4.5		
4.5	4.5	3.5	3.5		

2804 Cycles		Total 17804		Bolt Blank for	
Sear Lift					
Trigger Pull 6.25-6.25-6.25-6.25-6.25					
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation	
5.5	5.5	6.5	6.5		
5.5	5.5	7.5	7.5		
6.5	6.5	7.5	7.5		

Date

10/3/50

Tester

A. Long

Page

2

DRY CYCLE SUMMARY

(For deviation attach supplementary sheet)

Previous Cycles

17804

Cycle Rate

1000/3

TEST:

Safe on all

2196 Cycles		Total 2000			
Sear Lift		0095		mill fuel - 0045	
Trigger Pull		625-625-625-625-625			
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation	
	5.12 5.12	6.8 6.8			
	5.5 5.5	6.2 6.2			
	5.75	6.5			

Cycles		Total			
Sear Lift					
Trigger Pull					
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation	

Cycles		Total			
Sear Lift					
Trigger Pull					
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation	

Cycles		Total			
Sear Lift					
Trigger Pull					
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation	

Date

10-3-80

Tester

A. L.

Page

1

DRY CYCLE SUMMARY

(For deviation attach supplementary sheet)

Previous Cycles

0

Cycle Rate

Remington 4

TEST:

Load on - 1/2

0	Cycles	Total	0
Sear Lift <i>by on .008</i> <i>pull force 1003</i>			
Trigger Pull <i>525-550-550-550-550</i>			
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function
	7.00 7.00	9.00 8.00	
	7.00 7.00	9.00 9.00	
	7.00	8.00	
			Safe Operation

2672	Cycles	Total	2672
Sear Lift			
Trigger Pull <i>6.00-5.75-5.75-6.00-5.50</i>			
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function
	7.00 6.75	8.00 8.00	
	6.75 2.00	8.00 6.50	
	6.75	8.00	
			Safe Operation

2327	Cycles	Total	5000
Sear Lift			
Trigger Pull <i>5.75-5.75-5.75-5.75-5.50</i>			
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function
	5.00 5.00	7.00 7.00	
	5.00 4.75	7.00 6.50	
	4.50	6.50	
			Safe Operation

2520	Cycles	Total	7120
Sear Lift			
Trigger Pull <i>5.75-5.75-5.50-5.50-5.00</i>			
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function
	5.10 5.25	6.00 5.75	
	5.25 5.00	6.00 5.50	
	5.00	5.75	
			Safe Operation