

Date 10-6-80Tester U T -

DRY CYCLE SUMMARY

(For deviation attach supplementary sheet)

Previous Cycles 7500Cycle Rate Sample 6TEST: Sample 11

2500 Cycles Total 10.000

Sear Lift
Trigger Pull 25-6.00-6.00-6.00-5.75

Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
	<u>5.00</u> <u>5.00</u>	<u>5.00</u> <u>5.25</u>		
	<u>5.12</u> <u>5.10</u>	<u>5.25</u> <u>5.00</u>		
	<u>5.00</u>	<u>5.00</u>		

2628 Cycles Total 126.38

Sear Lift
Trigger Pull 5.75 5.75 5.75 5.75 5.75

Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
	<u>4.00</u> <u>4.00</u>	<u>4.00</u> <u>4.00</u>		
	<u>4.00</u> <u>4.00</u>	<u>5.00</u> <u>5.00</u>		
	<u>4.00</u>	<u>5.00</u>		

2874 Cycles Total 15.572

Sear Lift
Trigger Pull 6.00 5.75 5.75 5.75 5.75

Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
	<u>4.00</u> <u>4.00</u>	<u>4.00</u> <u>4.00</u>		
	<u>4.00</u> <u>4.00</u>	<u>5.00</u> <u>4.50</u>		
	<u>4.00</u>	<u>4.50</u>		

2147 Cycles Total 176.59

Sear Lift
Trigger Pull 6.00 6.00 5.75 6.00 6.00

Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
	<u>4.00</u> <u>4.00</u>	<u>5.00</u> <u>5.00</u>		
	<u>4.00</u> <u>4.00</u>	<u>5.00</u> <u>5.00</u>		
	<u>4.00</u>	<u>4.00</u>		

Date

12-6-50

Tester

H. L. L.

DRY CYCLE SUMMARY

(For deviation attach supplementary sheet)

Previous Cycles

176.59

Cycle Rate

1.25

TEST:

A. L. L. - 171

Cycles	Total				
Sear Lift	0075				
Trigger Pull	525-550-550-550-550				
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation	
	3.52	4.00	4.2		
	3.52	3.52	2.52		
	3.75	3.50	3.75		

Cycles	Total				
Sear Lift					
Trigger Pull					
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation	

Cycles	Total				
Sear Lift					
Trigger Pull					
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation	

Cycles	Total				
Sear Lift					
Trigger Pull					
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation	

Date 10-6-80Tester U. Long

DRY CYCLE SUMMARY

(For deviation attach supplementary sheet)

Previous Cycles 0Cycle Rate 1000.5TEST: 6.5 on 1.1

<u>0</u> Cycles	Total	<u>0</u>
Sear Lift <u>4.00 - 100.5</u>		<u>True find 100.5</u>
Trigger Pull <u>6.50 6.00 6.00</u>		<u>6.00 5.75</u>
Observations:	Force for Safe On	Force for Safe Off
	<u>5.72 5.75</u>	<u>6.00 6.25</u>
	<u>5.52 5.0</u>	<u>6.25 6.00</u>
	<u>5.5</u>	<u>6.75 1.25</u>
		10 Rd. Function
		Safe Operation

<u>2579</u> Cycles	Total	<u>2579</u>
Sear Lift		
Trigger Pull <u>6.50 5.75 6.00 6.00</u>		<u>6.00</u>
Observations:	Force for Safe On	Force for Safe Off
	<u>5.75 5.75</u>	<u>6.00 6.00</u>
	<u>5.5 5.5</u>	<u>6.00 6.00</u>
	<u>5.5</u>	<u>6.00</u>
		10 Rd. Function
		Safe Operation

<u>2584</u> Cycles	Total	<u>5083</u>
Sear Lift		
Trigger Pull <u>6.00 6.00 5.75 6.00 6.00</u>		
Observations:	Force for Safe On	Force for Safe Off
	<u>5.00 5.00</u>	<u>5.50 5.50</u>
	<u>4.75 5.00</u>	<u>5.00 5.00</u>
	<u>4.75</u>	<u>5.00</u>
		10 Rd. Function
		Safe Operation

<u>2417</u> Cycles	Total	<u>7500</u>
Sear Lift		
Trigger Pull <u>6.00 5.75 5.75 6.00 6.00</u>		
Observations:	Force for Safe On	Force for Safe Off
	<u>5.75 5.75</u>	<u>5.00 5.75</u>
	<u>5.00 5.75</u>	<u>5.75 5.00</u>
	<u>5.5</u>	<u>5.50</u>
		10 Rd. Function
		Safe Operation

0-6-87
IE SUMMARY

Tester _____
(For deviation attach supplementary sheet)
Cycle Rate 1000

3 Cycles 7500
1000

3100 Cycles Total 10600

Sear Lift
Trigger Pull 6.00-5.75-6.00-6.00-6.00

Observations:	Force for Safe On	Force for Safe Off
<u>4.5</u>	<u>4.5</u>	<u>4.5</u>
<u>4.5</u>	<u>4.5</u>	<u>4.5</u>
<u>4.5</u>	<u>4.5</u>	<u>4.5</u>
<u>4.5</u>	<u>4.5</u>	<u>4.5</u>

10 Rd. Function	Safe Operation

2205 Cycles Total 12805

Sear Lift
Trigger Pull 6.00-5.75-5.75-6.00-6.25

Observations:	Force for Safe On	Force for Safe Off
<u>5.0</u>	<u>4.5</u>	<u>4.5</u>
<u>4.5</u>	<u>4.5</u>	<u>4.5</u>
<u>4.5</u>	<u>4.5</u>	<u>4.5</u>
<u>4.5</u>	<u>4.5</u>	<u>4.5</u>

10 Rd. Function	Safe Operation

2195 Cycles Total 15000

Sear Lift
Trigger Pull 6.00-6.00-6.00-5.75-5.75

Observations:	Force for Safe On	Force for Safe Off
<u>4.5</u>	<u>4.5</u>	<u>5.0</u>
<u>4.5</u>	<u>4.5</u>	<u>4.5</u>
<u>4.5</u>	<u>4.5</u>	<u>4.5</u>
<u>4.5</u>	<u>4.5</u>	<u>4.5</u>

10 Rd. Function	Safe Operation

7570 Cycles Total 17500

Sear Lift
Trigger Pull 5.75-5.75-5.75-5.75-6.00

Observations:	Force for Safe On	Force for Safe Off
<u>4.5</u>	<u>4.5</u>	<u>4.5</u>
<u>4.5</u>	<u>4.5</u>	<u>4.5</u>
<u>4.5</u>	<u>4.5</u>	<u>4.5</u>
<u>4.5</u>	<u>4.5</u>	<u>4.5</u>

10 Rd. Function	Safe Operation