

REMINGTON ARMS COMPANY, INC.

INTER-DEPARTMENTAL CORRESPONDENCE

Remington

cc: J. G. Williams
J. E. Preiser
P. H. Holmberg
J. P. Linde
G. D. Campbell
J. W. Brooks

Bridgeport, Connecticut

July 14, 1951

C. B. WORKMAN

MODEL REQUIREMENTS - M/700 ADL RESTYLE

Following is a list of model requirements for the M/700 ADL re-style.

ACTION:

- Standard M/700 with detachable floor plate
- No iron sights
- Redesigned cast magazine follower
- No bolt lock
- Jeweled bolt

STOCK:

- M/700 ADL style
- Cut-checkering (reduced pattern from BDL or Classic)
- New lacquer finish (medium gloss)
- Sling swivel studs
- M/Four butt plate
- BDL grip cap

ACCESSORIES:

- Scope mount rings - design to be determined

Bill
W. E. FORSON

WHP:b

① Completely new Stock -

Smaller Fore-end

Smaller - more swept back grip

No Monte Carlo

With or without cheek piece

No spacers

With or without fore end tip

Cut Checkering

Features:

1. Barrel Length - 18-20-22-24
2. Sights, Front, Rear, None-, Scope mounts
3. Magazine Follower - Formed - OTHER
4. Floor Plate - Steel - Aluminum -
5. Stock, Classic, Check Piece, Monte Carlo
6. Bolt Handle - Present - "722"
7. Jeweling - Bolt - Receiver - Follower
8. Bolt Lock
9. Finishes - Steel
10. Sling Swivels
11. Grip cap - metal - Plastic - Inset - wood
12. Fore end tip
13. White Line Spacers
14. Recoil Pads
15. Hard Butt Plate - metal, Plastic, inset
16. Type of wood - Walnut, Birch
17. Checkering - N/C, Co-Roma, Pressed, none
18. Price Range
19. Weight

1. Magazine Follower -

2. Steel Floor Plate

3. Bolt Handle - Samples 2 weeks from vendor -

4. Stock