REMINGTON ARMS COMPANY, INC.

INTER-DEPARTMENTAL CORRESPONDENCE

cc: P. H. Holmberg
J. E. Preiser

Remington.

7 ile m 1703

Bridgeport, CT October 19, 1981

TO:

E. F. BARRETT

E. HOOTON, JR. J. P. LINDE

E. B. BEATTIE H. K. BOYLE

J. P. MCANDREWS

J. P. GLAS

J. G. WILLIAMS

R. L. HALL

C. B. WORKMAN

FROM:

T. W. RAWSON THE

SUBJECT:

SUMMARY EXECUTIVE BOLT ACTION RIFLE COMPETITIVE AUDIT

On 10/15/81 the second Annual Executive Firearms Competitive Audit was held. Because of the competitive situation, bolt action rifles were chosen as the subject. Observations and discussion at this audit were limited to product. Once again the evaluation was restricted to visual impressions as would be typical in a store environment. Technical evaluation will be presented by R & D in November.

Attached is a matrix similar to the one filled out which summarizes the scoring. Following are observations on that scoring and a summary of the discussion.

- First, second and third place without price consideration went to 700 BDL, M70 Featherweight and Ruger M77 respectively.
- The overall scores did differ from the cummulative individual item scores indicating that overall impression and other factors than those cited contributed to ranking.
- The addition of pricing information (copy attached) did change the ranking. Ruger M77 went from third to a first place tie with the 700 BDL in this analysis. The M70 FWT fell from 2nd to 3rd reflecting the negative reaction to its higher price.
- Stock appearance honors went to M70 FWT, 700 BDL and Ruger M77 in that order suggesting some combination of the 3 might prove most desirable. While the 700 Classic was not audited a sample was reviewed. An oral concensus seemed to indicate our classic was the favorite style. The narrow forend, open styled pistol grip and straight comb of the M70 FWT received special mention.

- Action smoothness, a characteristic discussed in market research panel studies, ranked Remington entries rather low. This ranking suggests the work being done on the recessed follower is in the right direction.
- Browning, known for its high quality appearance, ranked first in metal finish. Dropping back down the price scale the auditers seemed to agree, there was little difference between the major three contenders. Remington did outrank both WW and Ruger in this characteristic on the sample guns. Some auditers expressed surprise at this but warehouse audits and in store checks confirm, generally, this situation.
- e Remington's BDL and ADL took the honors in the extractor, ejector, locking system category. It was mentioned that our design yields the cleaner, neater appearance as a system. Objectivity may have been compromised here as well because of what we believe to be true of the strength and safety of our system. While more bulky and less streamlined the Ruger extractor (Mauser type) does get a lot of play in the press and trade as the more impressive looking mechanism. It was noted that our extractor appears less than impressive and this is partly due to the crudely ground off rivet used to hold the extractor in place.
- The panel was asked to judge the safety not so much from its "safeness" which is difficult to judge in this environment, but from the point of view of convenience, quietness and quality of appearance. The Browning and Ruger took 1st and 2nd place respectively. Both rifles feature sliding, "shotgun type" tang safeties. Remington safety which is functionally similar to Rugers was relegated to 4th place because of the side tang position which necessitates an elongated hole in the stock and yields relatively poor appearance.
- Ruger took first place for accessory parts (sights, scope mounts, grip caps, etc). Their combination of clean barrel (no sights, no holes) and scope mount plus absence of white line spacers at grip cap and butt seemed to be most preferred. The Ruger scope mount system is respected functionally but was described as rather bulky visually. Negative comment was recorded regarding the safety message on Ruger's barrel. (cosmetic reaction).

Summary:

Within our price segment there was little to choose from an execution point of view between the big 3. (Rem., WW, Ruger).

Remington's wood finish, fits and metal finish were at least as good as competition. Small details, like the previously mentioned white extractor rivet head were jarring footnotes.

While the functional analysis has yet to be heard there was little apparent, in the visual audit phase to suggest Remington's functional quality suffers by comparison.

Confining the conversation to product then, it appears that we suffer in the competitive comparison with design cosmetics. In the absolute sense our styling left something to be desired. The panels interest in the 700 Classic, M70 Featherweight and Ruger M77 all fairly well follow a documentable trend in bolt action rifle styling in evidence today. Considering the M700 in current form is basically 20 years old while the movement toward pre 64 M70 - classic styling started by Ruger with the M77 is but 10 years down the product life cycle, this is not surprising. More subtle however is the apparent visual quality of mechanical design from which people imply overall product quality. The M700 safety while functionally similar to the Ruger 77 suffers by comparison in the visual sense. The quality of our design from a styling point of view needs some upgrade as well as styling in the absolute.

Finally the audit also raises a more significant question relevant to quality. Our execution is acceptable and functional design adequate to superior. The styling differences seem short of a total explanation for slipping sales. The price value relationship is the key and as can be seen by the summary matrix the price does effect peoples opinion of gun desirability. Ruger with price added represents the significant threat to M700 sales. Price-cost relationships are the rub. Significant improvement in productivity through better management control of scrap, rework and warranty repair are the benefits of an improved quality system outlined in the quality plan. The changes called for in that plan are essential to improving the cost situation.

TWR: fd

attachment

Best score = 1; Worst score = After inspecting all samples, please fill in matrix below. Duplicates are acceptable.

	REM. 700-BDL	RUGER M/77	REM. 700-ADL	W-W 70-XTR	W-W 70-FWT	BROWNING BBR	S&W 1500
Stock Appearance	2	. €	9	4	1	2	7
Action Smoothness	2	3	9	4	2		7
Metal Finish	2	5	9	9	4	7	7
Extractor, Ejector, Locking System	٦	ħ	2	5	S	ю	و '
Safety	4	2	4	3	3	1	Ŋ
* Accessory Parts (Grip Caps, Sights)	2 (2)	1 (3)	(5) 9	5 (5)	4 (4)	3 (1)	7 (6)
Best Overall wo Price	1	. 3	9	4	7	ر	7
Best Overall	1	٦ .	7.	4.	m	S.	9.

* Number in Parenthesis is placement based on individual item scores above. Best overall W.O. and W. price reflect overall impression and other factors not identified as individual items.

COMMENTS:

			İ	
		·		
	-		·	
	•		ļ <u>.</u>	
•				
•				


COMPETITIVE BOLT ACTION RIFLE AUDIT 1981

PRICING INFORMATION

	M/700 BDL	RUGER M/77	M/700 ADL	W-W 70-XTR	W-W 70FWT	BROWNING BBR	S & W 1500
Suggested Retail Start '81	399.95	325.**	334.95	412.	433.	429.95	334.95 Std. 379.95 Deluxe
Retail Median Selling Price 6/81		269.	250.	385.	433.*	400.*	255. Std 305. Deluxe

^{*} Estimated

^{** 340.} as of 6/1/81



Summary of advance funding to be requested.

```
Trigger Guard (BDL) $ 12,500.00
Floor Plate (BDL) 7,500.00
Scope Mount - Front (P/M) 24,400.00
Scope Mount - Rear (P/M) 16,400.00
Scope Mount Rings (P/M) 12,000.00
Stock 58,100.00
Magazine Followers (3) 13,000.00
Total $144,000.00
```

Cancellation charges <u>included</u> in the above total by component are as follows:

Trigger Guard	\$ 0.00
Floor Plate ·	0.00
Scope Mount - Front	14,430.00
Scope Mount - Rear	2,430.00
Scope Mount Rings	8,500.00
Stock	17,500.00
Magazine Followers	3,000.00
Total cancellation charges	\$45,900.00

Explanatory notes:

- o Advance authorization request includes:
 - 100% of tool design work
 - 30% of the total value of vendor tooling (cancellation charge)
 - 10% of machine costs (assuming cancellation within 2 - 3 months)
- o Included in the work-up on the Stock is:
 - \$11000 for the design and build of the first Master Stock
 - \$6000 for the development work required prior to building the steel former.
 - \$10,000 for the design and build of a new Grip Cap mold for the proposed ADL.
- O Certain assumptions have been made for the purposes of this work-up. They are:
 - Design on each component will be firm at the time it is transmitted and will not vary significantly from what has been estimated.
 - There will not be significant design changes between Trial and Pilot and production.
 - The current average lead times for machines, cutting tools, fixtures, and gages will remain stable.
 - The initial design and build of cutting tools will be done by Valeron in order to obtain the best deliveries.
 - Three guote requirement will be waived if necessary on critical tooling or machines.

TRIGGER GUARD - BDL

This component has been proposed as a steel investment costing replacing the die cast aluminum part used on the M/700 BDL.


Assumptions:

- o Design of the steel component will be the same as the present aluminum Trigger Guard.
- o It will be run on the same machines as the present part. This group is currently burdened approximately 33%.
- o Current average lead times for machines, fixtures, cutting tools, and gages will remain stable.

Machining Operations	Vendor Tooling	Machines	Tooli design	
C'sink screw holes Mill clearance Misc. drill and ream	•		80 213	240 636
Totals in: hours dollars	\$6,000	-	293 \$6500	876 \$24,000

ADVANCE AUTHORIZATION TO BE REQUESTED:

Tool Design	\$ 6500.00
Vendor Tooling	6000.00
Cancellation chg's	0.00
	\$12500.00




FLOOR PLATE - BDL

This component has been proposed as a steel investment casting replacing the die cast aluminum part used on the M/700 BDL.

Assumptions:

- O Design of the steel component will be the same as the present aluminum Floor Plate.
- o It will be run on the same machines as the present part. This group is currently burdened approximately 33%.
- O Current average lead times for machines, fixtures, cutting tools, and gages will remain stable.

	Vendor		Tooli	.ng
Machining Operations	Tooling	Machines	design	build
- Property of the second		·		
Straddle mill front end	•	•	40	240
Form mill back			40	240
Profile undercut for Mag.Spg	•		40	240
Drill hinge pin hole			40	120
			160	840
Totals in: hours dollars	\$4000.00			23,100



Advance authorization to be requested:

Tool Design	\$3500.00
Vendor tooling	4000.00
Cancellation chg.	0.00
Total	\$7500.00

SCOPE MOUNT - FRONT

This component is proposed as a powder metal blank requiring secondary machining and finishing operations.

Assumptions:

- o Design of this component will be firm when transmitted and will not vary significantly from what has been estimated.
- o Initial order for form cutters will be placed with Valeron to assure the best delivery.
- O Current average lead times for machines, cutting tools, fixtures, and gages will remain stable.

·	Vendor		Tool	ing
Machining Operations	Tooling	Machines	design	build
		6 spindle		
Drill & c'bore mounting ho	les	drill press\$15000	70	210
Drill & tap 4 screw holes		-	90	270
Straddle mill		Plain mill \$35000	140	341
Form mill 1st side		Plain mill \$35000	80	240
Form mill 2nd side		Plain mill \$35000	80	240
Total in: hours			460	1301
dollars	\$8100	\$120,000	\$10000	\$36000
•	4 8 12 16	3 20 24 28 32 36	40 44 49	
<u> </u>	 	† 		
TRANSMITTAL OF DWGS.	+1+1111+++++			
TRANSMITTAL OF DWGS.				
VENDOR TOOLING & SAMPLES			+++++++++++++++++++++++++++++++++++++++	
VENDOR TOOLING & SAFELLES	<u> </u>			1111111
TOOL DESIGN	<u>+!+</u> +!	<u></u>		<u> </u>
	<u>+1+1111+11++11</u>	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		
TOOL & MACHINE PROCUREMENT				
	-11:11:11:11:11			
TRIAL AND PILOT				
<u>{:</u>	F(i-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1			1111-1H
ADVANCE AUTHORIZATION TO BE	REQUESTED			

Tool design \$10,000.00
Vendor tooling - cancellation charge 2,430.00
Machines - cancellation charge 12,000.00
Total \$24,430.00

SCOPE MOUNT - REAR

This component is proposed as a powder metal blank requiring secondary machining and finishing operations.

Assumptions:

- o Design of this component will be firm when transmitted and will not vary significantly from what has been estimated.
- o Initial order for form cutters will be placed with Valeron to assure the best delivery.
- o Current average lead times for machines, cutting tools, fixtures, and gages will remain stable.

	Vendor]	Tooli	ng
Machining Operations	Tooling	Machines	design	build
Drill & C'bore mounting holes Drill & tap (4) screw holes Straddle mill Form mill 1st side Form mill 2nd side			70 90 140 80 80 80 80	210 270 342 240 240 240 240
Totals in: hours dollars	\$8100	4 28 32 50	\$14000	1782 \$49000


TRANSMITTAL OF DWGS.

VENDOR TOOLING & SAMPLES

TOOL DESIGN

TOOL PROCUREMENT

TRIAL & PILOT



ADVANCE AUTHORIZATION TO BE REQUESTED:

Tool design	\$14,000.00
Vendor tooling (cancellation	2,430.00
Machine cancellation	0.00
Total	\$16,400.00

SCOPE MOUNT RINGS

This component is proposed as a powder metal component requiring secondary machining and finishing operations. Two are required per set.

Assumptions:

- o Design of this component will not vary significantly from what has been estimated when it is transmitted.
- o Current average lead time for machines, cutters, fixtures, and gages will remain stable.

Mark to the control of the control o	Vendor	N	Tooli	
Machining Operations	Tooling	Machines	design	build
Drill (4) screw holes Mill 1st side Mill 2nd side		plain miller \$35000 plain miller \$35000	70 80 80	210 240 240
Totals in: hours dollars	\$4850	\$70,000	<u>150</u> \$3300	690 \$19000

ADVANCE AUTHORIXATION TO BE REQUESTED:

Tool design	\$ 3300.00
Vendor tooling - cancellation	1500.00
Machine cancellation	7000.00
Total	\$11800.00

TRANSMITTAL OF DWGS.

VENDOR TOOLING & SAMPLES

TOOL DESIGN

TOOL & MACHINE PROCUREMENT

TRIAL & PILOT

STOCK (ADL & BDL)

Assumptions:

- o Design of the Stock will be common for both ADL and BDL except for a wooden Fore-end Tip on the BDL.
- o Design will be firm when tooling and machines are ordered.
- o Design and build of the Remington special machines will be handled by outside houses.
- o Master Stock will be developed and built by R & D's N/C group.

Design and development	design	build
Master Stock	120	400
Former development at Ilion		220
Fabrication of steel former		180
Total in: hours	<u> 120</u>	800
dollars	\$2600	\$22000

		TOOLI	Lng
Machining Operations	Machines	design	build
· ·			
Drill sling swivel screw studs	Rem. Spec \$20000	200	
Machine Grip area (ADL only)	Rem. Spec \$25000	240	
Machine Grip area (BDL only)	Rem. Spec \$30000	300	
		200	
			370
		940	370
dollars	\$75000		\$10000
Machine Grip area (ADL only) Machine Grip area (BDL only) Checkering - develop new program New Grip Cap mold - ADL Totals in: hours	Rem. Spec \$25000 Rem. Spec \$30000	240 300 200	370

ADVANCE AUTHORIZATION TO BE REQUESTED:

Tool design & Machine design	\$23600.00
Cancellation charge (machines)	7500.00
Tool procurement (Grip Cap mold)	10000.00
Master Stock	11000.00
Development of Former	6000.00
Total	\$58100.00

EVENT/WEEKS


TRANSMITTAL OF DWGS

VENDOR TOOLING & SAMPLES

TOOL DESIGN

TOOL & MACHINE PROCUREMENT

TRIAL AND PILOT



MAGAZINE FOLLOWERS

There are three Magazine Followers involved. They are being proposed as investment castings to a new R & D design.

Assumptions:

- o Design will be firm at the time an order must be placed.
- o Lead time for production quantities will remain stable.

Machining Operations

No secondary machining operations are necessary. The parts will follow the process for the present M/700 Magazine Followers which requires only finishing operations.

Vendor tooling

Three sets of vendor tools are required at \$3290.00/set. This amounts to a total of \$9870 or \$10,000.

\$10,000.00 3,000.00 \$13,000.00

ADVANCE AUTHORIZATION TO BE REQUESTED:


Vendor tooling	
Cancellation charge	
Total	

EVENTS/WEEKS

TRANSMITTAL OF DWGS

VENDOR TOOLING AND PARTS

TRIAL AND PILOT



SOLT MATIONS CARBING

2111	BTAIN ADVANCE FUNDS	TO VECT AND SOLAL	Stauld Fractiones	CAD VERTILATION I CONTINUA DESIGN AND/OR PROCESS REV. PRODUCTION TO WAREHOUSE	8
٥				3 ., .	<u> </u>
*					<u> </u>
L					1
8					,
ş					-
2					
24					
48					<u> </u>
3					-
ď					<u> </u>
, to					- † -: -
*					-
7					-1 -1
ار ا					•
200					-
ir U					
2					-
4					
ţ,					
75					

Expiratory Wites

- · Consilation charges are based on:
 30% of actual cost of mender tooling if conselled
 10% of meeting cost if conselled within the first month
- · That advance authorization request includes: 100% of tool and machine design jokes, the total of the cancellation charges.
- · Certain accomptions were made in the proparation of this write-up. They are:

 Design will be from when transmitted in made.

 The three quite requirement will be waired on a vitical tooling if necessary to obtain head possible delivery.

 The initial order for author will go to take one to accome head delivery.

 The present anerage lead times for machines and traling will remain stable.

 There will be no prignificant design changes between truly itself and principles.

· Mayagine followers were estimated without quatitions.

Cedorneed Authorization begund and Camulate for the Proposed Bold action Carbins. advance funding should be requested as follows: Receiver 10,850 Stock & Stock according 90,000 Flore Plate accombly 6,500 Flore Plate Pare 8,000 Flow Plate Conce 18,600 Flore Plate Bone 6,000 Floor Plate Comer assemble 2,400 Magazine Followers 5,300 5 800 153,450 Cancellation charges: #3000 Beeiner Stack & Stack Currently 90,300 Floor Plate Casambly 0 Firm Plate Park 2,400 Flore Plate Core Flan Plate Bace 6,400 Flor Plate Core Greatly 0 Magazino Followers 9,000 Mise. 122,120 275,550