

part of test

SHOTGUNS, CENTERFIRES, RIMFIRES (PUMPS & AUTOLOADERS)

(2)

TEST PROCEDURE SHEET

Model 700 6mm

Serial No. A 6744869

Headspace as Received: _____

Safe - "ON" - I. 8.5

"OFF" - I. 5.00

Proof: _____

2. 8.5

2. 5.25

3. 8.5

3. 5.00

Headspace after Proof: MIN. 7.004

Firing Pin Indent(in.)

1. .023

2. .0235

3. .023

Lean
lift .012
long .013

Bolt Open Force(lbs.)

Cocked: I. _____

Dry Fired: I. _____

2. _____

2. _____

3. _____

3. _____

Trigger Pull(lbs.)

1. 5.25

2. 4.75

3. 5.25

(508)

Bolt Release Force(lbs.)

I. _____

2. _____

3. _____

Gun Length: _____

Gun Weight: _____

Center of Gravity: _____

Bore: _____

Choke: _____

Orifice Size: _____

Bolt Closing Velocity: _____

Magazine Spring Force: _____

Disconnecter Check: _____

Primer Marking: _____

Safety Check: _____

Firing Pin Protrusion: _____

Pattern Test (Avg. of 5)

Group Size: _____

Horz.: _____

Vert.: _____

Accuracy (Avg. of 5)

Group Size: _____

Horz.: _____

Vert.: _____ P.O.I.: _____

• Tester and Date: _____

CJS
I-12-82

After 1,000 Rounds

(2)

SHOTGUNS, CENTERFIRES, RIMFIRES (PUMPS & AUTOLOADERS)

TEST PROCEDURE SHEET

Model 700 6MM

Serial No. A6744869

Headstace as Received: _____

Safe - "ON" - I. 5.50

"OFF" - I. 6.50

Proof: _____

(5.00) 2. 7.50
3. 5.00

(6.6) 2. 6.50
3. 7.00

Headstace after Proof: MINT+.004

Firing Pin Indent(in.)

I. .023

.023 2. .024

3. .024

Seal left .013
Eng 1 .0115

Bolt Open Force(lbs.)

Cocked: I. _____

Dry Fired: I. _____

2. _____

2. _____

3. _____

3. _____

Trigger Pull(lbs.)

I. 5.25

(5.25) 2. 5.00

3. 5.50

Bolt Release Force(lbs.)

I. _____

2. _____

3. _____

Gun Length: _____

Gun Weight: _____

Center of Gravity: _____

Bore: _____

Choke: _____

Orifice Size: _____

Bolt Closing Velocity: _____

Magazine Spring Force: _____

Disconnecter Check: _____

Primer Marking: _____

Safety Check: _____

Firing Pin Protrusion: _____

Pattern Test (Avg. of 5)

Group Size: _____

Horz.: _____

Vert.: _____

Accuracy (Avg. of 5)

Group Size: _____

Horz.: _____

Vert.: _____ P.O.I.: _____

• Tester and Date: _____

CJS
I-12-82

After 2,000 Rounds

SHOTGUNS, CENTERFIRES, RIMFIRES (PUMPS & AUTOLOADERS)

2

TEST PROCEDURE SHEET

Model 700 6MM

Serial No. A6744869

Headspace as Received: _____

Safe - "ON" - I. 8.5

"OFF" - I. 4.5

Proof: _____

80 2. 8.5
3. 7.0

6.7 2. 5.0
3. 6.5

Headspace after Proof: M+.004

Firing Pin Indent(in.)

I. .024

2. .023

3. .023

*Scav
lift .012
eng. .015*

Bolt Open Force(lbs.)

Cocked: I. _____

Dry Fired: I. _____

2. _____

2. _____

3. _____

3. _____

Trigger Pull(lbs.)

I. 5.5

2. 5.5

3. 5.25

Bolt Release Force(lbs.)

I. _____

2. _____

3. _____

Gun Length: _____

Gun Weight: _____

Center of Gravity: _____

Bore: _____

Chokes: _____

Orifice Size: _____

Bolt Closing Velocity: _____

Magazine Spring Force: _____

Disconnecter Check: _____

Primer Marking: _____

Safety Check: _____

Firing Pin Protrusion: _____

Pattern Test (Avg. of 5)

Group Size: _____

Horz.: _____

Vert.: _____

Accuracy (Avg. of 5)

Group Size: _____

Horz.: _____

Vert.: _____ P.O.I.: _____

• Tester and Date: _____

CJS
I-12-82

After 2,500 Rounds 6-11-82

(2)

SHOTGUNS, CENTERFIRES, RIMFIRES (PUMPS & AUTOLOADERS)

TEST PROCEDURE SHEET

Model 700 6MM

Serial No. A6744869

Headspace as Received: _____

Safe - "ON" - 1. 7.0

"OFF" - 1. 5.5

Proof: _____

(7.0)

2. 7.0

(48)

2. 4.5

Headspace after Proof: 17+004

3. 7.0

3. 4.5

Firing Pin Indent (in.)

Bolt Open Force (lbs.)

1. .021

Cocked: 1. _____

Dry Fired: 1. _____

(.021) 2. .021

2. _____

2. _____

3. .021

3. _____

3. _____

Trigger Pull (lbs.)

*Sear
lift .0135
eng. .014*

Bolt Release Force (lbs.)

1. 6.5

1. _____

(5.75) 2. 5.25

2. _____

3. 5.5

3. _____

Gun Length: _____

Primer Marking: _____

Gun Weight: _____

Safety Check: _____

Center of Gravity: _____

Firing Pin Protrusion: _____

Bore: _____

Pattern Test (Avg. of 5)

Choke: _____

Group Size: _____

Orifice Size: _____

Horz.: _____

Bolt Closing Velocity: _____

Vert.: _____

Magazine Spring Force: _____

Accuracy (Avg. of 5)

Disconnecter Check: _____

Group Size: _____

Horz.: _____

Vert.: _____ P.O.I.: _____

CJS
I-12-82

• Tester and Date: _____