

PAGE NO.

TTL. RDS. FIRED: 40
TTL. MALFUNCTIONS: 2
MALFUNCTION RATE: 5.0 0/0

"MALFUNCTIONS"

[illegible]

PAGE NO.

SERIAL NO. B6226263

TTL, MALFUNCTIONS: 00/0
MALFUNCTION RATE: 00/0

[illegible]

PAGE NO. _____

SERIAL NO. B 6226255

TEST TITLE: No Bing Stamped Followers (Live Rd Feed)

TTL. RDS. FIRED: 40
TTL. MALFUNCTIONS: 0
MALFUNCTION RATE: 0%

[illegible]

PAGE NO. _____

9
TTL. RDS. FIRED: 40
TTL. MALFUNCTIONS: 0
MALFUNCTION RATE: 00/0

"MALFUNCTIONS"

[illegible]

JACK ENDURANCE CENTERFIRE

REPROT NO.: 820491

PAGE NO.

DATE: 3-11-82 MODEL: 7Lwt ~~700~~ CARBINE; GAUGE: 6MM

PREVIOUS
ROUNDS

TEST TITLE: No BIND Stamped Followon (Live Rd Feed)

SERIAL NO. B6226258

TTL. RDS. FIRED: 50

TTL. MALFUNCTIONS: 0

MALFUNCTION RATE: 0.0/0

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	FILING	TRAPPED SHELL	DON'T EXTRACT	DON'T BLOW BACK	DON'T LOCK OPEN	FEED FROM MAG.		SHELL STAYS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER				SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T EXTRACT	BREA KAGES	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMARKS (ON BACK)		
								1st LATCH	2nd				HIGH	LOW	RIGHT	LEFT											YES	NO	
R-80-PSP																													
Slow	JB	5																											
Medium	JB	5																											
Fast	JB	5																											
Alternating	JB	5																											
R-100-PSP																													
Slow	JB	5																											
Medium	JB	5																											
Fast	JB	5																											
Alternating	JB	5																											
TOTAL (PER MAL.)																													

JACK ENDURANCE CENTERFIRE

REPROT NO.: 820491

PAGE NO.

DATE: 3-11-82

MODEL: 76wt Carbine

GALIE: 243

SERIAL NO. B6226266

PREVIOUS
ROUNDS

TEST TITLE: No Bind Stamped Followup Live Bd Feed

TTL. HRS. FIRED: 40

TTL. MALFUNCTIONS: 0

MALFUNCTION RATE: 0.0%

"MALFUNCTIONS"

AMMUNITION. Load Size	SHOOTER	NO. OF ROUNDS FIRED	FIRING	TRAPPED SHELL	DON'T EJECT	DON'T BLOW BACK	DON'T LOCK OPEN	FEED FROM MAG.		SHELL STOPS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER				SHELL JUMPS MAG.	FOLLOWER BIDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T EXTRACT	BEEHIVES	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMARKS (ON BACK)		
								1st LATCH	2nd				HIGH	LOW	RIGHT	LEFT											YES	NO	
R-80-PSP																													
Slow	JB	5																											
Medium	JB	5																											
Fast	JB	5																											
Alternating	JB	5																											
R-100-PSP																													
Slow	JB	5																											
Medium	JB	5																											
Fast	JB	5																											
Alternating	JB	5																											
TOTAL (PER MAL.)																													

PAGE NO.

2
SERIAL NO. B6226225

TEST TITLE: No Bing Stamped Followers (Live Rd Feed)

TTL. RDS. FIRED: 40
TTL. MALFUNCTIONS: 0
MALFUNCTION RATE: 00

[illegible]

PAGE NO. _____

3
SERIAL NO. B6226234

TTL. RDS. FIRED: 40
TTL. MALFUNCTIONS: 0
MALFUNCTION RATE: 0 0/0

PREVIOUS ROUNDS

[illegible]

PAGE NO.

SERIAL NO. B6226262

TTL. MALFUNCTIONS: 3
MALFUNCTION RATE: 756/6

“MALFUNCTIONS”

[illegible]

Field Cycle

REPROT NO.: 820491

①

PAGE NO.

171 wt

MODEL: ~~750~~ CARBINI

DATE: 308

SERIAL NO. B6226276

MY!

PREVIOUS ROUNDS

TEST TITLE: No Bind Stamped Followers

"MULTIPLICATION"

MALFUNCTION RATE: 00/0**MAINTENANCE RATE:** _____MALFUNCTION RATE: 00/0[illegible]

Field Cycle
JACK-EMERGENCY

CENTERFIRE

REPORT NO.: 820491 PAGE NO.

DATE:

MODEL: 720 Carbine; GAUGE:

308

SERIAL NO.

PREVIOUS
ROUNDS

TEST TITLE: No Bind Stamped Followed

TTL. RDS. FIRED;
TTL. MALFUNCTIONS;
MALFUNCTION RATE;

"MALFUNCTIONS"

AMMUNITION Load Size	SIGHTS	NO. OF ROUNDS FIRED	FEED FROM MAG.	DON'T LOCK UP	DON'T LOCK OPEN	DON'T LOCK BACK	DON'T FEED	FEED FROM MAG.	SHELL STAYS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER				SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T EXTRACT	BREEZES	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMARKS (ON BACK)	
			1st	2nd	LAUNCH							HIGH	LOW	HIGH	LOW											YES	NO
W-125-RR	1																										
Slow	DS	5																									
Medium	DS	5																									
Fast	DS	5																									
W-150-S.T.P																											
Slow	HW	5																									
Medium	HW	5																									
Fast	HW	5																									
W-150 RR																											
Slow	DS	5																									
Medium	DS	5																									
Fast	DS	5																									
TOTAL (PER M.L.)																											

~~RE-ENGINE - JET~~
Field Cycle

REFROT NO.: 82048 /

DATE:

308

SERIAL NO.

new rounds

TEST TITLE: No Bind Stamped Followers

TTL. RDS. FINED:

TEL. MULTIFUNCTIONS :

Malfunction Rate!

FUNCTIONAL

[illegible]

Field cycle
stack entrance

REPTOT NO. 82049 /

PAGE NO.

7101

DATE:

MODEL: 700 Carbine; GAUGE: 308

SERIAL NO.

PREVIOUS
ROUNDS

TEST TITLE: No Bing Stamped Followed

TTL. RDS. FIRED;
TTL. MALFUNCTIONS;
MALFUNCTION RATE:

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	FIRING	EJECTED SHELL	DON'T LOCK UP	DON'T LOCK BACK	DON'T LOCK OPEN	FEED FROM MAG.	SHELL STAYS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER				FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T REEACT	RETRACTS	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMARKS (ON BACK)	YES	NO
												1st	2nd	3rd	4th												
F-180 PS8	B	5																									
slow	B	5																									
Medium	B	5																									
FAST	B	5																									
F-165 Rem B.T.	HW	5																									
slow	HW	5																									
Med	HW	5																									
FAST	HW	5																									
R-180-PS8																											
slow	B	5																									
Medium	B	5																									
FAST	B	5																									
TOTAL (PER MAL.)																											

Field Cycle
BACK-EMERGENCE

CENTERFIRE

REPORT NO. 1820491

PAGE NO. 2

DATE:

MODEL: 700 Carbine

GROUP: 308

SERIAL NO. B6226256

PREVIOUS
ROUNDS

TEST TITLE: No Bind Stamped Followup

TTL. RDS. FIRED: 180

TTL. MALFUNCTIONS: 0

MALFUNCTION DATE: 8/6/0

"MALFUNCTIONS"

AMMUNITION Load Size	ROUNDS	NO. OF ROUNDS FIRED	FEEDING	FEEDER SPEED	FEED FROM MAG.	1st 2nd LATCH	SHELL STOPS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER	SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION SLANG UP	DON'T ENGAGE	FEEDBACK	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMARKS (ON BACK)	YES	NO
R-150-PSF	5	5																					
Slow	5	5																					
Medium	5	5																					
Fast	5	5																					
R-180-SS	5	5																					
Slow	5	5																					
Medium	5	5																					
Fast	5	5																					
N-110-SS	5	5																					
Slow	5	5																					
Medium	5	5																					
Fast	5	5																					
TOTAL (PER MIL.)																							

Field Cycle
JACK-EMERGENCY CENTERFIRE

REPORT NO.: 82048 / PAGE NO.

PREVIOUS
ROUNDS

DATE:

MODEL: 7600 CABINE; GAUGE: 308

SERIAL NO.

TEST TITLE: No Bind Stamped Followup

TTL. RDS. FIRED:
TTL. MALFUNCTIONS:
MALFUNCTION DATE:

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	DETAILS	TTL. RDS. FIRED	TTL. MALFUNCTIONS	MALFUNCTION DATE	STOCK	FEED FROM MAG.	SHELL STAYS MAG.	POWER OVERHIDE	DON'T LOCK UP	STEM CHAMBER	SHELL JAMES MAG.	FOLLOWER BINDS	LOADING	BOLT OVERHIDE	ACTION HANG UP	DON'T EXTRACT	EJECTOR	REPLACEMENTS	BOLT VELOCITY	REMAINS (ON BACK)	YES NO
W-180-S.Tip	5	5																					
Slow	5	5																					
Medium	5	5																					
Fast	5	5																					
W-200-S.Tip	5	5																					
Slow	5	5																					
Medium	5	5																					
Fast	5	5																					
F-150-RSR	5	5																					
Slow	5	5																					
Medium	5	5																					
Fast	5	5																					
TOTAL (PER MAL.)																							

CENTER FIRE

PAGE NO. _____

SERIAL NO. _____

TEST TITLE: No Bind Stamped Followon

MALFUNCTION RATE:

"MALFUNCTIONS"

[illegible]

(3) PAGE NO. _____

SERIAL NO. B 6226264

TEST TITLE: No Bind Stamped Followup

TTL. RDS. FIRED: 180
TTL. MALFUNCTIONS: 1
MALFUNCTION RATE: 0.6%

"MALFUNCTIONS"

[illegible]

Field Cycle
JACK-BARRANCE CENTERFIRE

REPORT NO. 820491

PAGE NO.

DATE:

MODEL: 700 Carbine; GAUGE: 308

SERIAL NO.

PREVIOUS
ROUNDS

TEST TITLE: No Bind Staged Followed

TTL. RDS. FIRED:
TTL. MALFUNCTIONS:
MALFUNCTION DATE:

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	FIRING	TUBES OVERVIEW	DOV-7 EJECT	DOV-7 BLOW BACK	DOV-7 LOCK OPEN	FEED FROM MAG.	1st 2nd	VALVE	SHELL STAYS MAG.	POWER OVERRIDE	DOV-7 LOCK UP	STEM CHAMBER	SHELL JUMPS MAG.	FOLLOWER HINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DOV-7 EJECT	REARAGES	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMARKS (ON BACK)	YES	NO
W-125-39		5	5	5																							
Slow		5	5	5																							
Medium		5	5	5																							
Fast		5	5	5																							
W-150-s.Tip		5	5	5																							
Slow		5	5	5																							
Medium		5	5	5																							
Fast		5	5	5																							
W-150 89		5	5	5																							
Slow		5	5	5																							
Medium		5	5	5																							
Fast		5	5	5																							
TOTAL (PER MAG.)																											

CENTERFIRE

REFNO: 82042 /

PAGE NO.

DATE:

PREVIOUS ROUNDS

MODEL: ~~700~~ CARBINE; GAUGE: 308

SERIAL NO.

TEST TITLE: No Bind Stamped Followers

TTL. RDS. FIRED:
TTL. MALFUNCTIONS:
MALFUNCTION RATE:

PROLETARIAT,

[illegible]

Field Cycle
~~Stack-Exchange~~
 CENTERFIRE

REFRIG NO.: 82049 /

PAGE NO.

PREVIOUS
 ROUNDS

DATE:

MODEL: 760b Carbine;

GAUGE: 308

SERIAL NO.

TEST TITLE: No Bind Stamped Followery

TTL. RDS. FIRED:
 TTL. MALFUNCTIONS:
 MALFUNCTION RATE:

"MALFUNCTIONS"

AMMUNITION Load Size	SPEED	NO. OF ROUNDS FIRED	FIRING	TRIP/FEED SHUT	DON'T FEED	DON'T BLOW BACK	DON'T LOCK OPEN	FEED FROM MAG.	SHELL STAYS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER				SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION RANG UP	DON'T EXTRACT	BREAKERS	ADJUSTMENTS	RETRACTORS	BOLT VELOCITIES	REMARKS (ON BACK)	
												HIGH	LOW	THREE	LEFT											YES	NO
F-180 PSR	5	5																								X	
slow	5	5																									
Medium	5	5																									
Fast	5	5																									
F-165-Rem B.T.	5	5																									
slow	5	5																									
Med	5	5																									
Fast	5	5																									
R-180-PSR	5	5																									
slow	5	5																									
Medium	5	5																									
Fast	5	5																									
TOTAL (PER MAG.)																											

CENTER FIRE

PAGE NO.

DATE:

MODEL 1

76wt.
~~760~~ CARBON

DATE: 30/8

SERIAL NO. B 6226237

TEST TITLE: No Bind Stamped Follow-on

TTL. RDS. FINED: 180

TTL. MALFUNCTIONS: 0

HALF FUNCTION RATE: 00/0

"MALFUNCTIONS"

[illegible]

Field Cycle
JACK-EMERSON

CENTERFIRE

REPROT NO.: 820491

PAGE NO.

DATE: 7 Oct 1964

MODEL: 700 Carbine; GAUGE: 308

SERIAL NO.

PREVIOUS ROUNDS

TEST TITLE: No Bind Staged Followed

ATT. RDS. FIRED;
TTL. MALFUNCTIONS;
MALFUNCTION RATE;

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	CHAMBER	FEED FROM MAG.	TTL. RDS. FIRED	TTL. MALFUNCTIONS	MALFUNCTION RATE	ATT. RDS. FIRED	TTL. MALFUNCTIONS	MALFUNCTION RATE	REMARKS (ON BACK)	YES	NO
W-125-38	W-38	5	5	5	5	5	5	5	5	5	5	5
Slow	W-38	5	5	5	5	5	5	5	5	5	5	5
Medium	W-38	5	5	5	5	5	5	5	5	5	5	5
Fast	W-38	5	5	5	5	5	5	5	5	5	5	5
W-150-s.Tip	W-150	5	5	5	5	5	5	5	5	5	5	5
Slow	W-150	5	5	5	5	5	5	5	5	5	5	5
Medium	W-150	5	5	5	5	5	5	5	5	5	5	5
Fast	W-150	5	5	5	5	5	5	5	5	5	5	5
W-150 99	W-150	5	5	5	5	5	5	5	5	5	5	5
Slow	W-150	5	5	5	5	5	5	5	5	5	5	5
Medium	W-150	5	5	5	5	5	5	5	5	5	5	5
Fast	W-150	5	5	5	5	5	5	5	5	5	5	5
TOTAL (PER M.L.)												

INTRODUCTION

MODEL: ~~9000~~ Carbine; GAUGE:

308

SERIAL NO.

NOTES

TEST TITLE: No Bind Stamped Followup

ATTN. RDS. FIRED!

THE MULTIFUNCTIONAL

MAINTENANCE DATE:

"MULTI-FUNCTION"

[illegible]

CENTER FIRE

PAGE NO.

MODEL 1

7Lwt
~~700~~ Carbine:

GAUGE: 308

SERIAL NO.

TEST TITLE: No Bind Stamped Followers

TTL, RDS, FIRED:

TTL, MALFUNCTIONS:

MALFUNCTION RATE:

"MALFUNCTIONS"

[illegible]

Field Test
~~BACK~~ ~~STAMPED~~ ~~FOLLOWER~~

CENTERFIRE

REFROT NO.: 820491

PAGE NO. _____

DATE: _____

MODEL: 7cut ~~700~~ Carbine

GAUGE: 243 CAI

SERIAL NO. B6226266

PREVIOUS
ROUNDS

TEST TITLE: No Bind Stamped Follower

①

TTL. RDS. FIRED: 120
TTL. MALFUNCTIONS: 0
MALFUNCTION RATE: 00/0

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	FIRING	TRAPPED SHELL	DON'T EXTRACT	DON'T BLOW BACK	DON'T LOCK UP	FEED FROM MAG.		SHELL STOPS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER				SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T EXTRACT	BREATHERS	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMARKS (ON BACK)	
								1st	2nd				HIGH	LOW	HIGH	LEFT											YES	NO
R-80-PSR																												
Slow	HW	5																										
Medium	HW	5																										
Fast	HW	5																										
R-80-HR																												
Slow	DS	5																										
Medium	DS	5																										
Fast	DS	5																										
R-100-PSR																												
Slow	HW	5																										
Medium	HW	5																										
Fast	HW	5																										
TOTAL (PER MAL.)																												

JACK ENDURANCE CENTER FIRE

REPORT NO.: 820481

PAGE NO.

PREVIOUS
ROUNDS

DATE:

MODEL: 700 Garbine; GAUGE: 243 CAL

SERIAL NO.

TEST TYPE: No Bind Stamped Followed

TTL. RDS. FIRED:

TTL. MALFUNCTIONS:

MALFUNCTION DATE:

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	FIRING	TRAPPED SHELL	DON'T EXTRACT	DON'T BLOW BACK	DON'T LOCK OPEN	FEED FROM MAG.		SHELL STAYS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER	SHELL JUMPS MAG.				FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION STAYS UP	DON'T EXTRACT	REBATES	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMARKS (ON BACK)												
								1st	2nd					LATCH	LATCH	HIGH	LOW										RISER	LEFT											
F-80-SR	DJ	5																																					
Slow	DJ	5																																					
Medium	DJ	5																																					
Fast	DJ	5																																					
F-100-SR																																							
Slow	HJ	5																																					
Medium	HJ	5																																					
Fast	HJ	5																																					
F-85-Rem																																							
Slow	DJ	5																																					
Medium	DJ	5																																					
Fast	DJ	5																																					
TOTAL (PER MAL.)																																							

Field Test

~~DESK EXERCISE~~ CENTERFIRE

REPORT NO.: 820491

PAGE NO.

DATE:

MODEL: ~~760~~ Carbine

GAUGE: 243 CAL

SERIAL NO. B6226225

PREVIOUS
ROUNDS

TEST TITLE: No Bind Stamped Followed

(2)

TTL. RDS. FIRED: 120

TTL. MALFUNCTIONS: 0

MALFUNCTION RATE: 0%

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRE	FIRE	TRAPPED SHELL	DON'T EJECT	DON'T LOCK OPEN	FEED FROM MAG.	SHELL STAYS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEN CHAMBER	SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION STAYS UP	DON'T EJECT	HEADERS	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMARKS (ON BACK)	YES	NO
R-80-PSR	D5	5																						
Slow	D5	5																						
Medium	D5	5																						
Fast	D5	5																						
R-80-HR	H3	5																						
Slow	H3	5																						
Medium	H3	5																						
Fast	H3	5																						
R-100-PSR	D5	5																						
Slow	D5	5																						
Medium	D5	5																						
Fast	D5	5																						
TOTAL (PER MAG.)																								

PAGE NO.

SERIAL NO.

TTL. RDS. FIRED;
TTL. MALFUNCTIONS;
MALFUNCTION RATE;

FUNCTIONALITY

[illegible]

Field Test
HIGH ENDURANCE

CENTER FIRE

REPROT NO.: 820491

PAGE NO. _____

PREVIOUS
ROUNDS

DATE: _____

MODEL: 7Lwt
700 Carbine;

CALIBER: 243 CAL

SERIAL NO. B6226234

TEST TITLE: No BIND Stamped Follower

(3)

TTL. RDS. FIRED: 120

TTL. MALFUNCTIONS: 0

MALFUNCTION DATE: 00/0

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	FIRING	TRAPPED SHELL	DON'T EJECT	DON'T BLOW BACK	DON'T LOCK OPEN	FEED FROM MAG.		SHELL STAYS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER				SHELL JUDGES MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T EXTRACT	BREAKEYS	ADJUSTMENTS	RETRACTMENTS	BOLT VELOCITIES	REMARKS (ON BACK)		
								1st	2nd				HIGH	LOW	HIGH	LOW													
								LATCH																					
R-80-PSR																												YES	NO
Slow	HW	5																											
Medium	HW	5																											
Fast	HW	5																											
R-80-HR																													
Slow	DJ	5																											
Medium	DJ	5																											
Fast	DJ	5																											
R-100-PSR																													
Slow	HW	5																											
Medium	HW	5																											
Fast	HW	5																											
TOTAL (PER MAL.)																													

JACK ENDORANCE CENTERFIRE

REPORT NO.: 820421 PAGE NO.

DATE:

MODEL: 76wt Garbine

GAUGE: 243 CAL

DETAIL NO.

PREVIOUS
ROUNDS

TEST TYPE: No Bind Stamped Followup

YTL. RDS. FIRED:
YTL. MALFUNCTIONS:
MALFUNCTION DATE:

"MALFUNCTIONS"

AMMUNITION Load Size	SHOTS	NO. OF ROUNDS FIRED	FEEDING	FEEDBACK	DON'T FEED	DON'T LOCK BACK	DON'T LOCK OPEN	FEED FROM MAG.		SHELL STOPS MAG.	POWER OVERLINE	DON'T LOCK UP	ITEM CHAMBER	SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERLINE	ACTION KICK UP	DON'T EXTRACT	BREAKAGE	ADJUSTMENTS	REPLACEMENTS	POINT RECOGNITION	REMARKS (ON BACK)	YES NO	
								1st	2nd																HIGH	LOW
F-80-SR	DS	5																								
Slow	DS	5																								
Medium	DS	5																								
Fast	DS	5																								
F-100-SR	HW	5																								
Slow	HW	5																								
Medium	HW	5																								
Fast	HW	5																								
F-85-8cm																										
Slow	DS	5																								
Medium	DS	5																								
Fast	DS	5																								
TOTAL (PER MIL.)																										

REF ID: A620491

PAGE NO.

NOTE:

MODEL: ~~780~~ Carbine;

order 243 GA1

SERIAL NO. B6226234

**PREVIOUS
ROUNDS**

TEST TIME! No BING Stamped Followers

③

TTL. RIG. FIRED:

TTL, MALFUNCTIONS!

"MULTIFUNCTIONAL"

[illegible]

CENTER FIRE

PAGE NO.

MODEL: ~~700~~ CARBINE:

DAVID: 243 CAI

SERIAL NO. B6226262

TEST TITLE: No Bind Stamped Followon

"MALFUNCTIONS"

TTL. RDS. FIRED: 120

TTL. MALFUNCTIONS: 10

MALFUNCTION DATE: 8.30/0

[illegible]

CENTER FIRE

FACE NO.

DATE:

MODEL: ~~760~~ CARBINE:

DATE: 243 CA1

SERIAL NO.

TEST TITLE: No Bind Stamped Follower

TTL. RDS. FIRED:

TTL. MALFUNCTIONS:

Malfunction Rate:

"MALFUNCTIONS"

[illegible]

Field Test
Back Hammer

CENTERFIRE

REFROT NO.: 82049/

PAGE NO.

SERIAL NO. B6226271

CAUSE: 243 CAL

MODEL: 76wt GARDINE

DATE:

PREVIOUS ROUNDS

TEST TITLE: No Bind Stamped Follower

(5)

TTL. RIB. FIRED: 120

TTL. MALFUNCTIONS: 0

MALFUNCTION RATE: 0.0/0

"MALFUNCTIONS"

AMMUNITION Load Size	SHELLS	NO. OF ROUNDS FIRED	FEED FROM MAG.	1st and 2nd LATCH	SHELL STOPS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER	SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION BAR UP	DON'T EXTRACT	HEAD CRACK	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMAINS (ON BACK)	YES	NO
								HIGH													
R-80-PSR	4W	5																			
Slow	4W	5																			
Medium	4W	5																			
Fast	4W	5																			
R-80-HR	DS	5																			
Slow	DS	5																			
Medium	DS	5																			
Fast	DS																				
R-100-PSR	4W	5																			
Slow	4W	5																			
Medium	4W	5																			
Fast	4W	5																			
TOTAL (PER MIL.)																					

SECRET

"MULTICTIONS"

[illegible]

~~LACK ENDURANCE~~

PAGE NO.

TEST TITLE: No Bind stamped Followed

Malfunction Rate: 0.07

[illegible]

~~Jackhammerance~~

REPORT NO.: 82049 /

PAGE NO.

DATE:

MODEL: ~~750~~ Carbine GAUGE: 6mm cal.

SERIAL NO.

**PREVIOUS
ROUNDS**

TEST TITLE: No Bind Stamped Followup

TTL. RDS. FIRED:

TTL. MALFUNCTIONS!

Malfunction

[illegible]

JACK UNDERANCE

DATE:

MODEL: ~~700~~ CARBONI

DATE: 6 M M CAI

SERIAL NO.

PREVIOUS ROUNDS

TEST TITLE: No Bind Stamped Follower

TTL. RDS. FIRED:
TTL. MALFUNCTIONS:
MALFUNCTION RATE:

"ALTERNATIVE"

[illegible]

Field Test
JACK-BURRANCE

CENTERFIRE

REPORT NO.: 820421

PAGE NO.

DATE:

MODEL: 760 CABINE

GAUGE: 6MM CAL.

SERIAL NO. B2226263

PREVIOUS
ROUNDS

TEST TITLE: No Bind stamped followed

(7)

TTL. RDS. FIRED: 105

TTL. MALFUNCTIONS: 0

MALFUNCTION DATE: 08/0

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	FEEDING	TRAPPED SHELL	DON'T FEED	DON'T LOCK OPEN	DON'T LOCK BACK	DON'T LOCK UP	STEM CHAMBER				SHELL JAMES MAG.	FOLLOWER BINDS	LOADING	BOLT OVERLIDE	ACTION BIND UP	DON'T EXHAUST	BREAKS	ADJUSTMENTS	REPLACEMENTS	SHELLS OUTSIDE	REMARKS (ON BACK)	
									HIGH	LOW	MED	FEED											YES	NO
R-80-PS8		5																						
slow	D	5																						
Medium	D	5																						
Fast	D	5																						
R-80-HP																								
slow	3	5																						
Medium	3	5																						
Fast	3	5																						
R-100-PS8																								
slow	D	5																						
Medium	D	5																						
Fast	D	5																						
TOTAL (PER M.L.)																								

~~12.5mm~~ ENDURANCE CENTERFIRE

REFROT NO.: 820491

PAGE NO. _____

PREVIOUS
ROUNDS

DATE: _____

MODEL: 7Lwt Carbine

CALIBER: 6MM CAL

SERIAL NO. _____

TEST TITLE: No BIND Stamped Follower

TTL. RDS. FIRED: _____

TTL. MALFUNCTIONS: _____

MALFUNCTION RATE: _____

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	FIRING	TRAPPED SHELL	DON'T EXTRACT	DON'T BLOW BACK	DON'T LOCK OPEN	FEED FROM MAG.		SHELL STUCK MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER				SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T EXTRACT	BREECHES	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMARKS (ON BACK)	
								1st	2nd				HIGH	LOW	RIGHT	LEFT											YES	NO
F-80-SP																												
Slow	HW	5																										
Medium	HW	5																										
Fast	HW	5																										
F-100-SP																												
Slow	DJ	5																										
Medium	DJ	5																										
Fast	DJ	5																										
TOTAL (PER ML.)																												

SERIAL NO.

TTL. MIS. FIRED!
TTL. MALFUNCTIONS!
MALFUNCTION RATE!

"MULTIFUNCTION"

R2513960

Field Test
JACK-EMERGENCY

CENTERFIRE

REFRONT NO.: 820471

PAGE NO.

DATE:

MODEL: ~~720~~ 720t CABINETS

GAUGE: 6MM CAL.

SERIAL NO. B6226255

PREVIOUS
ROUNDS

TEST TITLE: NO BIND STAMPED FOLLOWED

8

TTL. RDS. FIRED: 105

TTL. MALFUNCTIONS: 0

MALFUNCTION RATE: 00/0

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	FEEDING	FEEDER SPEED	DON'T LOCK OPEN	DON'T LOCK BACK	DON'T LOCK UP	FEED FROM MAG.	SHELL STAYS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER	SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERSIDE	ACTION HANG UP	DON'T EXTRACT	BREECHES	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMARKS (ON BACK)	YES NO	
																								1st 2nd	LAUCH
R-80-PS8	HW	5																							
Slow	HW	5																							
Medium	HW	5																							
Fast	HW	5																							
R-80-HP	DJ	5																							
Slow	DJ	5																							
Medium	DJ	5																							
Fast	DJ	5																							
R-100-PS8	HW	5																							
Slow	HW	5																							
Medium	HW	5																							
Fast	HW	5																							
TOTAL (PER MIL.)																									

Field Test
~~BACK-SCATTER~~

CENTERFIRE

REPORT NO.: 820471

PAGE NO.

PREVIOUS
ROUNDS

DATE:

MODEL: ^{Just} ~~700~~ CABINETS

GAUGE: 6 MM CAL.

SERIAL NO. B6226230

TEST TITLE: No Bind stamped Followed

(9)

TTL. NOS. FIRED: 105

TTL. MALFUNCTIONS:

MALFUNCTION RATE: 00/0

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	FIRING	TAMPED SHELL	DON'T FEED	DON'T FEED BACK	DON'T LOCK OPEN	FEED FROM MAG.	1st 2nd LAUNCH	SHELL STOPS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER	SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION STAYS UP	DON'T REEACT	REELAGES	ADJUSTMENTS	RETRACTORS	BOLT VELOCITIES	REMAINS (ON BACK)	YES	NO
													HIGH LOW													
R-80-PS8		5																								
Slow	B	5																								
Medium	B	5																								
Fast	B	5																								
R-80-HP		5																								
Slow	H	5																								
Medium	H	5																								
Fast	H	5																								
R-100-PS8		5																								
Slow	B	5																								
Medium	B	5																								
Fast	B	5																								
TOTAL (PER MAL.)																										

SERIAL NO.

GAUGE: 6MM CAL.

TTL. NDS. FIRED!

TTL. MALFUNCTIONS:

Malfunction Rate!

"MULTIFUNCTION"

R2513965

PAGE NO.

SERIAL NO.

TEST TITLE: No Bind Stamped Followon

TTL, MALFUNCTIONS:

MAJUNCTION RATE:

"MALFUNCTIONS"

[illegible]

Field Test
~~JACK-REPAIRAGE~~

CENTERFIRE

REPORT NO.: 820491

PAGE NO.

DATE:

MODEL: 762 CABINÉ

GAUGE: 6 MM CAL.

SERIAL NO. B6226258

PREVIOUS
ROUNDS

TEST TITLE: No Bind stamped follower

(18)

TTL. RDS. FIRED: 105

TTL. MALFUNCTIONS: 0

MALFUNCTION RATE: 00/0

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	FIRING	CHARGED SHELL -	DON'T FEED	DON'T LOCK OPEN	FEED FROM MAG.	SHELL STOPS MAG.	POWER OVERLOAD	DON'T LOCK UP	STEM CHAMBER	SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERLIDE	ACTION HANG UP	DON'T EXTRACT	HEADLIGES	ADJUSTMENTS	HEADLIGES	BOLT VELOCITIES	REMARKS (ON BACK)	YES	NO
R-80-PS8																								
Slow	HW	5																						
Medium	HW	5																						
Fast	HW	5																						
R-80-HP																								
Slow	DS	5																						
Medium	DS	5																						
Fast	DS	5																						
R-100-PS8																								
Slow	HW	5																						
Medium	HW	5																						
Fast	HW	5																						
TOTAL (PER MIL.)																								

PAGE NO.

SERIAL NO.

TEST TITLE: No Bind Stamped Followers

ATTN. RDS. FIRED:
ATTN. MALFUNCTIONS:
MALFUNCTION RATE:

"MULTIFUNCTION"

[illegible]

PAGE NO.

SERIAL NO.

11-11-1964

**ATTN. RDS. FIRED;
ATTN. MALFUNCTIONS;
MALFUNCTION RATE;**

“MULTICTIONS”

[illegible]