

SAAMI DROP & JAR-OFF

MODEL 700

SER. No. 6634782

HEAD SPACE OK TRIGG PULL 3.0 LBS.
REM. SPEC.

4' DROP: FROM CG OF FIREARM				SAFE "ON"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL				
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
1' DROP: FROM LOWEST POINT OF FIREARM				SAFE "OFF"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL				
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
ROTATION TEST				
RIGHT SIDE	OK	OK	OK	
LEFT SIDE	OK	OK	OK	

CONFIDENTIAL by Stipulation and order entered in
Tsachalis v. Remington Arms, Inc., et al., Supreme Court of the State of New York, County of Westchester, Index No. 9344/95

SAAMI DROP & JAR-OFF

MODEL 710

SER. No. 6632366

HEAD SPACE OK TRIGG PULL 3.0 LBS.
REM. SPEC.

4' DROP: FROM CG OF FIREARM SAFE "ON"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL			
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL	OK	OK	OK
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

1' DROP: FROM LOWEST POINT OF FIREARM SAFE "OFF"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL			
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL	OK	OK	OK
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

ROTATION TEST

RIGHT SIDE	OK	OK	OK
LEFT SIDE	OK	OK	OK

CONFIDENTIAL by Subpoena and
order entered in
Tsachalis v. Remington Arms,
Inc., et al., Supreme Court of
the State of New York, County of
Westchester, Index No. 9344/95.

SAAMI DROP & JAR-OFF

MODEL 700

SER. No. 6634393

HEAD SPACE OK TRIGG PULL 3.0 LBS.
REM. SPEC.

4' DROP: FROM CG OF FIREARM SAFE "ON"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL			
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL			
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

1' DROP: FROM LOWEST POINT OF FIREARM SAFE "OFF"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL			
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL			
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

ROTATION TEST

RIGHT SIDE	OK	OK	OK
LEFT SIDE	OK	OK	OK

"CONFIDENTIAL by Stipulation and
order entered in
Trachalis v. Remington Arms,
Inc., et al., Supreme Court of
the State of New York, County of
Westchester, Index No. 8044/95"

SAAMI DROP & JAR-OFF

MODEL 7

SER. No. 7640894

HEAD SPACE OK
REM. SPEC.

TRIGG Pull 3.0 LBS.

4' DROP: FROM CG OF FIREARM SAFE "ON"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL			
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL			
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

1' DROP: FROM LOWEST POINT OF FIREARM SAFE "OFF"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL			
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL			
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

ROTATION TEST

RIGHT SIDE
LEFT SIDE

OK
OK

OK
OK

OK
OK

"CONFIDENTIAL by Stipulation and
order entered in
Tschalis v. Remington Arms,
Inc., et al., Supreme Court of
the State of New York, County of
Westchester, Index No. 9344/95"

SAAMI DROP & JAR-OFF

MODEL 7

SER. No. 7635249

HEAD SPACE OK TRIGG PULL 3.0 LBS.
REM. SPEC.

4' DROP: FROM CG OF FIREARM				SAFE "ON"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL				
MUZZLE DOWN	OK	OK	OK	
	OK	OK	OK	
MUZZLE UP				
BARREL HORIZONTAL	OK	OK	OK	
BOTTOM UP				
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
1' DROP: FROM LOWEST POINT OF FIREARM				SAFE "OFF"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL				
MUZZLE DOWN	OK	OK	OK	
	OK	OK	OK	
MUZZLE UP				
BARREL HORIZONTAL	OK	OK	OK	
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
ROTATION TEST				
RIGHT SIDE	OK	OK	OK	
LEFT SIDE	OK	OK	OK	

CONFIDENTIAL by Stipulation and
order entered in
Tsachalis v. Remington Arms,
Inc., et al., Supreme Court of
the State of New York, County of
Westchester, Index No. 9344/95

SAAMI DROP & JAR-OFF

MODEL 7

SER. No. 764121

HEAD SPACE OK TRIGG PULL 3.0 LBS.
REM. SPEC.

4' DROP: FROM CG OF FIREARM				SAFE "ON"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
1' DROP: FROM LOWEST POINT OF FIREARM				SAFE "OFF"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
ROTATION TEST				
RIGHT SIDE	OK	OK	OK	
LEFT SIDE	OK	OK	OK	

Tested by Simpson and
performed in
Remington Arms,
Inc., of the Court of
the State of New York, County of
Westchester, Index No. 8844/95"

SAAMI DROP & JAR-OFF

MODEL 1100

SER. NO. N 965466 V

HEAD SPACE OK TRIGG PULL 3.5 LBS.
REM. SPEC.

4' DROP: FROM CG OF FIREARM SAFE "ON"			
	DROP #1	DROP #2	DROP #3
BARREL VERTICAL			
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL			
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK
1' DROP: FROM LOWEST POINT OF FIREARM SAFE "OFF"			
	DROP #1	DROP #2	DROP #3
BARREL VERTICAL			
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL			
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK
ROTATION TEST			
RIGHT SIDE	OK	OK	OK
LEFT SIDE	OK	OK	OK

"CONFIDENTIAL" by stipulation and
order entered in
Tsachalis v. Remington Arms,
Inc., et al., Supreme Court of
the State of New York, County of
Westchester, Index No. 9344/95"

SAAMI DROP & JAR-OFF

MODEL 1100

SER. No. N 662329 V

HEAD SPACE OK TRIGG PULL 3.5 LBS.
REM. SPEC.

4' DROP: FROM CG OF FIREARM				SAFE "ON"
	DROP # 1	DROP # 2	DROP # 3	
BARREL VERTICAL				
MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL				
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	

1' DROP: FROM LOWEST POINT OF FIREARM				SAFE "OFF"
	DROP # 1	DROP # 2	DROP # 3	
BARREL VERTICAL				
MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL				
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	

ROTATION TEST				
RIGHT SIDE	OK	OK	OK	
LEFT SIDE	OK	OK	OK	

CONFIDENTIAL by stipulation and
order entered in
Tsachalis v. Remington Arms,
Inc., et al., Supreme Court of
the State of New York, County of
Westchester, Index No. 9344/95"

SAAMI DROP & JAR-OFF

MODEL 1100

SER. No. N 662407V

HEAD SPACE OK
REM. SPEC.

TRIGG PULL 3.5 LBS.

4' DROP: FROM CG OF FIREARM				SAFE "ON"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL				
MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL				
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
1' DROP: FROM LOWEST POINT OF FIREARM				SAFE "OFF"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL				
MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL				
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
ROTATION TEST				
RIGHT SIDE	OK	OK	OK	
LEFT SIDE	OK	OK	OK	

"CONFIDENTIAL by Stipulation and order entered in:
Tsechalis v. Remington Arms, Inc., et al., Supreme Court of the State of New York, County of Westchester, Index No. 9344/95"

SAAMI DROP & JAR-OFF

MODEL 7600

SER. No. 8271086

HEAD SPACE OK TRIGG PULL 3.5 LBS.
REM. SPEC.

4' DROP: FROM CG OF FIREARM SAFE "ON"

	DROP # 1	DROP # 2	DROP # 3
BARREL VERTICAL			
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL	OK	OK	OK
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

1' DROP: FROM LOWEST POINT OF FIREARM SAFE "OFF"

	DROP # 1	DROP # 2	DROP # 3
BARREL VERTICAL			
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL	OK	OK	OK
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

ROTATION TEST

RIGHT SIDE	OK	OK	OK
LEFT SIDE	OK	OK	OK

CONFIDENTIAL BY SA 6180-1 and
order entered in
Trachette v. Remington-Union
Inc. et al., Supreme Court of
the State of New York, County of
Westchester, Index No. 6524/65

SAAMI DROP & JAR-OFF

MODEL 7600

SER. No. 8271244

HEAD SPACE OK TRIGG PULL 3.5 LBS.
REM. SPEC.

4' DROP: FROM CG OF FIREARM SAFE "ON"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL			
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL	OK	OK	OK
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

1' DROP: FROM LOWEST POINT OF FIREARM SAFE "OFF"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL			
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL	OK	OK	OK
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

ROTATION TEST

RIGHT SIDE	OK	OK	OK
LEFT SIDE	OK	OK	OK

Tested in
Technique of the Arms
Inc., et al., County of
the State of New York, County of
Westchester, Index No. 9344/35"

SAAMI DROP & JAR-OFF

MODEL 7600

SER. No. 8271080

HEAD SPACE OK
REM. SPEC.

TRIGG PULL 3.5 LBS.

4' DROP: FROM CG OF FIREARM				SAFE "ON"
BARREL VERTICAL	DROP #1	DROP #2	DROP #3	
MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL	OK	OK	OK	
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
1' DROP: FROM LOWEST POINT OF FIREARM				SAFE "OFF"
BARREL VERTICAL	DROP #1	DROP #2	DROP #3	
MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL	OK	OK	OK	
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
ROTATION TEST				
RIGHT SIDE	OK	OK	OK	
LEFT SIDE	OK	OK	OK	

RECEIVED BY THE STATE OF NEW YORK
IN THE OFFICE OF THE ATTORNEY GENERAL
TOGETHER WITH THE STATE OF NEW YORK
IN THE OFFICE OF THE ATTORNEY GENERAL
the State of New York, County of
Westchester, Index No. 8014/95

SAAMI DROP & JAR-OFF

MODEL 7400

SER. No. 8289442

HEAD SPACE OK TRIGG PULL 3.5 LBS.
REM. SPEC.

4' DROP: FROM CG OF FIREARM				SAFE "ON"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL				
MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL	OK	OK	OK	
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
1' DROP: FROM LOWEST POINT OF FIREARM				SAFE "OFF"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL				
MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL	OK	OK	OK	
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
ROTATION TEST				
RIGHT SIDE	OK	OK	OK	
LEFT SIDE	OK	OK	OK	

CONFIDENTIAL by 60141 and
report made in
The Kinzer v. Remington
Case, No. 10, Supreme Court of
the State of New York, County of
Westchester, Index No. 0044/85"

SAAMI DROP & JAR-OFF

MODEL 7400

SER. No. 8202467

HEAD SPACE OK
REM. SPEC.

TRIGG PULL 3.5 LBS.

4' DROP: FROM CG OF FIREARM				SAFE "ON"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL				
MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL	OK	OK	OK	
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
1' DROP: FROM LOWEST POINT OF FIREARM				SAFE "OFF"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL				
MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL	OK	OK	OK	
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
ROTATION TEST				
RIGHT SIDE	OK	OK	OK	
LEFT SIDE	OK	OK	OK	

CONFIDENTIAL by Stipulation and
order entered in
Tsachak v. Remington Arms
Inc., et al., Supreme Court of
the State of New York, County of
Westchester, Index No. 93-1195"

SAAMI DROP & JAR-OFF

MODEL 7400

SER. No. 8283177

HEAD SPACE OK TRIGG PULL 3.5 LBS.
REM. SPEC.

4' DROP: FROM CG OF FIREARM SAFE "ON"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL	OK	OK	OK
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

1' DROP: FROM LOWEST POINT OF FIREARM SAFE "OFF"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL	OK	OK	OK
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

ROTATION TEST

RIGHT SIDE	OK	OK	OK
LEFT SIDE	OK	OK	OK

CONFIDENTIAL by stipulation and order of court in
Kinzer v. Remington Arms,
Inc., et al., Civ. No. 82-100 of
the State of New York, County of
Westchester, Index No. 8244/S5

SAAMI DROP & JAR-OFF

MODEL 66

SER. No. A2308277

HEAD SPACE OK
REM. SPEC.

TRIGG PULL 3.75 LBS.

4' DROP: FROM CG OF FIREARM SAFE "ON"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL MUZZLE DOWN	OK	OK	OK
MUZZLE UP BARREL HORIZONTAL BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

1' DROP: FROM LOWEST POINT OF FIREARM SAFE "OFF"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL MUZZLE DOWN	OK	OK	OK
MUZZLE UP BARREL HORIZONTAL BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

ROTATION TEST

RIGHT SIDE	OK	OK	OK
LEFT SIDE	OK	OK	OK

RECEIVED
JUL 6 1975
JUL 6 1975
The State of New York, County of
Westchester, Index No. 9744/95

SAAMI DROP & JAR-OFF

MODEL 66

SER. No. 42308261

HEAD SPACE OK
REM. SPEC.

TRIGG PULL 3.75 LBS.

4' DROP: FROM CG OF FIREARM SAFE "ON"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL			
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL			
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

1' DROP: FROM LOWEST POINT OF FIREARM SAFE "OFF"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL			
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL			
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

ROTATION TEST

RIGHT SIDE	OK	OK	OK
LEFT SIDE	OK	OK	OK

"CONFIDENTIAL by Stipulation and
order entered in
Testimony v. Remington Arms,
Inc., et al., Supreme Court of
State of New York, County of
New York, 1994/95"

SAAMI DROP & JAR-OFF

MODEL 66

SER. No. A 2308137

HEAD SPACE OK
REM. SPEC.

TRIGG Pull 3.5 LBS.

4' DROP: FROM CG OF FIREARM				SAFE "ON"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL MUZZLE DOWN	OK	OK	OK	
MUZZLE UP BARREL HORIZONTAL	OK	OK	OK	
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
1' DROP: FROM LOWEST POINT OF FIREARM				SAFE "OFF"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL MUZZLE DOWN	OK	OK	OK	
MUZZLE UP BARREL HORIZONTAL	OK	OK	OK	
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
ROTATION TEST				
RIGHT SIDE	OK	OK	OK	
LEFT SIDE	OK	OK	OK	

"CONFIDENTIAL by Stipulation and
order entered in
Tschollis v. Remington Arms,
Inc., et al., Supreme Court of
the State of New York, County of
Westchester, Index No. 8344/95"

SAAMI DROP & JAR-OFF

MODEL 352

SER. NO. A1894712

HEAD SPACE OK
REM. SPEC.

TRIGG PULL 3.5 LBS.

4' DROP: FROM CG OF FIREARM				SAFE "ON"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL				
MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL				
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
1' DROP: FROM LOWEST POINT OF FIREARM				SAFE "OFF"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL				
MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL				
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
ROTATION TEST				
RIGHT SIDE	OK	OK	OK	
LEFT SIDE	OK	OK	OK	

100% IDENTICAL by Inspection and
 and analysis
 Rem. Rev. 300/1000 - 125.
 Inspection, Supreme Court of
 the State of New York, County of
 Westchester, Index No. 6144/95"

SAAMI DROP & JAR-OFF

MODEL 552

SER. No. A 1694748

HEAD SPACE OK
REM. SPEC.

TRIGG PULL 3.5 LBS.

4' DROP: FROM CG OF FIREARM SAFE "ON"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL MUZZLE DOWN	OK	OK	OK
MUZZLE UP BARREL HORIZONTAL BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

1' DROP: FROM LOWEST POINT OF FIREARM SAFE "OFF"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL MUZZLE DOWN	OK	OK	OK
MUZZLE UP BARREL HORIZONTAL BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

ROTATION TEST

RIGHT SIDE	OK	OK	OK
LEFT SIDE	OK	OK	OK

"CONFIDENTIAL by Stipulation and order entered in
Tsachalis v. Remington Arms, Inc., et al., Supreme Court of the State of New York, County of Westchester, Index No. 9344/95"

SAAMI DROP & JAR-OFF

MODEL 552

SER. No. A1894690

HEAD SPACE OK TRIGG PULL 3.5 LBS.
REM. SPEC.

4' DROP: FROM CG OF FIREARM SAFE "ON"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL	OK	OK	OK
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL	OK	OK	OK
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

1' DROP: FROM LOWEST POINT OF FIREARM SAFE "OFF"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL	OK	OK	OK
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL	OK	OK	OK
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

ROTATION TEST

	DROP #1	DROP #2	DROP #3
RIGHT SIDE	OK	OK	OK
LEFT SIDE	OK	OK	OK

"CONFIDENTIAL by Subpoena and
order entered in
Tsachalis v. Remington Arms,
Inc., et al., Supreme Court of
the State of New York, County of
Westchester, Case No. 03-105"

SAAMI DROP & JAR-OFF

MODEL 870

SER. No. W195392V

HEAD SPACE OK
REM. SPEC.

TRIGG Pull 3.5 LBS.

4' DROP: FROM CG OF FIREARM SAFE "ON"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL			
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL			
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

1' DROP: FROM LOWEST POINT OF FIREARM SAFE "OFF"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL			
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL			
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

ROTATION TEST

RIGHT SIDE	OK	OK	OK
LEFT SIDE	OK	OK	OK

"CONFIDENTIAL by Stipulation and
order entered in
Tsachalis v. Remington Arms,
Inc., et al., Supreme Court of
the State of New York, County of
Westchester, Index No. 1001195"

SAAMI DROP & JAR-OFF

MODEL 870

SER. No. W192334V

HEAD SPACE OK
REM. SPEC.

TRIGG PULL 3.5 LBS.

4' DROP: FROM CG OF FIREARM SAFE "ON"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

1' DROP: FROM LOWEST POINT OF FIREARM SAFE "OFF"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

ROTATION TEST

RIGHT SIDE	OK	OK	OK
LEFT SIDE	OK	OK	OK

CONFIDENTIAL by Stimulation and
order of the
Tschala v. ...
1994, et al., Sturges Corp. v.
the State of New York, County of
Westchester, Index No. 9344/95

SAAMI DROP & JAR-OFF

MODEL 820

SER. No. W163507V

HEAD SPACE OK TRIGG PULL 3.5 LBS.
REM. SPEC.

4' DROP: FROM CG OF FIREARM				SAFE "ON"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL				
MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL				
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
1' DROP: FROM LOWEST POINT OF FIREARM				SAFE "OFF"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL				
MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL				
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
ROTATION TEST				
RIGHT SIDE	OK	OK	OK	
LEFT SIDE	OK	OK	OK	

"CONFIDENTIAL by Stipulation and order entered in
Tsachalis v. Remington Arms, Inc., et al., Supreme Court of the State of New York, County of Westchester. Index No. 9344/95"

SAAMI DROP & JAR-OFF

MODEL 572

SER. No. _____

HEAD SPACE OK TRIGG Pull 3.5 LBS.
REM. SPEC.

4' DROP: FROM CG OF FIREARM SAFE "ON"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL			
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL			
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

1' DROP: FROM LOWEST POINT OF FIREARM SAFE "OFF"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL			
MUZZLE DOWN	OK	OK	OK
MUZZLE UP	OK	OK	OK
BARREL HORIZONTAL			
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

ROTATION TEST

RIGHT SIDE	OK	OK	OK
LEFT SIDE	OK	OK	OK

"CONFIDENTIAL by Stipulation and
order entered"

Tsachalis v. Remington, Inc., et al., Supreme Court of
the State of New York, County of
Westchester, Index No. 80CV00001

SAAMI DROP & JAR-OFF

MODEL 572

SER. No. A1896843

HEAD SPACE OK
REM. SPEC.

TRIGG PULL 3.5 LBS.

4' DROP: FROM CG OF FIREARM				SAFE "ON"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL				
MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL				
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
1' DROP: FROM LOWEST POINT OF FIREARM				SAFE "OFF"
	DROP #1	DROP #2	DROP #3	
BARREL VERTICAL				
MUZZLE DOWN	OK	OK	OK	
MUZZLE UP	OK	OK	OK	
BARREL HORIZONTAL				
BOTTOM UP	OK	OK	OK	
BOTTOM DOWN	OK	OK	OK	
LEFT SIDE UP	OK	OK	OK	
RIGHT SIDE UP	OK	OK	OK	
ROTATION TEST				
RIGHT SIDE	OK	OK	OK	
LEFT SIDE	OK	OK	OK	

CONFIDENTIAL by Stipulation and
order entered in
Tsachalis v. Remington Arms,
Inc., et al., Supreme Court of
the State of New York, County of
Westchester, Index No. 9344/95.

SAAMI DROP & JAR-OFF

MODEL 572

SER. No. A 1897252

HEAD SPACE OK
REM. SPEC.

TRIGG PULL 3.5' LBS.

4' DROP: FROM CG OF FIREARM SAFE "ON"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL MUZZLE DOWN	OK	OK	OK
MUZZLE UP BARREL HORIZONTAL	OK	OK	OK
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

1' DROP: FROM LOWEST POINT OF FIREARM SAFE "OFF"

	DROP #1	DROP #2	DROP #3
BARREL VERTICAL MUZZLE DOWN	OK	OK	OK
MUZZLE UP BARREL HORIZONTAL	OK	OK	OK
BOTTOM UP	OK	OK	OK
BOTTOM DOWN	OK	OK	OK
LEFT SIDE UP	OK	OK	OK
RIGHT SIDE UP	OK	OK	OK

ROTATION TEST

RIGHT SIDE	OK	OK	OK
LEFT SIDE	OK	OK	OK

"CONFIDENTIAL by Stipulation and
order entered in
Tsachalis v. Remington Arms
Inc., et al., Supreme Court
the State of New York, County of
Westchester. Index No. 9344/95"