

SERIAL NO. C 653 0810

TEST TITLE: ALTERED SHROUD

MALFUNCTION RATE:

"MALFUNCTIONS"

[illegible]

DATE: 9-19-90MODEL: 700GAUGE: 243SERIAL NO. C6567742
C6567742PREVIOUS
ROUNDSTEST TITLE: Altered ShroudTTL. RDS. FIRED: _____
TTL. MALFUNCTIONS: _____
MALFUNCTION RATE: _____

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	FILING	TRAPPED SHELL	DON'T EJECT	DON'T BLOW BACK	DON'T LOCK OPEN	FEED FROM MAG.		SHELL STAYS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER				SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T EXTRACT	BREAKAGES	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMARKS (ON BACK)		
								1st LATCH	2nd				HIGH	LOW	RIGHT	LEFT											YES	NO	
Fed 100gr P2430 Rem	JA	20 OK																											
Fed 85gr P2430 Rem	JA	20 OK																											
Fed 80gr 2434	JA	20 OK																											
Fed 100gr 2435	JA	20 OK																											
Win 5X 80gr 2431	JA	20 OK																											
Win 5X 100gr 2432	JA	20 OK																											
Rem 100gr R24363	JA	20 OK																											
Rem 80gr R24362	JA	20 OK																											
Rem 70gr R24361	JA	20 OK																											
							</																						

JACK ENDURANCE CENTERFIRE

REPROT NO.: _____

PAGE NO

PREVIOUS ROUNDS

DATE: 9/19

MODEL: 700

GAUGE: 308

SERIAL NO. C6566973

TEST TITLE:

Altered Shroud

TTL. RDS. FIRED:

TTL. MALFUNCTIONS:

MALFUNCTION RATE:

"MALFUNCTIONS"

[illegible]