Features to check at a focus panel

2/19/91

- barrel contour
- barrel length
- 3. box magazine

.;::

- synthetic stocks
- 5. safety location
- trigger feel (creep, overtravel, force)
- stainless vs. carbon steel sights vs. no sights metal finish 7.
- 8.
- 9.
- 10. accuracy
- 11. receiver shape (Blaser vs. traditional)
- 12. muzzle brake/porting
- 13.
- 14. balance
- 15. bolt lock
- 16. electronic fire control
- 17. extractor
- 18. recoil lug
- "custom" order a gun and get it in 1 week 19.

```
barrel contour
         -M/700 MR, BDL
         -M/77 MarkII
         -A-Bolt standard/magnum
         -M/70^{\circ}
2.
     barrel length
         -M/7
         -M/700 standard/magnum
3.
     box magazine
         -QuickClip
         -A-Bolt
         -M/788
     synthetic stocks
4.
         -M/700 AS, KS
         -M/77 MarkII
         -A-Bolt Stainless Stalker
     safety location
5.
         -M/700
         -M/77 MarkII
         -A-Bolt
         -M/70
         -Weatherby
6.
     trigger feel (creep, overtravel, force)
         -M/77 MarkII (no adjustment)
7.
     stainless vs. carbon steel
-M/77 MarkII SS (bright)
         -A-Bolt Stainless Stalker (matte)
         -M/700AS (matte) vs. BDL (bright)
8.
     sights vs. no sights
         -M/700 Classic/MR, BDL
9.
     metal finish
         -M/700AS, BDL
         -M/77 MarkII SS
         -A-Bolt Stainless Stalker
     accuracy
11. receiver shape (Blaser vs. traditional)
         -M/700
         -Blaser
12.
    muzzle brake/porting
         -KDF screw on brake
         -Magnaport integral brake
13.
     weight
         -M/7 (6.25 lbs)
         -M/700 Varmint
14.
   balance,
15. bolt lock
         -M/77 MarkII
         -Sauer
16. electronic fire control
17. extractor
         -M/700
         -A-Bolt (M16 type)
         -M/77 MarkII (Mauser claw type)
18.
   recoil lug
         -M/700
         -M/77
```

```
Features of competitive guns
M/77 MarkII
     - 3 position safety near bolt plug
     - bolt lock

    stainless steel (bright)

     - tapered barrel to muzzle

    synthetic stock

     - Mauser claw type of extractor
     - integral scope mounts
     - use of investment castings
     - traditional trap door magazine
A-Bolt
     - 3 lug lock up
     stainless steel (satin/matte)

    synthetic stock

    magazine box

     - tapered barrel to muzzle
     - magnum barrel 4" longer than standard
     - 2 position tang safety
     - bolt lock
     - fluted bolt
     - extractor in shroud like M16
M/70
     - 3 position safety on bolt plug
     - barrel contour
- Mauser claw type extractor
     - integral recoil lug
Weatherby

    safety on bolt plug

     stock styling
     - multi-lug lock up
     - extractor in shroud (M16 type)
Colt Sauer
     - rear lock up
     - box magazine
     - loaded chamber indicator
Sauer 200
     - interchangable barrels
     - two piece stock
Blaser
     - interchangable barrels
     - unique receiver design

    two piece stock

Sako

    integral scope mounts

    probably one of the heaviest guns

     - RH tang mounted safety
```

M/700