

TLW #:
Project Number: 241460

SAAMI Jar-Off Test

Serial #	E6223233	Model:	700 VS	Date:	5/14/2007
Trigger Assembly Type:	40X XMP	Trigger Assembly #:	40X XMP #19	Stock Type:	H-S Precision
Previous Rds/Cycles:	unknown	Caliber:	220 Swift		

Start:

Engagement:	0.0191	Trigger Pull:	3.477
	0.0191		3.485
	0.0191		3.472
Average:	0.0191		3.490
			3.441
TMIS:	0.003		3.466
	0.003		3.453
	0.003		3.520
Average:	0.003		3.607
			3.521
		Average:	3.493

Comments:

Orientation:

- Barrel Vertical, Muzzle Up:
- Barrel Vertical, Muzzle Down:
- Barrel Horizontal, Left Side Up:
- Barrel Horizontal, Right Side Up:
- Barrel Horizontal, Bottom Side Up:
- Barrel Horizontal, Bottom Side Down:

Pass	Fail	Comments
X		
X		
X		
X		
X		
X		

Tester's Initials: JWR/JLS

Notes:

End:

Engagement:	0.0193	Trigger Pull:	3.645
	0.0187		3.631
	0.0188		3.661
Average:	0.0189		3.655
			3.664
TMIS:	0.003		3.685
	0.003		3.655
	0.003		3.607
Average:	0.003		3.664

Average	3.654
	3.652

Remington Arms Co. - Confidential

Remington Arms Co. - Confidential

TLW
Project #: 241460

SAAMI Rotation Test

Serial #	E6223233	Model:	700 VS	Date:	5/14/2007
Trigger Assembly Type:	40X XMP	Trigger Assembly #:	40X XMP #19	Stock Type:	H-S Precision
Previous Rds/Cycles:	unknown	Caliber:	220 Swift		

Start:

Engagement:	0.0191	Trigger Pull:	3.582
	0.0191		3.600
	0.0191		3.587
Average:	0.0191		3.632
			3.702
TMIS:	0.003		3.719
	0.003		3.676
	0.003		3.664
Average:	0.003		3.677
			3.762
		Average:	3.660

Comments:

Orientation:

Barrel Vertical, Drop So Left Side Is Up:
Barrel Vertical, Drop So Right Side Is Up:

Pass	Fail	Comments
X		
X		

Tester's Initials: JWR/JLS

Notes:

End:

Engagement:	0.0193	Trigger Pull:	4.077
	0.0193		4.082
	0.0193		4.112
Average:	0.0193		4.072
			4.127
TMIS:	0.003		4.119
	0.003		4.107
	0.003		4.145
Average:	0.003		4.149
			4.085
		Average:	4.108

Remington Arms Co. - Confidential

TLW
Project #: 241460

SAAMI Drop Test			
Serial #	E6223233	Model:	700 VS
Trigger Assembly Type:	40X XMP	Trigger Assembly #:	40X XMP #19
Previous Rds/Cycles:	unknown	Caliber:	220 Swift
		Date:	5/15/2007
		Stock Type:	H-S Precision

Start:

Engagement:	0.0193	Trigger Pull:	3.602
	0.0193		3.536
	0.0193		3.562
Average:	0.0193		3.500
			3.511
			3.456
TMIS:	0.003		3.465
	0.003		3.568
	0.003		3.511
Average:	0.003		3.606
		Average:	3.532

Comments:

Orientation:

- Barrel Vertical, Muzzle Up:
- Barrel Vertical, Muzzle Down:
- Barrel Horizontal, Left Side Up:
- Barrel Horizontal, Right Side Up:
- Barrel Horizontal, Bottom Side Up:
- Barrel Horizontal, Bottom Side Down:

Pass	Fail	Comments
X		
X		
X		
X		
X		
X		

Tester's Initials: JWR/JLS

Notes:

End:

Engagement:	0.0189	Trigger Pull:	3.393
	0.0191		3.453
	0.0191		3.428
Average:	0.0190		3.369
			3.346
			3.327
TMIS:	0.003		3.364
	0.003		3.426
	0.003		3.448
Average:	0.003		

Average	3.421
	3.388

Remington Arms Co. - Confidential

Remington Arms Co. - Confidential

TLW
Project #: 241460

SAAMI Jar-Off Test

Serial #	G62C8631	Model:	700 SPS Varmint	Date:	5/14/07
Trigger Assembly Type:	40X XMP	Trigger Assembly #:	40X XMP #21	Stock Type:	SPS Varmint
Previous Rds/Cycles:	unknown	Caliber:	308 Win		

Start:

Engagement:	0.0190	Trigger Pull:	3.580
	0.0190		3.582
	0.0191		3.594
Average:	0.0190		3.577
			3.560
TMIS:	0.003		3.749
	0.003		3.549
	0.003		3.569
Average:	0.003		3.784
			3.570
		Average:	3.611

Comments:

Orientation:

- Barrel Vertical, Muzzle Up:
- Barrel Vertical, Muzzle Down:
- Barrel Horizontal, Left Side Up:
- Barrel Horizontal, Right Side Up:
- Barrel Horizontal, Bottom Side Up:
- Barrel Horizontal, Bottom Side Down:

Pass	Fail	Comments
X		
X		
X		
X		
X		
X		

Tester's Initials: JWR/JLS

Notes:

End:

Engagement:	0.0206	Trigger Pull:	3.665
	0.0204		3.642
	0.0203		3.702
Average:	0.0204		3.718
			3.696
TMIS:	0.003		3.721
	0.003		3.768
	0.003		3.747
Average:	0.003		3.756

Average:	3.796
	3.721

Remington Arms Co. - Confidential

Remington Arms Co. - Confidential

TLW
Project #: 241460

SAAMI Rotation Test

Serial #	G6208631	Model:	700 SPS Varmint	Date:	5/14/2007
Trigger Assembly Type:	40X XMP	Trigger Assembly #:	40X XMP #21	Stock Type:	SPS Varmint
Previous Rds/Cycles:	unknown	Caliber:	308 Win		

Start:

Engagement:	0.0193
	0.0194
	0.0193
Average:	0.0193

TMIS:	0.003
	0.003
	0.003
Average:	0.003

Trigger Pull:	3.538
	3.680
	3.518
	3.511
	3.636
	3.575
	3.628
	3.608
	3.613
	3.555
Average:	3.586

Comments:

Orientation:

Barrel Vertical, Drop So Left Side Is Up:
Barrel Vertical, Drop So Right Side Is Up:

Pass	Fail	Comments
X		
X		

Tester's Initials: JWR/JLS

Notes:

End:

Engagement:	0.0193
	0.0193
	0.0192
Average:	0.0193

TMIS:	0.003
	0.003
	0.003
Average:	0.003

Trigger Pull:	3.420
	3.399
	3.478
	3.492
	3.489
	3.522
	3.465
	3.380
	3.429
	3.466
Average:	3.454

SAAMI Drop Test			
Serial #:	G62C8631	Model:	700 SPS Varmint
Trigger Assembly Type:	40X XMP	Trigger Assembly #:	40X XMP #21
Previous Rds/Cycles:	unknown	Caliber:	308 Win
		Date:	5/15/2007
		Stock Type:	SPS Varmint

Start:

Engagement:	0.0193	Trigger Pull:	3.420
	0.0193		3.399
	0.0192		3.478
Average:	0.0193		3.492
			3.489
TMIS:	0.003		3.522
	0.003		3.465
	0.003		3.380
Average:	0.003		3.429
			3.466
		Average:	3.454

Comments:

Orientation:

- Barrel Vertical, Muzzle Up:
- Barrel Vertical, Muzzle Down:
- Barrel Horizontal, Left Side Up:
- Barrel Horizontal, Right Side Up:
- Barrel Horizontal, Bottom Side Up:
- Barrel Horizontal, Bottom Side Down:

Pass	Fail	Comments
X		
X		
X		
X		
X		
X		

Tester's Initials:

Notes:

End:

Engagement:	0.0190	Trigger Pull:	3.574
	0.0190		3.598
	0.0192		3.485
Average:	0.0191		3.507
			3.578
TMIS:	0.004		3.504
	0.004		3.614
	0.004		3.540
Average:	0.004		3.499

Average	3.588
	3.549

Remington Arms Co. - Confidential

Remington Arms Co. - Confidential

TLW
Project #: 241460

SAAMI Jar-Off Test

Serial #	E6223233	Model:	700 VLS	Date:	5/15/2007
Trigger Assembly Type:	40X XMP	Trigger Assembly #:	40X XMP #22	Stock Type:	laminated wood
Previous Rds/Cycles:	unknown	Caliber:	220 Swift		

Start:

Engagement:	0.0192	Trigger Pull:	3.505
	0.0193		3.515
	0.0193		3.509
Average:	0.0193		3.572
			3.547
			3.532
TMIS:	0.003		3.518
	0.003		3.574
	0.003		3.619
Average:	0.003		3.509
		Average:	3.540

Comments:

Orientation:

- Barrel Vertical, Muzzle Up:
- Barrel Vertical, Muzzle Down:
- Barrel Horizontal, Left Side Up:
- Barrel Horizontal, Right Side Up:
- Barrel Horizontal, Bottom Side Up:
- Barrel Horizontal, Bottom Side Down:

Pass	Fail	Comments
X		
X		
X		
X		
X		
X		

Tester's Initials: JWR/JLS

Notes:

End:

Engagement:	0.0203	Trigger Pull:	3.425
	0.0204		3.434
	0.0205		3.471
Average:	0.0204		3.437
			3.453
			3.487
TMIS:	0.004		3.485
	0.004		3.440
	0.004		3.439
Average:	0.004		

Average	3.427
	3.450

Remington Arms Co. - Confidential

SAAMI Rotation Test

Serial #	E6223233	Model:	700VLS	Date:	5/15/2007
Trigger Assembly Type:	40X XMP	Trigger Assembly #:	40X XMP #22	Stock Type:	laminated wood
Previous Rds/Cycles:	unknown	Caliber:	220 Swift		

Start:

Engagement:	0.0192	Trigger Pull:	3.586
	0.0193		3.534
	0.0192		3.504
Average:	0.0192		3.515
			3.601
TMIS:	0.003		3.566
	0.003		3.523
	0.003		3.584
Average:	0.003		3.536
			3.551
		Average:	3.550

Comments:

Orientation:

Barrel Vertical, Drop So Left Side Is Up:
Barrel Vertical, Drop So Right Side Is Up:

Pass	Fail	Comments
X		
X		

Tester's Initials: JWR/JLS

Notes:

End:

Engagement:	0.0186	Trigger Pull:	3.952
	0.0185		4.012
	0.0183		4.033
Average:	0.0185		4.034
			4.001
TMIS:	0.003		3.969
	0.003		3.964
	0.003		4.001
Average:	0.003		4.028
			3.977
		Average:	3.997

Remington Arms Co. - Confidential

TLW
Project #: 241460

SAAMI Drop Test			
Serial #	E6223233	Model:	700 VLS
Trigger Assembly Type:	40X XMP	Trigger Assembly #:	40X XMP #22
Previous Rds/Cycles:	unknown	Caliber:	220 Swift
		Date:	5/16/2007
		Stock Type:	laminated wood

Start:

Engagement:	0.0191	Trigger Pull:	3.561
	0.0191		3.534
	0.0191		3.430
Average:	0.0191		3.480
			3.561
TMIS:	0.003		3.553
	0.003		3.591
	0.003		3.463
Average:	0.003		3.566
			3.527
		Average:	3.527

Comments:

Orientation:

- Barrel Vertical, Muzzle Up:
- Barrel Vertical, Muzzle Down:
- Barrel Horizontal, Left Side Up:
- Barrel Horizontal, Right Side Up:

Pass	Fail	Comments
X		
X		
X		
X		
		cracked stock through grip - replaced
X		
		cracked stock through grip
X		

Barrel Horizontal, Bottom Side Up:

Barrel Horizontal, Bottom Side Down:

Tester's Initials:

Notes:

End:

Engagement:	0.0189	Trigger Pull:	3.709
	0.0190		3.646

	3.674
	3.709
	3.727
	3.738
	3.755
	3.759
	3.772
	3.788
Average:	3.728

	0.0192
Average:	0.0190
TMIS:	0.004
	0.004
	0.004
Average:	0.004

Remington Arms Co. - Confidential

		Before Jar-off				After Jar-off				Reset for Rotation				After Rotation			
		Engagement	TMIS	Min TP	Test TP	Engagement	TMIS	Test TP	Engagement	Engagement	TMIS	Test TP	Engagement	Engagement	TMIS	Test TP	
E6223233 XMP #19 H-S stock		0.0191	0.003	2.526	3.477	0.0193	0.003	3.645		0.0191	0.003	3.582		0.0193	0.003	4.077	
		0.0191	0.003	2.505	3.485	0.0187	0.003	3.631		0.0191	0.003	3.600		0.0193	0.003	4.082	
		0.0191	0.003	2.536	3.472	0.0188	0.003	3.661		0.0191	0.003	3.587		0.0193	0.003	4.112	
				2.512	3.490			3.655				3.632				4.072	
				2.485	3.441			3.664				3.702				4.127	
				2.502	3.466			3.685				3.719				4.119	
				2.546	3.453			3.655				3.676				4.107	
				2.544	3.520			3.607				3.664				4.145	
				2.538	3.607			3.664				3.677				4.149	
				2.537	3.521			3.654				3.762				4.085	
				2.523	3.493			3.652				3.660				4.108	

Reset for Drop Engagement	After Drop			
	TMIS	Test TP	Engagement	Test TP
		3.602	0.0189	0.003 3.393
		3.536	0.0191	0.003 3.453
		3.562	0.0191	0.003 3.428
		3.500		3.369
		3.511		3.346
		3.456		3.327
		3.465		3.364
		3.568		3.426
		3.511		3.448
		3.606		3.421
		3.532		3.398

		Before Jar-off				After Jar-off			Reset for Rotation			After Rotation			
		Engagement	TMIS	Min TP	Test TP	Engagement	TMIS	Test TP	Engagement	TMIS	Test TP	Engagement	TMIS	Test TP	
G6208631 XMP #21 SPS stock		0.0190	0.003	2.529	3.580	0.0206	0.003	3.665		0.0193	0.003	3.538	0.0193	0.003	3.420
		0.0190	0.003	2.543	3.582	0.0204	0.003	3.642		0.0194	0.003	3.680	0.0193	0.003	3.399
		0.0191	0.003	2.501	3.594	0.0203	0.003	3.702		0.0193	0.003	3.518	0.0192	0.003	3.478
				2.522	3.577			3.718				3.511			3.492
				2.463	3.560			3.696				3.636			3.489
				2.588	3.749			3.721				3.575			3.522
				2.647	3.549			3.768				3.628			3.465
				2.541	3.569			3.747				3.608			3.380
				2.476	3.784			3.756				3.613			3.429
				2.469	3.570			3.796				3.555			3.466
				2.528	3.611			3.721				3.586			3.454

Reset for Drop		After Drop			
Engagement	TMIS	Test TP	Engagement	TMIS	Test TP
			0.0190	0.004	3.574
			0.0190	0.004	3.598
			0.0192	0.004	3.485
					3.507
					3.578
					3.504
					3.614
					3.540
					3.499
					3.588
					3.549

		Before Jar-off				After Jar-off			Reset for Rotation			After Rotation				
		Engagement	TMIS	Min TP	Test TP	Engagement	TMIS	Test TP	Engagement	TMIS	Test TP	Engagement	TMIS	Test TP		
E6223233 VLS Stock	XMP #22	0.0192	0.003	2.539	3.505	0.0203	0.004	3.425		0.0192	0.003	3.586		0.0186	0.003	3.952
		0.0193	0.003	2.546	3.515	0.0204	0.004	3.434		0.0193	0.003	3.534		0.0185	0.003	4.012
		0.0193	0.003	2.479	3.509	0.0205	0.004	3.471		0.0192	0.003	3.504		0.0183	0.003	4.033
				2.519	3.572			3.437				3.515				4.034
				2.571	3.547			3.453				3.601				4.001
				2.491	3.532			3.487				3.566				3.969
				2.494	3.518			3.485				3.523				3.964
				2.447	3.574			3.440				3.584				4.001
				2.493	3.619			3.439				3.536				4.028
				2.604	3.509			3.427				3.551				3.977
				2.518	3.540			3.450				3.550				3.997

Reset for Drop			After Drop		
Engagement	TMIS	Test TP	Engagement	TMIS	Test TP
0.0191	0.003	3.561	0.0189	0.004	3.709
0.0191	0.003	3.534	0.0190	0.004	3.646
0.0191	0.003	3.43	0.0192	0.004	3.674
		3.48			3.709
		3.561			3.727
		3.553			3.738
		3.591			3.755
		3.463			3.759
		3.566			3.772
		3.527			3.788
		3.527			3.728