

	Savage 223 Rem Varminter	Savage 223 Rem Varminter	Savage 223 Rem Varminter	Savage 243 Win Scoped	Savage 243 Win Scoped	Savage 243 Win Scoped	S&W I-bolt 270 Win Syn	T.C Icon 30 TC Wood
Chatillon	G589539	G590333	G589531	G689823	G689816	G689802	IBR2903	3402
C1	1.25	1.75	1.25	2.50	2.75	3.25	3.25	4.00
C2	1.25	1.75	1.50	2.25	2.25	2.75	2.50	3.75
C3	1.50	2.00	1.25	2.25	2.50	3.00	3.00	4.00
C4	1.75	1.50	1.25	2.00	2.50	3.25	2.75	4.25
C5	1.50	2.00	1.50	2.25	2.75	3.00	2.25	4.25
Avg:	1.45	1.80	1.35	2.25	2.55	3.05	2.75	4.05
SD:	0.21	0.21	0.14	0.18	0.21	0.21	0.40	0.21
Max	1.75	2.00	1.50	2.50	2.75	3.25	3.25	4.25
Min	1.25	1.50	1.25	2.00	2.25	2.75	2.25	3.75
Range	0.50	0.50	0.25	0.50	0.50	0.50	1.00	0.50

Dvorak								
D1	1.704	1.902	1.545	2.241	2.833	3.011	2.999	4.118
D2	1.709	1.895	1.707	2.302	2.921	3.231	2.858	4.072
D3	1.701	1.872	1.750	2.212	2.898	3.190	3.174	4.009
D4	1.760	1.913	1.696	2.296	3.164	3.121	3.174	4.030
D5	1.658	1.872	1.756	2.265	2.899	3.100	3.026	4.134
Avg:	1.706	1.891	1.691	2.263	2.943	3.131	3.046	4.073
SD:	0.036	0.018	0.086	0.038	0.128	0.085	0.133	0.054
Max	1.760	1.913	1.756	2.302	3.164	3.231	3.174	4.134
Min	1.658	1.872	1.545	2.212	2.833	3.011	2.858	4.009
Range	0.102	0.041	0.211	0.090	0.331	0.220	0.316	0.125

	Savage 223 Rem Varminter	Savage 223 Rem Varminter	Savage 223 Rem Varminter	Savage 243 Win Scoped	Savage 243 Win Scoped	Savage 243 Win Scoped	S&W I-bolt 270 Win Syn	TC Icon 30 TC Wood
Chatillon	G589539	G590333	G589531	G689823	G689816	G689802	IBR2903	3402
High End								
CH1	5.50	6.25	3.75	4.50	5.00	4.75	5.25	9.75
CH2	5.25	6.50	3.75	4.25	4.75	4.75	5.25	10.00
CH3	5.25	6.50	4.00	4.50	4.75	4.50	5.75	9.75
CH4	5.75	6.25	3.75	4.50	4.75	4.75	5.25	9.00
CH5	5.50	6.00	4.00	4.25	4.75	4.75	5.50	9.50
Avg:	5.45	6.30	3.85	4.40	4.80	4.70	5.40	9.60
SD:	0.21	0.21	0.14	0.14	0.11	0.11	0.22	0.38
Max	5.75	6.50	4.00	4.50	5.00	4.75	5.75	10.00
Min	5.25	6.00	3.75	4.25	4.75	4.50	5.25	9.00
Range	0.50	0.50	0.25	0.25	0.25	0.25	0.50	1.00
Low End								
CL1	1.75	1.75	1.50	2.25	3.00	3.25	3.00	2.75
CL2	1.75	1.75	1.25	2.25	2.75	3.00	3.00	2.75
CL3	1.75	1.75	1.50	2.25	2.75	3.00	2.75	3.00
CL4	1.50	1.75	1.50	2.25	2.75	2.75	3.00	2.75
CL5	1.50	1.50	1.50	2.25	2.75	2.75	2.75	2.50
Avg:	1.65	1.70	1.45	2.25	2.80	2.95	2.90	2.75
SD:	0.14	0.11	0.11	0.00	0.11	0.21	0.14	0.18
Max	1.75	1.75	1.50	2.25	3.00	3.25	3.00	3.00
Min	1.50	1.50	1.25	2.25	2.75	2.75	2.75	2.50
Range	0.25	0.25	0.25	0.00	0.25	0.50	0.25	0.50

Dvorak								
High End								
DH1	5.266	6.839	3.611	4.130	4.776	4.516	5.687	9.012
DH2	5.209	6.566	3.673	3.791	4.888	4.558	5.418	10.639
DH3	5.258	6.725	3.644	3.850	4.794	4.709	5.974	10.873
DH4	5.379	6.592	3.685	3.636	4.823	4.599	5.348	10.530
DH5	5.285	6.551	3.685	3.937	4.780	4.518	5.355	10.874
Avg:	5.279	6.655	3.660	3.909	4.812	4.580	5.556	10.386
SD:	0.06	0.12	0.03	0.13	0.05	0.08	0.27	0.78
Max	5.38	6.84	3.69	4.13	4.89	4.71	5.97	10.87
Min	5.21	6.55	3.61	3.79	4.78	4.52	5.35	9.01
Range	0.17	0.29	0.07	0.34	0.11	0.19	0.63	1.86
Low End								
DL1	1.605	1.709	1.881	2.618	3.455	3.120	2.933	2.732
DL2	1.651	1.554	1.800	2.547	3.166	3.258	2.911	2.901
DL3	1.683	1.487	1.776	2.418	3.118	3.123	2.972	2.848
DL4	1.807	1.518	1.816	2.428	3.226	3.115	2.862	2.818
DL5	1.733	1.488	1.801	2.440	3.081	3.084	2.879	2.912
Avg:	1.696	1.551	1.815	2.490	3.209	3.140	2.911	2.842
SD:	0.08	0.09	0.04	0.09	0.15	0.07	0.04	0.07
Max	1.81	1.71	1.88	2.62	3.46	3.26	2.97	2.91

Min	1.61	1.49	1.78	2.42	3.08	3.08	2.86	2.73
Range	0.20	0.22	0.11	0.20	0.37	0.17	0.11	0.18

	Savage 223 Rem Varminter	Savage 223 Rem Varminter	Savage 223 Rem Varminter	Savage 243 Win Scoped	Savage 243 Win Scoped	Savage 243 Win Scoped	S&W 1-bolt 270 Win Syn	TC Icon 30 TC Wood
Dvorak	G589539	G590333	G589531	G689823	G689816	G689802	IBR2903	3402
SETUP								
S1	1.806	1.850	1.739	2.377	2.878	3.172	3.030	4.068
S2	1.725	1.682	1.626	2.242	3.309	3.199	3.035	3.988
S3	1.797	1.833	1.636	2.249	3.093	3.004	3.077	4.164
S4	1.815	1.966	1.679	2.275	2.897	2.988	3.042	3.990
S5	1.813	1.974	1.663	2.260	2.890	3.028	3.031	4.028
Avg:	1.791	1.861	1.669	2.281	3.013	3.078	3.043	4.048
HEADSPACE	MIN .004	MIN .003	MIN .004	MIN .003	MIN .002	MIN .001	MIN .004	
AFTER PROOF	MIN .004	MIN .003	MIN .004	MIN .003	MIN .002	MIN .001	MIN .004	
AFTER 1 PROOF								No 30 TC Headspace gauges or rounds
RD AND 5 SERVICE								
LOADS								
F1	2.024	1.561	1.928	1.877	3.136	3.232	2.967	
F2	2.018	1.595	1.834	1.815	3.179	3.193	2.953	
F3	2.018	1.501	1.855	1.733	3.074	3.258	2.891	
F4	2.033	1.591	1.852	1.805	3.145	3.211	2.972	
F5	2.003	1.581	1.789	1.859	3.143	3.177	2.930	
Avg:	2.019	1.566	1.852	1.818	3.135	3.214	2.943	
Difference	0.228	0.295	0.183	0.463	0.122	0.136	0.100	