Summary		Total Tested Total Rejected: Overall Reject Rate:	1062 28 2.64												
		Shot:	787		108	T 90	190	1	22	1					
	Proof	Rejected:	9	0	3	5	1	O	0	0	0	0	0	0	0
		Percent:	1.1		2.8	5.6	0.5	0.0	0.0						
		Shot:	672		104	74	189	1	22		Т				
	Test	Rejected:	6	0	1	0	3	0	0	0	0	0	0	0	0
		Percent:	0.9		1.0	0.0	1.6	0.0	0.0						
		Shot:	67		6	9	11		2						
	Target	Rejected:	0	0	0	0	0	0	0	0	0	0	0	0	0
	, g	Percent:	0.0		0.0	0.0	0.0		0.0						

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615	Rimfire
AB	Action binds													
BABS	Bulge at body shoulder													ــــــ
BAC	Burr at chamber													
BBMA	BBL-to-bolt misalignment													
ВВ	Bolt binds/catches	1				1								<u> </u>
BCOAB	Bolt catches on anti-bind													<u> </u>
BCOBS	Bolt catches on bolt stop													
BCOF	Bolt catches on follower													
BC	Blows cases													
BHR	Bolt hits receiver													
BHS	Bolt plug hits safety switch													
BLOP	Bar lock or disconnector out of position													
BLSO	Barrel lug shot off													
BPO	Bolt pulls out													
BSSM	Bolt stems shell in magazine													
BWCD	Bolt won't cam down													
BWCFM	Bolt won't close over full magazine					1								
CD	Case dented													
CH	Closes hard			1										
CLM	Can't load magazine					1								
CO	Cut-off													
CR	Cuts rim													
CS	Cases swell													
CTOG	Chamber torn or gouged													
CTP	Creepy trigger pull													
CWSB	Cams wrong side of action bar													
DBB	Doesn't blow back													
DCS	Double click in safety switch													
DCT	Double click in trigger													
DCU	Doesn't close-up													
DE	Doesn't eject													
DEL	Doesn't eject live round													

Page 1 of 274


Grand totals	700 totals	New Gen totals
1198	1198	
18	18	0
1.5	1.5	
1062	1062	
10	10	0
0.9	0.9	
95	95	
0	0	0
0.0	0.0	

totals	totals	totals
2	2	
1	1	
1	1	
1	1	
1	1	
•	•	

					itorini								
DFB	Doesn't feed back												
DFU	Doesn't feed up												
DLO	Doesn't lock open (after last shell)												
DLU	Doesn't lock-up												
DS	Dead safe												
DX	Doesn't extract	3											
DXL	Doesn't extract live round												
EDS	Extractor drops shell												
ESB	Ejector sticks back	1											
ESCR	Empty shell catches receiver												
ESS	Extractor stems shell												
FA	Fires automatically												
FB	Follower binds		1										
FC	Fails to connect												
FCB	Fore-end cracked or broken		1		<u> </u>								
FD	Follows-down	+									<b>—</b>		
FF	Fails to fire	+									_		-
FFP	Flat firing pin		1	-							_		
FOS	Fires on safe		1										-
FPHB	Firing pin hits bbl										-		
FPHI	Firing pin hits inside rim	+									_		
FPO	Floor plate opens			-	<u> </u>						-		$\vdash$
FPOH	Floor plate opens Floor plate opens hard	-	-	-	-						_		
FSR			-							-	_		
	Fires when safe is released												
FT	Follower tips		1		-								$\vdash$
GCSO	Gas cyl shot off									_			$\vdash$
HBL	Heavy bolt lift									_			$\vdash$
HMSC	Heading mismatch-steps on case												
HPA	High pressure ammo												$\overline{}$
HUR	Hard under rail												$\vdash$
JCS	Jumps cartridge												$\overline{}$
JM	Jumps magazine												
JO	Jars off												
LB	Light blow												
MAH	Magazine assembles hard												
MCW	Magazine capacity wrong												
MFA	Misfires (ammo)												
MFOP	Magazine follower out of position												
ML	Magazine loose												
MLH	Magazine loads hard												
MRH	Magazine removes hard												
ОН	Opens hard												
OR	Over-rides												
PH	Pulls hard												
PSI	Proof stamp illegible												$\Box$
PSM	Proof stamp missing	1					1						$\Box$
RBOC	Rings and bulges on case	1								$\vdash$			$\Box$
RDW	(Action) release doesn't work									H			$\overline{}$
RIC	Rings in chamber	+	<b>-</b>	1						$\vdash$	<b>—</b>		-
RIS	Rings in chamber Ring in sholder	+	<u> </u>										$\vdash$
RS	Rim srem	+	<u> </u>	1						-			$\vdash \vdash$
NO	IVIIII SI EIII		1	1	l .	l		L	L	L	L	l	į.

Page 3 of 274


ige 4 of 274



SBC	
SCB	
SCK Shel catches Sh Short indent SI Stams incline SI Stams in chamber SI Stams in chamber SI Stams in chamber SI Stams in side of chamber SI Stams in side of chamber SI Stams in side of chamber SI Stams over side of	
SHI Short indent SI Stems incline SIC Stems in chamber SIC Stems in chamber SIC Stems left side of chamber SIC Stems over-ride 1 SIP Stem over-ride 1 SIP Stems light side of chamber SIR Stems tight side of chamber SIR	
SI Stems incline SIC Stems in chamber SL stems et alde of chamber SL Stems et alde of chamber SMCC Stretch marks on case 3OR Stem over-note 1 SP Stems port SR Shoulder rough SRC Stems ight side of chamber SRIC Stems ight side of chamber SRIC Stems ight side of chamber SRIC Specific rings in chamber SRIC Specific rings in chamber SRIC Syecific rings in chamber SRIC Stems top chamber SWE Safety switch works too asily SWH Safety switch works too hard SWW Safety switch works too hard TD Tips down TU Tips up TWP Trigger wort pull TWP Trigger wort tretact UNCN-T Uncoded XH Extracts hard HI High LO Low LEFT Left Right Right RSTR Rear sight tipped RSSTR Rear sight tipped RSS	
SIC	
SIC	
SLC Stems left side of chamber  SMCC Stems left side of chamber  SMCC Stems left side of chamber  SP Stems port  SP Stems port  SR Shoulder rough  SRC Stems right side of chamber  SRIC Specific rings in chamber  SRIC Specific rings in chamber  SRIC Stems top chamber  SRIC Stems top chamber  SRIC Stems top chamber  SRIC Stems top chamber  SWE Safety switch works too deally  SWH Safety switch works too hard  SWW Safety switch works too hard  TU Tips up  TU Tips up  TWP Trigger wont pull  TWR Trigger wont create  UNCN-T Uncoded  XH Extracts hard  HI High  LO Low  LEFT Left  RIGHT Right  RIGHT Right  RIGHT Right base raised  FSTS Rear sight tipped  RSTR Rear sight tipped  R	_
Stems left side of chamber	$\overline{}$
SMCC	_
SOR   Stams port   Stams port   Sor   Stams port   Sor   Stams port   Sor   Stams port   Sor   Stams right side of chamber   Sor   Stams right side of chamber   Sor   Stams right side of chamber   Sor	_
SP Stems port SR Shoulder rough SRC Stems right side of chamber SRIC Specific rings in chamber SRIC Specific rings in chamber SRIC Specific rings in chamber SRIC Stems to case SSO Surface soratches on case STC Stems top chamber SWE Safety switch works to easily SWH Safety switch works to hard SWW Safety Switch work two the safety Switch work sto hard TD Tips down TU Tips up TWP Trigger wont pull TWR Trager wont retrect UNCN-T Uncoded XH Extracts hard HI High LC Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSST Front sight tipped RSSR Roar sight base raised FSTR Front sight tipsed RSSR Roar sight loose RSTL Rear sight loose RSTL Re	
SRC Stems right side of chamber  SRIC Specific rings in chamber  SRIC Specific rings in chamber  SSCO Surface scratches on case  STC Stems top chamber  SWE Safety switch works too easily  SWH Safety switch works too bard  SWW Safety Switch work work  TD Tips down  TU Tips up  TWP Trigger wont pull  TWR Trigger wont pull  TWR Infrager wont pull  TWR Lincoded  XH Extracts hard  HI High  LO Low  LEFT Left  RIGHT Right  DG Doesn't Group  FSST Front sight tipped  RSSR Rear sight base raised  FSTI. Fear sight loose  RSTI. Rear sight l	
SRC         Stems right side of chamber           SRIC         Specific rings in chamber           SSOC         Surface scratches on case           STC         Stems top chamber           SWE         Safety switch works too easily           SWH         Safety switch works too hard           SWW         Safety switch work too w	
SRIC   Specific rings in chamber   SSCO   Surface sortaches on cese   SSCO   Surface sortaches on cese   SSCO   Surface sortaches on cese   SSCO   Stems top chamber   SWE   Safety switch works too bard   SWW   Safety switch works too hard   SWW   Safety Switch work too hard   SWW   Safety Switch work too hard   SWW   Safety Switch work too hard   SWW   Safety Switch word took   SWE   SAFETY	_
SSC	+-
STC Stems top chamber  SWE Safety switch works too easily  SWH Safety switch works too hard  SWW Safety Switch work too hard  SWW Safety Switch work too hard  SWW Safety Switch work too hard  TD Tips down  TU Tips up  TWP Trigger wont puil  TWR Trigger wont retract  UNCN-T Uncoded  XH Extracts hard  HI High  CO Low  LEFT Left  RIGHT Right  DG Doesn't Group  FSST Front sight tipped  RSTI Rear sight tipped  RSTI Rear sight tipped  RSTR Front sight traised  FSTR Front sight loose  RSTI. Rear sight loose  RSTI. Rear sight loose  RSTI. Rear sight loose  MGPT-G Missing parts at target  UNCN-G Uncoded nonconformity at target  UNCN-G Blows cases at proof  BEB-P Barrel bracket core of proof  BEB-P Barrel extension broken at proof	
SWE   Safety switch works too leard   SWH   Safety switch works too hard   Safety switch work too hard   Safety switch work too hard   SWW   Safety switch work too hard   SWW   Safety switch work   SAfety switch work   SWW   Safety Switch work   SWW	
Safety switch works too hard   SWW   Safety Switch work work   Safety Switch work work   Safety Switch work work   Sww   Safety Switch work work   Sww   Safety Switch work work   Sww   Safety Switch work   Sww   Sw	+
SWW Safety Switch won't work  TD Tips down  TU Tips up  TWP Trigger won't pull  TWR Trigger won't retract  UNCN-T Uncoded  XH Extracts hard  HI High  LO Low  LEFT Left  RIGHT Right  DG Doesn't Group  FSST Front sight tipped  RSTT Rear sight tipped  RSBR Rear sight tipped  RSBR Rear sight tipped  RSBR Rear sight tipped  RSBR Rear sight tipsed  RSTL Rear sight loose  MGPT-G Missing parts at target  UNCN-G Uncoded norconformity at target  LEPT Left  RBBB Barrel bracket cracked or broken at proof  BEB-P Barrel extension broken at proof  BEB-P Blarrel extension broken at proof	+
Tips down	
TU Tips up TWP Trigger won't pull TWR Trigger won't retract UNCN-T Uncoded XH Extracts hard  HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight tipped RSBR Rear sight tipped RSTL Front sight raised FSTL Front sight raised FSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target  LEFT Sarrel Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof	
TWP Trigger won't pull TWR Trigger won't retract UNCN-T Uncoded XH Extracts hard  HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSTR Front sight tipped RSTR Front sight tipsed FSTR Front sight tipsed RSTR Front sight tipsed RSTR Front sight tipsed RSTR Front sight toose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof	
TWR	-
UNCN-T Uncoded XH Extracts hard  HI High LO Low LEFT Left Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised FSTL Front sight raised FSTL Front sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BEB-P Blanked primer at proof	-
XH Extracts hard  HI High  LO Low  LEFT Left  RIGHT Right  DG Doesn't Group  FSST Front sight tipped  RSTT Rear sight tipped  RSTT Rear sight tipped  RSBR Rear sight base raised  FSTR Front sight raised  FSTR Front sight loose  RSTL Rear sight loose  RSTL Rear sight loose  MCPT-G Missing parts at target  UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof  BBB Barrel bracket cracked or broken at proof  BC-P Blows caskes at proof  BC-P Blows caskes at proof  BBB-B arrel extension broken at proof  BBB-P-P Blanked primer at proof	
HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised FSTL Front sight loose RSTL Rear sight loose BMGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BC-P Blows cases at proof BBB-Barrel extension broken at proof BBB-Barrel extension broken at proof BBB-P-P Blanked primer at proof	
LO Lew LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight base raised FSTR Front sight raised FSTR Front sight raised FSTL Front sight raised FSTL Front sight loose RSTL Rear sight loose RSTL	
LO Lew LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight base raised FSTR Front sight raised FSTR Front sight raised FSTL Front sight loose RSTL Rear sight loose RSTL Re	
LEFT Left RIGHT Right RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight lose FSTR Front sight lose RSTL Front sight lose RSTL Rear sight lose RSTL Rear sight lose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BBB-Barrel extension broken at proof BBC-P Blanked primer at proof	
RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised FSTL Front sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose ROFT-G Missing parts at target UNCN-G Uncoded nonconformity at target UNCN-G Uncoded ronconformity at target UNCN-G BBB Barrel bracket cracked or broken at proof BBB Barrel bracket cracked or broken at proof BBB-P Blarrel extension broken at proof BBB-P Barrel extension broken at proof BBP-P Blanked primer at proof	$\rightarrow$
DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSTR Rear sight base raised FSTR Front sight raised FSTR Front sight raised FSTL Front sight loose RSTL Rear sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target UNCN-G Uncoded ronconformity at target UNCN-G Base Barrel bracket cracked or broken at proof BBB Barrel bracket cracked or broken at proof BBB-P Barrel extension broken at proof BBB-P Barrel extension broken at proof BBB-P Barrel extension broken at proof BBB-P Blanked primer at proof	
FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised FSTL Front sight loose RSTL Rear sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target UNCN-G Basembly incompleye at proof BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BC-P Blarked primer at proof BBB-P Barrel extension broken at proof	
RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight loose FSTL Front sight loose RSTL Rear sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof	
RSBR Rear sight base raised FSTR Front sight raised FSTL Front sight loose RSTL Front sight loose RSTL Rear sight loose RSTL Front sight loose RS	
FSTR Front sight raised FSTL Front sight loose RSTL Rear sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target UNCN-G Uncoded nonconformity at target UNCN-G BBB Barrel bracket cracked or broken at proof BBB Barrel bracket cracked or broken at proof BBB-P Barrel extension broken at proof BBB-P Barrel extension broken at proof BBP-P Blanked primer at proof	
FSTL Front sight loose  RSTL Rear sight loose  MGPT-G Missing parts at target  UNCN-G Uncoded nonconformity at target  UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof  BBB Barrel bracket cracked or broken at proof  BC-P Blows cases at proof  BC-P Barrel extension broken at proof  BC-P Blanked primer at proof	
RSTL Rear signt loose  MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof  BBB Barrel bracket cracked or broken at proof  BC-P Blows cases at proof  BEB-P Barrel extension broken at proof  BLP-P Blanked primer at proof	
MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof	
UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof  BBB Barrel bracket cracked or broken at proof  BC-P Blows cases at proof  BEB-P Barrel extension broken at proof  BLP-P Blanked primer at proof	
AI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof	
BBB Barrel bracket cracked or broken at proof  BC-P Blows cases at proof  BEB-P Barrel extension broken at proof  BLP-P Blanked primer at proof	
BBB Barrel bracket cracked or broken at proof  BC-P Blows cases at proof  BEB-P Barrel extension broken at proof  BLP-P Blanked primer at proof	
BBB Barrel bracket cracked or broken at proof  BC-P Blows cases at proof  BEB-P Barrel extension broken at proof  BLP-P Blanked primer at proof	
BC-P Blows cases at proof BBB-P Barrel extension broken at proof BLP-P Blanked primer at proof	
BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof	$\overline{}$
BLP-P Blanked primer at proof	
	$\overline{}$
	$\overline{}$
BB-P Blown primer at proof	$\overline{}$
BS-P Barrel split at proof	-
DBF-P Damaged Bolt Face 4 3 5	
DLOS-P Doesn't lock over shells at proof	$\overline{}$

Page 5 of 274


Page 6 of 274



ESBBP-P	Ejector sticks back -Blown Primer cup	2		1				1
ESBEC-P	Ejector sticks back - Ejector Cresent							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof							
FF-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions	3						

Page 8 of 274





AB	Action binds	$\Box$
BABS	Bulge at body shoulder	٦d
BAC	Burr at chamber	$\neg$
BBMA	BBL-to-bolt misalignment	$\neg$
ВВ	Bolt binds/catches	$\neg$
BCOBS	Bolt catches on bolt stop	$\neg$
BCOF	Bolt catches on follower	٦c
BC	Blows cases	$\neg$
BHR	Bolt hits receiver	٦c
BHS	Bolt plug hits safety switch	٦d
BLOP	Bar lock or disconnector out of position	$\neg$
BLSO	Barrel lug shot off	$\dashv$
BPO	Bolt pulls out	٦ď
BSSM	Bolt stems shell in magazine	٦d
BWCD	Bolt won't cam down	$\neg$
BWCFM	Bolt won't close over full magazine	٦d
CD	Case dented	$\neg$
CH	Closes hard	$\neg$
CLM	Can't load magazine	$\dashv$
CO	Cut-off	$\dashv$
CR	Cuts rim	$\dashv$
CS	Cases swell	$\exists c$
CTOG	Chamber torn or gouged	$\exists c$
CTP	Creepy trigger pull	$\neg$
CWSB	Cams wrong side of action bar	$\dashv$
DBB	Doesn't blow back	$\exists c$
DCS	Double click in safety switch	$\dashv$
DCT	Double click in trigger	$\dashv$
DCU	Doesn't close-up	$\exists c$
DE	Doesn't eject	$\exists i$
DEL	Doesn't eject live round	$\dashv$
DFB	Doesn't feed back	$\exists c$
DFU	Doesn't feed up	٦c
DLO	Doesn't lock open (after last shell)	$\dashv c$
DLU	Doesn't lock-up	$\exists c$
DS	Dead safe	$\exists c$
DX	Doesn't extract	$\dashv$
DXL	Doesn't extract live round	$\dashv$
EDS	Extractor drops shell	$\exists c$
ESB	Ejector sticks back	$\dashv$
ESCR	Empty shell catches receiver	$\dashv$
ESS	Extractor stems shell	٦à
FA	Fires automatically	$\dashv$
FB	Follower binds	$\dashv$
FC	Fails to connect	$\dashv$
FCB	Fore-end cracked or broken	$\dashv$
FD	Follows-down	$\dashv$
		١,٠
FF.	Fails to fire	Πo

FOS	Fires on safe	$\neg \neg$
FPHB	Firing pin hits bbl	$\neg$
FPHI	Firing pin hits inside rim	$\neg$
FPO	Floor plate opens	$\neg \neg$
FPOH	Floor plate opens hard	$\neg \neg$
FSR	Fires when safe is released	$\neg \neg$
FT	Follower tips	$\neg \neg$
GCSO	Gas cyl shot off	$\neg$
HBL	Heavy bolt lift	$\neg$
HMSC	Heading mismatch-steps on case	$\neg \neg$
HPA	High pressure ammo	$\neg \neg$
HUR	Hard under rail	$\Box$
JCS	Jumps cartridge	
JM	Jumps magazine	
JO	Jars off	$\neg \neg$
LB	Light blow	
MAH	Magazine assembles hard	$\neg \neg$
MCW	Magazine capacity wrong	$\neg \neg$
MFA	Misfires (ammo)	$\neg \neg$
MFOP	Magazine follower out of position	
ML	Magazine loose	$\neg$
MLH	Magazine loads hard	$\neg \neg$
MRH	Magazine removes hard	$\neg \neg$
ОН	Opens hard	$\neg$
OR	Over-rides	$\neg \neg$
PH	Pulls hard	$\neg$
PSI	Proof stamp illegible	$\neg$
PSM	Proof stamp missing	$\neg \neg$
RBOC	Rings and bulges on case	$\neg \neg$
RDW	(Action) release doesn't work	$\neg \neg$
RIC	Rings in chamber	$\neg$
RIS	Ring in sholder	$\neg$
RS	Rim srem	$\neg$
SBC	Stems bottom chambers	$\neg$
SBE	Stems bbl extension	$\neg$
SCB	Stock cracked or broken	$\neg$
SCX	Shell catches	$\neg$
SHI	Short indent	$\neg$
SI	Stems incline	$\neg \neg$
SIC	Stems in chamber	$\neg \neg$
SL	shaves lead	$\neg$
SLC	Stems left side of chamber	$\neg$
SMOC	Stretch marks on case	$\neg$
SOR	Stem over-ride	-
SP	Stems port	-
SR	Shoulder rough	
SRC	Stems right side of chamber	-
SRIC	Specific rings in chamber	-
SSOC	Surface scratches on case	-

O.T.O.	Ictarra tan abarrahan	٦,
STC	Stems top chamber	<u>ا</u> م
SWE	Safety switch works too easily	<u>ا</u> ٥
SWH	Safety switch works too hard	<u>۰</u>
SWW	Safety Switch won't work	<u>ا</u>
TD	Tips down	_  º
TU	Tips up	0
TWP	Trigger won't pull	□٥
TWR	Trigger won't retract	0
UNCN-T	Uncoded	0
XH	Extracts hard	0
		0
HI	High	0
LO	Low	0
LEFT	Left	∘
RIGHT	Right	0
DG	Doesn't Group	0
FSST	Front sight tipped	o
RSTT	Rear sight tipped	o
RSBR	Rear sight base raised	٦0
FSTR	Front sight raised	٦٥
FSTL	Front sight loose	٦o
RSTL	Rear sight loose	٦0
MGPT-G	Missing parts at target	o
UNCN-G	Uncoded nonconformity at target	٦٥
		٦٥
AI-P	Assembly incompleye at proof	╗
BBB	Barrel bracket cracked or broken at proof	٦٥
BC-P	Blows cases at proof	o
BEB-P	Barrel extension broken at proof	Πo
BLP-P	Blanked primer at proof	٦٥
BLSO-P	Barrel lug shot off at proof	٦٥
BP-P	Blown primer at proof	Πo
BS-P	Barrel split at proof	٦٥
DBF-P	Damaged Bolt Face	╗
DLOS-P	Doesn't lock over shells at proof	٦٥
ESBBP-P	Ejector sticks back -Blown Primer cup	٦٥
ESBEC-P	Ejector sticks back - Ejector Cresent	٦o
FCB-P	Fore-end cracked at proof	٦٥
FESO-P	Fore-end shot off at proof	٦o
FF-P	Fails to fire at proof	╗
GCSO-P	Gas cylinder shot off at proof	⊣∘
MSI-P	Magnaflux stamp illegible on bbl	٦٥
MSM-P	Magnaflux stamp missing on bbl	٦ò
PP-P	Pierced primer at proof	٦ō
SCB-P	Stock cracked or broken at proof	٦ŏ
BCOAB	Bolt catches on anti-bind	┪゙
BCOAB	Bolt catches on anti-bind	$\dashv$
200/10	DOIL OCCUPO OF WHILE MITH	

<autodate

Summary		Total Tested Total Rejected: Overall Reject Rate:	0								Test Date:			
	Proof	Shot; [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Test	Shot: Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Target	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0

MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
Astion binds										_		$\vdash$
										1	_	$\vdash$
										_	_	-
				-						+		$\vdash$
										+	-	_
										1		$\vdash$
	_									<u> </u>		
										1		
										<u> </u>		$\perp$
Bolt won't cam down												
Bolt won't close over full magazine												
Case dented												
Closes hard												
Can't load magazine												
Cut-off												
Cuts rim												
Cases swell												
Chamber torn or gouged												
Doesn't blow back										1		$\Box$
										1		
										1		
										1		$\Box$
	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sults bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt bulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block base hard Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Con't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sulls out Bolt swort cam down Bolt wort close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block based on trigger	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on bolt stop Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Double click in safety switch Bout bolt wasten Double click in trigger	Action binds Bulge at body shoulder Burr at chamber BBIL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Blows cases Bolt taches on follower Bolt plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Cul-off Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Bulge at body shoulder Bolt purchased at the safety switch Barrel case dented Consest swell Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sum to am down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Both-both misalignment Both binds/catches Both catches on anti-bind Both catches on follower Blows cases Both this receiver Both plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Both seminary Both won't cam down Both won't close over full magazine Case dented Closes hard Cut-off Cuts rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in safety switch Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Birr at chamber Birr at chamber Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Birr at chamber Bolt catches on follower Bolt catches on follower Bolt binds cases Bolt binds cases Bolt binds cases Bolt binds receiver Bolt plug hits sefety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt won't cam down Bolt won't cam down Bolt won't cam down Bolt won't cam down Cases swell Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Camb manger in afety switch Double click in trigger	Action binds Bulge at body shoulder Burr at chamber Burr at chamber Bolt-to-bolt misalignment Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt binds/catches Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt by units and own Bolt won't can down Bolt won't can down Bolt won't can down Cases eard Closes hard Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cases may be safety switch Double click in afety switch	Action binds Bulge at body shoulder Burst chamber Burst chamber Burst chamber Burst chamber Both binds coatches Both catches on anti-bind Both catches on bolt stop Both catches on follower Blows cases Both this receiver Both steres which Bar lock or disconnector out of position Barrel lug shot off Both steres shell in magazine Both steres shell in magazine Both worth close over full magazine Case dented Closes hard Cart load magazine Cut-off Cuts rim Cases swell Cases swell Cases my ligger pull Cases my load is a fety switch Double clock in safety writch Double clock in safety writch Double clock in safety writch

Page 14 of 274

Page 15 of 274

Gallery Performance Report
Proof - Test - Target

totals

Rimfire totals

**BARBER - RE 0006639** 

		 		Doot To					
DE	Doesn't eject		Proof -	lest - Ta	rget				
DEL	Doesn't eject live round								
DFB	Doesn't feed back								
DFU	Doesn't feed up								
DLO	Doesn't lock open (after last shell)								
DLU	Doesn't lock-up								
DS	Dead safe								
DX	Doesn't extract								
DXL	Doesn't extract live round								
EDS	Extractor drops shell								
ESB	Ejector sticks back								
ESCR	Empty shell catches receiver								
ESS	Extractor stems shell								
FA	Fires automatically								
FB	Follower binds								
FC	Fails to connect								
FCB	Fore-end cracked or broken								
FD	Follows-down								
FF	Fails to fire								
FFP	Flat firing pin								
FOS	Fires on safe								
FPHB	Firing pin hits bbl								
FPHI	Firing pin hits inside rim								
FPO	Floor plate opens								
FPOH	Floor plate opens hard								
FSR	Fires when safe is released								
FT	Follower tips								
GCSO	Gas cyl shot off								
HBL	Heavy bolt lift								
HMSC	Heading mismatch-steps on case								
HPA	High pressure ammo								
HUR	Hard under rail								
JCS	Jumps cartridge								
JM	Jumps magazine								
JO	Jars off								
LB	Light blow								
MAH	Magazine assembles hard								
MCW	Magazine capacity wrong								
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position								
ML	Magazine loose								
MLH	Magazine loads hard								
MRH	Magazine removes hard								
OH	Opens hard								
OR	Over-rides								
PH	Pulls hard								
PSI	Proof stamp illegible								
PSM	Proof stamp missing								
RBOC	Rings and bulges on case								

Page 16 of 274

Page 17 of 274

Gallery Performance Report
Proof - Test - Target



**BARBER - RE 0006641** 

		 	51 <b>y</b> 1 0110				 				
RDW	(Action) release doesn't work		Proof - T	est - Ta	rget						
RIC	Rings in chamber										
RIS	Ring in sholder										
RS	Rim srem										
SBC	Stems bottom chambers										
SBE	Stems bbl extension										
SCB	Stock cracked or broken										
SCX	Shell catches										
SHI	Short indent										
SI	Stems incline										
SIC	Stems in chamber										
SL	shaves lead										
SLC	Stems left side of chamber										
SMOC	Stretch marks on case										$\Box$
SOR	Stem over-ride										$\Box$
SP	Stems port										$\Box$
SR	Shoulder rough										$\Box$
SRC	Stems right side of chamber										$\Box$
SRIC	Specific rings in chamber										$\Box$
SSOC	Surface scratches on case										
STC	Stems top chamber										
SWE	Safety switch works too easily										
SWH	Safety switch works too hard										$\Box$
sww	Safety Switch won't work										$\Box$
TD	Tips down										$\Box$
TU	Tips up										$\Box$
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										$\vdash$
											$\Box$
HI	High										
LO	Low								1		
LEFT	Left										
RIGHT	Right										
DG	Doesn't Group										
FSST	Front sight tipped										
RSTT	Rear sight tipped										
RSBR	Rear sight base raised										
FSTR	Front sight raised										
FSTL	Front sight loose										$\vdash$
RSTL	Rear sight loose										
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target										$\vdash$
Al-P	Assembly incompleye at proof										$\vdash$
BBB	Barrel bracket cracked or broken at proof										$\vdash$
BC-P	Blows cases at proof										$\vdash$
BEB-P	Barrel extension broken at proof								_	$\vdash$	$\vdash$
	Danes, satisficial protein at proof					1	 	L			

Page 18 of 274

Page 19 of 274

Gallery Performance Report
Proof - Test - Target



BLP-P	Blanked primer at proof		Proof -	est - Ta	rget				
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof							$\Box$	
DBF-P	Damaged Bolt Face								
DLOS-P	Doesn't lock over shells at proof								
ESBBP-P	Ejector sticks back -Blown Primer cup								
ESBEC-P	Ejector sticks back - Ejector Cresent							$\Box$	
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof								
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof								
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions								

Page 21 of 274

Gallery Performance Report
Proof - Test - Target




Summary		Total Tested Total Rejected: Overall Reject Rate:	423 11 2.60							7	est Date:			
		Shot:	354		66	4	114	1	Ι	т т				1
	Proof	Rejected:	4	0	0	0	1	0	0	0	0	0	0	0
		Percent:	1.1		0.0	0.0	0.9	0.0						
		Shot:	240		65	4	113	1		Т				Т
	Test	Rejected:	4	0	1	0	1	0	0	0	0	0	0	0
		Percent:	1.7		1.5	0.0	0.9	0.0						
		Shot:	24		6	T	9		Τ	Т				
	Target	Rejected:	0	0	0	0	0	0	0	0	0	0	0	0
	· g	Percent:	0.0		0.0		0.0							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
AB	Action binds												
BABS											+	_	1
	Bulge at body shoulder										-		
BAC	Burr at chamber										_		
BBMA	BBL-to-bolt misalignment										-		
BB	Bolt binds/catches					1					-		
BCOAB	Bolt catches on anti-bind												
BCOBS	Bolt catches on bolt stop												
BCOF	Bolt catches on follower												
BC	Blows cases												
BHR	Bolt hits receiver												
BHS	Bolt plug hits safety switch												
BLOP	Bar lock or disconnector out of position												
BLSO	Barrel lug shot off												
BPO	Bolt pulls out												
BSSM	Bolt stems shell in magazine												
BWCD	Bolt won't cam down												
BWCFM	Bolt won't close over full magazine												
CD	Case dented												
CH	Closes hard			1									
CLM	Can't load magazine												
CO	Cut-off												
CR	Cuts rim												
CS	Cases swell												
CTOG	Chamber torn or gouged												
CTP	Creepy trigger pull											İ	1
CWSB	Cams wrong side of action bar												
DBB	Doesn't blow back												
DCS	Double click in safety switch												
DCT	Double click in trigger										1		t
DCU	Doesn't close-up										1		

Page 22 of 274

Gallery Performance Report
Proof - Test - Target

Page 23 of 274



	<u> </u>			Proof -	roc+ Ta	raot							
DE	Doesn't eject			F 1001 -	CSL - Ta	i yet							
DEL	Doesn't eject live round												
DFB	Doesn't feed back												
DFU	Doesn't feed up												
DLO	Doesn't lock open (after last shell)												
DLU	Doesn't lock-up												
DS	Dead safe												
DX	Doesn't extract	2											
DXL	Doesn't extract live round												
EDS	Extractor drops shell												
ESB	Ejector sticks back	1											
ESCR	Empty shell catches receiver												
ESS	Extractor stems shell												
FA	Fires automatically												
FB	Follower binds												
FC	Fails to connect												
FCB	Fore-end cracked or broken												
FD	Follows-down												
FF	Fails to fire												
FFP	Flat firing pin												
FOS	Fires on safe												
FPHB	Firing pin hits bbl												
FPHI	Firing pin hits inside rim												
FPO	Floor plate opens												$\vdash$
FPOH	Floor plate opens hard												
FSR	Fires when safe is released												
FT	Follower tips												
GCSO	Gas cyl shot off										<del>                                     </del>		
HBL	Heavy bolt lift											<b>†</b>	
HMSC	Heading mismatch-steps on case												
HPA	High pressure ammo												
HUR	Hard under rail											<b>†</b>	
JCS	Jumps cartridge							1					$\vdash$
JM	Jumps magazine										_		$\vdash$
JO	Jars off				<del>                                     </del>						<del>                                     </del>	<del>                                     </del>	
LB	Light blow											_	
MAH	Magazine assembles hard	+		+									_
MCW	Magazine capacity wrong	+									<b>-</b>	<del>                                     </del>	
MFA	Misfires (ammo)			+	<u> </u>					<del> </del>	<del>                                     </del>	<del>                                     </del>	$\vdash \vdash$
MFOP	Magazine follower out of position	+	<u> </u>		_			1			-	<del>                                     </del>	$\vdash$
ML	Magazine loose	+			_			-			-	-	$\vdash$
MLH		_		+	-		1	-	-	-	├	-	$\vdash$
MRH	Magazine loads hard Magazine removes hard			+	-		1			-	-	-	$\vdash$
OH	one had			+	-						├	-	$\vdash$
	Opens hard				-						<del>                                     </del>	<u> </u>	$\vdash$
OR	Over-rides								-		<del>                                     </del>	<u> </u>	$\vdash$
PH	Pulls hard			1	-						├	<u> </u>	$\vdash$
PSI	Proof stamp illegible										<b>├</b>	<u> </u>	igspace
PSM	Proof stamp missing	1			<u> </u>						<u> </u>		igspace
RBOC	Rings and bulges on case									l			

Gallery Performance Report
Proof - Test - Target

Page 25 of 274




**BARBER - RE 0006649** 

				CIY I CIIC				 				
RDW	(Action) release doesn't work			Proof -	ijest - Ta	rget						
RIC	Rings in chamber											
RIS	Ring in sholder											
RS	Rim srem											
SBC	Stems bottom chambers											
SBE	Stems bbl extension											
SCB	Stock cracked or broken											
SCX	Shell catches											
SHI	Short indent				1						İ	
SI	Stems incline											
SIC	Stems in chamber											
SL	shaves lead											
SLC	Stems left side of chamber				1					1		
SMOC	Stretch marks on case											
SOR	Stem over-ride	1		1	1							
SP	Stems port	<u> </u>		1					1	t —		H
SR	Shoulder rough				1					$\vdash$		$\vdash$
SRC	Stems right side of chamber			1						t		$\vdash \vdash \vdash$
SRIC	Specific rings in chamber				1							
SSOC	Surface scratches on case											
STC	Stems top chamber											
SWE	Safety switch works too easily				1							
SWH	Safety switch works too hard				<del>                                     </del>							
sww	Safety Switch won't work				<del>                                     </del>					<del>                                     </del>	_	-
TD	Tips down				1					<u> </u>	_	
ΤU	Tips up				1					<del>                                     </del>	<b>—</b>	
TWP	Trigger won't pull				1					<del>                                     </del>	_	
TWR	Trigger won't retract				1					<del>                                     </del>		
UNCN-T	Uncoded			1	1					<u> </u>	-	
XH	Extracts hard				1					<del>                                     </del>		
XII	Extracts riard				+					<b>-</b>		
HI	High	1			1		+					
LO	Low				+					<del>                                     </del>	<del>                                     </del>	$\vdash$
LEFT	Left				+					_	_	$\vdash$
RIGHT	Right	-			1							
DG	Doesn't Group									_	_	
FSST	Front sight tipped				<del>                                     </del>					-	_	$\vdash$
RSTT	Rear sight tipped				+					-		$\vdash$
RSBR	Rear sight base raised			-	1							$\vdash$
FSTR				+	+		-			-	_	$\vdash$
FSTL	Front sight lesse	-	-	+	+		1		-	$\vdash$	_	$\vdash \vdash$
RSTL	Front sight loose	-	-		+		-	 		<del>                                     </del>	_	$\vdash$
MGPT-G	Rear sight loose			+	-		+		-	-	-	$\vdash$
	Missing parts at target	-	-		-		-	 		├	-	$\vdash \vdash$
UNCN-G	Uncoded nonconformity at target	1		<del>                                     </del>	-		1		ļ	-		$\vdash \vdash \vdash$
AL D	A		-		-		1			<del>                                     </del>		$\vdash \vdash$
Al-P	Assembly incompleye at proof			-	-		-			<u> </u>		$\vdash$
BBB	Barrel bracket cracked or broken at proof									<b>├</b>		igwdot
BC-P	Blows cases at proof									<b>├</b>		igspace
BEB-P	Barrel extension broken at proof	1			1					l	l	

Page 26 of 274

Gallery Performance Report
Proof - Test - Target


Page 27 of 274



BLP-P	Bianked primer at proof		Proof -	lest - Ta	rget				
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof								
DBF-P	Damaged Bolt Face	2							
DLOS-P	Doesn't lock over shells at proof								
ESBBP-P	Ejector sticks back -Blown Primer cup	2			1				
ESBEC-P	Ejector sticks back - Ejector Cresent								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof								
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof								
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions								

Page 29 of 274

Gallery Performance Report
Proof - Test - Target



Summary		Total Tested Total Rejected: Overall Reject Rate:	639 17 2.66								Test Date:
		Shot:	433		42	86	76		22		
	Proof	Rejected:	5	0	3	5	0	0	0	0	0
		Percent:	1.2		7.1	5.8	0.0		0.0		
		Shot:	432		39	70	76		22		
	Test	Rejected:	2	0	0	0	2	0	0	0	0
		Percent:	0.5		0.0	0.0	2.6		0.0		
		Shot:	43			9	2		2		
	Target	Rejected:	0	0	0	0	0	0	0	0	0
	. u, got	Percent:	0.0			0.0	0.0		0.0		

CODE	MALFUNCTION INDEX	700 SPS	700 SPS	SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750
AB	Action binds										
BABS	Bulge at body shoulder										
BAC	Burr at chamber										
BBMA	BBL-to-bolt misalignment										
BB	Bolt binds/catches	1									
BCOAB	Bolt catches on anti-bind										
BCOBS	Bolt catches on bolt stop										
BCOF	Bolt catches on follower										
BC	Blows cases										
BHR	Bolt hits receiver										
BHS	Bolt plug hits safety switch										
BLOP	Bar lock or disconnector out of position										
BLSO	Barrel lug shot off										
вро	Bolt pulls out										
BSSM	Bolt stems shell in magazine										
BWCD	Bolt won't cam down										
BWCFM	Bolt won't close over full magazine						1				
CD	Case dented										
СН	Closes hard										
CLM	Can't load magazine						1				
CO	Cut-off										
CR	Cuts rim										
CS	Cases swell										
CTOG	Chamber torn or gouged										
CTP	Creepy trigger pull										
CWSB	Cams wrong side of action bar										
DBB	Doesn't blow back										
DCS	Double click in safety switch										
DCT	Double click in trigger										
DCU	Doesn't close-up										
DE	Doesn't eject										

# Gallery Performance Report Proof - Test - Target

**BARBER - RE 0006654** 

				totals
				659
0	0	0	0	13
				2.0
				639
0	0	0	0	4
				0.6
				56
0	0	0	0	0
				0.0


7400	7600	7C1E	Rimfire	totalc
7400	7600	7615	Rimine	totais
				1
				1
				1

Page 31 of 274

DE!	Barrella de la Proposición			est - Target		1		
DEL	Doesn't eject live round		1 1001 1	pot ranget				
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							
DLU	Doesn't lock-up							
DS	Dead safe							
DX	Doesn't extract	1						
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							
FA	Fires automatically							
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Follows-down							
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens							
FPOH	Floor plate opens hard							
FSR	Fires when safe is released							
FT	Follower tips							
GCSO	Gas cyl shot off							
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail							
JCS	Jumps cartridge							
JM	Jumps magazine							
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine assembles hard  Magazine capacity wrong	1						
MEA	Misfires (ammo)							
MFOP	Magazine follower out of position			<del> </del>			1	
ML	Magazine loose	+		+	<del> </del>		<del>                                     </del>	<del> </del>
MLH	Magazine loose Magazine loads hard							
MRH	Magazine roads hard Magazine removes hard	+ +		1	<del>                                     </del>	<del> </del>	<del> </del>	<del> </del>
OH	Opens hard	+		<u> </u>				
OR	Over-rides	+ +		-				
PH	Pulls hard	+ +						
PSI	Proof stamp illegible	+		-	-		-	-
				-	-		-	-
PSM	Proof stamp missing	+		-			-	-
RBOC	Rings and bulges on case			1	-			
RDW	(Action) release doesn't work							

Gallery Performance Report
Proof - Test - Target


Page 33 of 274



				est - Target			1			1
RIC	Rings in chamber		F 1001 - 1	est - ranget						
RIS	Ring in sholder									
RS	Rim srem									
SBC	Stems bottom chambers									
SBE	Stems bbl extension									
SCB	Stock cracked or broken									
SCX	Shell catches									
SHI	Short indent									
SI	Stems incline									
SIC	Stems in chamber									
SL	shaves lead									
SLC	Stems left side of chamber									
SMOC	Stretch marks on case									
SOR	Stem over-ride									
SP	Stems port									
SR	Shoulder rough									
SRC	Stems right side of chamber									
SRIC	Specific rings in chamber									
SSOC	Surface scratches on case									
STC	Stems top chamber									
SWE	Safety switch works too easily									
SWH	Safety switch works too hard									
sww	Safety Switch won't work									
TD	Tips down									
TU	Tips up									
⊤WP	Trigger won't pull									
⊤wr	Trigger won't retract									
UNCN-T	Uncoded									
хн	Extracts hard									
HI	High									
LO	Low									
LEFT	Left									
RIGHT	Right									
DG	Doesn't Group									
FSST	Front sight tipped	1								
RSTT	Rear sight tipped	<u> </u>								
RSBR	Rear sight base raised	<del>                                     </del>								
FSTR	Front sight raised	1								
FSTL	Front sight loose						1			
RSTL	Rear sight loose	<u> </u>								
MGPT-G	Missing parts at target	+								
UNCN-G	Uncoded nonconformity at target	+								
5.1011 0	5.100 and Horizonioninity die target	+								
Al-P	Assembly incompleye at proof	+								
BBB	Barrel bracket cracked or broken at proof	+						<u> </u>		
BC-P	Blows cases at proof	+								
BEB-P	Barrel extension broken at proof	+			<del> </del>		<del> </del>	<del> </del>		
BLP-P	Blanked primer at proof	+		1	<del>                                     </del>		1			
DE1-1-	Diamico primer at proof	1	l .	1		1	i .	1	1	I

Gallery Performance Report
Proof - Test - Target


Page 35 of 274



BLSO-P	Barrel lug shot off at proof		Proof - 1	est - Target				
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DBF-P	Damaged Bolt Face	2		3	5			
DLOS-P	Doesn't lock over shells at proof							
ESBBP-P	Ejector sticks back -Blown Primer cup							
ESBEC-P	Ejector sticks back - Ejector Cresent							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof							
FF-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions	3						


Page 37 of 274

Gallery Performance Report Proof - Test - Target



Page 38 of 274

Cell: D163 Comment: iingalry: broken trigger



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
AB	Action binds										-	<u> </u>	├─
BABS	Bulge at body shoulder	+									<del>                                     </del>	_	<del>                                     </del>
BAC	Burr at chamber										1	$\vdash$	$\vdash$
BBMA	BBL-to-bolt misalignment	+									+	$\vdash$	$\vdash$
BB	Bolt binds/catches										1	$\vdash$	<del></del>
BCOAB	Bolt catches on anti-bind	+									1	$\vdash$	├
BCOBS	Bolt catches on bolt stop										1	$\vdash$	-
BCOF	Bolt catches on follower										-	_	<del>                                     </del>
BC	Blows cases										-	├──	<del>                                     </del>
BHR											-	⊢—	
	Bolt hits receiver										-	—	
BHS	Bolt plug hits safety switch										-	⊢—	
BLOP	Bar lock or disconnector out of position										<u> </u>	Ь—	<u> </u>
BLSO	Barrel lug shot off												
BPO	Bolt pulls out											<u> </u>	<u> </u>
BSSM	Bolt stems shell in magazine												
BWCD	Bolt won't cam down											Ь—	<u> </u>
BWCFM	Bolt won't close over full magazine												
CD	Case dented												
CH	Closes hard												
CLM	Can't load magazine												
CO	Cut-off												
CR	Cuts rim												
CS	Cases swell												
CTOG	Chamber torn or gouged												
CTP	Creepy trigger pull												
CWSB	Cams wrong side of action bar												
DBB	Doesn't blow back												
DCS	Double click in safety switch												
DCT	Double click in trigger										1		
DCU	Doesn't close-up												

Page 39 of 274

Page 40 of 274

Gallery Performance Report
Proof - Test - Target

totals

0 0

Rimfire totals


			ory i oric									
DE	Doesn't eject		Proof - 1	est - Ta	rget							
DEL	Doesn't eject live round											
DFB	Doesn't feed back											
DFU	Doesn't feed up											
DLO	Doesn't lock open (after last shell)											
DLU	Doesn't lock-up											
DS	Dead safe											$\Box$
DX	Doesn't extract											$\Box$
DXL	Doesn't extract live round											$\Box$
EDS	Extractor drops shell											$\Box$
ESB	Ejector sticks back											
ESCR	Empty shell catches receiver											
ESS	Extractor stems shell											$\Box$
FA	Fires automatically											
FB	Follower binds											
FC	Fails to connect											$\Box$
FCB	Fore-end cracked or broken											$\Box$
FD	Follows-down											$\Box$
FF	Fails to fire											$\Box$
FFP	Flat firing pin											$\Box$
FOS	Fires on safe											$\Box$
FPHB	Firing pin hits bbl											$\Box$
FPHI	Firing pin hits inside rim											$\Box$
FPO	Floor plate opens											$\Box$
FPOH	Floor plate opens hard											$\Box$
FSR	Fires when safe is released											$\Box$
FT	Follower tips											$\Box$
GCSO	Gas cyl shot off											$\Box$
HBL	Heavy bolt lift											$\Box$
HMSC	Heading mismatch-steps on case											$\Box$
HPA	High pressure ammo											$\Box$
HUR	Hard under rail											$\Box$
JCS	Jumps cartridge										i i	$\Box$
JM	Jumps magazine											$\Box$
JO	Jars off											$\Box$
LB	Light blow											
MAH	Magazine assembles hard											$\Box$
MCW	Magazine capacity wrong											$\Box$
MFA	Misfires (ammo)											
MFOP	Magazine follower out of position											$\Box$
ML	Magazine loose			1								$\Box$
MLH	Magazine loads hard											$\Box$
MRH	Magazine removes hard											$\Box$
OH	Opens hard											$\Box$
OR	Over-rides		1							l		
PH	Pulls hard		1	t -		1						$\Box$
PSI	Proof stamp illegible									<u> </u>		
PSM	Proof stamp missing		1			1				t —		$\vdash$
RBOC	Rings and bulges on case		1							<del>                                     </del>		$\vdash$
	I 35 and baiges on ease	 	1		1	1	1	1	l	1		

Page 42 of 274



				019 1 0110									
RDW	(Action) release doesn't work			Proof - 1	est - Ta	rget							
RIC	Rings in chamber												
RIS	Ring in sholder												
RS	Rim srem												
SBC	Stems bottom chambers												
SBE	Stems bbl extension										1		
SCB	Stock cracked or broken												
SCX	Shell catches												
SHI	Short indent										1		
SI	Stems incline												
SIC	Stems in chamber										1		
SL	shaves lead										1		
SLC	Stems left side of chamber				1						1		
SMOC	Stretch marks on case										1		
SOR	Stem over-ride				<u> </u>			1			+	_	
SP			-	+	-		+	-	-	-	-	-	-
SR	Stems port		-	+	-	-		-	-	-	$\vdash$	_	-
SRC	Shoulder rough										-	_	
	Stems right side of chamber							-			1		
SRIC	Specific rings in chamber												
SSOC	Surface scratches on case												
STC	Stems top chamber				ļ						ļ		
SWE	Safety switch works too easily				ļ								
SWH	Safety switch works too hard												
sww	Safety Switch won't work												
⊤D	Tips down												
TU	Tips up												
TWP	Trigger won't pull												
TWR	Trigger won't retract												
UNCN-T	Uncoded												
XH	Extracts hard												
HI	High												
LO	Low												
LEFT	Left												
RIGHT	Right												
DG	Doesn't Group												
FSST	Front sight tipped												
RSTT	Rear sight tipped												
RSBR	Rear sight base raised												
FSTR	Front sight raised										<del>                                     </del>		
FSTL	Front sight loose				<u> </u>						<del>                                     </del>	_	
RSTL	Rear sight loose		<b>-</b>	<b>+</b>	<b>-</b>		+		<b>t</b>	+	$\vdash$		
MGPT-G	Missing parts at target			+	<b>†</b>					<del> </del>	<del>                                     </del>		
UNCN-G	Uncoded nonconformity at target		<del>                                     </del>	+	<b>-</b>						$\vdash$	_	
ONON-G	oncoded noncomornity at target			+	<del>                                     </del>	-	1			-	+	-	
Al-P	Assembly incomplain at proof			+	-	-	+		-	-	-	-	-
BBB	Assembly incompleye at proof		-	+	-					-	-	_	
	Barrel bracket cracked or broken at proof			+	-	-			-	-	-	-	
BC-P	Blows cases at proof				ļ					-	_		
BEB-P	Barrel extension broken at proof	1			<u> </u>		1	L	l	I	1		l

Page 44 of 274




		-	T	 	 	 	
BLP-P	Blanked primer at proof	Proof -	Test - Target				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DBF-P	Damaged Bolt Face						
DLOS-P	Doesn't lock over shells at proof						
ESBBP-P	Ejector sticks back -Blown Primer cup						
ESBEC-P	Ejector sticks back - Ejector Cresent						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof						
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						

Page 46 of 274

Gallery Performance Report
Proof - Test - Target






CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
AB	Action binds										-	<u> </u>	├─
BABS	Bulge at body shoulder	+									1	_	<del>                                     </del>
BAC	Burr at chamber										1	$\vdash$	$\vdash$
BBMA	BBL-to-bolt misalignment	+									+	$\vdash$	├─
BB	Bolt binds/catches										1	$\vdash$	<del></del>
BCOAB	Bolt catches on anti-bind	+									1	$\vdash$	├
BCOBS	Bolt catches on bolt stop										-	$\vdash$	-
BCOF	Bolt catches on follower										-	_	<del>                                     </del>
BC	Blows cases										-	<del></del>	<del>                                     </del>
BHR											1	⊢—	
	Bolt hits receiver										-	—	
BHS	Bolt plug hits safety switch										-	⊢—	
BLOP	Bar lock or disconnector out of position										<u> </u>	Ь—	
BLSO	Barrel lug shot off												
BPO	Bolt pulls out											<u> </u>	<u> </u>
BSSM	Bolt stems shell in magazine												
BWCD	Bolt won't cam down											Ь—	<u> </u>
BWCFM	Bolt won't close over full magazine												
CD	Case dented												
CH	Closes hard												
CLM	Can't load magazine												
CO	Cut-off												
CR	Cuts rim												
CS	Cases swell												
CTOG	Chamber torn or gouged												
CTP	Creepy trigger pull												
CWSB	Cams wrong side of action bar												
DBB	Doesn't blow back												
DCS	Double click in safety switch												
DCT	Double click in trigger										1		
DCU	Doesn't close-up												

Page 47 of 274

Page 48 of 274


Gallery Performance Report
Proof - Test - Target

0 0 0



			ory i oric									
DE	Doesn't eject		Proof - 1	est - Ta	rget							
DEL	Doesn't eject live round											
DFB	Doesn't feed back											
DFU	Doesn't feed up											
DLO	Doesn't lock open (after last shell)											
DLU	Doesn't lock-up											
DS	Dead safe											$\Box$
DX	Doesn't extract											$\Box$
DXL	Doesn't extract live round											$\Box$
EDS	Extractor drops shell											$\Box$
ESB	Ejector sticks back											
ESCR	Empty shell catches receiver											
ESS	Extractor stems shell											$\Box$
FA	Fires automatically											
FB	Follower binds											
FC	Fails to connect											$\Box$
FCB	Fore-end cracked or broken											$\Box$
FD	Follows-down											$\Box$
FF	Fails to fire											$\Box$
FFP	Flat firing pin											$\Box$
FOS	Fires on safe											$\Box$
FPHB	Firing pin hits bbl											$\Box$
FPHI	Firing pin hits inside rim											$\Box$
FPO	Floor plate opens											$\Box$
FPOH	Floor plate opens hard											$\Box$
FSR	Fires when safe is released											$\Box$
FT	Follower tips											$\Box$
GCSO	Gas cyl shot off											$\Box$
HBL	Heavy bolt lift											$\Box$
HMSC	Heading mismatch-steps on case											$\Box$
HPA	High pressure ammo											$\Box$
HUR	Hard under rail											$\Box$
JCS	Jumps cartridge										i i	$\Box$
JM	Jumps magazine											$\Box$
JO	Jars off											$\Box$
LB	Light blow											
MAH	Magazine assembles hard											$\Box$
MCW	Magazine capacity wrong											$\Box$
MFA	Misfires (ammo)											
MFOP	Magazine follower out of position											$\Box$
ML	Magazine loose			1								$\Box$
MLH	Magazine loads hard											$\Box$
MRH	Magazine removes hard											$\Box$
OH	Opens hard											$\Box$
OR	Over-rides		1							l		
PH	Pulls hard		1	t -		1						$\Box$
PSI	Proof stamp illegible									<u> </u>		
PSM	Proof stamp missing		1			1				t —		$\vdash$
RBOC	Rings and bulges on case		1							<del>                                     </del>		$\vdash$
	I 35 and baiges on ease	 	1		1	1	1	1	l	1		

Page 50 of 274



		 	SIY I CIT									
RDW	(Action) release doesn't work		Proof -	est - Ta	rget							
RIC	Rings in chamber											
RIS	Ring in sholder											
RS	Rim srem											
SBC	Stems bottom chambers											
SBE	Stems bbl extension											
SCB	Stock cracked or broken											
SCX	Shell catches											
SHI	Short indent										İ	
SI	Stems incline											
SIC	Stems in chamber											
SL	shaves lead											
SLC	Stems left side of chamber											
SMOC	Stretch marks on case											
SOR	Stem over-ride											
SP	Stems port						1					
SR	Shoulder rough		1	t		<u> </u>		<del>                                     </del>		<del>                                     </del>		$\vdash$
SRC	Stems right side of chamber			<del>                                     </del>		1				<del>                                     </del>		$\vdash$
SRIC	Specific rings in chamber			<del>                                     </del>		1	<u> </u>			<del>                                     </del>		
SSOC	Surface scratches on case									<del>                                     </del>	_	$\vdash$
STC	Stems top chamber									<del>                                     </del>	_	
SWE	Safety switch works too easily			1						<u> </u>	<del> </del>	
SWH	Safety switch works too hard			<del>                                     </del>						<del>                                     </del>	_	$\vdash$
sww	Safety Switch work too hard			1		+				1	_	$\vdash$
TD	Tips down											
⊤U	Tips up			1			1			<del>                                     </del>	_	$\vdash$
TWP	Trigger won't pull			1						<del>                                     </del>	-	$\vdash$
TWR	Trigger worlt pun  Trigger won't retract											
UNCN-T	Uncoded			1		+	1			<u> </u>	-	$\vdash$
XH	Extracts hard			-		+	-			-	_	$\vdash$
ΛΠ	Extracts flard			_		+	<del> </del>			-	_	$\vdash$
н	High						-			-	_	$\vdash$
LO						-				-		$\vdash$
LEFT	Low					+			-	-	_	$\vdash$
	Left			_						-	_	$\vdash$
RIGHT	Right									-	_	
DG FSST	Doesn't Group									-		$\vdash$
	Front sight tipped			_						-	_	$\vdash$
RSTT	Rear sight tipped									<u> </u>		
RSBR	Rear sight base raised			-						-		$\vdash$
FSTR	Front sight raised									_		$\vdash$
FSTL	Front sight loose		-			-				<u> </u>		igwdapprox
RSTL	Rear sight loose									Ь—		$\vdash$
MGPT-G	Missing parts at target									<u> </u>		igsquare
UNCN-G	Uncoded nonconformity at target									<u> </u>		
						1						igsquare
Al-P	Assembly incompleye at proof									Ь—		
BBB	Barrel bracket cracked or broken at proof									L		igsquare
BC-P	Blows cases at proof											
BEB-P	Barrel extension broken at proof											

Page 52 of 274




		-	T	 	 	 	
BLP-P	Blanked primer at proof	Proof -	Test - Target				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DBF-P	Damaged Bolt Face						
DLOS-P	Doesn't lock over shells at proof						
ESBBP-P	Ejector sticks back -Blown Primer cup						
ESBEC-P	Ejector sticks back - Ejector Cresent						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof						
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						

Page 54 of 274

Gallery Performance Report
Proof - Test - Target





MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
Astion binds										_		$\vdash$
										1	-	$\vdash$
										_	_	-
				-						+		$\vdash$
										+	-	_
										1		$\vdash$
	_									<u> </u>		
										1		
										<u> </u>		$\perp$
Bolt won't cam down												
Bolt won't close over full magazine												
Case dented												
Closes hard												
Can't load magazine												
Cut-off												
Cuts rim												
Cases swell												
Chamber torn or gouged												
Doesn't blow back										1		$\Box$
										1		
										1		
										1		$\Box$
	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sults bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt bulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block base hard Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Con't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sulls out Bolt swort cam down Bolt wort close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block based on trigger	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on bolt stop Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Double click in safety switch Bout bolt wasten Double click in trigger	Action binds Bulge at body shoulder Burr at chamber BBIL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Blows cases Bolt taches on follower Bolt plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Cul-off Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sum to am down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Both-both misalignment Both binds/catches Both catches on anti-bind Both catches on follower Blows cases Both this receiver Both plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Both seminary Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't close over full magazine Case dented Closes hard Cut-off Cuts rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in safety switch Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Birr at chamber Birr at chamber Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Birr at chamber Bolt catches on follower Bolt catches on follower Bolt binds cases Bolt binds cases Bolt binds cases Bolt binds receiver Bolt plug hits sefety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt won't cam down Bolt won't cam down Bolt won't cam down Bolt won't cam down Cases swell Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Camb manger in afety switch Double click in trigger	Action binds Bulge at body shoulder Burr at chamber Burr at chamber Bolt-to-bolt misalignment Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt binds/catches Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt by units and own Bolt won't can down Bolt won't can down Bolt won't can down Cases eard Closes hard Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cases may be safety switch Double click in afety switch	Action binds Bulge at body shoulder Burst chamber Burst chamber Burst chamber Burst chamber Both binds coatches Both catches on anti-bind Both catches on bolt stop Both catches on follower Blows cases Both this receiver Both steres which Bar lock or disconnector out of position Barrel lug shot off Both steres shell in magazine Both steres shell in magazine Both worth close over full magazine Case dented Closes hard Cart load magazine Cut-off Cuts rim Cases swell Cases swell Cases my ligger pull Cases my load is a fety switch Double clock in safety writch Double clock in safety writch Double clock in safety writch

Page 55 of 274

Page 56 of 274


Gallery Performance Report
Proof - Test - Target

**BARBER - RE 0006680** 

				CIY I CIII									
DE	Doesn't eject			Proof -	iest - ra	rgei							
DEL	Doesn't eject live round												
DFB	Doesn't feed back												
DFU	Doesn't feed up												
DLO	Doesn't lock open (after last shell)												
DLU	Doesn't lock-up												
DS	Dead safe												
DX	Doesn't extract												
DXL	Doesn't extract live round												
EDS	Extractor drops shell												
ESB	Ejector sticks back												
ESCR	Empty shell catches receiver												
ESS	Extractor stems shell												
FA	Fires automatically												
FB	Follower binds												
FC	Fails to connect												
FCB	Fore-end cracked or broken												
FD	Follows-down												
FF	Fails to fire												
FFP	Flat firing pin												
FOS	Fires on safe												
FPHB	Firing pin hits bbl												
FPHI	Firing pin hits inside rim												
FPO	Floor plate opens												
FPOH	Floor plate opens hard												
FSR	Fires when safe is released												
FT	Follower tips												
GCSO	Gas cyl shot off												
HBL	Heavy bolt lift												
HMSC	Heading mismatch-steps on case												
HPA	High pressure ammo												
HUR	Hard under rail												
JCS	Jumps cartridge												
JM	Jumps magazine										<del>                                     </del>		
JO	Jars off												
LB	Light blow												
MAH	Magazine assembles hard												
MCW	Magazine capacity wrong												
MFA	Misfires (ammo)				1			1					
MFOP	Magazine follower out of position	_									<del>                                     </del>		
ML	Magazine loose				<del>                                     </del>						$\vdash$		$\vdash$
MLH	Magazine loose Magazine loads hard	+	<u> </u>		<del>                                     </del>		1						$\vdash$
MRH	Magazine removes hard		<del>                                     </del>								$\vdash$		$\vdash$
OH	Opens hard	+		+	+					<del> </del>	<del>                                     </del>	<u> </u>	$\vdash$
OR	Over-rides	+	<del> </del>	+						1	<del> </del>		$\vdash$
PH	Pulls hard	+	+		+	<del>                                     </del>		<del> </del>		+	$\vdash$	-	$\vdash \vdash$
PSI	Proof stamp illegible			+	+						$\vdash$		$\vdash$
PSM	Proof stamp missing	+		+	+	-			-	-	-	-	$\vdash$
RBOC	Rings and bulges on case	_	1	+	+	-	+	-	<del>                                     </del>	+	├	<u> </u>	$\vdash$
K DOC	nings and bulges on case		1		1	1		1	l	1			

Page 57 of 274

Page 58 of 274




**BARBER - RE 0006682** 

		 	SIY I CIT									
RDW	(Action) release doesn't work		Proof -	est - Ta	rget							
RIC	Rings in chamber											
RIS	Ring in sholder											
RS	Rim srem											
SBC	Stems bottom chambers											
SBE	Stems bbl extension											
SCB	Stock cracked or broken											
SCX	Shell catches											
SHI	Short indent										i i	
SI	Stems incline											
SIC	Stems in chamber											
SL	shaves lead											
SLC	Stems left side of chamber											
SMOC	Stretch marks on case											
SOR	Stem over-ride											
SP	Stems port						1					
SR	Shoulder rough		1	t		<u> </u>		<del>                                     </del>		<del>                                     </del>		$\vdash$
SRC	Stems right side of chamber			<del>                                     </del>		1				<del>                                     </del>		$\vdash$
SRIC	Specific rings in chamber			<del>                                     </del>		1	<u> </u>			<del>                                     </del>		
SSOC	Surface scratches on case									<del>                                     </del>	_	$\vdash$
STC	Stems top chamber									<del>                                     </del>	_	
SWE	Safety switch works too easily			1						<u> </u>		
SWH	Safety switch works too hard			<del>                                     </del>						<del>                                     </del>	_	$\vdash$
sww	Safety Switch work too hard			1		+				1	_	$\vdash$
TD	Tips down											
⊤U	Tips up			1			1			<del>                                     </del>	_	$\vdash$
TWP	Trigger won't pull			1						<del>                                     </del>	-	$\vdash$
TWR	Trigger worlt pun  Trigger won't retract											
UNCN-T	Uncoded			1		+	1			<u> </u>	-	$\vdash$
XH	Extracts hard			-		+	-			-	_	$\vdash$
ΛΠ	Extracts flard			_		+	<del> </del>			-	_	$\vdash$
н	High						-			-	_	$\vdash$
LO										-		$\vdash$
LEFT	Low					+			-	-	_	$\vdash$
	Left			_						-	_	$\vdash$
RIGHT	Right									-	_	
DG FSST	Doesn't Group									-		$\vdash$
	Front sight tipped			_						-	_	$\vdash$
RSTT	Rear sight tipped									<u> </u>		
RSBR	Rear sight base raised			-						-		$\vdash$
FSTR	Front sight raised									_		$\vdash$
FSTL	Front sight loose		-			-				<u> </u>		igspace
RSTL	Rear sight loose									Ь—		$\vdash$
MGPT-G	Missing parts at target									<u> </u>		igsquare
UNCN-G	Uncoded nonconformity at target									<u> </u>		
						1						igsquare
Al-P	Assembly incompleye at proof									Ь—		
BBB	Barrel bracket cracked or broken at proof									L		igsquare
BC-P	Blows cases at proof											
BEB-P	Barrel extension broken at proof											

Page 59 of 274

Page 60 of 274



		-	T	 	 	 	
BLP-P	Blanked primer at proof	Proof -	Test - Target				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DBF-P	Damaged Bolt Face						
DLOS-P	Doesn't lock over shells at proof						
ESBBP-P	Ejector sticks back -Blown Primer cup						
ESBEC-P	Ejector sticks back - Ejector Cresent						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof						
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						

Page 62 of 274

Gallery Performance Report
Proof - Test - Target



Summary		Total Tested Total Rejected: Overall Reject Rate:	0								Test Date:			
	Proof	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Test	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Target	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
AB	Action binds										-		<b>↓</b>
BABS	Bulge at body shoulder										-		—
BAC	Burr at chamber												
BBMA	BBL-to-bolt misalignment												
BB	Bolt binds/catches												
BCOAB	Bolt catches on anti-bind												
BCOBS	Bolt catches on bolt stop												
BCOF	Bolt catches on follower												
BC	Blows cases												
BHR	Bolt hits receiver												
BHS	Bolt plug hits safety switch												
BLOP	Bar lock or disconnector out of position												
BLSO	Barrel lug shot off												
BPO	Bolt pulls out												
BSSM	Bolt stems shell in magazine												
BWCD	Bolt won't cam down												
BWCFM	Bolt won't close over full magazine												
CD	Case dented												
СН	Closes hard												
CLM	Can't load magazine												$\overline{}$
CO	Cut-off												
CR	Cuts rim												t
CS	Cases swell												T
CTOG	Chamber torn or gouged												
CTP	Creepy trigger pull											İ	
CWSB	Cams wrong side of action bar												
DBB	Doesn't blow back												
DCS	Double click in safety switch												1
DCT	Double click in trigger												
DCU	Doesn't close-up										1		<b>T</b>

Page 63 of 274

Page 64 of 274

Simfire totals

**BARBER - RE 0006688** 

					roof - Test - Target								
DE	Doesn't eject			P1001 -	iest - ra	rgei							
DEL	Doesn't eject live round												
DFB	Doesn't feed back												
DFU	Doesn't feed up												
DLO	Doesn't lock open (after last shell)												
DLU	Doesn't lock-up												
DS	Dead safe												
DX	Doesn't extract												
DXL	Doesn't extract live round												
EDS	Extractor drops shell												
ESB	Ejector sticks back												
ESCR	Empty shell catches receiver												
ESS	Extractor stems shell												
FA	Fires automatically												
FB	Follower binds												
FC	Fails to connect												
FCB	Fore-end cracked or broken												
FD	Follows-down												
FF	Fails to fire												
FFP	Flat firing pin												
FOS	Fires on safe												
FPHB	Firing pin hits bbl												
FPHI	Firing pin hits inside rim												
FPO	Floor plate opens												
FPOH	Floor plate opens hard												
FSR	Fires when safe is released												
FT	Follower tips												
GCSO	Gas cyl shot off												
HBL	Heavy bolt lift												
HMSC	Heading mismatch-steps on case												
HPA	High pressure ammo												
HUR	Hard under rail												
JCS	Jumps cartridge												
JM	Jumps magazine										<del>                                     </del>		
JO	Jars off												
LB	Light blow												
MAH	Magazine assembles hard												
MCW	Magazine capacity wrong												
MFA	Misfires (ammo)				1			1					
MFOP	Magazine follower out of position	_									<del>                                     </del>		
ML	Magazine loose				<del>                                     </del>						$\vdash$		$\vdash$
MLH	Magazine loose Magazine loads hard	+	<u> </u>		<del>                                     </del>		1						$\vdash$
MRH	Magazine removes hard		<del>                                     </del>								$\vdash$		$\vdash$
OH	Opens hard	+		+	+					<del> </del>	<del>                                     </del>	<u> </u>	$\vdash$
OR	Over-rides	+	<del> </del>	+						1	<del> </del>		$\vdash$
PH	Pulls hard	+	+		+	<del>                                     </del>		<del> </del>		+	$\vdash$	-	$\vdash \vdash$
PSI	Proof stamp illegible			+	+						$\vdash$		$\vdash$
PSM	Proof stamp missing	+		+	+	-			-	-	-	-	$\vdash$
RBOC	Rings and bulges on case	_	1	+	+	-	+	-	<del>                                     </del>	-	├	<u> </u>	$\vdash$
KBOC	nings and bulges on case		1		1	1		1	l	1			

Page 65 of 274

Page 66 of 274



				019 1 0110					 			
RDW	(Action) release doesn't work			Proof - 1	est - Ta	rget						
RIC	Rings in chamber											
RIS	Ring in sholder											
RS	Rim srem											
SBC	Stems bottom chambers											
SBE	Sterns bbl extension									1		
SCB	Stock cracked or broken											
SCX	Shell catches											
SHI	Short indent									1		
SI	Stems incline											
SIC	Stems in chamber									1		
SL	shaves lead									1		
SLC	Stems left side of chamber									1		
SMOC	Stretch marks on case									1		
SOR	Stem over-ride							1		+	_	
SP			-	+	-		+	-	-	-	-	-
SR	Stems port		-	+	-	-		-	-	$\vdash$	_	-
SRC	Shoulder rough									-	_	
	Stems right side of chamber							-		1		
SRIC	Specific rings in chamber											
SSOC	Surface scratches on case											
STC	Stems top chamber									ļ		
SWE	Safety switch works too easily											
SWH	Safety switch works too hard											
sww	Safety Switch won't work											
⊤D	Tips down											
TU	Tips up											
TWP	Trigger won't pull											
TWR	Trigger won't retract											
UNCN-T	Uncoded											
XH	Extracts hard											
HI	High											
LO	Low											
LEFT	Left											
RIGHT	Right											
DG	Doesn't Group											
FSST	Front sight tipped											
RSTT	Rear sight tipped											
RSBR	Rear sight base raised									1		
FSTR	Front sight raised									<del>                                     </del>		
FSTL	Front sight loose		<del>                                     </del>	<del>                                     </del>						+		
RSTL	Rear sight loose		<b>-</b>	<b>+</b>	<b>-</b>		+		+	$\vdash$		
MGPT-G	Missing parts at target			+	<b> </b>				<del> </del>	<del>                                     </del>		
UNCN-G	Uncoded nonconformity at target		<del>                                     </del>	+	<b>-</b>					$\vdash$	_	
ONON-G	oncoded noncomornity at target			+	<del>                                     </del>	-	1		-	$\vdash$	-	
Al-P	Assembly incomplays at proof			+	-	-	+		-	-	-	-
BBB	Assembly incompleye at proof		-	+	-				-	-	_	
	Barrel bracket cracked or broken at proof			+	-	-			-	-	-	
BC-P	Blows cases at proof				ļ				-	_		
BEB-P	Barrel extension broken at proof	1			<u> </u>		1	L	I	1		l


Page 68 of 274



		Proof Town													
BLP-P	Blanked primer at proof	Proof -	Test - Target												
BLSO-P	Barrel lug shot off at proof														
BP-P	Blown primer at proof														
BS-P	Barrel split at proof														
DBF-P	Damaged Bolt Face														
DLOS-P	Doesn't lock over shells at proof														
ESBBP-P	Ejector sticks back -Blown Primer cup														
ESBEC-P	Ejector sticks back - Ejector Cresent														
FCB-P	Fore-end cracked at proof														
FESO-P	Fore-end shot off at proof														
FF-P	Fails to fire at proof														
GCSO-P	Gas cylinder shot off at proof														
MSI-P	Magnaflux stamp illegible on bbl														
MSM-P	Magnaflux stamp missing on bbl														
PP-P	Pierced primer at proof														
SCB-P	Stock cracked or broken at proof														
UNCM-P	Uncoded proof malfunctions														

Page 70 of 274

Gallery Performance Report
Proof - Test - Target



Summary		Total Tested Total Rejected: Overall Reject Rate:	0								Test Date:			
	Proof	Shot; [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Test	Shot: Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Target	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0

MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
Astion binds										_		$\vdash$
		-								1		$\vdash$
										_	_	-
				-						+	_	$\vdash$
										+	_	_
										1		$\vdash$
	_									<u> </u>		
										1		$\vdash$
										<u> </u>		$\perp$
Bolt won't cam down												
Bolt won't close over full magazine												
Case dented												
Closes hard												
Can't load magazine												
Cut-off												
Cuts rim												
Cases swell												
Chamber torn or gouged												
Doesn't blow back										1		$\Box$
										1		
										1		
										1		$\Box$
	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sults bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt bulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block base hard Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Con't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sulls out Bolt swort cam down Bolt wort close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block based on trigger	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on bolt stop Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Double click in safety switch Bout bolt wasten Double click in trigger	Action binds Bulge at body shoulder Burr at chamber BBIL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Blows cases Bolt taches on follower Bolt plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Cul-off Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sum to am down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Both-both misalignment Both binds/catches Both catches on anti-bind Both catches on follower Blows cases Both this receiver Both plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Both seminary Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't close over full magazine Case dented Closes hard Cut-off Cuts rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in safety switch Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Birr at chamber Birr at chamber Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Birr at chamber Bolt catches on follower Bolt catches on follower Bolt binds cases Bolt binds cases Bolt binds cases Bolt binds receiver Bolt plug hits sefety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt won't cam down Bolt won't cam down Bolt won't cam down Bolt won't cam down Cases swell Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Camb manger in afety switch Double click in trigger	Action binds Bulge at body shoulder Burr at chamber Birr at chamber Birr at chamber Birr at chamber Bolt to-bolt misalignment Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt won't cam down Bolt won't cam down Bolt won't cam down Bolt won't case over full magazine Cases swell Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cases may be safety switch Double click in trigger	Action binds Bulge at body shoulder Burst chamber Burst chamber Burst chamber Burst chamber Both binds coatches Both catches on anti-bind Both catches on bolt stop Both catches on follower Blows cases Both this receiver Both steres which Bar lock or disconnector out of position Barrel lug shot off Both steres shell in magazine Both steres shell in magazine Both worth close over full magazine Case dented Closes hard Cart load magazine Cut-off Cuts rim Cases swell Cases swell Cases my ligger pull Cases my load is a fety switch Double clock in safety writch Double clock in safety writch Double clock in safety writch

Page 71 of 274

Page 72 of 274

Gallery Performance Report
Proof - Test - Target

totals
0 0

0 0

Rimfire totals


**BARBER - RE 0006696** 

		 	Dract		-						
DE	Doesn't eject		Proof -	est - Ta	rget						
DEL	Doesn't eject live round										
DFB	Doesn't feed back										
DFU	Doesn't feed up										
DLO	Doesn't lock open (after last shell)										
DLU	Doesn't lock-up										
DS	Dead safe										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESCR	Empty shell catches receiver										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										
FC	Fails to connect										
FCB	Fore-end cracked or broken										
FD	Follows-down										
FF	Fails to fire										
FFP	Flat firing pin										
FOS	Fires on safe										
FPHB	Firing pin hits bbl										
FPHI	Firing pin hits inside rim										
FPO	Floor plate opens										
FPOH	Floor plate opens hard										
FSR	Fires when safe is released									İ	
FT	Follower tips										
GCSO	Gas cyl shot off										
HBL	Heavy bolt lift										
HMSC	Heading mismatch-steps on case										
HPA	High pressure ammo										
HUR	Hard under rail										
JCS	Jumps cartridge									İ	
JM	Jumps magazine										
JO	Jars off										
LB	Light blow										
MAH	Magazine assembles hard										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
ML	Magazine loose								T		М
MLH	Magazine loads hard			<u> </u>							$\Box$
MRH	Magazine removes hard								<b>1</b>		
OH	Opens hard								<u> </u>		
OR	Over-rides								t		
PH	Pulls hard								t —		
PSI	Proof stamp illegible			<b>1</b>		1			t		$\vdash$
PSM	Proof stamp missing								<b>†</b>		$\vdash$
RBOC	Rings and bulges on case					+			$\vdash$	<b>—</b>	$\vdash$
1,500	I migo and bulgos on case	 L				1	L	 1			

Page 73 of 274

Gallery Performance Report
Proof - Test - Target

Page 74 of 274



**BARBER - RE 0006698** 

				019 1 0110									
RDW	(Action) release doesn't work			Proof - 1	est - Ta	rget							
RIC	Rings in chamber												
RIS	Ring in sholder												
RS	Rim srem												
SBC	Stems bottom chambers												
SBE	Sterns bbl extension										1		
SCB	Stock cracked or broken												
SCX	Shell catches												
SHI	Short indent										1		
SI	Stems incline												
SIC	Stems in chamber										1		
SL	shaves lead										1		
SLC	Stems left side of chamber										1		
SMOC	Stretch marks on case										1		
SOR	Stem over-ride				<u> </u>			1			+	_	
SP			-	+	-		+	-	-	-	-	_	-
SR	Stems port		-	+	-	-		-	-	-	$\vdash$	_	-
SRC	Shoulder rough										-	_	
	Stems right side of chamber							-			1		
SRIC	Specific rings in chamber												
SSOC	Surface scratches on case												
STC	Stems top chamber				ļ						ļ		
SWE	Safety switch works too easily				ļ								
SWH	Safety switch works too hard												
sww	Safety Switch won't work												
⊤D	Tips down												
TU	Tips up												
TWP	Trigger won't pull												
TWR	Trigger won't retract												
UNCN-T	Uncoded												
XH	Extracts hard												
HI	High												
LO	Low												
LEFT	Left												
RIGHT	Right												
DG	Doesn't Group												
FSST	Front sight tipped												
RSTT	Rear sight tipped												
RSBR	Rear sight base raised										1		
FSTR	Front sight raised										<del>                                     </del>		
FSTL	Front sight loose				<u> </u>						_	_	
RSTL	Rear sight loose		<b>-</b>	<b>+</b>	<b>-</b>		+		<b>t</b>	+	$\vdash$		
MGPT-G	Missing parts at target			+	<b>†</b>					<del> </del>	<del>                                     </del>		
UNCN-G	Uncoded nonconformity at target		<del>                                     </del>	+	<b>-</b>						$\vdash$	_	
UNUN-G	oncoded noncomornity at target			+	<del>                                     </del>	-	1		<del> </del>	-	+	-	
Al-P	Assembly incomplain at proof			+	-	-	+		-	-	-	-	-
BBB	Assembly incompleye at proof		-	+	-					-	-	_	
	Barrel bracket cracked or broken at proof			+	-	-			-	-	-	-	
BC-P	Blows cases at proof				ļ					-	_		
BEB-P	Barrel extension broken at proof	1			<u> </u>		1	L	l	I	1		l

Page 75 of 274

Gallery Performance Report
Proof - Test - Target

Page 76 of 274



BLP-P	Blanked primer at proof	Proof -	est - Ta	rget				
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DBF-P	Damaged Bolt Face							
DLOS-P	Doesn't lock over shells at proof							
ESBBP-P	Ejector sticks back -Blown Primer cup							
ESBEC-P	Ejector sticks back - Ejector Cresent							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof							
FF-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions							

Page 78 of 274



Summary		Total Tested Total Rejected: Overall Reject Rate:	0								Test Date:			
	Proof	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Test	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Target	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0


MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
Astion binds										_		$\vdash$
										1	_	$\vdash$
										_	_	-
				-						+		$\vdash$
										+	-	_
										1		$\vdash$
	_									<u> </u>		
										1		
										<u> </u>		$\perp$
Bolt won't cam down												
Bolt won't close over full magazine												
Case dented												
Closes hard												
Can't load magazine												
Cut-off												
Cuts rim												
Cases swell												
Chamber torn or gouged												
Doesn't blow back										1		$\Box$
										1		
										1		
										1		$\Box$
	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sults bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt bulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block base hard Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Con't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sulls out Bolt swort cam down Bolt wort close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block based on trigger	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on bolt stop Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Double click in safety switch Bout bolt wasten Double click in trigger	Action binds Bulge at body shoulder Burr at chamber BBIL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Blows cases Bolt taches on follower Bolt plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Cul-off Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sum to am down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Both-both misalignment Both binds/catches Both catches on anti-bind Both catches on follower Blows cases Both this receiver Both plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Both seminary Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't close over full magazine Case dented Closes hard Cut-off Cuts rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in safety switch Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Birr at chamber Birr at chamber Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Birr at chamber Bolt catches on follower Bolt catches on follower Bolt binds cases Bolt binds cases Bolt binds cases Bolt binds receiver Bolt plug hits sefety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt won't cam down Bolt won't cam down Bolt won't cam down Bolt won't cam down Cases swell Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Camb manger in afety switch Double click in trigger	Action binds Bulge at body shoulder Burr at chamber Burr at chamber Bolt-to-bolt misalignment Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt binds/catches Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt by units and own Bolt won't can down Bolt won't can down Bolt won't can down Cases eard Closes hard Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cases may be safety switch Double click in afety switch	Action binds Bulge at body shoulder Burst chamber Burst chamber Burst chamber Burst chamber Both binds coatches Both catches on anti-bind Both catches on bolt stop Both catches on follower Blows cases Both this receiver Both steres which Bar lock or disconnector out of position Barrel lug shot off Both steres shell in magazine Both steres shell in magazine Both worth close over full magazine Case dented Closes hard Cart load magazine Cut-off Cuts rim Cases swell Cases swell Cases my ligger pull Cases my load is a fety switch Double clock in safety writch Double clock in safety writch Double clock in safety writch

Page 79 of 274

Page 80 of 274

Gallery Performance Report
Proof - Test - Target

0 0 0



				019 1 0110								
DE	Doesn't eject			Proof - 1	est - Ta	rget						
DEL	Doesn't eject live round											
DFB	Doesn't feed back											
DFU	Doesn't feed up											
DLO	Doesn't lock open (after last shell)											
DLU	Doesn't lock-up									1		
DS	Dead safe									1		<b>†</b>
DX	Doesn't extract											
DXL	Doesn't extract live round									1		
EDS	Extractor drops shell									1		<del>                                     </del>
ESB	Ejector sticks back											
ESCR	Empty shell catches receiver									<b>†</b>		<b>†</b>
ESS	Extractor stems shell							1		1		<u> </u>
FA	Fires automatically											
FB	Follower binds							1	<u> </u>	1		$\vdash$
FC	Fails to connect		1		1			1	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
FCB	Fore-end cracked or broken									<del>                                     </del>	_	$\vdash$
FD	Follows-down									<del>                                     </del>		<del>                                     </del>
FF	Fails to fire							1		1		<u> </u>
FFP	Flat firing pin							1		<del>                                     </del>		<del>                                     </del>
FOS	Fires on safe		<u> </u>		<del>                                     </del>				<del>                                     </del>	1	-	├─
FPHB	Firing pin hits bbl	+						1		1	-	<del>                                     </del>
FPHI	Firing pin hits inside rim				<del>                                     </del>	-		1	<u> </u>	+	<del></del>	$\vdash$
FPO	Floor plate opens	_						1	<u> </u>	+	_	├
FPOH	Floor plate opens Floor plate opens hard		-						-	1		<del>                                     </del>
FSR	Fires when safe is released			_	-			-	-	-		<u> </u>
FT	Follower tips		<u> </u>					<b> </b>	<u> </u>	<del>                                     </del>	_	
					-			1	-	<u> </u>		-
GCSO HBL	Gas cyl shot off							1	ļ	<del> </del>		-
	Heavy bolt lift				<u> </u>			1	1	-	_	
HMSC	Heading mismatch-steps on case	_			ļ			1	ļ	-		
HPA	High pressure ammo		-		-			ļ	-			Ь—
HUR	Hard under rail				ļ			ļ	ļ			Ь—
JCS	Jumps cartridge									_		Ь—
JM	Jumps magazine											Ь—
JO	Jars off											<u> </u>
LB	Light blow							ļ				Ь—
MAH	Magazine assembles hard											Ь—
MCW	Magazine capacity wrong									ļ		<b>└</b>
MFA	Misfires (ammo)						1			_		Ь—
MFOP	Magazine follower out of position											<u> </u>
ML	Magazine loose											<u> </u>
MLH	Magazine loads hard											L
MRH	Magazine removes hard											
OH	Opens hard											
OR	Over-rides											
PH	Pulls hard											
PSI	Proof stamp illegible											
PSM	Proof stamp missing											
RBOC	Rings and bulges on case											

Gallery Performance Report
Proof - Test - Target

Page 82 of 274



				019 1 0110									
RDW	(Action) release doesn't work			Proof - 1	est - Ta	rget							
RIC	Rings in chamber												
RIS	Ring in sholder												
RS	Rim srem												
SBC	Stems bottom chambers												
SBE	Sterns bbl extension										1		
SCB	Stock cracked or broken												
SCX	Shell catches												
SHI	Short indent										1		
SI	Stems incline												
SIC	Stems in chamber										1		
SL	shaves lead										1		
SLC	Stems left side of chamber				1						1		
SMOC	Stretch marks on case										1		
SOR	Stem over-ride				<u> </u>			1			+	_	
SP			-	+	-		+	-	-	-	-	-	-
SR	Stems port		-	+	-	-		-	-	-	$\vdash$	_	-
SRC	Shoulder rough										-	_	
	Stems right side of chamber							-			1		
SRIC	Specific rings in chamber												
SSOC	Surface scratches on case												
STC	Stems top chamber				ļ						ļ		
SWE	Safety switch works too easily				ļ								
SWH	Safety switch works too hard												
sww	Safety Switch won't work												
⊤D	Tips down												
TU	Tips up												
TWP	Trigger won't pull												
TWR	Trigger won't retract												
UNCN-T	Uncoded												
XH	Extracts hard												
HI	High												
LO	Low												
LEFT	Left												
RIGHT	Right												
DG	Doesn't Group												
FSST	Front sight tipped												
RSTT	Rear sight tipped												
RSBR	Rear sight base raised										1		
FSTR	Front sight raised										<del>                                     </del>		
FSTL	Front sight loose				<u> </u>						<del>                                     </del>	_	
RSTL	Rear sight loose		<b>-</b>	<b>+</b>	<b>-</b>		+		<b>t</b>	+	$\vdash$		
MGPT-G	Missing parts at target			+	<b>†</b>					<del> </del>	<del>                                     </del>		
UNCN-G	Uncoded nonconformity at target		<del>                                     </del>	+	<b>-</b>						$\vdash$	_	
UNUN-G	oncoded noncomornity at target			+	<del>                                     </del>	-	1		<del> </del>	-	+	-	
Al-P	Assembly incomplain at proof			+	-	-	+		-	-	-	-	-
BBB	Assembly incompleye at proof		-	+	-					-	-	_	
	Barrel bracket cracked or broken at proof			+	-	-			-	-	-	-	
BC-P	Blows cases at proof				ļ					-	_		
BEB-P	Barrel extension broken at proof	1			<u> </u>		1	L	l	I	1		l

Gallery Performance Report
Proof - Test - Target

Page 34 of 274



BLP-P	Blanked primer at proof		Proof - 1	est - Ta	rget				
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof							$\Box$	
DBF-P	Damaged Bolt Face								
DLOS-P	Doesn't lock over shells at proof								
ESBBP-P	Ejector sticks back -Blown Primer cup								
ESBEC-P	Ejector sticks back - Ejector Cresent							$\Box$	
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof								
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof								
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions							$\Box$	

Page 36 of 274



Summary		Total Tested Total Rejected: Overall Reject Rate:	0								Test Date:			
	Proof	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Test	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Target	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
	A ( 1 1												
AB	Action binds										-		1
BABS	Bulge at body shoulder												$\vdash$
BAC	Burr at chamber												igspace
BBMA	BBL-to-bolt misalignment												
ВВ	Bolt binds/catches										ļ		
BCOAB	Bolt catches on anti-bind										ļ		
BCOBS	Bolt catches on bolt stop												
BCOF	Bolt catches on follower												
BC	Blows cases												
BHR	Bolt hits receiver												
BHS	Bolt plug hits safety switch												
BLOP	Bar lock or disconnector out of position												
BLSO	Barrel lug shot off												
BPO	Bolt pulls out												
BSSM	Bolt stems shell in magazine												
BWCD	Bolt won't cam down												
BWCFM	Bolt won't close over full magazine												
CD	Case dented												
CH	Closes hard												
CLM	Can't load magazine												
CO	Cut-off												
CR	Cuts rim												
CS	Cases swell												
CTOG	Chamber torn or gouged												
CTP	Creepy trigger pull												
CWSB	Cams wrong side of action bar												
DBB	Doesn't blow back												
DCS	Double click in safety switch												
DCT	Double click in trigger												$\Box$
DCU	Doesn't close-up												$\Box$

Page 87 of 274

Page 38 of 274


Gallery Performance Report
Proof - Test - Target

totals

frie totals

			ory i oric									
DE	Doesn't eject		Proof - 1	est - Ta	rget							
DEL	Doesn't eject live round											
DFB	Doesn't feed back											
DFU	Doesn't feed up											
DLO	Doesn't lock open (after last shell)											
DLU	Doesn't lock-up											
DS	Dead safe											$\Box$
DX	Doesn't extract											$\Box$
DXL	Doesn't extract live round											$\Box$
EDS	Extractor drops shell											$\Box$
ESB	Ejector sticks back											
ESCR	Empty shell catches receiver											
ESS	Extractor stems shell											$\Box$
FA	Fires automatically											
FB	Follower binds											
FC	Fails to connect											$\Box$
FCB	Fore-end cracked or broken											$\Box$
FD	Follows-down											$\Box$
FF	Fails to fire											$\Box$
FFP	Flat firing pin											$\Box$
FOS	Fires on safe											$\Box$
FPHB	Firing pin hits bbl											$\Box$
FPHI	Firing pin hits inside rim											$\Box$
FPO	Floor plate opens											$\Box$
FPOH	Floor plate opens hard											$\Box$
FSR	Fires when safe is released											$\Box$
FT	Follower tips											$\Box$
GCSO	Gas cyl shot off											$\Box$
HBL	Heavy bolt lift											$\Box$
HMSC	Heading mismatch-steps on case											$\Box$
HPA	High pressure ammo											$\Box$
HUR	Hard under rail											$\Box$
JCS	Jumps cartridge										i i	$\Box$
JM	Jumps magazine											$\Box$
JO	Jars off											$\Box$
LB	Light blow											
MAH	Magazine assembles hard											$\Box$
MCW	Magazine capacity wrong											$\Box$
MFA	Misfires (ammo)											
MFOP	Magazine follower out of position											$\Box$
ML	Magazine loose			1								$\Box$
MLH	Magazine loads hard											$\Box$
MRH	Magazine removes hard											$\Box$
OH	Opens hard											$\Box$
OR	Over-rides		1							l		
PH	Pulls hard		1	<u> </u>		1						$\Box$
PSI	Proof stamp illegible									<u> </u>		
PSM	Proof stamp missing		1			1				t —		$\Box$
RBOC	Rings and bulges on case		1							<del>                                     </del>		$\vdash$
	I 35 and baiges on ease	 	1		1	1	1	1	l	1		


Page 90 of 274



		 	51 <b>y</b> 1 0110				 				
RDW	(Action) release doesn't work		Proof - T	est - Ta	rget						
RIC	Rings in chamber										
RIS	Ring in sholder										
RS	Rim srem										
SBC	Stems bottom chambers										
SBE	Stems bbl extension										
SCB	Stock cracked or broken										
SCX	Shell catches										
SHI	Short indent										
SI	Stems incline										
SIC	Stems in chamber										
SL	shaves lead										
SLC	Stems left side of chamber										
SMOC	Stretch marks on case										$\Box$
SOR	Stem over-ride										$\Box$
SP	Stems port										$\Box$
SR	Shoulder rough										$\Box$
SRC	Stems right side of chamber										$\Box$
SRIC	Specific rings in chamber										$\Box$
SSOC	Surface scratches on case										
STC	Stems top chamber										
SWE	Safety switch works too easily										
SWH	Safety switch works too hard										$\Box$
sww	Safety Switch won't work										$\Box$
TD	Tips down										$\Box$
TU	Tips up										$\Box$
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										$\vdash$
											$\Box$
HI	High										
LO	Low								1		
LEFT	Left										
RIGHT	Right										
DG	Doesn't Group										
FSST	Front sight tipped										
RSTT	Rear sight tipped										
RSBR	Rear sight base raised										
FSTR	Front sight raised										$\vdash$
FSTL	Front sight loose										$\vdash$
RSTL	Rear sight loose										
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target										$\vdash$
Al-P	Assembly incompleye at proof										$\vdash$
BBB	Barrel bracket cracked or broken at proof										$\vdash$
BC-P	Blows cases at proof										$\vdash$
BEB-P	Barrel extension broken at proof								_	$\vdash$	$\vdash$
	Danes, satisficial protein at proof					1	 	L			


Gallery Performance Report
Proof - Test - Target

Page 92 of 274



		•		1	 	 	 
BLP-P	Blanked primer at proof	Proof	- Test - Target				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DBF-P	Damaged Bolt Face						
DLOS-P	Doesn't lock over shells at proof						
ESBBP-P	Ejector sticks back -Blown Primer cup						
ESBEC-P	Ejector sticks back - Ejector Cresent						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof						
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						

Page 94 of 274



Summary		Total Tested Total Rejected: Overall Reject Rate:	0								Test Date:			
	Proof	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Test	Shot: Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Target	Shot: Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
AB	Action binds										-	$\vdash$	+-+
BABS	Bulge at body shoulder										1	-	$\vdash$
BAC	Burr at chamber										1	+-	$\vdash \vdash$
BBMA	BBL-to-bolt misalignment										1	$\vdash$	$\vdash$
BB	Bolt binds/catches											+	+-
BCOAB	Bolt catches on anti-bind										1	+	+-
BCOBS	Bolt catches on bolt stop										1	-	$\vdash$
BCOF	Bolt catches on follower												+-
BC	Blows cases											$\vdash$	$\vdash$
BHR	Bolt hits receiver										$\vdash$	${}^{\dagger}$	+
BHS	Bolt plug hits safety switch										<del>                                     </del>	${}$	$\vdash$
BLOP	Bar lock or disconnector out of position										1	$\vdash$	$\vdash \vdash$
BLSO	Barrel lug shot off											$\vdash$	$\vdash$
BPO	Bolt pulls out											-	$\vdash$
BSSM	Bolt stems shell in magazine										1	-	$\vdash$
BWCD	Bolt won't cam down												$\vdash$
BWCFM	Bolt won't close over full magazine											$\vdash$	$\vdash$
CD	Case dented											T	$\Box$
CH	Closes hard												$\Box$
CLM	Can't load magazine											$\overline{}$	$\Box$
CO	Cut-off												
CR	Cuts rim										1		$\Box$
CS	Cases swell												$\Box$
CTOG	Chamber torn or gouged												$\Box$
CTP	Creepy trigger pull												$\Box$
CWSB	Cams wrong side of action bar												$\Box$
DBB	Doesn't blow back												$\Box$
DCS	Double click in safety switch												
DCT	Double click in trigger												
DCU	Doesn't close-up												

Page 95 of 274

Page 96 of 274

Gallery Performance Report
Proof - Test - Target

0 0 0

Rimfire totals

**BARBER - RE 0006720** 

				CIY I CIII								
DE	Doesn't eject			Proof -	iest - ra	rgei						
DEL	Doesn't eject live round											
DFB	Doesn't feed back											
DFU	Doesn't feed up											
DLO	Doesn't lock open (after last shell)											
DLU	Doesn't lock-up											
DS	Dead safe											
DX	Doesn't extract											
DXL	Doesn't extract live round											
EDS	Extractor drops shell											
ESB	Ejector sticks back											
ESCR	Empty shell catches receiver											
ESS	Extractor stems shell											
FA	Fires automatically											
FB	Follower binds											
FC	Fails to connect											
FCB	Fore-end cracked or broken											
FD	Follows-down											
FF	Fails to fire											
FFP	Flat firing pin											
FOS	Fires on safe											
FPHB	Firing pin hits bbl									1		
FPHI	Firing pin hits inside rim											
FPO	Floor plate opens											
FPOH	Floor plate opens hard											
FSR	Fires when safe is released											
FT	Follower tips											
GCSO	Gas cyl shot off											
HBL	Heavy bolt lift									1		
HMSC	Heading mismatch-steps on case											
HPA	High pressure ammo											
HUR	Hard under rail											
JCS	Jumps cartridge									1		
JM	Jumps magazine											
JO	Jars off											
LB	Light blow									1		
MAH	Magazine assembles hard											
MCW	Magazine capacity wrong									1		
MFA	Misfires (ammo)									1		
MFOP	Magazine follower out of position									1		
ML	Magazine loose									<b>†</b>		$\vdash$
MLH	Magazine loads hard											$\vdash$
MRH	Magazine removes hard				<u> </u>					<b>†</b>		$\vdash$
OH	Opens hard									$\vdash$		$\vdash$
OR	Over-rides	+								+		$\vdash$
PH	Pulls hard	+		+	+		1		<b> </b>	<b>+</b>		$\vdash$
PSI	Proof stamp illegible		<del>                                     </del>	1	+		1			+	_	$\vdash$
PSM	Proof stamp missing	+	<u> </u>		+	<del>                                     </del>				_		$\vdash \vdash$
RBOC	Rings and bulges on case	+	-	+	+		1	-	-	-	_	$\vdash$
KBOC	mings and bulges on case		1		1	1		l	l	1	l	

Page 97 of 274

Page 98 of 274



**BARBER - RE 0006722** 

				SIY I CIT		_		 				
RDW	(Action) release doesn't work			Proof -	est - Ta	rget						
RIC	Rings in chamber											
RIS	Ring in sholder											
RS	Rim srem											
SBC	Stems bottom chambers											
SBE	Stems bbl extension											
SCB	Stock cracked or broken											
SCX	Shell catches											$\Box$
SHI	Short indent											$\Box$
SI	Stems incline											
SIC	Stems in chamber											
SL	shaves lead											
SLC	Stems left side of chamber											
SMOC	Stretch marks on case											
SOR	Stem over-ride											
SP	Stems port											$\vdash$
SR	Shoulder rough										$\Box$	$\Box$
SRC	Stems right side of chamber											$\vdash$
SRIC	Specific rings in chamber											
SSOC	Surface scratches on case											
STC	Stems top chamber											
SWE	Safety switch works too easily											
SWH	Safety switch works too hard											
sww	Safety Switch won't work											$\vdash$
TD	Tips down											
⊤U	Tips up											
TWP	Trigger won't pull											
TWR	Trigger won't retract											
UNCN-T	Uncoded									l		
XH	Extracts hard										$\vdash$	
7(11	Extraore flaid											
HI	High											
LO	Low				1					l -	$\vdash$	
LEFT	Left				<del>                                     </del>						$\vdash$	
RIGHT	Right				<del>                                     </del>							_
DG	Doesn't Group											
FSST	Front sight tipped										$\vdash$	
RSTT	Rear sight tipped									<del>                                     </del>		_
RSBR	Rear sight base raised			1	1				+	1		<del>                                     </del>
FSTR	Front sight raised				1					<del> </del>	$\vdash$	_
FSTL	Front sight loose				_						-	$\vdash$
RSTL	Rear sight loose			1	<del>                                     </del>		1		<del> </del>		$\vdash$	$\vdash$
MGPT-G	Missing parts at target		-		<del>                                     </del>					<del>                                     </del>	$\vdash$	$\vdash$
UNCN-G	Uncoded nonconformity at target			-	_				-	-	<del></del>	$\vdash$
UNCN-G	oncoded noncomormity at target			-						-	<del></del>	_
Al-P	Assembly incompleye at proof			1			1		-	-	<del></del>	$\vdash$
BBB	Barrel bracket cracked or broken at proof	-			-		1		-	-	<del></del>	-
BC-P		-			-				-	_	<del></del>	1
BEB-P	Blows cases at proof	-	<del>                                     </del>	<del> </del>	+		1	 -	1	<del>                                     </del>	$\vdash$	$\vdash$
DCB-P	Barrel extension broken at proof	L	l	1		L		L		<u> </u>		

Page 99 of 274

Page 100 of 274



BLP-P	Blanked primer at proof	Proof -	Test - Target				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DBF-P	Damaged Bolt Face						
DLOS-P	Doesn't lock over shells at proof						
ESBBP-P	Ejector sticks back -Blown Primer cup						
ESBEC-P	Ejector sticks back - Ejector Cresent						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof						
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						

Page 102 of 274



**BARBER - RE 0006726** 

Summary		Total Tested Total Rejected: Overall Reject Rate:	0								Test Date:			
	Proof	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Test	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Target	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0

MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
Astion binds										<u> </u>		$\vdash$
		-								-	_	$\vdash$
										-	_	-
				-						-	_	$\vdash$
										+	_	_
										1		$\vdash$
	_									-		
												$\vdash$
												$\perp$
Bolt won't cam down												
Bolt won't close over full magazine												
Case dented												
Closes hard												
Can't load magazine												
Cut-off												
Cuts rim										1		
Cases swell												
Chamber torn or gouged												
Doesn't blow back												$\Box$
										1		
												$\Box$
	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sults bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt bulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block base hard Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Con't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sulls out Bolt swort cam down Bolt wort close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block based on trigger	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on bolt stop Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Double click in safety switch Bout bolt wasten Double click in trigger	Action binds Bulge at body shoulder Burr at chamber BBIL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Blows cases Bolt taches on follower Bolt plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Cul-off Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sum to am down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Both-both misalignment Both binds/catches Both catches on anti-bind Both catches on follower Blows cases Both this receiver Both plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Both seminary Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't close over full magazine Case dented Closes hard Cuttorif Cuts rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Both side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Birr at chamber Birr at chamber Bolt-botit misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Birr at chamber Bolt catches on follower Bolt catches on follower Bolt binds cases Bolt binds receiver Bolt plug hits sefety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulle out Bolt won't close over full magazine Bolt won't close over full magazine Case dented Closes hard Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Camb mage for action bar Doesn't blow back Double click in trigger	Action binds Bulge at body shoulder Burr at chamber Birr at chamber Birr at chamber Birr at chamber Bolt to-bolt misalignment Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt won't cam down Bolt won't cam down Bolt won't cam down Bolt won't case over full magazine Cases swell Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cases may be safety switch Double click in trigger	Action binds Bulge at body shoulder Burst chamber Burst chamber Burst chamber Burst chamber Both binds coatches Both catches on anti-bind Both catches on bolt stop Both catches on follower Blows cases Both this receiver Both steres which Bar lock or disconnector out of position Barrel lug shot off Both steres shell in magazine Both steres shell in magazine Both worth close over full magazine Case dented Closes hard Cart load magazine Cut-off Cuts rim Cases swell Cases swell Cases my ligger pull Cases my load is a fety switch Double clock in safety writch Double clock in safety writch Double clock in safety writch

Page 103 of 274

Page 104 of 274

Gallery Performance Report
Proof - Test - Target

totals
0 0 0

Rimfire totals

**BARBER - RE 0006728** 

						PACE							
DE	Doesn't eject			Proof -	est - Ta	rget							
DEL	Doesn't eject live round												
DFB	Doesn't feed back												
DFU	Doesn't feed up												
DLO	Doesn't lock open (after last shell)												
DLU	Doesn't lock-up												
DS	Dead safe												
DX	Doesn't extract												
DXL	Doesn't extract live round												
EDS	Extractor drops shell												
ESB	Ejector sticks back												
ESCR	Empty shell catches receiver												
ESS	Extractor stems shell												
FA	Fires automatically												
FB	Follower binds												
FC	Fails to connect												
FCB	Fore-end cracked or broken												
FD	Follows-down												
FF	Fails to fire												
FFP	Flat firing pin												
FOS	Fires on safe												
FPHB	Firing pin hits bbl												
FPHI	Firing pin hits inside rim												
FPO	Floor plate opens												$\vdash$
FPOH	Floor plate opens hard												
FSR	Fires when safe is released												
FT	Follower tips												
GCSO	Gas cyl shot off										<del>                                     </del>		
HBL	Heavy bolt lift										1	1	
HMSC	Heading mismatch-steps on case												$\vdash$
HPA	High pressure ammo												
HUR	Hard under rail											<b>†</b>	$\vdash$
JCS	Jumps cartridge												
JM	Jumps magazine											<b>†</b>	
JO	Jars off												
LB	Light blow												
MAH	Magazine assembles hard												
MCW	Magazine capacity wrong										<del>                                     </del>	<del>                                     </del>	$\vdash$
MFA	Misfires (ammo)				<u> </u>						1	<u> </u>	$\vdash \vdash \vdash$
MFOP	Magazine follower out of position				<del>                                     </del>						<del>                                     </del>		$\vdash \vdash$
ML	Magazine loose			+	<del>                                     </del>						$\vdash$	$\vdash$	$\vdash \vdash$
MLH	Magazine loose Magazine loads hard			+	<del>                                     </del>								$\vdash \vdash$
MRH	Magazine loads hard  Magazine removes hard			+	<del>                                     </del>						$\vdash$	<del>                                     </del>	$\vdash \vdash$
OH	Opens hard	+		+							$\vdash$	$\vdash$	$\vdash$
OR	Over-rides	-			<del> </del>					1	<del> </del>	<del>                                     </del>	$\vdash \vdash$
PH	Pulls hard	+		+	<del>                                     </del>						<del>                                     </del>		$\vdash \vdash$
PSI	Proof stamp illegible		<b> </b>	+	<del>                                     </del>						$\vdash$	<del>                                     </del>	$\vdash \vdash$
PSM	Proof stamp missing	+		+							$\vdash$	<del>                                     </del>	$\vdash \vdash \vdash$
RBOC	Rings and bulges on case	_	-	+	-		1	-	-	-	-	-	$\vdash \vdash$
KDOC	mings and bulges on case		L					L	l		l	l	$\perp$

Page 105 of 274

Page 106 of 274



**BARBER - RE 0006730** 

RDW	(Action) release doesn't work		Proof - 1	est - Ta	rget							
RIC	Rings in chamber											
RIS	Ring in sholder											
RS	Rim srem											
RS SBC	Stems bottom chambers											
SBE	Stems bbl extension											
SCB	Stock cracked or broken											
SCX	Shell catches											
SHI	Short indent											
SI	Stems incline											
SIC	Stems in chamber											
SL	shaves lead											
SLC	Stems left side of chamber											
SMOC	Stretch marks on case											
SOR	Stem over-ride											
SP	Stems port											
SR	Shoulder rough											
SRC	Stems right side of chamber									<del>                                     </del>		
SRIC	Specific rings in chamber											
SSOC	Surface scratches on case											
STC	Stems top chamber											
SWE	Safety switch works too easily											
SWH	Safety switch works too hard											
sww	Safety Switch won't work			<u> </u>						<del>                                     </del>	_	
⊤D	Tips down									<u> </u>	_	
TU	Tips up			<b>-</b>						1		
TWP	Trigger won't pull			<u> </u>						<del>                                     </del>	_	
TWR	Trigger won't retract											
UNCN-T	Uncoded			1								
XH	Extracts hard		+	<u> </u>						1		
XII	Extracts flaid		+			+				<b>-</b>		
HI	High			<u> </u>			1			<del>                                     </del>	_	$\vdash$
LO	Low		+	<b>-</b>		-	<del> </del>		-	-	-	$\vdash$
LEFT	Left			<del>                                     </del>			-	_		-	-	$\vdash$
RIGHT	Right											$\vdash$
DG	Doesn't Group											
FSST	Front sight tipped		-							-		$\vdash$
RSTT			+	<u> </u>						<u> </u>	_	$\vdash$
	Rear sight tipped			<u> </u>						<u> </u>		$\vdash$
RSBR	Rear sight base raised									-		$\vdash$
FSTR	Front sight raised	-		-		1				_		$\vdash$
FSTL	Front sight loose			<u> </u>								
RSTL	Rear sight loose			<u> </u>						Ь—		$\vdash$
MGPT-G	Missing parts at target		 <del>                                     </del>			<b></b>				<b>—</b>		$\vdash$
UNCN-G	Uncoded nonconformity at target		ļ	ļ		ļ				ļ		$\sqcup$
			 			<del>                                     </del>				_		igspace
Al-P	Assembly incompleye at proof	1								Ь—		lacksquare
BBB	Barrel bracket cracked or broken at proof		1			1				<u> </u>		$ldsymbol{ldsymbol{ldsymbol{eta}}}$
BC-P	Blows cases at proof											
BEB-P	Barrel extension broken at proof											

Page 107 of 274

Page 108 of 274



**BARBER - RE 0006732** 

		-	T	 	 	 	
BLP-P	Blanked primer at proof	Proof -	Test - Target				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DBF-P	Damaged Bolt Face						
DLOS-P	Doesn't lock over shells at proof						
ESBBP-P	Ejector sticks back -Blown Primer cup						
ESBEC-P	Ejector sticks back - Ejector Cresent						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof						
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						

Page 110 of 274



**BARBER - RE 0006734** 

Summary		Total Tested Total Rejected: Overall Reject Rate:	0								Test Date:			
	Proof	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Test	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Target	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0

MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
Astion binds										_		$\vdash$
										1	_	$\vdash$
										_	_	-
				-						+		$\vdash$
										+	-	_
										1		$\vdash$
	_									<u> </u>		
										1		
										<u> </u>		$\perp$
Bolt won't cam down												
Bolt won't close over full magazine												
Case dented												
Closes hard												
Can't load magazine												
Cut-off												
Cuts rim												
Cases swell												
Chamber torn or gouged												
Doesn't blow back										1		$\Box$
										1		
										1		
										1		$\Box$
	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sults bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt bulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block base hard Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Con't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sulls out Bolt swort cam down Bolt wort close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block based on trigger	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on bolt stop Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Double click in safety switch Bout bolt wasten Double click in trigger	Action binds Bulge at body shoulder Burr at chamber BBIL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Blows cases Bolt taches on follower Bolt plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Cul-off Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sum to am down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Both-both misalignment Both binds/catches Both catches on anti-bind Both catches on follower Blows cases Both this receiver Both plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Both seminary Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't close over full magazine Case dented Closes hard Cut-off Cuts rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in safety switch Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Birr at chamber Birr at chamber Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Birr at chamber Bolt catches on follower Bolt catches on follower Bolt binds cases Bolt binds cases Bolt binds cases Bolt binds receiver Bolt plug hits sefety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt won't cam down Bolt won't cam down Bolt won't cam down Bolt won't cam down Cases swell Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Camb manger in afety switch Double click in trigger	Action binds Bulge at body shoulder Burr at chamber Burr at chamber Bolt-to-bolt misalignment Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt binds/catches Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt by units and own Bolt won't can down Bolt won't can down Bolt won't can down Cases eard Closes hard Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cases may be safety switch Double click in afety switch	Action binds Bulge at body shoulder Burst chamber Burst chamber Burst chamber Burst chamber Both binds coatches Both catches on anti-bind Both catches on bolt stop Both catches on follower Blows cases Both this receiver Both steres which Bar lock or disconnector out of position Barrel lug shot off Both steres shell in magazine Both steres shell in magazine Both worth close over full magazine Case dented Closes hard Cart load magazine Cut-off Cuts rim Cases swell Cases swell Cases my ligger pull Cases my load is a fety switch Double clock in safety writch Double clock in safety writch Double clock in safety writch

Page 111 of 274

Page 112 of 274

Gallery Performance Report
Proof - Test - Target

Rimfire totals

**BARBER - RE 0006736** 

				- Draaf	Toot To	PASt .		 				
DE	Doesn't eject			Proof -	est - Ta	rgei						
DEL	Doesn't eject live round											
DFB	Doesn't feed back											
DFU	Doesn't feed up											
DLO	Doesn't lock open (after last shell)											
DLU	Doesn't lock-up											
DS	Dead safe											
DX	Doesn't extract											
DXL	Doesn't extract live round											
EDS	Extractor drops shell											
ESB	Ejector sticks back											
ESCR	Empty shell catches receiver											
ESS	Extractor stems shell											
FA	Fires automatically											
FB	Follower binds											
FC	Fails to connect											
FCB	Fore-end cracked or broken											
FD	Follows-down											
FF	Fails to fire											
FFP	Flat firing pin											
FOS	Fires on safe											
FPHB	Firing pin hits bbl											
FPHI	Firing pin hits inside rim											
FPO	Floor plate opens											
FPOH	Floor plate opens hard									<b>†</b>		
FSR	Fires when safe is released											
FT	Follower tips											
GCSO	Gas cyl shot off									<del>                                     </del>		
HBL	Heavy bolt lift									1		
HMSC	Heading mismatch-steps on case									t —		
HPA	High pressure ammo											
HUR	Hard under rail											
JCS	Jumps cartridge											
JM	Jumps magazine											
JO	Jars off											
LB	Light blow											
MAH	Magazine assembles hard											
MCW	Magazine capacity wrong									<del>                                     </del>		
MFA	Misfires (ammo)				<b>†</b>		1			1		$\vdash$
MFOP	Magazine follower out of position		<del>                                     </del>	+	<del>                                     </del>	<del>                                     </del>	<del> </del>		+	$\vdash$		$\vdash \vdash$
ML	Magazine loose		<del>                                     </del>	+	<del>                                     </del>		+		<del> </del>	$\vdash$	$\vdash$	$\vdash$
MLH	Magazine loose  Magazine loads hard	+		+			+		<del> </del>	<del>                                     </del>		$\vdash$
MRH	Magazine removes hard	_	<b>+</b>	+	<del>                                     </del>		+		<del> </del>	<del>                                     </del>		$\vdash$
OH	Opens hard		<del>                                     </del>	+	<del>                                     </del>		+			$\vdash$	_	$\vdash$
OR	Over-rides		<del>                                     </del>	+	<del>                                     </del>		+		-	<del>                                     </del>		$\vdash \vdash$
PH	Pulls hard	_	-	+	-		+			+		$\vdash \vdash$
PSI	Proof stamp illegible		-				+			-	-	$\vdash$
PSM	Proof stamp missing			+	-		1			-		$\vdash$
RBOC			-	1	-		<del>                                     </del>		-	<del>                                     </del>		$\vdash$
KDOC	Rings and bulges on case		1									ш

Page 113 of 274

Gallery Performance Report
Proof - Test - Target

Page 114 of 274



**BARBER - RE 0006738** 

RDW	(Action) release doesn't work			Proof -	est - Ta	rget							
RIC	Rings in chamber												
RIS	Ring in sholder												
RS	Rim srem												
RS SBC	Stems bottom chambers												
SBE	Stems bbl extension												
SCB	Stock cracked or broken												
SCX	Shell catches												
SHI	Short indent												
SI	Stems incline												
SIC	Stems in chamber												
SL	shaves lead												
SLC	Stems left side of chamber												
SMOC	Stretch marks on case												
SOR	Stem over-ride												
SP	Stems port												
SR	Shoulder rough												
SRC	Stems right side of chamber			<b>†</b>							<del>                                     </del>		
SRIC	Specific rings in chamber												
SSOC	Surface scratches on case												
STC	Stems top chamber												
SWE	Safety switch works too easily												
SWH	Safety switch works too hard												
sww	Safety Switch won't work				<u> </u>						<del>                                     </del>	_	
⊤D	Tips down										<u> </u>	_	
TU	Tips up				<b>-</b>						1		
TWP	Trigger won't pull				<u> </u>						<del>                                     </del>	_	
TWR	Trigger won't retract												
UNCN-T	Uncoded		1		1								
XH	Extracts hard			+	<u> </u>						1		
XIII	Extracts riard	1		+			+				<b>-</b>		
HI	High				<u> </u>			1			<del>                                     </del>	_	$\vdash$
LO	Low		<b> </b>	+	<b>-</b>		-	<del> </del>		-	-	-	$\vdash$
LEFT	Left			+	<del>                                     </del>			-	_		-	-	$\vdash$
RIGHT	Right												$\vdash$
DG	Doesn't Group												
FSST	Front sight tipped			-							-		$\vdash$
RSTT		-		+	<u> </u>						<u> </u>	_	$\vdash$
	Rear sight tipped				<u> </u>						<u> </u>		$\vdash$
RSBR	Rear sight base raised	_									-		$\vdash$
FSTR	Front sight raised				-		1				_		$\vdash$
FSTL	Front sight loose				<u> </u>								
RSTL	Rear sight loose			+	-		-				<del>                                     </del>		$\vdash$
MGPT-G	Missing parts at target			<b>_</b>			<b></b>				<u> </u>		$\vdash$
UNCN-G	Uncoded nonconformity at target		ļ	ļ	ļ		ļ				ļ		$\sqcup$
			ļ				<del>                                     </del>				_		igspace
Al-P	Assembly incompleye at proof										Ь—		lacksquare
BBB	Barrel bracket cracked or broken at proof			1			1				<u> </u>		ш
BC-P	Blows cases at proof												
BEB-P	Barrel extension broken at proof												

Page 115 of 274

Page 116 of 274



**BARBER - RE 0006740** 

BLP-P	Blanked primer at proof		Proof - 1	est - Ta	rget				
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof							$\Box$	
DBF-P	Damaged Bolt Face								
DLOS-P	Doesn't lock over shells at proof								
ESBBP-P	Ejector sticks back -Blown Primer cup								
ESBEC-P	Ejector sticks back - Ejector Cresent							$\Box$	
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof								
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof								
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions							$\Box$	

Page 118 of 274



**BARBER - RE 0006742** 

Summary		Total Tested Total Rejected: Overall Reject Rate:	0								Test Date:			
	Proof	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Test	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Target	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0


MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
Astion binds										_		$\vdash$
										1	-	$\vdash$
										_	_	-
				-						+		$\vdash$
										+	-	_
										1		$\vdash$
	_									<u> </u>		
										1		
										<u> </u>		$\perp$
Bolt won't cam down												
Bolt won't close over full magazine												
Case dented												
Closes hard												
Can't load magazine												
Cut-off												
Cuts rim												
Cases swell												
Chamber torn or gouged												
Doesn't blow back										1		$\Box$
										1		
										1		
										1		$\Box$
	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sults bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt bulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block base hard Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Con't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sulls out Bolt swort cam down Bolt wort close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block based on trigger	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on bolt stop Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Double click in safety switch Bout bolt wasten Double click in trigger	Action binds Bulge at body shoulder Burr at chamber BBIL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Blows cases Bolt taches on follower Bolt plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Cul-off Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sum to am down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Both-both misalignment Both binds/catches Both catches on anti-bind Both catches on follower Blows cases Both this receiver Both plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Both seminary Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't close over full magazine Case dented Closes hard Cut-off Cuts rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in safety switch Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Birr at chamber Birr at chamber Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Birr at chamber Bolt catches on follower Bolt catches on follower Bolt binds cases Bolt binds cases Bolt binds cases Bolt binds receiver Bolt plug hits sefety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt won't cam down Bolt won't cam down Bolt won't cam down Bolt won't cam down Cases swell Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Camb manger in afety switch Double click in trigger	Action binds Bulge at body shoulder Burr at chamber Burr at chamber Bolt-to-bolt misalignment Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt binds/catches Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt by units and own Bolt won't can down Bolt won't can down Bolt won't can down Cases eard Closes hard Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cases may be safety switch Double click in afety switch	Action binds Bulge at body shoulder Burst chamber Burst chamber Burst chamber Burst chamber Both binds coatches Both catches on anti-bind Both catches on bolt stop Both catches on follower Blows cases Both this receiver Both steres which Bar lock or disconnector out of position Barrel lug shot off Both steres shell in magazine Both steres shell in magazine Both worth close over full magazine Case dented Closes hard Cart load magazine Cut-off Cuts rim Cases swell Cases swell Cases my ligger pull Cases my load is a fety switch Double clock in safety writch Double clock in safety writch Double clock in safety writch

Page 119 of 274

Page 120 of 274

Gallery Performance Report
Proof - Test - Target

totals 0 0 0




**BARBER - RE 0006744** 

				51 y 1 0110				 				
DE	Doesn't eject			Proof - T	est - Ta	rget						
DEL	Doesn't eject live round											
DFB	Doesn't feed back											
DFU	Doesn't feed up											
DLO	Doesn't lock open (after last shell)											
DLU	Doesn't lock-up											
DS	Dead safe											
DX	Doesn't extract											
DXL	Doesn't extract live round											
EDS	Extractor drops shell											
ESB	Ejector sticks back											
ESCR	Empty shell catches receiver											
ESS	Extractor stems shell											
FA	Fires automatically											
FB	Follower binds											
FC	Fails to connect											
FCB	Fore-end cracked or broken											
FD	Follows-down										$\vdash$	
FF	Fails to fire											
FFP	Flat firing pin											
FOS	Fires on safe											
FPHB	Firing pin hits bbl									t -		
FPHI	Firing pin hits inside rim									<u> </u>	$\vdash$	
FPO	Floor plate opens									<b>†</b>	$\vdash$	<b>†</b>
FPOH	Floor plate opens hard										<del>                                     </del>	
FSR	Fires when safe is released										$\vdash$	
FT	Follower tips									<del>                                     </del>	$\vdash$	$\vdash$
GCSO	Gas cyl shot off									<del>                                     </del>	$\vdash$	
HBL	Heavy bolt lift									<del>                                     </del>	$\vdash$	
HMSC	Heading mismatch-steps on case									<del>                                     </del>	$\vdash$	
HPA	High pressure ammo				<u> </u>					<del>                                     </del>	$\vdash$	
HUR	Hard under rail										<del></del>	<del>                                     </del>
JCS	Jumps cartridge										<del></del>	<del>                                     </del>
JM	Jumps magazine	-			<u> </u>					1	$\vdash$	├─
JO	Jars off										<del>                                     </del>	
LB	Light blow											
MAH	Magazine assembles hard				<del>                                     </del>					<del>                                     </del>	$\vdash$	$\vdash$
MCW	Magazine capacity wrong				<u> </u>					<del>                                     </del>	-	$\vdash$
MFA	Misfires (ammo)									<del> </del>	$\vdash$	-
MFOP	Magazine follower out of position	-			<u> </u>					-	├	$\vdash$
ML		+	-	1	-	-	1			$\vdash$	├	$\vdash$
MLH	Magazine loose Magazine loads hard	+	-	-	-	-	1	 	-	├	├	$\vdash$
MRH		+		-	-				-	-	<del>                                     </del>	$\vdash$
	Magazine removes hard			-	-			 		├	$\vdash$	⊢
OH	Opens hard	-			-					-	⊢—	<b>—</b>
OR	Over-rides				-					<u> </u>	⊢—	<b>⊢</b>
PH	Pulls hard				-					<b>├</b>	—	<u> </u>
PSI	Proof stamp illegible									<u> </u>	Ь—	$\vdash$
PSM	Proof stamp missing				ļ					<u> </u>	—	$\sqcup$
RBOC	Rings and bulges on case										$\bot$	

Page 121 of 274

Gallery Performance Report
Proof - Test - Target

Page 122 of 274



**BARBER - RE 0006746** 

				019 1 0110								
RDW	(Action) release doesn't work			Proof - 1	est - Ta	rget						
RIC	Rings in chamber											
RIS	Ring in sholder											
RS	Rim srem											
SBC	Stems bottom chambers											
SBE	Stems bbl extension											
SCB	Stock cracked or broken											
SCX	Shell catches									<del>                                     </del>		
SHI	Short indent											$\vdash$
SI	Stems incline											
SIC	Stems in chamber									<b>!</b>		$\vdash$
SL	shaves lead											$\vdash$
SLC	Stems left side of chamber				1					<del>                                     </del>	<del> </del>	
SMOC	Stretch marks on case											$\vdash$
SOR	Stem over-ride	1					+					$\vdash$
SP	Stems port		<u> </u>		<u> </u>					<del>                                     </del>	_	$\vdash$
SR	Shoulder rough				_			1		_	_	$\vdash$
SRC	Stems right side of chamber				_		+	-		-	-	$\vdash$
SRIC	Specific rings in chamber											$\vdash$
SSOC		-	<u> </u>				-			<u> </u>	_	_
STC	Surface scratches on case						+			-	_	
	Stems top chamber				<u> </u>					<u> </u>		
SWE	Safety switch works too easily				-					-	_	
SWH	Safety switch works too hard											
SWW	Safety Switch won't work											
⊤D	Tips down											
TU	Tips up											
⊤WP	Trigger won't pull											
⊤WR	Trigger won't retract											
UNCN-T	Uncoded											
XH	Extracts hard											
HI	High											
LO	Low											
LEFT	Left											
RIGHT	Right											
DG	Doesn't Group											
FSST	Front sight tipped											
RSTT	Rear sight tipped											
RSBR	Rear sight base raised											
FSTR	Front sight raised											
FSTL	Front sight loose											
RSTL	Rear sight loose											
MGPT-G	Missing parts at target											
UNCN-G	Uncoded nonconformity at target											
	, , ,		1		1							
Al-P	Assembly incompleye at proof				1							
BBB	Barrel bracket cracked or broken at proof						1			t		$\Box$
BC-P	Blows cases at proof		1									М
BEB-P	Barrel extension broken at proof								1	t —		$\vdash$
	1 = 1		1	1	1		1		 1	<u> </u>		

Page 123 of 274

Gallery Performance Report
Proof - Test - Target

Page 124 of 274




**BARBER - RE 0006748** 

		-	T	 	 	 	
BLP-P	Blanked primer at proof	Proof -	Test - Target				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DBF-P	Damaged Bolt Face						
DLOS-P	Doesn't lock over shells at proof						
ESBBP-P	Ejector sticks back -Blown Primer cup						
ESBEC-P	Ejector sticks back - Ejector Cresent						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof						
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						

Page 126 of 274



**BARBER - RE 0006750** 




MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
Astion binds										_		$\vdash$
										1	-	$\vdash$
										_	_	-
				-						+		$\vdash$
										+	-	_
										1		$\vdash$
	_									<u> </u>		
										1		
										<u> </u>		$\perp$
Bolt won't cam down												
Bolt won't close over full magazine												
Case dented												
Closes hard												
Can't load magazine												
Cut-off												
Cuts rim												
Cases swell												
Chamber torn or gouged												
Doesn't blow back										1		$\Box$
										1		
										1		
										1		$\Box$
	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sults bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt bulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block base hard Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Con't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sulls out Bolt swort cam down Bolt wort close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block based on trigger	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on bolt stop Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Double click in safety switch Bout bolt wasten Double click in trigger	Action binds Bulge at body shoulder Burr at chamber BBIL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Blows cases Bolt taches on follower Bolt plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Cul-off Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sum to am down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Both-both misalignment Both binds/catches Both catches on anti-bind Both catches on follower Blows cases Both this receiver Both plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Both seminary Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't close over full magazine Case dented Closes hard Cut-off Cuts rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in safety switch Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Birr at chamber Birr at chamber Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Birr at chamber Bolt catches on follower Bolt catches on follower Bolt binds cases Bolt binds cases Bolt binds cases Bolt binds receiver Bolt plug hits sefety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt won't cam down Bolt won't cam down Bolt won't cam down Bolt won't cam down Cases swell Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Camb manger in afety switch Double click in trigger	Action binds Bulge at body shoulder Burr at chamber Burr at chamber Bolt-to-bolt misalignment Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt binds/catches Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt by units and own Bolt won't can down Bolt won't can down Bolt won't can down Cases eard Closes hard Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cases may be safety switch Double click in afety switch	Action binds Bulge at body shoulder Burst chamber Burst chamber Burst chamber Burst chamber Both binds coatches Both catches on anti-bind Both catches on bolt stop Both catches on follower Blows cases Both this receiver Both steres which Bar lock or disconnector out of position Barrel lug shot off Both steres shell in magazine Both steres shell in magazine Both worth close over full magazine Case dented Closes hard Cart load magazine Cut-off Cuts rim Cases swell Cases swell Cases my ligger pull Cases my load is a fety switch Double clock in safety writch Double clock in safety writch Double clock in safety writch

Page 127 of 274

Page 128 of 274

Gallery Performance Report
Proof - Test - Target

totals
0 0



**BARBER - RE 0006752** 

				Proof - Test - Target									
DE	Doesn't eject			P1001 -	iest - ra	rgei							
DEL	Doesn't eject live round												
DFB	Doesn't feed back												
DFU	Doesn't feed up												
DLO	Doesn't lock open (after last shell)												
DLU	Doesn't lock-up												
DS	Dead safe												
DX	Doesn't extract												
DXL	Doesn't extract live round												
EDS	Extractor drops shell												
ESB	Ejector sticks back												
ESCR	Empty shell catches receiver												
ESS	Extractor stems shell												
FA	Fires automatically												
FB	Follower binds												
FC	Fails to connect												
FCB	Fore-end cracked or broken												
FD	Follows-down												
FF	Fails to fire												
FFP	Flat firing pin												
FOS	Fires on safe												
FPHB	Firing pin hits bbl										1		
FPHI	Firing pin hits inside rim												
FPO	Floor plate opens												
FPOH	Floor plate opens hard												
FSR	Fires when safe is released												
FT	Follower tips												
GCSO	Gas cyl shot off												
HBL	Heavy bolt lift										1		
HMSC	Heading mismatch-steps on case												
HPA	High pressure ammo												
HUR	Hard under rail												
JCS	Jumps cartridge										1		
JM	Jumps magazine												
JO	Jars off												
LB	Light blow										1		
MAH	Magazine assembles hard												
MCW	Magazine capacity wrong										1		
MFA	Misfires (ammo)										1		
MFOP	Magazine follower out of position										1		
ML	Magazine loose										<b>†</b>		$\vdash$
MLH	Magazine loads hard												$\vdash$
MRH	Magazine removes hard				<u> </u>						<b>†</b>		$\vdash$
OH	Opens hard										$\vdash$		$\vdash$
OR	Over-rides	+									+		$\vdash$
PH	Pulls hard	+		+	+		1		<b> </b>		<b>+</b>		$\vdash$
PSI	Proof stamp illegible		<del>                                     </del>	1	+		1				+	_	$\vdash$
PSM	Proof stamp missing	+	<u> </u>		+	<del>                                     </del>					_		$\vdash \vdash$
RBOC	Rings and bulges on case	+	-	+	+		1	-	-		-	_	$\vdash$
KBOC	mings and bulges on case		1		1	1		l	l		1	l	

Page 129 of 274

Page 130 of 274




BARBER - RE 0006754

				SIY I CIIC		_		 				
RDW	(Action) release doesn't work			Proof -	est - Ta	rget						
RIC	Rings in chamber											
RIS	Ring in sholder											
RS	Rim srem											
SBC	Stems bottom chambers											
SBE	Stems bbl extension											
SCB	Stock cracked or broken											
SCX	Shell catches											$\Box$
SHI	Short indent											$\Box$
SI	Stems incline											
SIC	Stems in chamber											
SL	shaves lead											
SLC	Stems left side of chamber											
SMOC	Stretch marks on case											
SOR	Stem over-ride											
SP	Stems port											$\vdash$
SR	Shoulder rough										$\Box$	$\Box$
SRC	Stems right side of chamber											$\vdash$
SRIC	Specific rings in chamber											
SSOC	Surface scratches on case											
STC	Stems top chamber											
SWE	Safety switch works too easily											
SWH	Safety switch works too hard											
sww	Safety Switch won't work											$\vdash$
TD	Tips down											
⊤U	Tips up											
TWP	Trigger won't pull											
TWR	Trigger won't retract											
UNCN-T	Uncoded									l		
XH	Extracts hard										$\vdash$	
7(11	Extraore flaid											
HI	High											
LO	Low				1					l -	$\vdash$	
LEFT	Left				<del>                                     </del>						$\vdash$	
RIGHT	Right				<del>                                     </del>							_
DG	Doesn't Group											
FSST	Front sight tipped										$\vdash$	
RSTT	Rear sight tipped									<del>                                     </del>		_
RSBR	Rear sight base raised			1	1				+	1		<del>                                     </del>
FSTR	Front sight raised				1		1			<del> </del>	$\vdash$	_
FSTL	Front sight loose				_						-	$\vdash$
RSTL	Rear sight loose			1	<del>                                     </del>		1		<del> </del>		$\vdash$	$\vdash$
MGPT-G	Missing parts at target		-		<del>                                     </del>					<del>                                     </del>	$\vdash$	$\vdash$
UNCN-G	Uncoded nonconformity at target			-	_				-	-	<del></del>	$\vdash$
UNCN-G	oncoded noncomormity at target			-						-	<del></del>	_
Al-P	Assembly incompleye at proof			-			1		-	-	<del></del>	$\vdash$
BBB	Barrel bracket cracked or broken at proof	-			-		1		-	-	<del></del>	-
BC-P		-			-				-	_	<del></del>	1
BEB-P	Blows cases at proof	-	<del>                                     </del>	<del> </del>	+		1	 -	1	<del>                                     </del>	$\vdash$	$\vdash$
DCB-P	Barrel extension broken at proof	L	l	1		L		L		<u> </u>		

Page 131 of 274

Page 132 of 274




**BARBER - RE 0006756** 

	Proof Town													
BLP-P	Blanked primer at proof	Proof -	Test - Target											
BLSO-P	Barrel lug shot off at proof													
BP-P	Blown primer at proof													
BS-P	Barrel split at proof													
DBF-P	Damaged Bolt Face													
DLOS-P	Doesn't lock over shells at proof													
ESBBP-P	Ejector sticks back -Blown Primer cup													
ESBEC-P	Ejector sticks back - Ejector Cresent													
FCB-P	Fore-end cracked at proof													
FESO-P	Fore-end shot off at proof													
FF-P	Fails to fire at proof													
GCSO-P	Gas cylinder shot off at proof													
MSI-P	Magnaflux stamp illegible on bbl													
MSM-P	Magnaflux stamp missing on bbl													
PP-P	Pierced primer at proof													
SCB-P	Stock cracked or broken at proof													
UNCM-P	Uncoded proof malfunctions													

Page 134 of 274



**BARBER - RE 0006758** 




MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
Astion binds										<u> </u>		$\vdash$
		-								-	_	$\vdash$
										-	_	-
				-						-	_	$\vdash$
										+	_	_
										1		$\vdash$
	_									-		
												$\vdash$
												$\perp$
Bolt won't cam down												
Bolt won't close over full magazine												
Case dented												
Closes hard												
Can't load magazine												
Cut-off												
Cuts rim										1		
Cases swell												
Chamber torn or gouged												
Doesn't blow back												$\Box$
										1		
												$\Box$
	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sults bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt bulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block base hard Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Con't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sulls out Bolt swort cam down Bolt wort close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block based on trigger	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on bolt stop Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Double click in safety switch Bout bolt wasten Double click in trigger	Action binds Bulge at body shoulder Burr at chamber BBIL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Blows cases Bolt taches on follower Bolt plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Cul-off Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sum to am down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Both-both misalignment Both binds/catches Both catches on anti-bind Both catches on follower Blows cases Both this receiver Both plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Both seminary Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't close over full magazine Case dented Closes hard Cuttorif Cuts rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Both side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Birr at chamber Birr at chamber Bolt-botit misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Birr at chamber Bolt catches on follower Bolt catches on follower Bolt binds cases Bolt binds receiver Bolt plug hits sefety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulle out Bolt won't close over full magazine Bolt won't close over full magazine Case dented Closes hard Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Camb mage for action bar Doesn't blow back Double click in trigger	Action binds Bulge at body shoulder Burr at chamber Birr at chamber Birr at chamber Birr at chamber Bolt to-bolt misalignment Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt won't cam down Bolt won't cam down Bolt won't cam down Bolt won't case over full magazine Cases swell Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cases may be safety switch Double click in trigger	Action binds Bulge at body shoulder Burst chamber Burst chamber Burst chamber Burst chamber Both binds coatches Both catches on anti-bind Both catches on bolt stop Both catches on follower Blows cases Both this receiver Both steres which Bar lock or disconnector out of position Barrel lug shot off Both steres shell in magazine Both steres shell in magazine Both worth close over full magazine Case dented Closes hard Cart load magazine Cut-off Cuts rim Cases swell Cases swell Cases my ligger pull Cases my load is a fety switch Double clock in safety writch Double clock in safety writch Double clock in safety writch

Page 135 of 274

Page 136 of 274

Gallery Performance Report
Proof - Test - Target

totals
0 0



**BARBER - RE 0006760** 

				Proof - Tiest - Target									
DE	Doesn't eject			P1001 -	est - Ta	rget							
DEL	Doesn't eject live round												
DFB	Doesn't feed back												
DFU	Doesn't feed up												
DLO	Doesn't lock open (after last shell)												
DLU	Doesn't lock-up												
DS	Dead safe												
DX	Doesn't extract												
DXL	Doesn't extract live round												
EDS	Extractor drops shell												
ESB	Ejector sticks back												
ESCR	Empty shell catches receiver												
ESS	Extractor stems shell												
FA	Fires automatically												
FB	Follower binds												
FC	Fails to connect												
FCB	Fore-end cracked or broken												
FD	Follows-down												
FF	Fails to fire												
FFP	Flat firing pin												
FOS	Fires on safe												
FPHB	Firing pin hits bbl												
FPHI	Firing pin hits inside rim												
FPO	Floor plate opens												
FPOH	Floor plate opens hard												
FSR	Fires when safe is released												
FT	Follower tips												
GCSO	Gas cyl shot off												
HBL	Heavy bolt lift												
HMSC	Heading mismatch-steps on case												
HPA	High pressure ammo												
HUR	Hard under rail												
JCS	Jumps cartridge											1	
JM	Jumps magazine												
JO	Jars off												
LB	Light blow												
MAH	Magazine assembles hard												T
MCW	Magazine capacity wrong												$\vdash$
MFA	Misfires (ammo)												
MFOP	Magazine follower out of position												$\vdash$
ML	Magazine loose												$\vdash \vdash$
MLH	Magazine loads hard										t -		
MRH	Magazine removes hard				t e						t -		$\vdash$
OH	Opens hard				<b>†</b>						t		$\vdash \vdash$
OR	Over-rides										<u> </u>	<u> </u>	$\vdash \vdash$
PH	Pulls hard				<u> </u>		+				<del>                                     </del>	<u> </u>	$\vdash \vdash$
PSI	Proof stamp illegible		l		<del>                                     </del>		1	<del>                                     </del>			<del>                                     </del>	<del>                                     </del>	$\vdash$
PSM	Proof stamp missing				<del>                                     </del>		+				<del>                                     </del>		$\vdash \vdash$
RBOC	Rings and bulges on case		-		<del>                                     </del>		+			+	$\vdash$	$\vdash$	$\vdash \vdash$
1,500	Intrings and bulges on case	1	L				1	L		I	1	1	

Page 137 of 274

Gallery Performance Report
Proof - Test - Target

Page 138 of 274



**BARBER - RE 0006762** 

				019 1 0110									
RDW	(Action) release doesn't work			Proof - 1	est - Ta	rget							
RIC	Rings in chamber												
RIS	Ring in sholder												
RS	Rim srem												
SBC	Stems bottom chambers												
SBE	Stems bbl extension										1		
SCB	Stock cracked or broken												
SCX	Shell catches												$\vdash$
SHI	Short indent										1		
SI	Stems incline												$\vdash$
SIC	Stems in chamber										1		$\vdash$
SL	shaves lead										1		
SLC	Stems left side of chamber										1		$\vdash$
SMOC	Stretch marks on case										1		$\vdash$
SOR	Stem over-ride							1			+	_	-
SP			-	+	-		+	-	-	-	-	-	$\vdash \vdash$
SR	Stems port		-	+	-	-		-	-	-	$\vdash$	_	$\vdash \vdash$
SRC	Shoulder rough										-	_	-
	Stems right side of chamber							-			1		
SRIC	Specific rings in chamber												₩
SSOC	Surface scratches on case												$\square$
STC	Stems top chamber										ļ		lacksquare
SWE	Safety switch works too easily												igsquare
SWH	Safety switch works too hard												
sww	Safety Switch won't work												
⊤D	Tips down												
TU	Tips up												
TWP	Trigger won't pull												
TWR	Trigger won't retract												
UNCN-T	Uncoded												
XH	Extracts hard												
HI	High												
LO	Low										1		
LEFT	Left												
RIGHT	Right												$\Box$
DG	Doesn't Group												
FSST	Front sight tipped												
RSTT	Rear sight tipped												$\vdash$
RSBR	Rear sight base raised							1			1		$\vdash$
FSTR	Front sight raised			<del>                                     </del>							_		$\vdash$
FSTL	Front sight loose	<u> </u>	<del>                                     </del>	+	<b>†</b>		1			+	$\vdash$	$\vdash$	$\vdash$
RSTL	Rear sight loose		<b>+</b>	+	<b>-</b>		+		<b>-</b>	<del> </del>	+-	<u> </u>	$\vdash \vdash$
MGPT-G	Missing parts at target		<del>                                     </del>	+	<b>-</b>					1	+	_	$\vdash \vdash$
UNCN-G	Uncoded nonconformity at target			+	-		_			-	-	-	$\vdash \vdash$
UNCN-G	oncoded noncomormity at target			+			1				1		$\vdash \vdash$
AL D	Assembly incomplete of proof			+	<del>                                     </del>		1			-	-	_	₩
AI-P	Assembly incompleye at proof				-						-	-	₩
BBB	Barrel bracket cracked or broken at proof		-		ļ						1		$\vdash \vdash$
BC-P	Blows cases at proof				<u> </u>						-		igspace
BEB-P	Barrel extension broken at proof												

Page 139 of 274

Gallery Performance Report
Proof - Test - Target

Page 140 of 274




**BARBER - RE 0006764** 

	LP.D. Blanked primer at proof Proof Pest - Target													
BLP-P	Blanked primer at proof		Proof -	Test - Tar	get									
BLSO-P	Barrel lug shot off at proof													
BP-P	Blown primer at proof													
BS-P	Barrel split at proof													
DBF-P	Damaged Bolt Face													
DLOS-P	Doesn't lock over shells at proof													
ESBBP-P	Ejector sticks back -Blown Primer cup													
ESBEC-P	Ejector sticks back - Ejector Cresent													
FCB-P	Fore-end cracked at proof													
FESO-P	Fore-end shot off at proof													
FF-P	Fails to fire at proof													
GCSO-P	Gas cylinder shot off at proof													
MSI-P	Magnaflux stamp illegible on bbl													
MSM-P	Magnaflux stamp missing on bbl													
PP-P	Pierced primer at proof													
SCB-P	Stock cracked or broken at proof													
UNCM-P	Uncoded proof malfunctions													

Page 142 of 274



**BARBER - RE 0006766** 




MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
Astion binds										<u> </u>		$\vdash$
		-								-	_	$\vdash$
										-	_	-
				-						-	_	$\vdash$
										+	_	_
										1		$\vdash$
	_									-		
												$\vdash$
												$\perp$
Bolt won't cam down												
Bolt won't close over full magazine												
Case dented												
Closes hard												
Can't load magazine												
Cut-off												
Cuts rim										1		
Cases swell												
Chamber torn or gouged												
Doesn't blow back												$\Box$
										1		
												$\Box$
	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sults bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt bulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block base hard Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Con't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sulls out Bolt swort cam down Bolt wort close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block based on trigger	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on bolt stop Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Double click in safety switch Bout bolt wasten Double click in trigger	Action binds Bulge at body shoulder Burr at chamber BBIL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Blows cases Bolt taches on follower Bolt plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Cul-off Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sum to am down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Both-both misalignment Both binds/catches Both catches on anti-bind Both catches on follower Blows cases Both this receiver Both plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Both seminary Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't close over full magazine Case dented Closes hard Cuttorif Cuts rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Both side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Birr at chamber Birr at chamber Bolt-botit misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Birr at chamber Bolt catches on follower Bolt catches on follower Bolt binds cases Bolt binds receiver Bolt plug hits sefety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulle out Bolt won't close over full magazine Bolt won't close over full magazine Case dented Closes hard Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Camb mage for action bar Doesn't blow back Double click in trigger	Action binds Bulge at body shoulder Burr at chamber Birr at chamber Birr at chamber Birr at chamber Bolt to-bolt misalignment Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt won't cam down Bolt won't cam down Bolt won't cam down Bolt won't case over full magazine Cases swell Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cases may be safety switch Double click in trigger	Action binds Bulge at body shoulder Burst chamber Burst chamber Burst chamber Burst chamber Both binds coatches Both catches on anti-bind Both catches on bolt stop Both catches on follower Blows cases Both this receiver Both steres which Bar lock or disconnector out of position Barrel lug shot off Both steres shell in magazine Both steres shell in magazine Both worth close over full magazine Case dented Closes hard Cart load magazine Cut-off Cuts rim Cases swell Cases swell Cases my ligger pull Cases my load is a fety switch Double clock in safety writch Double clock in safety writch Double clock in safety writch

Page 143 of 274

Page 144 of 274

Gallery Performance Report
Proof - Test - Target

totals
0 0




**BARBER - RE 0006768** 

				019 1 0110								
DE	Doesn't eject			Proof - 1	est - Ta	rget						
DEL	Doesn't eject live round											
DFB	Doesn't feed back											
DFU	Doesn't feed up											
DLO	Doesn't lock open (after last shell)											
DLU	Doesn't lock-up									1		
DS	Dead safe									1		<b>†</b>
DX	Doesn't extract											
DXL	Doesn't extract live round									1		
EDS	Extractor drops shell									<b>†</b>		<del>                                     </del>
ESB	Ejector sticks back											
ESCR	Empty shell catches receiver									<b>†</b>		<b>†</b>
ESS	Extractor stems shell							1		1		<u> </u>
FA	Fires automatically											
FB	Follower binds							1	<u> </u>	1		$\vdash$
FC	Fails to connect		1		1			1		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
FCB	Fore-end cracked or broken									<del>                                     </del>	_	$\vdash$
FD	Follows-down									<del>                                     </del>		<del>                                     </del>
FF	Fails to fire							1		1		<u> </u>
FFP	Flat firing pin							1		<del>                                     </del>		<del>                                     </del>
FOS	Fires on safe		<u> </u>		<del>                                     </del>				<del>                                     </del>	1	-	$\vdash$
FPHB	Firing pin hits bbl	+						1		1	-	<del>                                     </del>
FPHI	Firing pin hits inside rim				<del>                                     </del>	-		1	<u> </u>	+	<del></del>	$\vdash$
FPO	Floor plate opens	_						1	<u> </u>	+	_	├
FPOH	Floor plate opens Floor plate opens hard		-						-	1		<del>                                     </del>
FSR	Fires when safe is released			_	-			-	-	-		<del>                                     </del>
FT	Follower tips		<u> </u>					<b> </b>	<u> </u>	<del>                                     </del>	_	
					-			1	-	<u> </u>		-
GCSO HBL	Gas cyl shot off							1	ļ	<del> </del>		-
	Heavy bolt lift				<u> </u>			1	1	-	_	
HMSC	Heading mismatch-steps on case	_			ļ			1	ļ	-		
HPA	High pressure ammo		-		ļ			ļ	-			Ь—
HUR	Hard under rail				ļ			ļ	ļ			Ь—
JCS	Jumps cartridge									_		Ь—
JM	Jumps magazine											Ь—
JO	Jars off											<u> </u>
LB	Light blow							ļ				Ь—
MAH	Magazine assembles hard											Ь—
MCW	Magazine capacity wrong									ļ		<b>└</b>
MFA	Misfires (ammo)						1			_		Ь—
MFOP	Magazine follower out of position											<u> </u>
ML	Magazine loose											<u> </u>
MLH	Magazine loads hard											L
MRH	Magazine removes hard											
OH	Opens hard											
OR	Over-rides											
PH	Pulls hard											
PSI	Proof stamp illegible											
PSM	Proof stamp missing											
RBOC	Rings and bulges on case											

Page 145 of 274

Page 146 of 274



**BARBER - RE 0006770** 

		 	SIY I CIT									
RDW	(Action) release doesn't work		Proof -	est - Ta	rget							
RIC	Rings in chamber											
RIS	Ring in sholder											
RS	Rim srem											
SBC	Stems bottom chambers											
SBE	Stems bbl extension											
SCB	Stock cracked or broken											
SCX	Shell catches											
SHI	Short indent										i i	
SI	Stems incline											
SIC	Stems in chamber											
SL	shaves lead											
SLC	Stems left side of chamber											
SMOC	Stretch marks on case											
SOR	Stem over-ride											
SP	Stems port						1					
SR	Shoulder rough		1	t		<u> </u>		<del>                                     </del>		<del>                                     </del>		$\vdash$
SRC	Stems right side of chamber			<del>                                     </del>		1				<del>                                     </del>		$\vdash$
SRIC	Specific rings in chamber			<del>                                     </del>		1	<u> </u>			<del>                                     </del>		
SSOC	Surface scratches on case									<del>                                     </del>	_	$\vdash$
STC	Stems top chamber									<del>                                     </del>	_	
SWE	Safety switch works too easily			1						<u> </u>	<del> </del>	
SWH	Safety switch works too hard			<del>                                     </del>						<del>                                     </del>	_	$\vdash$
sww	Safety Switch work too hard			1		+				1	_	$\vdash$
TD	Tips down											
⊤U	Tips up			1			1			<del>                                     </del>	_	$\vdash$
TWP	Trigger won't pull			1						<u> </u>	-	$\vdash$
TWR	Trigger worlt pun  Trigger won't retract											
UNCN-T	Uncoded			1		+	1			<u> </u>	-	$\vdash$
XH	Extracts hard			-		+	-			-	_	$\vdash$
ΛΠ	Extracts flard			_		+	<del> </del>			_	_	$\vdash$
н	High						-			-	_	$\vdash$
LO										-		$\vdash$
LEFT	Low					+			-	-	_	$\vdash$
	Left			_						-	_	$\vdash$
RIGHT	Right									-	_	
DG FSST	Doesn't Group									-		$\vdash$
	Front sight tipped			_						-	_	$\vdash$
RSTT	Rear sight tipped									<u> </u>		
RSBR	Rear sight base raised			-						-		$\vdash$
FSTR	Front sight raised									_		$\vdash$
FSTL	Front sight loose		-			-				<u> </u>		igspace
RSTL	Rear sight loose									Ь—		$\vdash$
MGPT-G	Missing parts at target									<u> </u>		igsquare
UNCN-G	Uncoded nonconformity at target									<u> </u>		
						1						igsquare
Al-P	Assembly incompleye at proof									Ь—		
BBB	Barrel bracket cracked or broken at proof									L		igsquare
BC-P	Blows cases at proof											
BEB-P	Barrel extension broken at proof											

Page 147 of 274

Page 148 of 274



**BARBER - RE 0006772** 

		-	T	 	 	 	
BLP-P	Blanked primer at proof	Proof -	Test - Target				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DBF-P	Damaged Bolt Face						
DLOS-P	Doesn't lock over shells at proof						
ESBBP-P	Ejector sticks back -Blown Primer cup						
ESBEC-P	Ejector sticks back - Ejector Cresent						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof						
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						

Page 150 of 274

Gallery Performance Report
Proof - Test - Target



**BARBER - RE 0006774** 

Summary		Total Tested Total Rejected: Overall Reject Rate:	0								Test Date:			
	Proof	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Test	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Target	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0


MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
Astion binds										_		$\vdash$
										1	_	$\vdash$
										_	_	-
				-						+		$\vdash$
										+	-	_
										1		$\vdash$
	_									<u> </u>		
										1		
										<u> </u>		$\perp$
Bolt won't cam down												
Bolt won't close over full magazine												
Case dented												
Closes hard												
Can't load magazine												
Cut-off												
Cuts rim												
Cases swell												
Chamber torn or gouged												
Doesn't blow back										1		$\Box$
										1		
										1		
										1		$\Box$
	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sults bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt bulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block base hard Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Con't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sulls out Bolt swort cam down Bolt wort close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block based on trigger	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on bolt stop Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Double click in safety switch Bout bolt wasten Double click in trigger	Action binds Bulge at body shoulder Burr at chamber BBIL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Blows cases Bolt taches on follower Bolt plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Cul-off Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sum to am down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Both-both misalignment Both binds/catches Both catches on anti-bind Both catches on follower Blows cases Both this receiver Both plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Both seminary Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't close over full magazine Case dented Closes hard Cut-off Cuts rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in safety switch Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Birr at chamber Birr at chamber Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Birr at chamber Bolt catches on follower Bolt catches on follower Bolt binds cases Bolt binds cases Bolt binds cases Bolt binds receiver Bolt plug hits sefety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt won't cam down Bolt won't cam down Bolt won't cam down Bolt won't cam down Cases swell Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Camb manger in afety switch Double click in trigger	Action binds Bulge at body shoulder Burr at chamber Burr at chamber Bolt-to-bolt misalignment Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt binds/catches Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt by units and own Bolt won't can down Bolt won't can down Bolt won't can down Cases eard Closes hard Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cases may be safety switch Double click in afety switch	Action binds Bulge at body shoulder Burst chamber Burst chamber Burst chamber Burst chamber Both binds coatches Both catches on anti-bind Both catches on bolt stop Both catches on follower Blows cases Both this receiver Both steres which Bar lock or disconnector out of position Barrel lug shot off Both steres shell in magazine Both steres shell in magazine Both worth close over full magazine Case dented Closes hard Cart load magazine Cut-off Cuts rim Cases swell Cases swell Cases my ligger pull Cases my load is a fety switch Double clock in safety writch Double clock in safety writch Double clock in safety writch

Page 151 of 274

Page 152 of 274

Gallery Performance Report
Proof - Test - Target

totals 0



**BARBER - RE 0006776** 

				CIY I CIII									
DE	Doesn't eject			Proof -	iest - ra	rgei							
DEL	Doesn't eject live round												
DFB	Doesn't feed back												
DFU	Doesn't feed up												
DLO	Doesn't lock open (after last shell)												
DLU	Doesn't lock-up												
DS	Dead safe												
DX	Doesn't extract												
DXL	Doesn't extract live round												
EDS	Extractor drops shell												
ESB	Ejector sticks back												
ESCR	Empty shell catches receiver												
ESS	Extractor stems shell												
FA	Fires automatically												
FB	Follower binds												
FC	Fails to connect												
FCB	Fore-end cracked or broken												
FD	Follows-down												
FF	Fails to fire												
FFP	Flat firing pin												
FOS	Fires on safe												
FPHB	Firing pin hits bbl												
FPHI	Firing pin hits inside rim												
FPO	Floor plate opens												
FPOH	Floor plate opens hard												
FSR	Fires when safe is released												
FT	Follower tips												
GCSO	Gas cyl shot off												
HBL	Heavy bolt lift												
HMSC	Heading mismatch-steps on case												
HPA	High pressure ammo												
HUR	Hard under rail												
JCS	Jumps cartridge												
JM	Jumps magazine										<del>                                     </del>		
JO	Jars off												
LB	Light blow												
MAH	Magazine assembles hard												
MCW	Magazine capacity wrong												
MFA	Misfires (ammo)				1			1					
MFOP	Magazine follower out of position	_						1			<del>                                     </del>		
ML	Magazine loose				<del>                                     </del>						$\vdash$		$\vdash$
MLH	Magazine loose Magazine loads hard	+	<u> </u>		<del>                                     </del>		1						$\vdash$
MRH	Magazine removes hard		<del>                                     </del>								$\vdash$		$\vdash$
OH	Opens hard	+		+	+					<del> </del>	<del>                                     </del>	<u> </u>	$\vdash$
OR	Over-rides	+	<del> </del>	+						1	<del> </del>		$\vdash$
PH	Pulls hard	+	+		+	<del>                                     </del>		<del> </del>		+	$\vdash$	-	$\vdash \vdash$
PSI	Proof stamp illegible			+	+						$\vdash$		$\vdash$
PSM	Proof stamp missing	+		+	+	-			-	-	-	-	$\vdash$
RBOC	Rings and bulges on case	_	1	+	+	-	+	-	<del>                                     </del>	-	├	<u> </u>	$\vdash$
K DOC	nings and bulges on case		1	1	1	1		1	l	1			

Page 153 of 274

Page 154 of 274



**BARBER - RE 0006778** 

RDW	(Action) release doesn't work			Proof -	est - Ta	rget							
RIC	Rings in chamber												
RIS	Ring in sholder												
RS	Rim srem												
RS SBC	Stems bottom chambers												
SBE	Stems bbl extension												
SCB	Stock cracked or broken												
SCX	Shell catches												
SHI	Short indent												
SI	Stems incline												
SIC	Stems in chamber												
SL	shaves lead												
SLC	Stems left side of chamber												
SMOC	Stretch marks on case												
SOR	Stem over-ride												
SP	Stems port												
SR	Shoulder rough												
SRC	Stems right side of chamber			<b>†</b>							<del>                                     </del>		
SRIC	Specific rings in chamber												
SSOC	Surface scratches on case												
STC	Stems top chamber												
SWE	Safety switch works too easily												
SWH	Safety switch works too hard												
sww	Safety Switch won't work				<u> </u>						<del>                                     </del>	_	
⊤D	Tips down										<u> </u>	_	
TU	Tips up				<b>-</b>						1		
TWP	Trigger won't pull				<u> </u>						<del>                                     </del>	_	
TWR	Trigger won't retract												
UNCN-T	Uncoded		1		1								
XH	Extracts hard			+	<u> </u>						1		
XIII	Extracts riard	1		+			+				<b>-</b>		
HI	High				<u> </u>			1			<del>                                     </del>	_	$\vdash$
LO	Low		<b> </b>	+	<b>-</b>		-	<del> </del>		-	-	-	$\vdash$
LEFT	Left			+	<del>                                     </del>			-	_		-	-	$\vdash$
RIGHT	Right												$\vdash$
DG	Doesn't Group												
FSST	Front sight tipped			-							-		$\vdash$
RSTT		-		+	<u> </u>						<u> </u>	_	$\vdash$
	Rear sight tipped				<u> </u>						<u> </u>		$\vdash$
RSBR	Rear sight base raised	_									-		$\vdash$
FSTR	Front sight raised				-		1				_		$\vdash$
FSTL	Front sight loose				<u> </u>								
RSTL	Rear sight loose			+	-		-				<del>                                     </del>		$\vdash$
MGPT-G	Missing parts at target			<b>_</b>			<b></b>				<u> </u>		$\vdash$
UNCN-G	Uncoded nonconformity at target		ļ	ļ	ļ		ļ				ļ		$\sqcup$
			ļ	<del>                                     </del>			<del>                                     </del>				_		igspace
Al-P	Assembly incompleye at proof										Ь—		lacksquare
BBB	Barrel bracket cracked or broken at proof			1			1				<u> </u>		ш
BC-P	Blows cases at proof												
BEB-P	Barrel extension broken at proof												

Page 155 of 274

Page 156 of 274

Gallery Performance Report
Proof - Test - Target



**BARBER - RE 0006780** 

BLP-P	Blanked primer at proof		Proof -	est - Ta	rget				
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof							$\Box$	
DBF-P	Damaged Bolt Face								
DLOS-P	Doesn't lock over shells at proof								
ESBBP-P	Ejector sticks back -Blown Primer cup								
ESBEC-P	Ejector sticks back - Ejector Cresent							$\Box$	
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof								
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof								
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions								

Page 158 of 274

Gallery Performance Report
Proof - Test - Target



**BARBER - RE 0006782** 

Summary		Total Tested Total Rejected: Overall Reject Rate:	0								Test Date:			
	Proof	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Test	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Target	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0

MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
Astion binds										_		$\vdash$
										1	_	$\vdash$
										_	_	-
				-						+		$\vdash$
										+	-	_
										1		$\vdash$
	_									<u> </u>		
										1		
										<u> </u>		$\perp$
Bolt won't cam down												
Bolt won't close over full magazine												
Case dented												
Closes hard												
Can't load magazine												
Cut-off												
Cuts rim												
Cases swell												
Chamber torn or gouged												
Doesn't blow back										1		$\Box$
										1		
										1		
										1		$\Box$
	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sults bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt bulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block base hard Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Con't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sulls out Bolt swort cam down Bolt wort close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block based on trigger	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on bolt stop Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Double click in safety switch Bout bolt wasten Double click in trigger	Action binds Bulge at body shoulder Burr at chamber BBIL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Blows cases Bolt taches on follower Bolt plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Cul-off Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sum to am down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Both-both misalignment Both binds/catches Both catches on anti-bind Both catches on follower Blows cases Both this receiver Both plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Both seminary Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't close over full magazine Case dented Closes hard Cut-off Cuts rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in safety switch Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Birr at chamber Birr at chamber Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Birr at chamber Bolt catches on follower Bolt catches on follower Bolt binds cases Bolt binds cases Bolt binds cases Bolt binds receiver Bolt plug hits sefety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt won't cam down Bolt won't cam down Bolt won't cam down Bolt won't cam down Cases swell Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Camb manger in afety switch Double click in trigger	Action binds Bulge at body shoulder Burr at chamber Burr at chamber Bolt-to-bolt misalignment Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt binds/catches Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt by units and own Bolt won't can down Bolt won't can down Bolt won't can down Cases eard Closes hard Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cases may be safety switch Double click in afety switch	Action binds Bulge at body shoulder Burst chamber Burst chamber Burst chamber Burst chamber Both binds coatches Both catches on anti-bind Both catches on bolt stop Both catches on follower Blows cases Both this receiver Both steres which Bar lock or disconnector out of position Barrel lug shot off Both steres shell in magazine Both steres shell in magazine Both worth close over full magazine Case dented Closes hard Cart load magazine Cut-off Cuts rim Cases swell Cases swell Cases my ligger pull Cases my load is a fety switch Double clock in safety writch Double clock in safety writch Double clock in safety writch

Page 159 of 274

Page 160 of 274

Gallery Performance Report
Proof - Test - Target

totals 0

Rimfire totals

**BARBER - RE 0006784** 

			ory i oric									
DE	Doesn't eject		Proof - 1	est - Ta	rget							
DEL	Doesn't eject live round											
DFB	Doesn't feed back											
DFU	Doesn't feed up											
DLO	Doesn't lock open (after last shell)											
DLU	Doesn't lock-up											
DS	Dead safe											$\Box$
DX	Doesn't extract											$\Box$
DXL	Doesn't extract live round											$\Box$
EDS	Extractor drops shell											$\Box$
ESB	Ejector sticks back											
ESCR	Empty shell catches receiver											
ESS	Extractor stems shell											$\Box$
FA	Fires automatically											
FB	Follower binds											
FC	Fails to connect											$\Box$
FCB	Fore-end cracked or broken											$\Box$
FD	Follows-down											$\Box$
FF	Fails to fire											$\Box$
FFP	Flat firing pin											$\Box$
FOS	Fires on safe											$\Box$
FPHB	Firing pin hits bbl											$\Box$
FPHI	Firing pin hits inside rim											$\Box$
FPO	Floor plate opens											$\Box$
FPOH	Floor plate opens hard											$\Box$
FSR	Fires when safe is released											$\Box$
FT	Follower tips											$\Box$
GCSO	Gas cyl shot off											$\Box$
HBL	Heavy bolt lift											$\Box$
HMSC	Heading mismatch-steps on case											$\Box$
HPA	High pressure ammo											$\Box$
HUR	Hard under rail											$\Box$
JCS	Jumps cartridge										i i	$\Box$
JM	Jumps magazine											$\Box$
JO	Jars off											$\Box$
LB	Light blow											
MAH	Magazine assembles hard											$\Box$
MCW	Magazine capacity wrong											$\Box$
MFA	Misfires (ammo)											
MFOP	Magazine follower out of position											$\Box$
ML	Magazine loose			1								$\Box$
MLH	Magazine loads hard											$\Box$
MRH	Magazine removes hard											$\Box$
OH	Opens hard											$\Box$
OR	Over-rides		1							l		
PH	Pulls hard		1	<u> </u>		1						$\Box$
PSI	Proof stamp illegible									<u> </u>		
PSM	Proof stamp missing		1			1				t —		$\vdash$
RBOC	Rings and bulges on case		1							<del>                                     </del>		$\vdash$
	I 35 and baiges on ease	 	1		1	1	1	1	l	1		

Page 161 of 274

Page 162 of 274




**BARBER - RE 0006786** 

		 	SIY I CIT									
RDW	(Action) release doesn't work		Proof -	est - Ta	rget							
RIC	Rings in chamber											
RIS	Ring in sholder											
RS	Rim srem											
SBC	Stems bottom chambers											
SBE	Stems bbl extension											
SCB	Stock cracked or broken											
SCX	Shell catches											
SHI	Short indent										i i	
SI	Stems incline											
SIC	Stems in chamber											
SL	shaves lead											
SLC	Stems left side of chamber											
SMOC	Stretch marks on case											
SOR	Stem over-ride											
SP	Stems port						1					
SR	Shoulder rough		1	t		<u> </u>		<del>                                     </del>		<b>†</b>		$\vdash$
SRC	Stems right side of chamber			<del>                                     </del>		1				<del>                                     </del>		$\vdash$
SRIC	Specific rings in chamber			<del>                                     </del>		+	<u> </u>			<del>                                     </del>		
SSOC	Surface scratches on case									<del>                                     </del>	_	$\vdash$
STC	Stems top chamber									<del>                                     </del>	_	
SWE	Safety switch works too easily			1						<u> </u>		
SWH	Safety switch works too hard			<del>                                     </del>						<del>                                     </del>	_	$\vdash$
sww	Safety Switch work too hard			1		+				1	_	$\vdash$
TD	Tips down											
⊤U	Tips up			1						<del>                                     </del>	_	$\vdash$
TWP	Trigger won't pull			1						<del>                                     </del>	-	$\vdash$
TWR	Trigger worlt pun  Trigger won't retract											
UNCN-T	Uncoded			1		+	1			<u> </u>	-	$\vdash$
XH	Extracts hard			-		+	-			-	_	$\vdash$
ΛΠ	Extracts flard			_		+	<del> </del>			-	_	$\vdash$
н	High						-			-	_	$\vdash$
LO										-		$\vdash$
LEFT	Low					+			-	-	_	$\vdash$
	Left			_						-	_	$\vdash$
RIGHT	Right									-	_	
DG FSST	Doesn't Group									-		$\vdash$
	Front sight tipped			_						-	_	$\vdash$
RSTT	Rear sight tipped									<u> </u>		
RSBR	Rear sight base raised			-						-		$\vdash$
FSTR	Front sight raised									_		$\vdash$
FSTL	Front sight loose		-			-				<u> </u>		igspace
RSTL	Rear sight loose									Ь—		$\vdash$
MGPT-G	Missing parts at target									<u> </u>		igsquare
UNCN-G	Uncoded nonconformity at target									<u> </u>		
						1						igsquare
Al-P	Assembly incompleye at proof									Ь—		
BBB	Barrel bracket cracked or broken at proof									L		igsquare
BC-P	Blows cases at proof											
BEB-P	Barrel extension broken at proof											

Page 163 of 274

Page 164 of 274



**BARBER - RE 0006788** 

		•		1	 	 	 
BLP-P	Blanked primer at proof	Proof	- Test - Target				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DBF-P	Damaged Bolt Face						
DLOS-P	Doesn't lock over shells at proof						
ESBBP-P	Ejector sticks back -Blown Primer cup						
ESBEC-P	Ejector sticks back - Ejector Cresent						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof						
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						

Page 166 of 274

Gallery Performance Report
Proof - Test - Target



**BARBER - RE 0006790** 

Summary		Total Tested Total Rejected: Overall Reject Rate:	0								Test Date:			
	Proof	Shot; [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Test	Shot: Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Target	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0

MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
Astion binds										<u> </u>		$\vdash$
		-								-	_	$\vdash$
										-	_	-
				-						-	_	$\vdash$
										+	_	_
										1		$\vdash$
	_									-		
												$\vdash$
												$\perp$
Bolt won't cam down												
Bolt won't close over full magazine												
Case dented												
Closes hard												
Can't load magazine												
Cut-off												
Cuts rim										1		
Cases swell												
Chamber torn or gouged												
Doesn't blow back												$\Box$
										1		
												$\Box$
	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sults bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt bulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block base hard Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Con't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sulls out Bolt swort cam down Bolt wort close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block based on trigger	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on bolt stop Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Double click in safety switch Bout bolt wasten Double click in trigger	Action binds Bulge at body shoulder Burr at chamber BBIL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Blows cases Bolt taches on follower Bolt plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Cul-off Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sum to am down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Both-both misalignment Both binds/catches Both catches on anti-bind Both catches on follower Blows cases Both this receiver Both plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Both seminary Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't close over full magazine Case dented Closes hard Cuttorif Cuts rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Both side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Birr at chamber Birr at chamber Bolt-botit misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Birr at chamber Bolt catches on follower Bolt catches on follower Bolt binds cases Bolt binds receiver Bolt plug hits sefety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulle out Bolt won't close over full magazine Bolt won't close over full magazine Case dented Closes hard Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Camb mage for action bar Doesn't blow back Double click in trigger	Action binds Bulge at body shoulder Burr at chamber Birr at chamber Birr at chamber Birr at chamber Bolt to-bolt misalignment Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt won't cam down Bolt won't cam down Bolt won't cam down Bolt won't case over full magazine Cases swell Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cases may be safety switch Double click in trigger	Action binds Bulge at body shoulder Burst chamber Burst chamber Burst chamber Burst chamber Both binds coatches Both catches on anti-bind Both catches on bolt stop Both catches on follower Blows cases Both this receiver Both steres which Bar lock or disconnector out of position Barrel lug shot off Both steres shell in magazine Both steres shell in magazine Both worth close over full magazine Case dented Closes hard Cart load magazine Cut-off Cuts rim Cases swell Cases swell Cases my ligger pull Cases my load is a fety switch Double clock in safety writch Double clock in safety writch Double clock in safety writch

Page 167 of 274

Page 168 of 274

Gallery Performance Report
Proof - Test - Target

0 0 0

Rimfire totals

**BARBER - RE 0006792** 

				CIY I CIII								
DE	Doesn't eject			Proof -	iest - ra	rgei						
DEL	Doesn't eject live round											
DFB	Doesn't feed back											
DFU	Doesn't feed up											
DLO	Doesn't lock open (after last shell)											
DLU	Doesn't lock-up											
DS	Dead safe											
DX	Doesn't extract											
DXL	Doesn't extract live round											
EDS	Extractor drops shell											
ESB	Ejector sticks back											
ESCR	Empty shell catches receiver											
ESS	Extractor stems shell											
FA	Fires automatically											
FB	Follower binds											
FC	Fails to connect											
FCB	Fore-end cracked or broken											
FD	Follows-down											
FF	Fails to fire											
FFP	Flat firing pin											
FOS	Fires on safe											
FPHB	Firing pin hits bbl									1		
FPHI	Firing pin hits inside rim											
FPO	Floor plate opens											
FPOH	Floor plate opens hard											
FSR	Fires when safe is released											
FT	Follower tips											
GCSO	Gas cyl shot off											
HBL	Heavy bolt lift									1		
HMSC	Heading mismatch-steps on case											
HPA	High pressure ammo											
HUR	Hard under rail											
JCS	Jumps cartridge									1		
JM	Jumps magazine											
JO	Jars off											
LB	Light blow									1		
MAH	Magazine assembles hard											
MCW	Magazine capacity wrong									1		
MFA	Misfires (ammo)									1		
MFOP	Magazine follower out of position									1		
ML	Magazine loose									<b>†</b>		$\vdash$
MLH	Magazine loads hard											$\vdash$
MRH	Magazine removes hard				<u> </u>					<b>†</b>		$\vdash$
OH	Opens hard									$\vdash$		$\vdash$
OR	Over-rides	+								+		$\vdash$
PH	Pulls hard	+		+	+		1		<b> </b>	<b>+</b>		$\vdash$
PSI	Proof stamp illegible		<del>                                     </del>	1	+		1			+	_	$\vdash$
PSM	Proof stamp missing	+	<u> </u>		+	<del>                                     </del>				_		$\vdash \vdash$
RBOC	Rings and bulges on case	+	-	+	+		1	-	-	-	_	$\vdash$
KBOC	mings and bulges on case		1		1	1		l	l	1	l	

Page 169 of 274

Page 170 of 274

Gallery Performance Report
Proof - Test - Target



**BARBER - RE 0006794** 

				019 1 0110									
RDW	(Action) release doesn't work			Proof - 1	est - Ta	rget							
RIC	Rings in chamber												
RIS	Ring in sholder												
RS	Rim srem												$\Box$
SBC	Stems bottom chambers												$\Box$
SBE	Stems bbl extension												
SCB	Stock cracked or broken										1		
SCX	Shell catches												$\Box$
SHI	Short indent										1		
SI	Stems incline												
SIC	Stems in chamber										1		$\vdash$
SL	shaves lead												-
SLC	Stems left side of chamber				1						1	<del>                                     </del>	$\vdash$
SMOC	Stretch marks on case										1		
SOR	Stem over-ride	1					+				1		$\vdash$
SP	Stems port		<u> </u>		<u> </u>						1	_	$\vdash$
SR	Shoulder rough				_						+	_	$\vdash$
SRC	Stems right side of chamber				-						+	-	$\vdash$
SRIC	Specific rings in chamber										-		$\vdash$
SSOC		-	<u> </u>								-	_	$\vdash$
	Surface scratches on case										-	_	$\vdash$
STC	Stems top chamber				<u> </u>						1		$\vdash$
SWE	Safety switch works too easily										-		$\vdash$
SWH	Safety switch works too hard												$\vdash$
SWW	Safety Switch won't work										ļ		$\vdash$
⊤D	Tips down												$\vdash$
TU	Tips up												igspace
TWP	Trigger won't pull												igspace
TWR	Trigger won't retract												$\sqcup$
UNCN-T	Uncoded												
XH	Extracts hard												igspace
HI	High												
LO	Low												
LEFT	Left												$\Box$
RIGHT	Right												
DG	Doesn't Group												
FSST	Front sight tipped												$\Box$
RSTT	Rear sight tipped												$\Box$
RSBR	Rear sight base raised										1		$\Box$
FSTR	Front sight raised												$\Box$
FSTL	Front sight loose												$\Box$
RSTL	Rear sight loose								İ				$\Box$
MGPT-G	Missing parts at target				1		1						$\Box$
UNCN-G	Uncoded nonconformity at target						1						
							1			1			
Al-P	Assembly incompleye at proof				i i		1			1	1		$\vdash$
BBB	Barrel bracket cracked or broken at proof		<b>†</b>		<b>†</b>		1				<b>†</b>		$\vdash$
BC-P	Blows cases at proof		<b> </b>		<del>                                     </del>		1		<b>-</b>		$\vdash$		$\vdash$
BEB-P	Barrel extension broken at proof		<b> </b>	<del> </del>	<b>I</b>		+			<del>                                     </del>	+	<u> </u>	$\vdash$
DCD-1	Daniel extension proven at proof	1	1	1			1	L	l		1		i

Page 171 of 274

Page 172 of 274



**BARBER - RE 0006796** 


BLP-P	Blanked primer at proof		Proof -	est - Ta	rget				
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof							$\Box$	
DBF-P	Damaged Bolt Face								
DLOS-P	Doesn't lock over shells at proof								
ESBBP-P	Ejector sticks back -Blown Primer cup								
ESBEC-P	Ejector sticks back - Ejector Cresent							$\Box$	
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof								
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof								
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions								

Page 174 of 274

Gallery Performance Report
Proof - Test - Target



**BARBER - RE 0006798** 



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
AB	Action binds											_	$\vdash$
BABS	Bulge at body shoulder	_			<u> </u>						<del>                                     </del>	$\vdash$	$\vdash$
BAC	Burr at chamber	+						-			-	$\vdash$	₩
BBMA	BBL-to-bolt misalignment	_									-	⊢—	-
BB											-	├──	
	Bolt binds/catches	-									-	├──	₩
BCOAB	Bolt catches on anti-bind											—	₩
BCOBS	Bolt catches on bolt stop											—	
BCOF	Bolt catches on follower											—	$\vdash$
BC	Blows cases											Ь—	$\perp$
BHR	Bolt hits receiver											Ь—	╙
BHS	Bolt plug hits safety switch											Ь	igsquare
BLOP	Bar lock or disconnector out of position										ļ	<u> </u>	igsquare
BLSO	Barrel lug shot off												
BPO	Bolt pulls out												
BSSM	Bolt stems shell in magazine												
BWCD	Bolt won't cam down												
BWCFM	Bolt won't close over full magazine												
CD	Case dented												
CH	Closes hard												
CLM	Can't load magazine												
CO	Cut-off												
CR	Cuts rim												
CS	Cases swell												
CTOG	Chamber torn or gouged												
CTP	Creepy trigger pull												$\vdash$
CWSB	Cams wrong side of action bar												$\vdash$
DBB	Doesn't blow back										t		$\Box$
DCS	Double click in safety switch										1		$\vdash$
DCT	Double click in trigger												$\vdash$
DCU	Doesn't close-up												$\vdash$

Page 175 of 274

Page 176 of 274

Gallery Performance Report
Proof - Test - Target

totals 0


Rimfire totals

**BARBER - RE 0006800** 

				Dract		-						
DE	Doesn't eject			Proof -	est - Ta	rget						
DEL	Doesn't eject live round											
DFB	Doesn't feed back											
DFU	Doesn't feed up											
DLO	Doesn't lock open (after last shell)											
DLU	Doesn't lock-up											
DS	Dead safe											
DX	Doesn't extract											
DXL	Doesn't extract live round											
EDS	Extractor drops shell											
ESB	Ejector sticks back											
ESCR	Empty shell catches receiver											
ESS	Extractor stems shell											
FA	Fires automatically											
FB	Follower binds											
FC	Fails to connect											
FCB	Fore-end cracked or broken											
FD	Follows-down											
FF	Fails to fire											
FFP	Flat firing pin											
FOS	Fires on safe											
FPHB	Firing pin hits bbl											
FPHI	Firing pin hits inside rim											
FPO	Floor plate opens											
FPOH	Floor plate opens hard											
FSR	Fires when safe is released											
FT	Follower tips											
GCSO	Gas cyl shot off											
HBL	Heavy bolt lift											
HMSC	Heading mismatch-steps on case											
HPA	High pressure ammo											
HUR	Hard under rail											
JCS	Jumps cartridge										i –	
JM	Jumps magazine											
JO	Jars off											
LB	Light blow											
MAH	Magazine assembles hard											T
MCW	Magazine capacity wrong											$\vdash$
MFA	Misfires (ammo)											
MFOP	Magazine follower out of position											$\vdash$
ML	Magazine loose				<b>†</b>							$\vdash \vdash$
MLH	Magazine loads hard									t -		
MRH	Magazine removes hard				t e					t -		$\vdash$
OH	Opens hard				<b>†</b>					t		$\vdash \vdash$
OR	Over-rides						1			<u> </u>	<u> </u>	$\vdash \vdash$
PH	Pulls hard				<u> </u>		+			<del>                                     </del>	<u> </u>	$\vdash \vdash$
PSI	Proof stamp illegible		l		<del>                                     </del>		1	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	$\vdash$
PSM	Proof stamp missing				<del>                                     </del>		+			<del>                                     </del>		$\vdash \vdash$
RBOC	Rings and bulges on case		-		<del>                                     </del>		+		+	$\vdash$	<del>                                     </del>	$\vdash \vdash$
1,500	Intrings and bulges on case	1	L				1	L	 I	1	1	

Page 177 of 274

Page 178 of 274



**BARBER - RE 0006802** 

				019 1 0110									
RDW	(Action) release doesn't work			Proof - 1	est - Ta	rget							
RIC	Rings in chamber												
RIS	Ring in sholder												
RS	Rim srem												
SBC	Stems bottom chambers												
SBE	Stems bbl extension										1		
SCB	Stock cracked or broken												
SCX	Shell catches												-
SHI	Short indent										1		
SI	Stems incline												$\vdash$
SIC	Stems in chamber										1		$\vdash$
SL	shaves lead										1		
SLC	Stems left side of chamber										1		$\vdash$
SMOC	Stretch marks on case										1		$\vdash$
SOR	Stem over-ride							1			+	_	-
SP			-	+	-		+	-	-	-	-	_	$\vdash \vdash$
SR	Stems port		-	+	-	-		-	-	-	$\vdash$	_	$\vdash \vdash$
SRC	Shoulder rough										-	_	-
	Stems right side of chamber							-			1		
SRIC	Specific rings in chamber												₩
SSOC	Surface scratches on case												$\square$
STC	Stems top chamber										ļ		lacksquare
SWE	Safety switch works too easily												igsquare
SWH	Safety switch works too hard												
sww	Safety Switch won't work												
⊤D	Tips down												
TU	Tips up												
TWP	Trigger won't pull												
TWR	Trigger won't retract												
UNCN-T	Uncoded												
XH	Extracts hard												
HI	High												
LO	Low										1		
LEFT	Left												
RIGHT	Right												$\Box$
DG	Doesn't Group												
FSST	Front sight tipped												
RSTT	Rear sight tipped										1		$\vdash$
RSBR	Rear sight base raised							1			1		$\vdash$
FSTR	Front sight raised			<del>                                     </del>							_		$\vdash$
FSTL	Front sight loose	<u> </u>	<del>                                     </del>	+	<b>†</b>		1			+	+	$\vdash$	$\vdash$
RSTL	Rear sight loose		<b>+</b>	+	<b>-</b>		+		<b>-</b>	<del> </del>	+-	<u> </u>	$\vdash \vdash$
MGPT-G	Missing parts at target		<del>                                     </del>	+	<b>-</b>					1	+	_	$\vdash \vdash$
UNCN-G	Uncoded nonconformity at target			+	-		_			-	-	-	$\vdash \vdash$
UNCN-G	oncoded noncomormity at target			+			1				1		$\vdash \vdash$
AL D	Assembly incomplete of proof			+	<del>                                     </del>		1			-	-	_	₩
AI-P	Assembly incompleye at proof				-						-	-	₩
BBB	Barrel bracket cracked or broken at proof		-		ļ						1		$\vdash \vdash$
BC-P	Blows cases at proof				<u> </u>						-		igspace
BEB-P	Barrel extension broken at proof												

Page 179 of 274

Page 180 of 274



**BARBER - RE 0006804** 

BLP-P	Blanked primer at proof		Proof - 1	est - Ta	rget				
BLSO-P	Barrel lug shot off at proof							$\Box$	
BP-P	Blown primer at proof								
BS-P	Barrel split at proof							$\Box$	
DBF-P	Damaged Bolt Face								
DLOS-P	Doesn't lock over shells at proof							$\Box$	
ESBBP-P	Ejector sticks back -Blown Primer cup							$\Box$	
ESBEC-P	Ejector sticks back - Ejector Cresent							$\Box$	
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof							$\Box$	
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof								ĺ
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions							$\neg$	

Page 182 of 274

Gallery Performance Report
Proof - Test - Target




BARBER - RE 0006806

Summary		Total Tested Total Rejected: Overall Reject Rate:	0								Test Date:			
	Proof	Shot; [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Test	Shot: Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Target	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
AB	Action binds												$\vdash$
BABS	Bulge at body shoulder				<u> </u>						<del>                                     </del>	_	$\vdash$
BAC	Burr at chamber	-						-			-		$\vdash \vdash$
BBMA	BBL-to-bolt misalignment	-									-		$\vdash$
BB											-		<del>                                     </del>
	Bolt binds/catches										-		
BCOAB	Bolt catches on anti-bind												$\vdash$
BCOBS	Bolt catches on bolt stop												$\vdash$
BCOF	Bolt catches on follower										-		Щ.
BC	Blows cases												lacksquare
BHR	Bolt hits receiver												
BHS	Bolt plug hits safety switch												
BLOP	Bar lock or disconnector out of position												
BLSO	Barrel lug shot off												
BPO	Bolt pulls out												
BSSM	Bolt stems shell in magazine												
BWCD	Bolt won't cam down												
BWCFM	Bolt won't close over full magazine												
CD	Case dented												
CH	Closes hard												
CLM	Can't load magazine												
CO	Cut-off												
CR	Cuts rim												
CS	Cases swell												
CTOG	Chamber torn or gouged												$\vdash$
CTP	Creepy trigger pull												$\Box$
CWSB	Cams wrong side of action bar												М
DBB	Doesn't blow back										<del>                                     </del>		$\Box$
DCS	Double click in safety switch												
DCT	Double click in trigger										t -		
DCU	Doesn't close-up										<del>                                     </del>		$\vdash$

Page 183 of 274

Page 184 of 274



BARBER - RE 0006808

		 	Drant								
DE	Doesn't eject		Proof - 1	est - 1a	irget						
DEL	Doesn't eject live round										
DFB	Doesn't feed back										
DFU	Doesn't feed up										
DLO	Doesn't lock open (after last shell)										
DLU	Doesn't lock-up										
DS	Dead safe										
DX	Doesn't extract										$\vdash$
DXL	Doesn't extract live round								1	İ	$\Box$
EDS	Extractor drops shell										$\vdash$
ESB	Ejector sticks back										$\vdash$
ESCR	Empty shell catches receiver										$\vdash$
ESS	Extractor stems shell										$\vdash$
FA	Fires automatically								1		+-
FB	Follower binds										$\vdash$
FC	Fails to connect						1				$\vdash$
FCB	Fore-end cracked or broken								<del>                                     </del>		$\vdash$
FD	Follows-down			<u> </u>					<del>                                     </del>		$\vdash$
FF	Fails to fire								1		+
FFP	Flat firing pin								1		+-
FOS	Fires on safe			<b>-</b>					+		+-
FPHB	Firing pin hits bbl					+	<del> </del>		1		+-
FPHI	Firing pin hits inside rim			<del>                                     </del>	-	+	1		+	_	+-
FPO	Floor plate opens			<u> </u>		+			+	-	+
FPOH									1		+
FSR	Floor plate opens hard			<u> </u>					-	_	+-
	Fires when safe is released			<u> </u>					-		+-
FT	Follower tips			ļ					1		+
GCSO	Gas cyl shot off			ļ					1		₩
HBL	Heavy bolt lift			ļ					-		+-
HMSC	Heading mismatch-steps on case			ļ					_		₩
HPA	High pressure ammo			ļ						_	
HUR	Hard under rail			ļ					<u> </u>		igspace
JCS	Jumps cartridge										igspace
JM	Jumps magazine			ļ					<u> </u>		$\perp$
JO	Jars off										
LB	Light blow										igspace
MAH	Magazine assembles hard										igspace
MCW	Magazine capacity wrong								1		$\perp$
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
ML	Magazine loose										
MLH	Magazine loads hard										
MRH	Magazine removes hard										
OH	Opens hard										
OR	Over-rides										
PH	Pulls hard										
PSI	Proof stamp illegible										
PSM	Proof stamp missing										
RBOC	Rings and bulges on case										$\Box$

Page 185 of 274


Page 186 of 274

BARBER - RE 0006810

		 	51 <b>y</b> 1 0110				 				
RDW	(Action) release doesn't work		Proof - T	est - Ta	rget						
RIC	Rings in chamber										
RIS	Ring in sholder										
RS	Rim srem										
SBC	Stems bottom chambers										
SBE	Stems bbl extension										
SCB	Stock cracked or broken										
SCX	Shell catches										
SHI	Short indent										
SI	Stems incline										
SIC	Stems in chamber										
SL	shaves lead										
SLC	Stems left side of chamber										
SMOC	Stretch marks on case										$\Box$
SOR	Stem over-ride										$\Box$
SP	Stems port										$\Box$
SR	Shoulder rough										$\Box$
SRC	Stems right side of chamber										$\Box$
SRIC	Specific rings in chamber										$\Box$
SSOC	Surface scratches on case										
STC	Stems top chamber										
SWE	Safety switch works too easily										
SWH	Safety switch works too hard										$\Box$
sww	Safety Switch won't work										$\Box$
TD	Tips down										$\Box$
TU	Tips up										$\Box$
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										$\vdash$
											$\Box$
HI	High										
LO	Low								1		
LEFT	Left										
RIGHT	Right										
DG	Doesn't Group										
FSST	Front sight tipped										
RSTT	Rear sight tipped										
RSBR	Rear sight base raised										
FSTR	Front sight raised										$\vdash$
FSTL	Front sight loose										$\vdash$
RSTL	Rear sight loose										
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target										$\vdash$
Al-P	Assembly incompleye at proof										$\vdash$
BBB	Barrel bracket cracked or broken at proof										$\vdash$
BC-P	Blows cases at proof										$\vdash$
BEB-P	Barrel extension broken at proof								_	$\vdash$	$\vdash$
	Danes, satisficial protein at proof					1	 	L			

Page 187 of 274

Page 188 of 274




**BARBER - RE 0006812** 

BLP-P	Blanked primer at proof	Proof -	Test - Target				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DBF-P	Damaged Bolt Face						
DLOS-P	Doesn't lock over shells at proof						ĺ
ESBBP-P	Ejector sticks back -Blown Primer cup						
ESBEC-P	Ejector sticks back - Ejector Cresent						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof						
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						i
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						

Page 190 of 274

Gallery Performance Report
Proof - Test - Target



**BARBER - RE 0006814** 

Summary		Total Tested Total Rejected: Overall Reject Rate:	0								Test Date:			
	Proof	Shot; [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Test	Shot: Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Target	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
AB	Action binds										<u> </u>		<u> </u>
BABS	Bulge at body shoulder												
BAC	Burr at chamber												
BBMA	BBL-to-bolt misalignment												
BB	Bolt binds/catches												
BCOAB	Bolt catches on anti-bind												
BCOBS	Bolt catches on bolt stop												
BCOF	Bolt catches on follower												
BC	Blows cases												
BHR	Bolt hits receiver												
BHS	Bolt plug hits safety switch												
BLOP	Bar lock or disconnector out of position												
BLSO	Barrel lug shot off												
BPO	Bolt pulls out												
BSSM	Bolt stems shell in magazine												
BWCD	Bolt won't cam down												
BWCFM	Bolt won't close over full magazine												
CD	Case dented												
CH	Closes hard												
CLM	Can't load magazine												
CO	Cut-off												
CR	Cuts rim												
CS	Cases swell												
CTOG	Chamber torn or gouged												
CTP	Creepy trigger pull												
CWSB	Cams wrong side of action bar												
DBB	Doesn't blow back										1		
DCS	Double click in safety switch										1		
DCT	Double click in trigger										1		
DCU	Doesn't close-up										1		

Page 191 of 274

Page 192 of 274

Gallery Performance Report
Proof - Test - Target


totals o o o

**BARBER - RE 0006816** 

		 	Dract		-						
DE	Doesn't eject		Proof -	est - Ta	rget						
DEL	Doesn't eject live round										
DFB	Doesn't feed back										
DFU	Doesn't feed up										
DLO	Doesn't lock open (after last shell)										
DLU	Doesn't lock-up										
DS	Dead safe										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESCR	Empty shell catches receiver										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										
FC	Fails to connect										
FCB	Fore-end cracked or broken										
FD	Follows-down										
FF	Fails to fire										
FFP	Flat firing pin										
FOS	Fires on safe										
FPHB	Firing pin hits bbl										
FPHI	Firing pin hits inside rim										
FPO	Floor plate opens										
FPOH	Floor plate opens hard										
FSR	Fires when safe is released									İ	
FT	Follower tips										
GCSO	Gas cyl shot off										
HBL	Heavy bolt lift										
HMSC	Heading mismatch-steps on case										
HPA	High pressure ammo										
HUR	Hard under rail										
JCS	Jumps cartridge									İ	
JM	Jumps magazine										
JO	Jars off										
LB	Light blow										
MAH	Magazine assembles hard										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
ML	Magazine loose								T		М
MLH	Magazine loads hard			1							$\Box$
MRH	Magazine removes hard								<b>1</b>		
OH	Opens hard								<u> </u>		
OR	Over-rides								t —		
PH	Pulls hard								t —		
PSI	Proof stamp illegible			<b>1</b>		1			t		$\vdash$
PSM	Proof stamp missing								<b>†</b>		$\vdash$
RBOC	Rings and bulges on case					+			$\vdash$	<b>—</b>	$\vdash$
1,500	I migo and bulgos on case	 L				1	L	 1			

Page 193 of 274

Page 194 of 274




**BARBER - RE 0006818** 

		 	SIY I CIT									
RDW	(Action) release doesn't work		Proof -	est - Ta	rget							
RIC	Rings in chamber											
RIS	Ring in sholder											
RS	Rim srem											
SBC	Stems bottom chambers											
SBE	Stems bbl extension											
SCB	Stock cracked or broken											
SCX	Shell catches											
SHI	Short indent										i i	
SI	Stems incline											
SIC	Stems in chamber											
SL	shaves lead											
SLC	Stems left side of chamber											
SMOC	Stretch marks on case											
SOR	Stem over-ride											
SP	Stems port						1					
SR	Shoulder rough		1	t		<u> </u>		<del>                                     </del>		<del>                                     </del>		$\vdash$
SRC	Stems right side of chamber			<del>                                     </del>		1				<del>                                     </del>		$\vdash$
SRIC	Specific rings in chamber			<del>                                     </del>		1	<u> </u>			<del>                                     </del>		
SSOC	Surface scratches on case									<del>                                     </del>	_	$\vdash$
STC	Stems top chamber									<del>                                     </del>	_	
SWE	Safety switch works too easily			1						<u> </u>		
SWH	Safety switch works too hard			<del>                                     </del>						<del>                                     </del>	_	$\vdash$
sww	Safety Switch work too hard			1		+				1	_	$\vdash$
⊤D	Tips down											
⊤U	Tips up			1			1			<del>                                     </del>	_	$\vdash$
TWP	Trigger won't pull			1						<del>                                     </del>	-	$\vdash$
TWR	Trigger worlt pun  Trigger won't retract											
UNCN-T	Uncoded			1		+	1			<u> </u>	-	$\vdash$
XH	Extracts hard			-		+	-			-	_	$\vdash$
ΛΠ	Extracts flard			_		+	<del> </del>			-	_	$\vdash$
н	High						-			-	_	$\vdash$
LO						-				-		$\vdash$
LEFT	Low					+			-	-	_	$\vdash$
	Left			_						-	_	$\vdash$
RIGHT	Right									-	_	
DG FSST	Doesn't Group									-		$\vdash$
	Front sight tipped			_						-	_	$\vdash$
RSTT	Rear sight tipped									<u> </u>		
RSBR	Rear sight base raised			-						-		$\vdash$
FSTR	Front sight raised									_		$\vdash$
FSTL	Front sight loose		-			-				<u> </u>		igspace
RSTL	Rear sight loose									Ь—		$\vdash$
MGPT-G	Missing parts at target									<u> </u>		igsquare
UNCN-G	Uncoded nonconformity at target									<u> </u>		
						1						igsquare
Al-P	Assembly incompleye at proof									Ь—		
BBB	Barrel bracket cracked or broken at proof									L		igsquare
BC-P	Blows cases at proof											
BEB-P	Barrel extension broken at proof											

Page 195 of 274

Page 196 of 274



**BARBER - RE 0006820** 

BLP-P	Blanked primer at proof		Proof - 1	est - Ta	rget				
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof							$\Box$	
DBF-P	Damaged Bolt Face								
DLOS-P	Doesn't lock over shells at proof								
ESBBP-P	Ejector sticks back -Blown Primer cup								
ESBEC-P	Ejector sticks back - Ejector Cresent							$\Box$	
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof								
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof								
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions							$\Box$	

Page 198 of 274

Gallery Performance Report
Proof - Test - Target



**BARBER - RE 0006822** 

Summary		Total Tested Total Rejected: Overall Reject Rate:	0								Test Date:			
	Proof	Shot; [ Rejected: Percent;	0	0	0	0	0	0	0	0	0	0	0	0
	Test	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Target	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
AB	Action binds										<u> </u>		<u> </u>
BABS	Bulge at body shoulder												
BAC	Burr at chamber												
BBMA	BBL-to-bolt misalignment												
BB	Bolt binds/catches												
BCOAB	Bolt catches on anti-bind												
BCOBS	Bolt catches on bolt stop												
BCOF	Bolt catches on follower												
BC	Blows cases												
BHR	Bolt hits receiver												
BHS	Bolt plug hits safety switch												
BLOP	Bar lock or disconnector out of position												
BLSO	Barrel lug shot off												
BPO	Bolt pulls out												
BSSM	Bolt stems shell in magazine												
BWCD	Bolt won't cam down												
BWCFM	Bolt won't close over full magazine												
CD	Case dented												
СН	Closes hard												
CLM	Can't load magazine												
CO	Cut-off												
CR	Cuts rim												
CS	Cases swell												
CTOG	Chamber torn or gouged												
CTP	Creepy trigger pull												
CWSB	Cams wrong side of action bar												
DBB	Doesn't blow back										1		
DCS	Double click in safety switch										1		
DCT	Double click in trigger										1		1
DCU	Doesn't close-up										1		

Page 199 of 274

Page 200 of 274

Gallery Performance Report
Proof - Test - Target

totals


0 0
0
0 0
0 0
0 0

**BARBER - RE 0006824** 

				ory i oric									
DE	Doesn't eject			Proof - 1	est - Ta	rget							
DEL	Doesn't eject live round												
DFB	Doesn't feed back												
DFU	Doesn't feed up												
DLO	Doesn't lock open (after last shell)												
DLU	Doesn't lock-up												
DS	Dead safe												
DX	Doesn't extract												
DXL	Doesn't extract live round												
EDS	Extractor drops shell												
ESB	Ejector sticks back												
ESCR	Empty shell catches receiver												
ESS	Extractor stems shell										1		
FA	Fires automatically												
FB	Follower binds												
FC	Fails to connect												
FCB	Fore-end cracked or broken												
FD	Follows-down												
FF	Fails to fire												
FFP	Flat firing pin												
FOS	Fires on safe												
FPHB	Firing pin hits bbl												
FPHI	Firing pin hits inside rim	$\neg$											
FPO	Floor plate opens	1											
FPOH	Floor plate opens hard												
FSR	Fires when safe is released										1		
FT	Follower tips												
GCSO	Gas cyl shot off												
HBL	Heavy bolt lift												
HMSC	Heading mismatch-steps on case												
HPA	High pressure ammo												
HUR	Hard under rail												
JCS	Jumps cartridge										1		
JM	Jumps magazine	1											
JO	Jars off												
LB	Light blow												
MAH	Magazine assembles hard												
MCW	Magazine capacity wrong												
MFA	Misfires (ammo)												
MFOP	Magazine follower out of position	$\neg$											
ML	Magazine loose	$\neg$			1								
MLH	Magazine loads hard										1		
MRH	Magazine removes hard												
OH	Opens hard	$\top$											
OR	Over-rides	_		1									
PH	Pulls hard	+		1	t -								
PSI	Proof stamp illegible										_	$\vdash$	
PSM	Proof stamp missing			1							<b>†</b>		$\vdash$
RBOC	Rings and bulges on case	+		1									$\vdash$
	i migo dila balgoo ori odoo		1	1	1	1	1	1	1	l	1		

Page 201 of 274

Page 202 of 274




**BARBER - RE 0006826** 

		 	SIY I CIT									
RDW	(Action) release doesn't work		Proof -	est - Ta	rget							
RIC	Rings in chamber											
RIS	Ring in sholder											
RS	Rim srem											
SBC	Stems bottom chambers											
SBE	Stems bbl extension											
SCB	Stock cracked or broken											
SCX	Shell catches											
SHI	Short indent										i i	
SI	Stems incline											
SIC	Stems in chamber											
SL	shaves lead											
SLC	Stems left side of chamber											
SMOC	Stretch marks on case											
SOR	Stem over-ride											
SP	Stems port						1					
SR	Shoulder rough			t		<u> </u>		<del>                                     </del>		<del>                                     </del>		$\vdash$
SRC	Stems right side of chamber					1				<del>                                     </del>		$\vdash$
SRIC	Specific rings in chamber			<del>                                     </del>		1	<u> </u>			<del>                                     </del>		
SSOC	Surface scratches on case									<del>                                     </del>	_	$\vdash$
STC	Stems top chamber									<del>                                     </del>	_	
SWE	Safety switch works too easily			1						<u> </u>	<del>                                     </del>	
SWH	Safety switch works too hard			<del>                                     </del>						<del>                                     </del>	_	$\vdash$
sww	Safety Switch work too hard			1		+				1	_	$\vdash$
TD	Tips down											
⊤U	Tips up			1						<del>                                     </del>	_	$\vdash$
TWP	Trigger won't pull						1			<del>                                     </del>	-	$\vdash$
TWR	Trigger worlt pun  Trigger won't retract											
UNCN-T	Uncoded			1		+	1			<u> </u>	-	$\vdash$
XH	Extracts hard			-		+	-			-	_	$\vdash$
ΛΠ	Extracts flard			_		+	<del> </del>			-	_	$\vdash$
н	High						-			-	_	$\vdash$
LO						-				-		$\vdash$
LEFT	Low					+			-	-	_	$\vdash$
	Left			_						-	_	$\vdash$
RIGHT	Right									-		
DG FSST	Doesn't Group									-		$\vdash$
	Front sight tipped			_						-	_	$\vdash$
RSTT	Rear sight tipped									<u> </u>		
RSBR	Rear sight base raised			-						-		$\vdash$
FSTR	Front sight raised									_		$\vdash$
FSTL	Front sight loose					-				<u> </u>		igspace
RSTL	Rear sight loose									Ь—		$\vdash$
MGPT-G	Missing parts at target									<u> </u>		igsquare
UNCN-G	Uncoded nonconformity at target									<u> </u>		
						1						igsquare
Al-P	Assembly incompleye at proof									Ь—		
BBB	Barrel bracket cracked or broken at proof									L		igsquare
BC-P	Blows cases at proof											
BEB-P	Barrel extension broken at proof											

Page 203 of 274

Page 204 of 274



**BARBER - RE 0006828** 


BLP.D Blanked primer at proof Proof - Test - Target													
BLP-P	Blanked primer at proof	Proof	- lest - langet										
BLSO-P	Barrel lug shot off at proof												
BP-P	Blown primer at proof												
BS-P	Barrel split at proof												
DBF-P	Damaged Bolt Face												
DLOS-P	Doesn't lock over shells at proof												
ESBBP-P	Ejector sticks back -Blown Primer cup												
ESBEC-P	Ejector sticks back - Ejector Cresent												
FCB-P	Fore-end cracked at proof												
FESO-P	Fore-end shot off at proof												
FF-P	Fails to fire at proof												
GCSO-P	Gas cylinder shot off at proof												
MSI-P	Magnaflux stamp illegible on bbl												
MSM-P	Magnaflux stamp missing on bbl												
PP-P	Pierced primer at proof												
SCB-P	Stock cracked or broken at proof												
UNCM-P	Uncoded proof malfunctions												

Page 206 of 274

Gallery Performance Report
Proof - Test - Target



BARBER - RE 0006830



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
AB	Action binds										<u> </u>		<u> </u>
BABS	Bulge at body shoulder												
BAC	Burr at chamber												
BBMA	BBL-to-bolt misalignment												
BB	Bolt binds/catches												
BCOAB	Bolt catches on anti-bind												
BCOBS	Bolt catches on bolt stop												
BCOF	Bolt catches on follower												
BC	Blows cases												
BHR	Bolt hits receiver												
BHS	Bolt plug hits safety switch												
BLOP	Bar lock or disconnector out of position												
BLSO	Barrel lug shot off												
BPO	Bolt pulls out												
BSSM	Bolt stems shell in magazine												
BWCD	Bolt won't cam down												
BWCFM	Bolt won't close over full magazine												
CD	Case dented												
СН	Closes hard												
CLM	Can't load magazine												
CO	Cut-off												
CR	Cuts rim												
CS	Cases swell												
CTOG	Chamber torn or gouged												
CTP	Creepy trigger pull												
CWSB	Cams wrong side of action bar												
DBB	Doesn't blow back										1		
DCS	Double click in safety switch										1		
DCT	Double click in trigger										1		1
DCU	Doesn't close-up										1		

Page 207 of 274

Page 208 of 274

Gallery Performance Report
Proof - Test - Target

totals

0 0

Rimfire totals

**BARBER - RE 0006832** 

				ory i oric									
DE	Doesn't eject			Proof - 1	est - Ta	rget							
DEL	Doesn't eject live round												
DFB	Doesn't feed back												
DFU	Doesn't feed up												
DLO	Doesn't lock open (after last shell)												
DLU	Doesn't lock-up												
DS	Dead safe												
DX	Doesn't extract												
DXL	Doesn't extract live round												
EDS	Extractor drops shell												
ESB	Ejector sticks back												
ESCR	Empty shell catches receiver												
ESS	Extractor stems shell										1		
FA	Fires automatically												
FB	Follower binds												
FC	Fails to connect												
FCB	Fore-end cracked or broken												
FD	Follows-down												
FF	Fails to fire												
FFP	Flat firing pin												
FOS	Fires on safe												
FPHB	Firing pin hits bbl												
FPHI	Firing pin hits inside rim	$\neg$											
FPO	Floor plate opens	1											
FPOH	Floor plate opens hard												
FSR	Fires when safe is released										1		
FT	Follower tips												
GCSO	Gas cyl shot off												
HBL	Heavy bolt lift												
HMSC	Heading mismatch-steps on case												
HPA	High pressure ammo												
HUR	Hard under rail												
JCS	Jumps cartridge										1		
JM	Jumps magazine	1											
JO	Jars off												
LB	Light blow												
MAH	Magazine assembles hard												
MCW	Magazine capacity wrong												
MFA	Misfires (ammo)												
MFOP	Magazine follower out of position	$\neg$											
ML	Magazine loose	$\neg$			1								
MLH	Magazine loads hard												
MRH	Magazine removes hard												
OH	Opens hard	$\top$											
OR	Over-rides	1		1									
PH	Pulls hard	+		1	t -								
PSI	Proof stamp illegible										<b>†</b>	$\vdash$	
PSM	Proof stamp missing			1							<b>†</b>		$\vdash$
RBOC	Rings and bulges on case	+		1									$\vdash$
	i migo dila balgoo ori odoo		1	1	1	1	1	1	1	l	1		

Page 209 of 274

Page 210 of 274




**BARBER - RE 0006834** 

				019 1 0110									
RDW	(Action) release doesn't work			Proof - 1	est - Ta	rget							
RIC	Rings in chamber												
RIS	Ring in sholder												
RS	Rim srem												$\Box$
SBC	Stems bottom chambers												$\Box$
SBE	Stems bbl extension												
SCB	Stock cracked or broken										1		
SCX	Shell catches												$\Box$
SHI	Short indent										1		
SI	Stems incline												
SIC	Stems in chamber										1		$\vdash$
SL	shaves lead												-
SLC	Stems left side of chamber				1						1	<del> </del>	$\vdash$
SMOC	Stretch marks on case										1		
SOR	Stem over-ride	1					+				1		$\vdash$
SP	Stems port		<u> </u>		1						1	_	$\vdash$
SR	Shoulder rough				_						+	_	$\vdash$
SRC	Stems right side of chamber				_						+	_	$\vdash$
SRIC	Specific rings in chamber										-		$\vdash$
SSOC		-	<u> </u>				-				<del>                                     </del>	_	$\vdash$
	Surface scratches on case										-	_	$\vdash$
STC	Stems top chamber				<u> </u>						1		$\vdash$
SWE	Safety switch works too easily										-		$\vdash$
SWH	Safety switch works too hard												$\vdash$
SWW	Safety Switch won't work										ļ		$\vdash$
⊤D	Tips down												$\vdash$
TU	Tips up												igspace
TWP	Trigger won't pull												igspace
TWR	Trigger won't retract												$\sqcup$
UNCN-T	Uncoded												
XH	Extracts hard												igspace
HI	High												
LO	Low												
LEFT	Left												$\Box$
RIGHT	Right												
DG	Doesn't Group												
FSST	Front sight tipped												
RSTT	Rear sight tipped												$\Box$
RSBR	Rear sight base raised										1		$\Box$
FSTR	Front sight raised												$\Box$
FSTL	Front sight loose												$\Box$
RSTL	Rear sight loose								İ				$\Box$
MGPT-G	Missing parts at target				1		1						$\Box$
UNCN-G	Uncoded nonconformity at target						1						
							1			1			
Al-P	Assembly incompleye at proof				i i		1			1	1		$\vdash$
BBB	Barrel bracket cracked or broken at proof		<b>†</b>		<b>†</b>		1				<b>†</b>		$\vdash$
BC-P	Blows cases at proof		<del>                                     </del>		<del>                                     </del>		1		<b>-</b>		+		$\vdash$
BEB-P	Barrel extension broken at proof		<b> </b>	<del> </del>	<b>I</b>		+			<del>                                     </del>	+	<u> </u>	$\vdash$
DCD-1	Daniel extension proven at proof	1	1	1			1	L	l		1		i

Page 211 of 274

Page 212 of 274



**BARBER - RE 0006836** 


BLP-P	Blanked primer at proof		Proof - 1	est - Ta	rget				
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof							$\Box$	
DBF-P	Damaged Bolt Face								
DLOS-P	Doesn't lock over shells at proof								
ESBBP-P	Ejector sticks back -Blown Primer cup								
ESBEC-P	Ejector sticks back - Ejector Cresent							$\Box$	
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof								
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof								
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions							$\Box$	

Page 214 of 274

Gallery Performance Report
Proof - Test - Target



BARBER - RE 0006838



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
AB	Action binds										<u> </u>		<del>  </del>
BABS	Bulge at body shoulder												
BAC	Burr at chamber												
BBMA	BBL-to-bolt misalignment												
BB	Bolt binds/catches												
BCOAB	Bolt catches on anti-bind												
BCOBS	Bolt catches on bolt stop												
BCOF	Bolt catches on follower												
BC	Blows cases												
BHR	Bolt hits receiver												
BHS	Bolt plug hits safety switch												
BLOP	Bar lock or disconnector out of position												
BLSO	Barrel lug shot off												
BPO	Bolt pulls out												
BSSM	Bolt stems shell in magazine												
BWCD	Bolt won't cam down												
BWCFM	Bolt won't close over full magazine												
CD	Case dented												
СН	Closes hard												
CLM	Can't load magazine												
CO	Cut-off												
CR	Cuts rim												
CS	Cases swell												
CTOG	Chamber torn or gouged												
CTP	Creepy trigger pull												
CWSB	Cams wrong side of action bar												
DBB	Doesn't blow back										1		
DCS	Double click in safety switch										1		
DCT	Double click in trigger										1		1
DCU	Doesn't close-up										1		

Page 215 of 274

Page 216 of 274

Gallery Performance Report
Proof - Test - Target

0 0 0 0 0

Rimfire totals

**BARBER - RE 0006840** 

				CIY I CIII									
DE	Doesn't eject			Proof -	iest - ra	rgei							
DEL	Doesn't eject live round												
DFB	Doesn't feed back												
DFU	Doesn't feed up												
DLO	Doesn't lock open (after last shell)												
DLU	Doesn't lock-up												
DS	Dead safe												
DX	Doesn't extract												
DXL	Doesn't extract live round												
EDS	Extractor drops shell												
ESB	Ejector sticks back												
ESCR	Empty shell catches receiver												
ESS	Extractor stems shell												
FA	Fires automatically												
FB	Follower binds												
FC	Fails to connect												
FCB	Fore-end cracked or broken												
FD	Follows-down												
FF	Fails to fire												
FFP	Flat firing pin												
FOS	Fires on safe												
FPHB	Firing pin hits bbl												
FPHI	Firing pin hits inside rim												
FPO	Floor plate opens												
FPOH	Floor plate opens hard												
FSR	Fires when safe is released												
FT	Follower tips												
GCSO	Gas cyl shot off												
HBL	Heavy bolt lift												
HMSC	Heading mismatch-steps on case												
HPA	High pressure ammo												
HUR	Hard under rail												
JCS	Jumps cartridge												
JM	Jumps magazine										<del>                                     </del>		
JO	Jars off												
LB	Light blow												
MAH	Magazine assembles hard												
MCW	Magazine capacity wrong												
MFA	Misfires (ammo)				1			1					
MFOP	Magazine follower out of position	_									<del>                                     </del>		
ML	Magazine loose				<del>                                     </del>						$\vdash$		$\vdash$
MLH	Magazine loose Magazine loads hard	+	<u> </u>		<del>                                     </del>		1						$\vdash$
MRH	Magazine removes hard		<del>                                     </del>								$\vdash$		$\vdash$
OH	Opens hard	+		+	+					<del> </del>	<del>                                     </del>	_	$\vdash$
OR	Over-rides	+	<del> </del>	+						1	<del> </del>		$\vdash$
PH	Pulls hard	+	+		+	<del>                                     </del>		1		+	$\vdash$	-	$\vdash \vdash$
PSI	Proof stamp illegible			+	+						$\vdash$		$\vdash$
PSM	Proof stamp missing	+		+	+	-			-	-	-	-	$\vdash$
RBOC	Rings and bulges on case	_	1	+	+	-	+	-	<del>                                     </del>	+	├	<u> </u>	$\vdash$
K DOC	nings and bulges on case		1		1	1		1	l	1			

Page 217 of 274

Page 218 of 274

Gallery Performance Report
Proof - Test - Target




**BARBER - RE 0006842** 

				019 1 0110								
RDW	(Action) release doesn't work			Proof - 1	est - Ta	rget						
RIC	Rings in chamber											
RIS	Ring in sholder											
RS	Rim srem											
SBC	Stems bottom chambers											
SBE	Stems bbl extension											
SCB	Stock cracked or broken											
SCX	Shell catches									<del>                                     </del>		
SHI	Short indent											$\vdash$
SI	Stems incline											
SIC	Stems in chamber									<b>!</b>		$\vdash$
SL	shaves lead											$\vdash$
SLC	Stems left side of chamber				1					<del>                                     </del>	<del>                                     </del>	
SMOC	Stretch marks on case											$\vdash$
SOR	Stem over-ride	1					+					$\vdash$
SP	Stems port		<u> </u>		<u> </u>					<del>                                     </del>	_	$\vdash$
SR	Shoulder rough				_			1		_	_	$\vdash$
SRC	Stems right side of chamber				_		+	-		-	-	$\vdash$
SRIC	Specific rings in chamber											$\vdash$
SSOC		-	<u> </u>				-			<u> </u>	_	_
STC	Surface scratches on case						+			-	_	
	Stems top chamber				<u> </u>					<u> </u>		
SWE	Safety switch works too easily				-					-	_	
SWH	Safety switch works too hard											
SWW	Safety Switch won't work											
⊤D	Tips down											
TU	Tips up											
⊤WP	Trigger won't pull											
⊤WR	Trigger won't retract											
UNCN-T	Uncoded											
XH	Extracts hard											
HI	High											
LO	Low											
LEFT	Left											
RIGHT	Right											
DG	Doesn't Group											
FSST	Front sight tipped											
RSTT	Rear sight tipped											
RSBR	Rear sight base raised											
FSTR	Front sight raised											
FSTL	Front sight loose											
RSTL	Rear sight loose											
MGPT-G	Missing parts at target											
UNCN-G	Uncoded nonconformity at target											
	, , ,		1		1							
Al-P	Assembly incompleye at proof				1							
BBB	Barrel bracket cracked or broken at proof						1			t		$\Box$
BC-P	Blows cases at proof		<b>1</b>									М
BEB-P	Barrel extension broken at proof								1	t —		$\vdash$
	1 = 1		1	1			1		 1	<u> </u>		

Page 219 of 274

Page 220 of 274



**BARBER - RE 0006844** 


		-	T	 	 	 	
BLP-P	Blanked primer at proof	Proof -	Test - Target				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DBF-P	Damaged Bolt Face						
DLOS-P	Doesn't lock over shells at proof						
ESBBP-P	Ejector sticks back -Blown Primer cup						
ESBEC-P	Ejector sticks back - Ejector Cresent						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof						
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						

Page 222 of 274

Gallery Performance Report
Proof - Test - Target



**BARBER - RE 0006846** 



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
AB	Action binds										<u> </u>		<del>  </del>
BABS	Bulge at body shoulder												
BAC	Burr at chamber												
BBMA	BBL-to-bolt misalignment												
BB	Bolt binds/catches												
BCOAB	Bolt catches on anti-bind												
BCOBS	Bolt catches on bolt stop												
BCOF	Bolt catches on follower												
BC	Blows cases												
BHR	Bolt hits receiver												
BHS	Bolt plug hits safety switch												
BLOP	Bar lock or disconnector out of position												
BLSO	Barrel lug shot off												
BPO	Bolt pulls out												
BSSM	Bolt stems shell in magazine												
BWCD	Bolt won't cam down												
BWCFM	Bolt won't close over full magazine												
CD	Case dented												
CH	Closes hard												
CLM	Can't load magazine												
CO	Cut-off												
CR	Cuts rim												
CS	Cases swell												
CTOG	Chamber torn or gouged												
CTP	Creepy trigger pull												
CWSB	Cams wrong side of action bar												
DBB	Doesn't blow back										1		
DCS	Double click in safety switch										1		
DCT	Double click in trigger										1		
DCU	Doesn't close-up										1		

Page 223 of 274

Page 224 of 274

Gallery Performance Report
Proof - Test - Target

totals

0 0


Rimfire totals

**BARBER - RE 0006848** 

		 	Dract		-						
DE	Doesn't eject		Proof -	est - Ta	rget						
DEL	Doesn't eject live round										
DFB	Doesn't feed back										
DFU	Doesn't feed up										
DLO	Doesn't lock open (after last shell)										
DLU	Doesn't lock-up										
DS	Dead safe										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESCR	Empty shell catches receiver										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										
FC	Fails to connect										
FCB	Fore-end cracked or broken										
FD	Follows-down										
FF	Fails to fire										
FFP	Flat firing pin										
FOS	Fires on safe										
FPHB	Firing pin hits bbl										
FPHI	Firing pin hits inside rim										
FPO	Floor plate opens										
FPOH	Floor plate opens hard										
FSR	Fires when safe is released									İ	
FT	Follower tips										
GCSO	Gas cyl shot off										
HBL	Heavy bolt lift										
HMSC	Heading mismatch-steps on case										
HPA	High pressure ammo										
HUR	Hard under rail										
JCS	Jumps cartridge									İ	
JM	Jumps magazine										
JO	Jars off										
LB	Light blow										
MAH	Magazine assembles hard										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
ML	Magazine loose								T		М
MLH	Magazine loads hard			<u> </u>							$\Box$
MRH	Magazine removes hard								<b>1</b>		
OH	Opens hard								<u> </u>		
OR	Over-rides								t		
PH	Pulls hard								t —		
PSI	Proof stamp illegible			<b>1</b>		1			t		$\vdash$
PSM	Proof stamp missing								<b>†</b>		$\vdash$
RBOC	Rings and bulges on case					+			$\vdash$	<b>—</b>	$\vdash$
1,500	I migo and bulgos on case	 L				1	L	 1			

Page 225 of 274

Page 226 of 274




BARBER - RE 0006850

				SIY I CIT		-		 				
RDW	(Action) release doesn't work			Proof -	est - Ta	rget						
RIC	Rings in chamber											
RIS	Ring in sholder											
RS	Rim srem											
SBC	Stems bottom chambers											
SBE	Stems bbl extension											
SCB	Stock cracked or broken											
SCX	Shell catches											$\Box$
SHI	Short indent											$\Box$
SI	Stems incline											
SIC	Stems in chamber											
SL	shaves lead											
SLC	Stems left side of chamber											
SMOC	Stretch marks on case											
SOR	Stem over-ride											
SP	Stems port											$\vdash$
SR	Shoulder rough										$\Box$	$\Box$
SRC	Stems right side of chamber											$\vdash$
SRIC	Specific rings in chamber											
SSOC	Surface scratches on case											
STC	Stems top chamber											
SWE	Safety switch works too easily											
SWH	Safety switch works too hard											
sww	Safety Switch won't work											$\vdash$
TD	Tips down											
⊤U	Tips up											
TWP	Trigger won't pull											
TWR	Trigger won't retract											
UNCN-T	Uncoded									l		
XH	Extracts hard										$\vdash$	
7(11	Extraore flaid											
HI	High											
LO	Low				1					l -	$\vdash$	
LEFT	Left				<del>                                     </del>						$\vdash$	
RIGHT	Right				<del>                                     </del>							_
DG	Doesn't Group											
FSST	Front sight tipped										$\vdash$	
RSTT	Rear sight tipped									<del>                                     </del>		_
RSBR	Rear sight base raised			1	1				+	1		<del>                                     </del>
FSTR	Front sight raised				1					<del> </del>	$\vdash$	_
FSTL	Front sight loose									<u> </u>	-	$\vdash$
RSTL	Rear sight loose			1	<del>                                     </del>		1		<del> </del>		$\vdash$	$\vdash$
MGPT-G	Missing parts at target		-		<del>                                     </del>					<del>                                     </del>	$\vdash$	$\vdash$
UNCN-G	Uncoded nonconformity at target			-	_				-	-	<del></del>	_
UNCN-G	oncoded noncomormity at target			-						-	<del></del>	_
Al-P	Assembly incompleye at proof			1			1		-	-	<del></del>	$\vdash$
BBB	Barrel bracket cracked or broken at proof	-			-		1		-	-	<del></del>	-
BC-P		-			-				-	_	<del></del>	1
BEB-P	Blows cases at proof	-	<del>                                     </del>	<del> </del>	+		1	 -	1	<del>                                     </del>	$\vdash$	$\vdash$
DCB-P	Barrel extension broken at proof	L	l	1		L		L		<u> </u>		

Page 227 of 274

Page 228 of 274



**BARBER - RE 0006852** 


BLP-P	Blanked primer at proof		Proof - 1	est - Ta	rget				
BLSO-P	Barrel lug shot off at proof							$\Box$	
BP-P	Blown primer at proof								
BS-P	Barrel split at proof							$\Box$	
DBF-P	Damaged Bolt Face								
DLOS-P	Doesn't lock over shells at proof							$\Box$	
ESBBP-P	Ejector sticks back -Blown Primer cup							$\Box$	
ESBEC-P	Ejector sticks back - Ejector Cresent							$\Box$	
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof							$\Box$	
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof								ĺ
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions							$\neg$	

Page 230 of 274

Gallery Performance Report
Proof - Test - Target



**BARBER - RE 0006854** 



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
	A ( 1 1												
AB	Action binds										-		1
BABS	Bulge at body shoulder												$\vdash$
BAC	Burr at chamber												igspace
BBMA	BBL-to-bolt misalignment												
ВВ	Bolt binds/catches										ļ		
BCOAB	Bolt catches on anti-bind										ļ		
BCOBS	Bolt catches on bolt stop												
BCOF	Bolt catches on follower												
BC	Blows cases												
BHR	Bolt hits receiver												
BHS	Bolt plug hits safety switch												
BLOP	Bar lock or disconnector out of position												
BLSO	Barrel lug shot off												
BPO	Bolt pulls out												
BSSM	Bolt stems shell in magazine												
BWCD	Bolt won't cam down												
BWCFM	Bolt won't close over full magazine												
CD	Case dented												
CH	Closes hard												
CLM	Can't load magazine												
CO	Cut-off												
CR	Cuts rim												
CS	Cases swell												
CTOG	Chamber torn or gouged												
CTP	Creepy trigger pull												
CWSB	Cams wrong side of action bar												
DBB	Doesn't blow back												
DCS	Double click in safety switch												
DCT	Double click in trigger												$\Box$
DCU	Doesn't close-up												$\Box$

Page 231 of 274

Page 232 of 274

Gallery Performance Report
Proof - Test - Target

totals
0 0


Rimfire totals

**BARBER - RE 0006856** 

				CIY I CIII									
DE	Doesn't eject			Proof -	iest - ra	rgei							
DEL	Doesn't eject live round												
DFB	Doesn't feed back												
DFU	Doesn't feed up												
DLO	Doesn't lock open (after last shell)												
DLU	Doesn't lock-up												
DS	Dead safe												
DX	Doesn't extract												
DXL	Doesn't extract live round												
EDS	Extractor drops shell												
ESB	Ejector sticks back												
ESCR	Empty shell catches receiver												
ESS	Extractor stems shell												
FA	Fires automatically												
FB	Follower binds												
FC	Fails to connect												
FCB	Fore-end cracked or broken												
FD	Follows-down												
FF	Fails to fire												
FFP	Flat firing pin												
FOS	Fires on safe												
FPHB	Firing pin hits bbl												
FPHI	Firing pin hits inside rim												
FPO	Floor plate opens												
FPOH	Floor plate opens hard												
FSR	Fires when safe is released												
FT	Follower tips												
GCSO	Gas cyl shot off												
HBL	Heavy bolt lift												
HMSC	Heading mismatch-steps on case												
HPA	High pressure ammo												
HUR	Hard under rail												
JCS	Jumps cartridge												
JM	Jumps magazine										<del>                                     </del>		
JO	Jars off												
LB	Light blow												
MAH	Magazine assembles hard												
MCW	Magazine capacity wrong												
MFA	Misfires (ammo)				1			1					
MFOP	Magazine follower out of position							1			<del>                                     </del>		
ML	Magazine loose				<del>                                     </del>						$\vdash$		$\vdash$
MLH	Magazine loose Magazine loads hard	+	<u> </u>		<del>                                     </del>		1						$\vdash$
MRH	Magazine removes hard		<del>                                     </del>								$\vdash$		$\vdash$
OH	Opens hard	+		+	+					<del> </del>	<del>                                     </del>	_	$\vdash$
OR	Over-rides	+	<del> </del>	+						1	<del> </del>		$\vdash$
PH	Pulls hard	+	+		+	<del>                                     </del>		1		+	$\vdash$	-	$\vdash \vdash$
PSI	Proof stamp illegible			+	+						$\vdash$		$\vdash$
PSM	Proof stamp missing	+		+	+	-			-	-	-	-	$\vdash$
RBOC	Rings and bulges on case	_	1	+	+	-	+	-	<del>                                     </del>	-	├	<u> </u>	$\vdash$
K DOC	nings and bulges on case		1		1	1		1	l	1			

Page 233 of 274

Page 234 of 274




**BARBER - RE 0006858** 

				019 1 0110								
RDW	(Action) release doesn't work			Proof - 1	est - Ta	rget						
RIC	Rings in chamber											
RIS	Ring in sholder											
RS	Rim srem											
SBC	Stems bottom chambers											
SBE	Stems bbl extension											
SCB	Stock cracked or broken											
SCX	Shell catches									<del>                                     </del>		
SHI	Short indent											$\vdash$
SI	Stems incline											
SIC	Stems in chamber									<b>!</b>		$\vdash$
SL	shaves lead											$\vdash$
SLC	Stems left side of chamber				1					<del> </del>	<del>                                     </del>	
SMOC	Stretch marks on case											$\vdash$
SOR	Stem over-ride	1					+					$\vdash$
SP	Stems port		<u> </u>		1					<del>                                     </del>	_	$\vdash$
SR	Shoulder rough				_			1		_	_	$\vdash$
SRC	Stems right side of chamber				-		+	-		-	-	$\vdash$
SRIC	Specific rings in chamber											$\vdash$
SSOC		-	<u> </u>				-			<u> </u>	_	_
STC	Surface scratches on case						+			-	_	
	Stems top chamber									<u> </u>		
SWE	Safety switch works too easily				-					-		
SWH	Safety switch works too hard											
SWW	Safety Switch won't work											
⊤D	Tips down											
TU	Tips up											
⊤WP	Trigger won't pull											
⊤WR	Trigger won't retract											
UNCN-T	Uncoded											
XH	Extracts hard											
HI	High											
LO	Low											
LEFT	Left											
RIGHT	Right											
DG	Doesn't Group											
FSST	Front sight tipped											
RSTT	Rear sight tipped											
RSBR	Rear sight base raised											
FSTR	Front sight raised											
FSTL	Front sight loose											
RSTL	Rear sight loose											
MGPT-G	Missing parts at target											
UNCN-G	Uncoded nonconformity at target											
	, , ,		1		1							
Al-P	Assembly incompleye at proof				1							
BBB	Barrel bracket cracked or broken at proof						1			t		$\Box$
BC-P	Blows cases at proof		<b>1</b>									М
BEB-P	Barrel extension broken at proof								1	t —		$\vdash$
	1 = 1		1	1			1		 1	<u> </u>		

Page 235 of 274

Page 236 of 274



**BARBER - RE 0006860** 


BLP-P	Blanked primer at proof		Proof - 1	est - Ta	rget				
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof							$\Box$	
DBF-P	Damaged Bolt Face								
DLOS-P	Doesn't lock over shells at proof								
ESBBP-P	Ejector sticks back -Blown Primer cup								
ESBEC-P	Ejector sticks back - Ejector Cresent							$\Box$	
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof								
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof								
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions							$\Box$	

Page 238 of 274

Gallery Performance Report
Proof - Test - Target



**BARBER - RE 0006862** 




CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
	A ( 1 1												
AB	Action binds										-		1
BABS	Bulge at body shoulder												$\vdash$
BAC	Burr at chamber												igspace
BBMA	BBL-to-bolt misalignment												
ВВ	Bolt binds/catches										ļ		
BCOAB	Bolt catches on anti-bind										ļ		
BCOBS	Bolt catches on bolt stop												
BCOF	Bolt catches on follower												
BC	Blows cases												
BHR	Bolt hits receiver												
BHS	Bolt plug hits safety switch												
BLOP	Bar lock or disconnector out of position												
BLSO	Barrel lug shot off												
BPO	Bolt pulls out												
BSSM	Bolt stems shell in magazine												
BWCD	Bolt won't cam down												
BWCFM	Bolt won't close over full magazine												
CD	Case dented												
CH	Closes hard												
CLM	Can't load magazine												
CO	Cut-off												
CR	Cuts rim												
CS	Cases swell												
CTOG	Chamber torn or gouged												
CTP	Creepy trigger pull												
CWSB	Cams wrong side of action bar												
DBB	Doesn't blow back												
DCS	Double click in safety switch												
DCT	Double click in trigger												$\Box$
DCU	Doesn't close-up												$\Box$

Page 239 of 274

Page 240 of 274

Gallery Performance Report
Proof - Test - Target

totals 0 0 0 0



**BARBER - RE 0006864** 

				51 y 1 0110									
DE	Doesn't eject			Proof - T	est - Ta	rget							
DEL	Doesn't eject live round												
DFB	Doesn't feed back												
DFU	Doesn't feed up												
DLO	Doesn't lock open (after last shell)												
DLU	Doesn't lock-up												
DS	Dead safe												
DX	Doesn't extract												
DXL	Doesn't extract live round												
EDS	Extractor drops shell												
ESB	Ejector sticks back												
ESCR	Empty shell catches receiver												
ESS	Extractor stems shell												
FA	Fires automatically												
FB	Follower binds												
FC	Fails to connect												
FCB	Fore-end cracked or broken												
FD	Follows-down												
FF	Fails to fire												
FFP	Flat firing pin												
FOS	Fires on safe												
FPHB	Firing pin hits bbl										1		
FPHI	Firing pin hits inside rim												
FPO	Floor plate opens										<b>†</b>		
FPOH	Floor plate opens hard												
FSR	Fires when safe is released												
FT	Follower tips										<del>                                     </del>		
GCSO	Gas cyl shot off										<del>                                     </del>		
HBL	Heavy bolt lift										<del>                                     </del>		
HMSC	Heading mismatch-steps on case										<del>                                     </del>		_
HPA	High pressure ammo				<u> </u>						<del>                                     </del>		_
HUR	Hard under rail												<del>                                     </del>
JCS	Jumps cartridge			1									
JM	Jumps magazine										_		
JO	Jars off												
LB	Light blow										-	_	
MAH	Magazine assembles hard				<u> </u>						-		
MCW	Magazine capacity wrong				<u> </u>						<del>                                     </del>		_
MFA	Misfires (ammo)	+	-	1	1	-	1	-	-	1	1	-	$\vdash$
MFOP	Magazine follower out of position	-			<u> </u>						-		$\vdash$
ML	Magazine follower out of position	+	-	1	-	-	1				$\vdash$	_	-
MLH	Magazine loose Magazine loads hard	_			-						-	_	$\vdash$
MRH		+		-	-					-	-	_	
	Magazine removes hard			-	-						├	-	$\vdash \vdash$
OH	Opens hard	-			-						-	-	-
OR	Over-rides				-						<u> </u>		<b>—</b>
PH	Pulls hard				-						<b>├</b>		
PSI	Proof stamp illegible										<u> </u>		<u> </u>
PSM	Proof stamp missing				ļ						<u> </u>		igwdown
RBOC	Rings and bulges on case												

Page 241 of 274

Page 242 of 274



**BARBER - RE 0006866** 

				019 1 0110					 			
RDW	(Action) release doesn't work			Proof - 1	est - Ta	rget						
RIC	Rings in chamber											
RIS	Ring in sholder											
RS	Rim srem											
SBC	Stems bottom chambers											
SBE	Sterns bbl extension									1		
SCB	Stock cracked or broken											
SCX	Shell catches											
SHI	Short indent									1		
SI	Stems incline											
SIC	Stems in chamber									1		
SL	shaves lead									1		
SLC	Stems left side of chamber									1		
SMOC	Stretch marks on case									1		
SOR	Stem over-ride							1		+	_	
SP			-	+	-		+	-	-	-	_	-
SR	Stems port		-	+	-	-		-	-	$\vdash$	_	-
SRC	Shoulder rough									-	_	
	Stems right side of chamber							-		1		
SRIC	Specific rings in chamber											
SSOC	Surface scratches on case											
STC	Stems top chamber									ļ		
SWE	Safety switch works too easily											
SWH	Safety switch works too hard											
sww	Safety Switch won't work											
⊤D	Tips down											
TU	Tips up											
TWP	Trigger won't pull											
TWR	Trigger won't retract											
UNCN-T	Uncoded											
XH	Extracts hard											
HI	High											
LO	Low											
LEFT	Left											
RIGHT	Right											
DG	Doesn't Group											
FSST	Front sight tipped											
RSTT	Rear sight tipped											
RSBR	Rear sight base raised									1		
FSTR	Front sight raised									<del>                                     </del>		
FSTL	Front sight loose		<del>                                     </del>	<del>                                     </del>						+		
RSTL	Rear sight loose		<b>-</b>	<b>+</b>	<b>-</b>		+		+	$\vdash$		
MGPT-G	Missing parts at target			+	<b> </b>				<del> </del>	<del>                                     </del>		
UNCN-G	Uncoded nonconformity at target		<del>                                     </del>	+	<del>                                     </del>					$\vdash$	_	
ONON-G	oncoded noncomornity at target			+	<del>                                     </del>	-	1		-	+	-	
Al-P	Assembly incomplays at proof			+	-	-	+		-	-	-	-
BBB	Assembly incompleye at proof		-	+	-				-	-	_	
	Barrel bracket cracked or broken at proof			+	-	-			-	-	-	
BC-P	Blows cases at proof				ļ				-	_		
BEB-P	Barrel extension broken at proof	1		1	<u> </u>		1	L	I	1		l

Page 243 of 274

Page 244 of 274



**BARBER - RE 0006868** 


BLP-P	Blanked primer at proof		Proof - 1	est - Ta	rget				
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof							$\Box$	
DBF-P	Damaged Bolt Face								
DLOS-P	Doesn't lock over shells at proof								
ESBBP-P	Ejector sticks back -Blown Primer cup								
ESBEC-P	Ejector sticks back - Ejector Cresent							$\Box$	
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof								
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof								
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions								

Page 246 of 274

Gallery Performance Report
Proof - Test - Target



**BARBER - RE 0006870** 



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
AB	Action binds											_	$\vdash$
BABS	Bulge at body shoulder	_			<u> </u>						<del>                                     </del>	$\vdash$	$\vdash$
BAC	Burr at chamber	+						-			-	$\vdash$	₩
BBMA	BBL-to-bolt misalignment	_									-	⊢—	-
BB											-	├──	
	Bolt binds/catches	-									-	├──	₩
BCOAB	Bolt catches on anti-bind											—	₩
BCOBS	Bolt catches on bolt stop											—	
BCOF	Bolt catches on follower											—	$\vdash$
BC	Blows cases											Ь—	$\perp$
BHR	Bolt hits receiver											Ь—	╙
BHS	Bolt plug hits safety switch											<u> </u>	igsquare
BLOP	Bar lock or disconnector out of position										ļ	Ь	igsquare
BLSO	Barrel lug shot off												
BPO	Bolt pulls out												
BSSM	Bolt stems shell in magazine												
BWCD	Bolt won't cam down												
BWCFM	Bolt won't close over full magazine												
CD	Case dented												
CH	Closes hard												
CLM	Can't load magazine												
CO	Cut-off												
CR	Cuts rim												
CS	Cases swell												
CTOG	Chamber torn or gouged												
CTP	Creepy trigger pull												$\vdash$
CWSB	Cams wrong side of action bar												$\vdash$
DBB	Doesn't blow back										t		$\Box$
DCS	Double click in safety switch										1		$\vdash$
DCT	Double click in trigger												$\vdash$
DCU	Doesn't close-up												$\vdash$

Page 247 of 274

Page 248 of 274

Gallery Performance Report
Proof - Test - Target

0 0 0


Rimfire totals

BARBER - RE 0006872

				CIY I CIII									
DE	Doesn't eject			Proof -	iest - ra	rgei							
DEL	Doesn't eject live round												
DFB	Doesn't feed back												
DFU	Doesn't feed up												
DLO	Doesn't lock open (after last shell)												
DLU	Doesn't lock-up												
DS	Dead safe												
DX	Doesn't extract												
DXL	Doesn't extract live round												
EDS	Extractor drops shell												
ESB	Ejector sticks back												
ESCR	Empty shell catches receiver												
ESS	Extractor stems shell												
FA	Fires automatically												
FB	Follower binds												
FC	Fails to connect												
FCB	Fore-end cracked or broken												
FD	Follows-down												
FF	Fails to fire												
FFP	Flat firing pin												
FOS	Fires on safe												
FPHB	Firing pin hits bbl												
FPHI	Firing pin hits inside rim												
FPO	Floor plate opens												
FPOH	Floor plate opens hard												
FSR	Fires when safe is released												
FT	Follower tips												
GCSO	Gas cyl shot off												
HBL	Heavy bolt lift												
HMSC	Heading mismatch-steps on case												
HPA	High pressure ammo												
HUR	Hard under rail												
JCS	Jumps cartridge												
JM	Jumps magazine										<del>                                     </del>		
JO	Jars off												
LB	Light blow												
MAH	Magazine assembles hard												
MCW	Magazine capacity wrong												
MFA	Misfires (ammo)				1			1					
MFOP	Magazine follower out of position	_									<del>                                     </del>		
ML	Magazine loose				<del>                                     </del>						$\vdash$		$\vdash$
MLH	Magazine loose Magazine loads hard	+	<u> </u>		<del>                                     </del>		1						$\vdash$
MRH	Magazine removes hard		<del>                                     </del>								$\vdash$		$\vdash$
OH	Opens hard	+		+	+					<del> </del>	<del>                                     </del>	_	$\vdash$
OR	Over-rides	+	<del> </del>	+						1	<del> </del>		$\vdash$
PH	Pulls hard	+	+		+	<del>                                     </del>		1		+	$\vdash$	-	$\vdash \vdash$
PSI	Proof stamp illegible			+	+						$\vdash$		$\vdash$
PSM	Proof stamp missing	+		+	+	-			-	-	-	-	$\vdash$
RBOC	Rings and bulges on case	_	1	+	+	-	+	-	<del>                                     </del>	+	├	<u> </u>	$\vdash$
KBOC	nings and bulges on case		1	1	1	1		1	l	1			

Page 249 of 274

Page 250 of 274




BARBER - RE 0006874

				019 1 0110					 			
RDW	(Action) release doesn't work			Proof - 1	est - Ta	rget						
RIC	Rings in chamber											
RIS	Ring in sholder											
RS	Rim srem											
SBC	Stems bottom chambers											
SBE	Sterns bbl extension									1		
SCB	Stock cracked or broken											
SCX	Shell catches											
SHI	Short indent									1		
SI	Stems incline											
SIC	Stems in chamber									1		
SL	shaves lead									1		
SLC	Stems left side of chamber									1		
SMOC	Stretch marks on case									1		
SOR	Stem over-ride							1		+	_	
SP			-	+	-		+	-	-	-	_	-
SR	Stems port		-	+	-	-		-	-	$\vdash$	_	-
SRC	Shoulder rough									-	_	
	Stems right side of chamber							-		1		
SRIC	Specific rings in chamber											
SSOC	Surface scratches on case											
STC	Stems top chamber									ļ		
SWE	Safety switch works too easily											
SWH	Safety switch works too hard											
sww	Safety Switch won't work											
⊤D	Tips down											
TU	Tips up											
TWP	Trigger won't pull											
TWR	Trigger won't retract											
UNCN-T	Uncoded											
XH	Extracts hard											
HI	High											
LO	Low											
LEFT	Left											
RIGHT	Right											
DG	Doesn't Group											
FSST	Front sight tipped											
RSTT	Rear sight tipped											
RSBR	Rear sight base raised									1		
FSTR	Front sight raised									<del>                                     </del>		
FSTL	Front sight loose		<del>                                     </del>	<del>                                     </del>						+		
RSTL	Rear sight loose		<b>-</b>	<b>+</b>	<b>-</b>		+		+	$\vdash$		
MGPT-G	Missing parts at target			+	<b> </b>				<del> </del>	<del>                                     </del>		
UNCN-G	Uncoded nonconformity at target		<del>                                     </del>	+	<b>-</b>					$\vdash$	_	
ONON-G	oncoded noncomornity at target			+	<del>                                     </del>	-	1		-	$\vdash$	-	
Al-P	Assembly incomplays at proof			+	-	-	+		-	-	-	-
BBB	Assembly incompleye at proof		-	+	-				-	-	_	
	Barrel bracket cracked or broken at proof			+	-	-			-	-	-	
BC-P	Blows cases at proof				ļ				-	_		
BEB-P	Barrel extension broken at proof	1		1	<u> </u>		1	L	I	1		l

Page 251 of 274

Page 252 of 274



BLP-P	Blanked primer at proof	Proof -	est - Ta	rget				
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DBF-P	Damaged Bolt Face							
DLOS-P	Doesn't lock over shells at proof							
ESBBP-P	Ejector sticks back -Blown Primer cup							
ESBEC-P	Ejector sticks back - Ejector Cresent							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof							
FF-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions							

Page 254 of 274

Gallery Performance Report
Proof - Test - Target



**BARBER - RE 0006878** 

Summary		Total Tested Total Rejected: Overall Reject Rate:	0								Test Date:			
	Proof	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Test	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0
	Target	Shot: [ Rejected: Percent:	0	0	0	0	0	0	0	0	0	0	0	0

MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	XR-100	750	7400	7600	7615
Astion binds										_		$\vdash$
										1	_	$\vdash$
										_	_	-
				-						+		$\vdash$
										+	-	_
										1		$\vdash$
	_									<u> </u>		
										1		
										<u> </u>		$\perp$
Bolt won't cam down												
Bolt won't close over full magazine												
Case dented												
Closes hard												
Can't load magazine												
Cut-off												
Cuts rim												
Cases swell												
Chamber torn or gouged												
Doesn't blow back										1		$\Box$
										1		
										1		
										1		$\Box$
	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sults bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt bulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block base hard Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt stems shell in magazine Bolt won't cam down Bolt won't close over full magazine Case dented Con't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sulls out Bolt swort cam down Bolt wort close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Casce swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't block based on trigger	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on bolt stop Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Double click in safety switch Bout bolt wasten Double click in trigger	Action binds Bulge at body shoulder Burr at chamber BBIL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Blows cases Bolt taches on follower Bolt plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Bolt sems shell in magazine Bolt won't close over full magazine Case dented Cul-off Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment Bolt binds/catches Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt hits receiver Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt sum to am down Bolt won't close over full magazine Case dented Closes hard Can't load magazine Cuts rim Cascs swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Both-both misalignment Both binds/catches Both catches on anti-bind Both catches on follower Blows cases Both this receiver Both plug hits safety switch Barr lock or disconnector out of position Barrel lug shot off Both seminary Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't cam down Both won't close over full magazine Case dented Closes hard Cut-off Cuts rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in safety switch Double click in safety switch	Action binds Bulge at body shoulder Burr at chamber Birr at chamber Birr at chamber Bolt binds/catches Bolt catches on anti-bind Bolt catches on follower Birr at chamber Bolt catches on follower Bolt catches on follower Bolt binds cases Bolt binds cases Bolt binds cases Bolt binds receiver Bolt plug hits sefety switch Bar lock or disconnector out of position Barrel lug shot off Bolt pulls out Bolt won't cam down Bolt won't cam down Bolt won't cam down Bolt won't cam down Cases swell Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Camb manger in afety switch Double click in trigger	Action binds Bulge at body shoulder Burr at chamber Burr at chamber Bolt-to-bolt misalignment Bolt catches on anti-bind Bolt catches on bolt stop Bolt catches on follower Blows cases Bolt binds/catches Bolt plug hits safety switch Bar lock or disconnector out of position Barrel lug shot off Bolt by units and own Bolt won't can down Bolt won't can down Bolt won't can down Cases eard Closes hard Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cases may be safety switch Double click in afety switch Double click in afety switch Double click in afety switch Double click in afety switch Double click in afety switch Double click in afety switch	Action binds Bulge at body shoulder Burst chamber Burst chamber Burst chamber Burst chamber Both binds coatches Both catches on anti-bind Both catches on bolt stop Both catches on follower Blows cases Both this receiver Both steres which Bar lock or disconnector out of position Barrel lug shot off Both steres shell in magazine Both steres shell in magazine Both worth close over full magazine Case dented Closes hard Cart load magazine Cut-off Cuts rim Cases swell Cases swell Cases my ligger pull Cases my load is a fety switch Double clock in safety writch Double clock in safety writch Double clock in safety writch

Page 255 of 274

Page 256 of 274

Gallery Performance Report
Proof - Test - Target

totals
0 0

Rimfire totals


**BARBER - RE 0006880** 

				CIY I CIII									
DE	Doesn't eject			Proof -	iest - ra	rgei							
DEL	Doesn't eject live round												
DFB	Doesn't feed back												
DFU	Doesn't feed up												
DLO	Doesn't lock open (after last shell)												
DLU	Doesn't lock-up												
DS	Dead safe												
DX	Doesn't extract												
DXL	Doesn't extract live round												
EDS	Extractor drops shell												
ESB	Ejector sticks back												
ESCR	Empty shell catches receiver												
ESS	Extractor stems shell												
FA	Fires automatically												
FB	Follower binds												
FC	Fails to connect												
FCB	Fore-end cracked or broken												
FD	Follows-down												
FF	Fails to fire												
FFP	Flat firing pin												
FOS	Fires on safe												
FPHB	Firing pin hits bbl												
FPHI	Firing pin hits inside rim												
FPO	Floor plate opens												
FPOH	Floor plate opens hard												
FSR	Fires when safe is released												
FT	Follower tips												
GCSO	Gas cyl shot off												
HBL	Heavy bolt lift												
HMSC	Heading mismatch-steps on case												
HPA	High pressure ammo												
HUR	Hard under rail												
JCS	Jumps cartridge												
JM	Jumps magazine										<del>                                     </del>		
JO	Jars off												
LB	Light blow												
MAH	Magazine assembles hard												
MCW	Magazine capacity wrong												
MFA	Misfires (ammo)				1			1					
MFOP	Magazine follower out of position	_									<del>                                     </del>		
ML	Magazine loose				<del>                                     </del>						$\vdash$		$\vdash$
MLH	Magazine loose Magazine loads hard	+	<u> </u>		<del>                                     </del>		1						$\vdash$
MRH	Magazine removes hard		<del>                                     </del>								$\vdash$		$\vdash$
OH	Opens hard	+		+	+					<del> </del>	<del>                                     </del>	_	$\vdash$
OR	Over-rides	+	<del> </del>	+						1	<del> </del>		$\vdash$
PH	Pulls hard	+	+		+	<del>                                     </del>		<del> </del>		+	$\vdash$	-	$\vdash \vdash$
PSI	Proof stamp illegible			+	+						$\vdash$		$\vdash$
PSM	Proof stamp missing	+		+	+	-			-	-	-	-	$\vdash$
RBOC	Rings and bulges on case	_	1	+	+	-	+	-	<del>                                     </del>	+	├	<u> </u>	$\vdash$
K DOC	nings and bulges on case		1		1	1		1	l	1			

Page 257 of 274

Gallery Performance Report
Proof - Test - Target

Page 258 of 274




**BARBER - RE 0006882** 

RDW	(Action) release doesn't work			Proof -	est - Ta	rget							
RIC	Rings in chamber												
RIS	Ring in sholder												
RS	Rim srem												
RS SBC	Stems bottom chambers												
SBE	Stems bbl extension												
SCB	Stock cracked or broken												
SCX	Shell catches												
SHI	Short indent												
SI	Stems incline												
SIC	Stems in chamber												
SL	shaves lead												
SLC	Stems left side of chamber												
SMOC	Stretch marks on case												
SOR	Stem over-ride												
SP	Stems port												
SR	Shoulder rough												
SRC	Stems right side of chamber			<b>†</b>							<del>                                     </del>		
SRIC	Specific rings in chamber												
SSOC	Surface scratches on case												
STC	Stems top chamber												
SWE	Safety switch works too easily												
SWH	Safety switch works too hard												
sww	Safety Switch won't work				<u> </u>						<del>                                     </del>	_	
⊤D	Tips down										<u> </u>	_	
TU	Tips up				<b>-</b>						1		
TWP	Trigger won't pull				<u> </u>						<del>                                     </del>	_	
TWR	Trigger won't retract												
UNCN-T	Uncoded		1		1								
XH	Extracts hard			+	<u> </u>						1		
XIII	Extracts riard	1		+			+				<b>-</b>		
HI	High				<u> </u>			1			<del>                                     </del>	_	$\vdash$
LO	Low		<b> </b>	+	<u> </u>		-	<del> </del>		-	-	-	$\vdash$
LEFT	Left			+	<del>                                     </del>			-	_		-	-	$\vdash$
RIGHT	Right												$\vdash$
DG	Doesn't Group												
FSST	Front sight tipped				-						-		$\vdash$
RSTT		-		+	<u> </u>						<u> </u>	_	$\vdash$
	Rear sight tipped				<u> </u>						<u> </u>		$\vdash$
RSBR	Rear sight base raised	_									-		$\vdash$
FSTR	Front sight raised				-		1				_		$\vdash$
FSTL	Front sight loose				<u> </u>								
RSTL	Rear sight loose			+	-		-				<del>                                     </del>		$\vdash$
MGPT-G	Missing parts at target			<del>                                     </del>			<b></b>				<u> </u>		$\vdash$
UNCN-G	Uncoded nonconformity at target		ļ	ļ	ļ		ļ				ļ		$\sqcup$
			ļ				<del>                                     </del>				_		igspace
Al-P	Assembly incompleye at proof										Ь—		lacksquare
BBB	Barrel bracket cracked or broken at proof			1			1				<u> </u>		ш
BC-P	Blows cases at proof												
BEB-P	Barrel extension broken at proof												

Page 259 of 274

Gallery Performance Report
Proof - Test - Target


Page 260 of 274





BLP-P	Blanked primer at proof		Proof - 1	est - Ta	rget				
BLSO-P	Barrel lug shot off at proof							$\Box$	
BP-P	Blown primer at proof								
BS-P	Barrel split at proof							$\Box$	
DBF-P	Damaged Bolt Face								
DLOS-P	Doesn't lock over shells at proof							$\Box$	
ESBBP-P	Ejector sticks back -Blown Primer cup							$\Box$	
ESBEC-P	Ejector sticks back - Ejector Cresent							$\Box$	
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof							$\Box$	
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof								ĺ
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions							$\neg$	


Page 262 of 274

Gallery Performance Report
Proof - Test - Target









AB	Action binds	$\Box$
BABS	Bulge at body shoulder	$\neg$
BAC	Burr at chamber	٦c
ВВМА	BBL-to-bolt misalignment	٦c
вв	Bolt binds/catches	⊐c
BCOAB	Bolt catches on anti-bind	٦c
BCOBS	Bolt catches on bolt stop	٦c
BCOF	Bolt catches on follower	$\neg$
BC	Blows cases	٦c
BHR	Bolt hits receiver	٦c
BHS	Bolt plug hits safety switch	٦c
BLOP	Bar lock or disconnector out of position	٦c
BLSO	Barrel lug shot off	⊐lc
BPO	Bolt pulls out	⊐lc
BSSM	Bolt stems shell in magazine	٦o
BWCD	Bolt won't cam down	٦c
BWCFM	Bolt won't close over full magazine	٦c
CD	Case dented	٦c
СН	Closes hard	⊐c
CLM	Can't load magazine	٦c
CO	Cut-off	$\neg$
CR	Cuts rim	٦c
CS	Cases swell	٦c
CTOG	Chamber torn or gouged	Πo
CTP	Creepy trigger pull	٦c
CWSB	Cams wrong side of action bar	٦c
DBB	Doesn't blow back	⊐c
DCS	Double click in safety switch	⊐c
DCT	Double click in trigger	٦c
DCU	Doesn't close-up	$\neg$
DE	Doesn't eject	٦c
DEL	Doesn't eject live round	٦c
DFB	Doesn't feed back	٦c
DFU	Doesn't feed up	$\neg$ c
DLO	Doesn't lock open (after last shell)	٦c
DLU	Doesn't lock-up	c
DS	Dead safe	٦c
DX	Doesn't extract	<b>—</b> Г
DXL	Doesn't extract live round	٦c
EDS	Extractor drops shell	٦c
ESB	Ejector sticks back	$\neg$
ESCR	Empty shell catches receiver	⊐c
ESS	Extractor stems shell	⊐c
FA	Fires automatically	٦c
FB	Follower binds	٦c
FC	Fails to connect	٦c
FCB	Fore-end cracked or broken	٦c
FD	Follows-down	٦c
FF	Fails to fire	٦٥
	•	

FFP	Flat firing pin	c
FOS	Fires on safe	$\neg \neg$
FPHB	Firing pin hits bbl	
FPHI	Firing pin hits inside rim	$\neg \neg$
FPO	Floor plate opens	
FPOH	Floor plate opens hard	
FSR	Fires when safe is released	
FT	Follower tips	$\neg \neg$
GCSO	Gas cyl shot off	
HBL	Heavy bolt lift	$\neg \neg$
HMSC	Heading mismatch-steps on case	$\neg \neg$
HPA	High pressure ammo	$\neg \neg$
HUR	Hard under rail	$\neg \neg$
JCS	Jumps cartridge	
JM	Jumps magazine	$\neg \neg$
JO	Jars off	$\neg \neg$
LB	Light blow	$\neg \neg$
MAH	Magazine assembles hard	-
MCW	Magazine capacity wrong	— l c
MFA	Misfires (ammo)	$-$ 1 $^{\circ}$
MFOP	Magazine follower out of position	$-$ 1 $^{\circ}$
ML	Magazine loose	$-$ 1 $\tilde{c}$
MLH	Magazine loads hard	-
MRH	Magazine removes hard	-
OH	Opens hard	-1
OR	Over-rides	-
PH	Pulls hard	-
PSI	Proof stamp illegible	-
PSM	Proof stamp missing	-
RBOC	Rings and bulges on case	-
RDW	(Action) release doesn't work	-
RIC	Rings in chamber	-
RIS		-
RS	Ring in sholder Rim srem	-
SBC	Stems bottom chambers	-
SBE		$ \frac{1}{2}$
	Stems bbl extension	-
SCB	Stock cracked or broken	
SCX	Shell catches	
SHI	Short indent	
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead	9
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SOR	Stem over-ride	9
SP	Stems port	
SR	Shoulder rough	
	Internal sight side of changing	
SRC SRIC	Stems right side of chamber Specific rings in chamber	-

SSOC	Surface scratches on case	□
STC	Stems top chamber	٦
SWE	Safety switch works too easily	7
SWH	Safety switch works too hard	٦٥
SWW	Safety Switch won't work	٦
TD	Tips down	٦
TU	Tips up	_] (
TWP	Trigger won't pull	(
TWR	Trigger won't retract	_] (
UNCN-T	Uncoded	_] (
XH	Extracts hard	_ (
		7
HI	High	٦
LO	Low	_] (
LEFT	Left	(
RIGHT	Right	_ (
DG	Doesn't Group	_] (
FSST	Front sight tipped	(
RSTT	Rear sight tipped	٦
RSBR	Rear sight base raised	٦
FSTR	Front sight raised	(
FSTL	Front sight loose	٦
RSTL	Rear sight loose	٦
MGPT-G	Missing parts at target	٦
UNCN-G	Uncoded nonconformity at target	٦
		٦
Al-P	Assembly incompleye at proof	٦
BBB	Barrel bracket cracked or broken at proof	٦
BC-P	Blows cases at proof	٦
BEB-P	Barrel extension broken at proof	٦
BLP-P	Blanked primer at proof	٦
BLSO-P	Barrel lug shot off at proof	٦
BP-P	Blown primer at proof	٦
BS-P	Barrel split at proof	٦
DBF-P	Damaged Bolt Face	٦
DLOS-P	Doesn't lock over shells at proof	$\neg$
ESBBP-P	Ejector sticks back -Blown Primer cup	٦
ESBEC-P	Ejector sticks back - Ejector Cresent	٦
FCB-P	Fore-end cracked at proof	٦
FESO-P	Fore-end shot off at proof	٦
FF-P	Fails to fire at proof	٦
GCSO-P	Gas cylinder shot off at proof	٦
MSI-P	Magnaflux stamp illegible on bbl	٦,
MSM-P	Magnaflux stamp missing on bbl	٦
PP-P	Pierced primer at proof	$\exists$

BABS BAC BBMA BB BCOAB BCOBS	Bulge at body shoulder Burr at chamber BBL-to-bolt misalignment	$\exists$
BBMA BB BCOAB		Πo
BB BCOAB	BBL-to-bolt misalignment	
BCOAB		٦c
	Bolt binds/catches	٦c
BCOBS	Bolt catches on anti-bind	□c
	Bolt catches on bolt stop	□lo
BCOF	Bolt catches on follower	$\neg$
BC	Blows cases	□c
BHR	Bolt hits receiver	□c
BHS	Bolt plug hits safety switch	c
BLOP	Bar lock or disconnector out of position	c
BLSO	Barrel lug shot off	⊐c
BPO	Bolt pulls out	c
BSSM	Bolt stems shell in magazine	٦o
BWCD	Bolt won't cam down	٦c
BWCFM	Bolt won't close over full magazine	٦c
CD	Case dented	Πc
CH	Closes hard	□ c
CLM	Can't load magazine	٦c
CO	Cut-off	$\neg$
CR	Cuts rim	□ c
CS	Cases swell	c
CTOG	Chamber torn or gouged	٦c
CTP	Creepy trigger pull	c
CWSB	Cams wrong side of action bar	□c
DBB	Doesn't blow back	⊐c
DCS	Double click in safety switch	⊐c
DCT	Double click in trigger	□c
DCU	Doesn't close-up	c
DE	Doesn't eject	c
DEL	Doesn't eject live round	□c
DFB	Doesn't feed back	c
DFU	Doesn't feed up	c
DLO	Doesn't lock open (after last shell)	
DLU	Doesn't lock-up	0
DS	Dead safe	c
DX	Doesn't extract	c
DXL	Doesn't extract live round	c
EDS	Extractor drops shell	c
ESB	Ejector sticks back	0
ESCR	Empty shell catches receiver	٦c
ESS	Extractor stems shell	٦c
FA	Fires automatically	c
FB	Follower binds	c
FC	Fails to connect	٦c
FCB	Fore-end cracked or broken	٦c
FD	Follows-down	٦c
FF	Fails to fire	٦o

FFP	Flat firing pin	0
FOS	Fires on safe	—  ٥
FPHB	Firing pin hits bbl	<del></del>  ₀
FPHI	Firing pin hits inside rim	o
FPO	Floor plate opens	— ₀
FPOH	Floor plate opens hard	lo
FSR	Fires when safe is released	— ∘
FT	Follower tips	٦٥
GCSO	Gas cyl shot off	<del></del>  ∘
HBL	Heavy bolt lift	o
HMSC	Heading mismatch-steps on case	<del></del>  ₀
HPA	High pressure ammo	o
HUR	Hard under rail	o
JCS	Jumps cartridge	0
JM	Jumps magazine	—   0
JO	Jars off	0
LB	Light blow	╗
MAH	Magazine assembles hard	o
MCW	Magazine capacity wrong	<del></del>  ∘
MFA	Misfires (ammo)	o
MFOP	Magazine follower out of position	o
ML	Magazine loose	0
MLH	Magazine loads hard	0
MRH	Magazine removes hard	0
ОН	Opens hard	0
OR	Over-rides	0
PH	Pulls hard	0
PSI	Proof stamp illegible	0
PSM	Proof stamp missing	0
RBOC	Rings and bulges on case	0
RDW	(Action) release doesn't work	0
RIC	Rings in chamber	0
RIS	Ring in sholder	0
RS	Rim srem	0
SBC	Stems bottom chambers	0
SBE	Stems bbl extension	0
SCB	Stock cracked or broken	0
SCX	Shell catches	0
SHI	Short indent	0
SI	Stems incline	0
SIC	Stems in chamber	0
SL	shaves lead	0
SLC	Stems left side of chamber	0
SMOC	Stretch marks on case	0
SOR	Stem over-ride	0
SP	Stems port	0
SR	Shoulder rough	0
SRC	Stems right side of chamber	0
SRIC	Specific rings in chamber	0

STC Stems top chamber SWE Safety switch works too easily SWH Safety switch works too hard SWW Safety switch works too hard SWW Safety Switch won't work TD Tips down TU Tips up TWP Trigger won't pull TWR Trigger won't retract UNCN-T Uncoded XH Extracts hard  HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSBR Rear sight tipped RSBR Rear sight tipped RSTT Rear sight tipped RSTL Front sight loose RSTL Front sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BLP-P Blanked primer at proof BLP-P Blanked primer at proof BS-P Barrel split at proof BS-P Damaged Bolt Face DLOS-P Desn't look over shells at proof ESBBP-P Ejector sticks back - Ejector Cresent FCB-P Fore-end cracked at proof GCSO-P Gas cylinder shot off at proof MSH-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp illegible on bbl MSM-P Pierced primer at proof			<b>-</b> .
SWE Safety switch works too easily SWH Safety switch works too hard SWW Safety Switch work too hard SWW Safety Switch work too hard TD Tips down TU Tips up TWP Trigger won't pull TWR Trigger won't retract UNCN-T Uncoded XH Extracts hard  CU KETT Left CO CO CO CO CO CO CO CO CO CO CO CO CO	SSOC	Surface scratches on case	ЦC
SWH Safety switch works too hard SWW Safety Switch won't work TD Tips down TU Tips up TWP Trigger won't pull TWR Trigger won't retract UNCN-T Uncoded XH Extracts hard  CO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSBR Rear sight tipped RSBR Rear sight tipped RSTL Front sight loose RSTL Front sight loose RSTL Rear sight tipsed RSTL Rear sight tipsed RSTL Rear sight toose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BE-P Blows cases at proof BE-P Barrel lug shot off at proof BLSO-P Blown primer at proof BS-P Barrel sight at proof BS-P Barrel sight at proof BS-P Barrel sight at proof BS-P Barrel sight at proof BS-P Bown primer at proof BS-P Barrel sight at proof BS-P Barrel sight to over shells at proof BS-P Barrel sight at proof CSBBP-P Ejector sticks back - Ejector Cresent CSBBP-P Fore-end cracked at proof GCSO-P Gas cylinder shot off at proof MSH-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp illegible on bbl MSM-P Pierced primer at proof			
SWW Safety Switch won't work  TD Tips down  TU Tips up  TWP Trigger won't pull  TWR Trigger won't retract  UNCN-T Uncoded  XH Extracts hard  CO Low  LEFT Left  RIGHT Right  DG Doesn't Group  FSST Front sight tipped  RSTR Rear sight tipped  RSTR Front sight tipped  RSTR Front sight loose  RSTL Rear sight base raised  FSTL Front sight loose  RSTL Rear sight loose  MGPT-G Missing parts at target  UNCN-G Uncoded nonconformity at target  CO LOW  LSPT Rear sight loose  BBB Barrel bracket cracked or broken at proof  BEP-P Blanked primer at proof  BLP-P Blanked primer at proof  BLSO-P Barrel lug shot off at proof  BSP-P Barrel spilt at proof  BSP-P Barrel spilt at proof  BSP-P Barrel spilt at proof  BSP-P Barrel spilt at proof  BSP-P Barrel spilt at proof  BSP-P Barrel spilt at proof  CDBSP-P Barrel spilt at proof  CDBSP-P Desn't lock over shells at proof  ESBBP-P Ejector sticks back - Ejector Cresent  CDBSP-P Fore-end cracked at proof  CSO-P Gas cylinder shot off at proof  MSI-P Magnaflux stamp illegible on bbl  MSM-P Magnaflux stamp missing on bbl  PP-P Plerced primer at proof	SWE		<b>-</b> 1 '
TD Tips down TU Tips up TWP Trigger won't pull TWR Trigger won't retract UNCN-T Uncoded XH Extracts hard  HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSTR Rear sight tipped RSTR Front sight raised FSTL Front sight loose RSTL Front sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BLP-P Blanked primer at proof BLP-P Blanked primer at proof BLSO-P Barrel lug shot off at proof BS-P Damaged Bolt Face DLOS-P Doesn't look over shells at proof ESBBP-P Ejector sticks back - Ejector Cresent FCB-P Fore-end cracked at proof GCSO-P Gas cylinder shot off at proof GCSO-P Gas cylinder shot off at proof GCSO-P Gas cylinder shot off at proof GCSO-P Gas cylinder shot off at proof MSM-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp illegible on bbl MSM-P Pierced primer at proof			0
TU Tips up TWP Trigger won't pull TWR Trigger won't retract UNCN-T Uncoded XH Extracts hard  CO XH Extracts hard		Safety Switch won't work	0
TWP Trigger won't pull TWR Trigger won't retract UNCN-T Uncoded XH Extracts hard CD Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTR Rear sight tipped RSTR Front sight tipped RSTR Front sight loose RSTL Front sight loose RSTL Front sight loose RSTL Rear sight bose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BB-P Barrel lug shot off at proof BLP-P Blown primer at proof BS-P Barrel liug shot off at proof BS-P Barrel sight at proof BS-P Doesn't look over shells at proof ESBB-P Ejector sticks back - Blown Primer cup ESBB-P Ejector sticks back - Blown Primer cup ESBB-P Ejector sticks back - Blown Primer cup ESBB-P Fore-end cracked at proof FCB-P Fails to fire at proof FCB-P Fails to fire at proof FCB-P Fails to fire at proof FCB-P Fails to fire at proof FF-P Fails to fire at proof FF-P Fails to fire at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl PP-P Plerced primer at proof		Tips down	0
TWR Trigger won't retract UNCN-T Uncoded XH Extracts hard C HI High LO Low LEFT Left Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSTR Front sight tipped RSTR Front sight tipped RSTR Front sight tipped RSTR Front sight raised FSTR Front sight raised FSTR Front sight rose RSTL Rear sight bose RSTL Rear sight bose UNCN-G Wissing parts at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BLP-P Blown primer at proof BLP-P Blown primer at proof BS-P Barrel split at proof DB-P Damaged Bolt Face DLOS-P Doesn't lock over shells at proof ESBBP-P Ejector sticks back - Ejector Cresent CCBBP-P Fore-end cracked at proof CCBCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp illegible on bbl MSM-P Pierced primer at proof			0
UNCN-T Uncoded  XH Extracts hard  CH High  LO Low  LEFT Left  RIGHT Right  DG Doesn't Group  FSST Front sight tipped  RSTT Rear sight tipped  RSTR Rear sight tipped  RSTR Front sight tipped  RSTR Front sight tipsed  CRSTL Front sight loose  RSTL Rear sight loose  RSTL Rear sight loose  MGPT-G Missing parts at target  UNCN-G Uncoded nonconformity at target  CHP Assembly incompleye at proof  BBB Barrel bracket cracked or broken at proof  BEB-P Barrel extension broken at proof  BLP-P Blows cases at proof  BLP-P Blown primer at proof  BLSO-P Barrel lug shot off at proof  BS-P Barrel split at proof  DB-P Damaged Bolt Face  DLOS-P Desn't look over shells at proof  ESBBP-P Ejector sticks back - Blown Primer cup  ESBBC-P Ejector sticks back - Blown Primer cup  ESBEC-P Ejector sticks back - Ejector Cresent  FCB-P Fore-end cracked at proof  GCSO-P Gas cylinder shot off at proof  MSM-P Magnaflux stamp illegible on bbl  MSM-P Pierced primer at proof  MSM-P Pierced primer at proof  MSM-P Pierced primer at proof			0
XH Extracts hard C  HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight loose RSTL Front sight loose RSTL Front sight loose RSTL Front sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target UNCN-G Uncoded nonconformity at target CAI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BS-P Barrel lug shot off at proof BS-P Barrel split at proof BS-P Barrel split at proof BS-P Doesn't lock over shells at proof ESBBP-P Ejector sticks back - Bjector Cresent FCB-P Fore-end cracked at proof FFSO-P Fore-end shot off at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp illegible on bbl MSM-P Pierced primer at proof		Trigger won't retract	0
HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTL Front sight loose RSTL Front sight loose RSTL Front sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BBB-P Barrel extension broken at proof BEP-P Blows cases at proof BLP-P Blown primer at proof BLSO-P Barrel lug shot off at proof BS-P Barrel split at proof BS-P Barrel split at proof CDB-P Doesn't lock over shells at proof ESBB-P Ejector sticks back - Blown Primer cup ESBEC-P Ejector sticks back - Ejector Cresent FCB-P Fore-end cracked at proof FFSO-P Fore-end shot off at proof GCSO-P Gas cylinder shot off at proof MSM-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp illegible on bbl MSM-P Pierced primer at proof	UNCN-T	Uncoded	0
HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSTR Rear sight tipped RSTR Front sight tipsed RSTR Front sight tipsed FSTR Front sight tipsed RSTL Rear sight loose RSTL Rear sight larget  DLO-B Barrel side tracked or broken at proof REB-P Barrel extension broken at proof RS-P Barrel lug shot off at proof RS-P Barrel split at proof RS-P Barrel split at proof RS-P Doesn't look over shells at proof RSBBP-P Ejector sticks back - Blown Primer cup RSBBC-P Ejector sticks back - Blown Primer cup RSBBC-P Ejector sticks back - Ejector Cresent RS-P Fore-end cracked at proof RS-P Fore-end shot off at proof RS-P Fails to fire at proof RS-P Fails to fire at proof RS-P Fails to fire at proof RS-P Fails to fire at proof RS-P P Fails to fire at proof RS-P P Fails to fire at proof RS-P P Fails to fire at proof RS-P P Fails to fire at proof RS-P P Fails to fire at proof RS-P P Fails to fire at proof RS-P P Fails to fire at proof RS-P P Fails to fire at proof RS-P P Fails to fire at proof RS-P P Fails to fire at proof RS-P P Fails to fire at proof	XH	Extracts hard	
LO Low CEFT Left CRIGHT Right CO LEFT Left RIGHT Right CO Doesn't Group CFSST Front sight tipped CFSST Front sight tipped CFSST Front sight tipped CFSST Front sight tipped CFSST Front sight tipped CFSST Front sight pase raised CFSTR Front sight pase raised CFSTR Front sight loose CFSTR Front sight loose CFSTR Front sight loose CFSTR Front sight pase CFSTR Front sight pase CFSTR Rear sight loose CFSTR Rear sight pase CFSTR Front sight pase CFSTR Front sight pase CFSTR Front sight pase CFSTR Front sight pase CFSTR Front sight pase CFSTR Front sight pase CFSTR Front sight pase CFSTR Front sight pase CFSTR Front sight pase CFSTR Front sight pase CFSTR Front Sigh			c
LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight loose RSTL Front sight loose RSTL Front sight loose RSTL Front sight loose RSTL Rear sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target CAI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BBB-P Barrel extension broken at proof BBLP-P Blows cases at proof BLP-P Blanked primer at proof BLP-P Blown primer at proof BS-P Barrel lug shot off at proof BS-P Barrel split at proof BS-P Barrel split at proof CDBS-P Doesn't lock over shells at proof ESBBP-P Ejector sticks back - Blown Primer cup ESBBC-P Ejector sticks back - Blown Primer cup ESBBC-P Fore-end cracked at proof FCB-P Fore-end shot off at proof FF-P Fails to fire at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl PP-P Plerced primer at proof	HI	High	
RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight loose RSTL Front sight loose RSTL Front sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target UNCN-G Uncoded nonconformity at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BLSO-P Barrel lug shot off at proof BS-P Barrel split at proof DBF-P Damaged Bolt Face DLOS-P Doesn't look over shells at proof ESBBP-P Ejector sticks back - Blown Primer cup ESBBC-P Ejector sticks back - Blown Primer cup ESBBC-P Fore-end cracked at proof FCSO-P Fore-end shot off at proof FFSO-P Fails to fire at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl PP-P Plerced primer at proof			0
DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSTR Rear sight base raised FSTR Front sight raised FSTR Front sight raised FSTR Front sight raised FSTL Front sight loose RSTL Rear sight larget RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight larget RSTL Rear sight loose RSTL Rear sissed RSTL Rear sissed RSTL Rear sissed RSTL Rear sight loose RSTL Rear sight loose RS	LEFT	Left	c
FSST Front sight tipped RSTT Rear sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised FSTL Front sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BLP-P Blanked primer at proof BLP-P Blanked primer at proof BS-P Barrel split at proof BS-P Barrel split at proof BS-P Bown primer at proof BS-P Damaged Bolt Face DLOS-P Doesn't lock over shells at proof ESBBP-P Ejector sticks back - Blown Primer cup ESBBC-P Ejector sticks back - Blown Primer cup ESBBC-P Fore-end cracked at proof FCB-P Fore-end shot off at proof FFSO-P Fore-end shot off at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp missing on bbl CMSM-P Pierced primer at proof	RIGHT	Right	0
RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised FSTL Front sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight larget RSBB Barrel bracket cracked or broken at proof RSBB Barrel extension broken at proof RSBB-P Barrel extension broken at proof RSP-P Blown primer at proof RSP-P Blown primer at proof RSP-P Barrel lug shot off at proof RSP-P Damaged Bolt Face DLOS-P Doesn't look over shells at proof RSBBP-P Ejector sticks back - Blown Primer cup RSBBP-P Ejector sticks back - Blown Primer cup RSBBC-P Ejector sticks back - Bjector Cresent RSBBP-P Fore-end cracked at proof RSP-P Fore-end shot off at proof RSP-P Fails to fire at proof RSP-P Fails to fire at proof RSP-P Fails to fire at proof RSP-P Fails to fire at proof RSP-P P Fails to fire at proof RSP-P P Fails to fire at proof RSP-P P Fails to fire at proof RSP-P P Fails to fire at proof RSP-P P Fails to fire at proof RSP-P P Fails to fire at proof RSP-P P Fails to fire at proof RSP-P P Fails to fire at proof RSP-P P Fails to fire at proof RSP-P P Fails to fire at proof RSP-P P Fails to fire at proof RSP-P P Fails to fire at proof RSP-P P Fails to fire at proof RSP-P P Fails to fire at proof RSP-P P Fails to fire at proof RSP-P P Fails to fire at proof		Doesn't Group	c
RSBR Rear sight base raised FSTR Front sight raised FSTL Front sight loose RSTL Rear sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BLSO-P Barrel lug shot off at proof BS-P Barrel split at proof BS-P Barrel split at proof DBF-P Damaged Bolt Face DLOS-P Doesn't lock over shells at proof ESBBP-P Ejector sticks back - Blown Primer cup ESBBC-P Ejector sticks back - Broof FCB-P Fore-end cracked at proof FFSO-P Fore-end shot off at proof FFSO-P Fails to fire at proof GCSO-P Gas cylinder shot off at proof MSH-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl PP-P Plerced primer at proof	FSST	Front sight tipped	o
FSTR Front sight raised  FSTL Front sight loose  RSTL Rear sight loose  RSTL Rear sight loose  RSTL Rear sight loose  RSTL Rear sight loose  RSTL Rear sight loose  MGPT-G Missing parts at target  UNCN-G Uncoded nonconformity at target  CD  Al-P Assembly incompleye at proof  BBB Barrel bracket cracked or broken at proof  BC-P Blows cases at proof  BE-P Barrel extension broken at proof  BLP-P Blanked primer at proof  BLP-P Blown primer at proof  BLSO-P Barrel lug shot off at proof  BS-P Barrel split at proof  CD  BP-P Damaged Bolt Face  DLOS-P Doesn't lock over shells at proof  ESBBP-P Ejector sticks back - Blown Primer cup  ESBEC-P Ejector sticks back - Ejector Cresent  CD  FCB-P Fore-end shot off at proof  FF-P Fails to fire at proof  GCSO-P Gas cylinder shot off at proof  MSI-P Magnaflux stamp illegible on bbl  MSM-P Magnaflux stamp missing on bbl  PP-P Plerced primer at proof	RSTT	Rear sight tipped	c
FSTL Rear sight loose  RSTL Rear sight loose  MGPT-G Missing parts at target  UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof  BBB Barrel bracket cracked or broken at proof  BEB-P Blows cases at proof  BLP-P Blanked primer at proof  BLP-P Blown primer at proof  BLSO-P Barrel lug shot off at proof  BS-P Barrel split at proof  BS-P Damaged Bolt Face  DLOS-P Desn't look over shells at proof  ESBBP-P Ejector sticks back - Blown Primer cup  ESBBC-P Ejector sticks back - Ejector Cresent  FCB-P Fore-end shot off at proof  GCSO-P Gas cylinder shot off at proof  GCSO-P Gas cylinder shot off at proof  MSM-P Magnaflux stamp illegible on bbl  MSM-P Pierced primer at proof  COMMSM-P Pierced primer at proof  COMMSM-P Pierced primer at proof  COMMSM-P Pierced primer at proof  COMMSM-P Pierced primer at proof  COMMSM-P Pierced primer at proof  COMMSM-P Pierced primer at proof  COMMSM-P Pierced primer at proof  COMMSM-P Pierced primer at proof  COMMSM-P Pierced primer at proof  COMMSM-P Pierced primer at proof  COMMSM-P Pierced primer at proof  COMMSM-P Pierced primer at proof		Rear sight base raised	0
RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target  Al-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BLP-P Blanked primer at proof BLP-P Blanked primer at proof BS-P Barrel lug shot off at proof BS-P Blown primer at proof BS-P Barrel split at proof BS-P Damaged Bolt Face DLOS-P Doesn't lock over shells at proof ESBBP-P Ejector sticks back -Blown Primer cup ESBBC-P Ejector sticks back -Blown Primer cup ESBBC-P Fore-end cracked at proof FFSO-P Fore-end shot off at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl PP-P Plerced primer at proof		Front sight raised	o
MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BLSO-P Barrel lug shot off at proof BS-P Barrel split at proof BS-P Barrel split at proof CDB-P Damaged Bolt Face DLOS-P Doesn't lock over shells at proof ESBBP-P Ejector sticks back - Blown Primer cup ESBBC-P Ejector sticks back - Ejector Cresent FCB-P Fore-end cracked at proof FFSO-P Fore-end shot off at proof FFSO-P Fails to fire at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl PP-P Plerced primer at proof	FSTL		0
UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BLSO-P Barrel lug shot off at proof BS-P Barrel split at proof BS-P Barrel split at proof CDB-P Damaged Bolt Face DLOS-P Desn't lock over shells at proof ESBB-P Ejector sticks back - Blown Primer cup ESBEC-P Ejector sticks back - Ejector Cresent FCB-P Fore-end cracked at proof FFS-O-P Fore-end shot off at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl PP-P Plerced primer at proof		Rear sight loose	c
Al-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BLP-P Blanked primer at proof BLP-P Blanked primer at proof BLSO-P Barrel lug shot off at proof BS-P Blown primer at proof BS-P Damaged Bolt Face DLOS-P Doesn't lock over shells at proof ESBBP-P Ejector sticks back -Blown Primer cup ESBEC-P Ejector sticks back - Ejector Cresent FCB-P Fore-end cracked at proof FESO-P Fore-end shot off at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl CD-BBBC DIOS-P DIOS-P CO CD CD CD CD CD CD CD CD CD CD CD CD CD	MGPT-G	Missing parts at target	o
Al-P Assembly incompleye at proof BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BLP-P Blanked primer at proof BLP-P Blanked primer at proof BLSO-P Barrel lug shot off at proof BR-P Blown primer at proof BR-P Blown primer at proof BR-P Blown primer at proof BR-P Damaged Bolt Face DLOS-P Doesn't lock over shells at proof ESBBP-P Ejector sticks back -Blown Primer cup ESBBP-P Ejector sticks back -Blown Primer cup ESBBP-P Fore-end cracked at proof FCB-P Fore-end shot off at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl PP-P Pierced primer at proof	UNCN-G	Uncoded nonconformity at target	0
BBB Barrel bracket cracked or broken at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BLSO-P Blanked primer at proof BLSO-P Barrel lug shot off at proof BS-P Barrel split at proof BS-P Barrel split at proof BS-P Damaged Bolt Face DLOS-P Doesn't lock over shells at proof ESBBP-P Ejector sticks back - Blown Primer cup ESBBC-P Ejector sticks back - Ejector Cresent FCB-P Fore-end cracked at proof FFSO-P Fore-end shot off at proof FFSO-P Fails to fire at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl PP-P Plerced primer at proof			c
BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BLSO-P Barrel lug shot off at proof BS-P Barrel lig shot off at proof BS-P Barrel split at proof BS-P Damaged Bolt Face DLOS-P Doesn't lock over shells at proof ESBBP-P Ejector sticks back - Blown Primer cup ESBBC-P Ejector sticks back - Ejector Cresent FCB-P Fore-end cracked at proof FFSO-P Fore-end shot off at proof FFSO-P Fails to fire at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl PP-P Plerced primer at proof	AI-P		c
BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BLSO-P Barrel lug shot off at proof BP-P Blown primer at proof BS-P Barrel split at proof DBF-P Damaged Bolt Face DLOS-P Desn't lock over shells at proof ESBBP-P Ejector sticks back - Blown Primer cup ESBEC-P Ejector sticks back - Ejector Cresent FCB-P Fore-end cracked at proof FFSO-P Fore-end shot off at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl PP-P Plerced primer at proof	BBB		c
BLP-P Blanked primer at proof BLSO-P Barrel lug shot off at proof BP-P Blown primer at proof BS-P Barrel split at proof DBF-P Damaged Bolt Face DLOS-P Doesn't lock over shells at proof ESBBP-P Ejector sticks back -Blown Primer cup ESBEC-P Ejector sticks back - Ejector Cresent FCB-P Fore-end cracked at proof FESO-P Fore-end shot off at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl PP-P Pierced primer at proof			c
BLSO-P Barrel lug shot off at proof BP-P Blown primer at proof BS-P Barrel split at proof BS-P Damaged Bolt Face DLOS-P Doesn't lock over shells at proof ESBBP-P Ejector sticks back -Blown Primer cup ESBBC-P Ejector sticks back - Blown Primer cup ESBBC-P Fore-end cracked at proof FCB-P Fore-end shot off at proof FF-P Fails to fire at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl PP-P Plerced primer at proof		Barrel extension broken at proof	0
BP-P Blown primer at proof BS-P Barrel split at proof DBF-P Damaged Bolt Face DLOS-P Doesn't lock over shells at proof ESBBP-P Ejector sticks back - Blown Primer cup ESBEC-P Ejector sticks back - Ejector Cresent FCB-P Fore-end cracked at proof FFSO-P Fore-end shot off at proof FF-P Fails to fire at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl PP-P Plerced primer at proof	BLP-P	Blanked primer at proof	c
BS-P Barrel split at proof DBF-P Damaged Bolt Face DLOS-P Doesn't lock over shells at proof ESBBP-P Ejector sticks back - Blown Primer cup ESBEC-P Ejector sticks back - Ejector Cresent FCB-P Fore-end cracked at proof FESO-P Fore-end shot off at proof FF-P Fails to fire at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl CD-P-P Pierced primer at proof		Barrel lug shot off at proof	c
DBF-P Damaged Bolt Face DLOS-P Doesn't lock over shells at proof ESBBP-P Ejector sticks back - Blown Primer cup ESBEC-P Ejector sticks back - Ejector Cresent FCB-P Fore-end cracked at proof FESO-P Fore-end shot off at proof FF-P Fails to fire at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl PP-P Pierced primer at proof	BP-P		٥∟
DLOS-P Doesn't lock over shells at proof ESBBP-P Ejector sticks back -Blown Primer cup ESBBC-P Ejector sticks back - Ejector Cresent CFCB-P Fore-end cracked at proof FESO-P Fore-end shot off at proof FF-P Fails to fire at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl CP-P Plerced primer at proof	BS-P	Barrel split at proof	o
ESBBP-P Ejector sticks back -Blown Primer cup  ESBEC-P Ejector sticks back - Ejector Cresent  FCB-P Fore-end cracked at proof  FFSO-P Fore-end shot off at proof  FF-P Fails to fire at proof  GCSO-P Gas cylinder shot off at proof  MSI-P Magnaflux stamp illegible on bbl  MSM-P Magnaflux stamp missing on bbl  PP-P Plerced primer at proof	DBF-P	Damaged Bolt Face	c
ESBEC-P Ejector sticks back - Ejector Cresent  FCB-P Fore-end cracked at proof  FESO-P Fore-end shot off at proof  FF-P Fails to fire at proof  GCSO-P Gas cylinder shot off at proof  MSI-P Magnaflux stamp illegible on bbl  MSM-P Magnaflux stamp missing on bbl  PP-P Pierced primer at proof	DLOS-P	Doesn't lock over shells at proof	c
FCB-P Fore-end cracked at proof FESO-P Fore-end shot off at proof FF-P Fails to fire at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl PP-P Plerced primer at proof	ESBBP-P	Ejector sticks back -Blown Primer cup	0
FESO-P Fore-end shot off at proof FF-P Fails to fire at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl PP-P Plerced primer at proof	ESBEC-P	Ejector sticks back - Ejector Cresent	c
FF-P Fails to fire at proof GCSO-P Gas cylinder shot off at proof MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl PP-P Plerced primer at proof	FCB-P		c
GCSO-P Gas cylinder shot off at proof  MSI-P Magnaflux stamp illegible on bbl  MSM-P Magnaflux stamp missing on bbl  PP-P Plerced primer at proof	FESO-P	Fore-end shot off at proof	٦c
MSI-P Magnaflux stamp illegible on bbl C MSM-P Magnaflux stamp missing on bbl C PP-P Plerced primer at proof C		Fails to fire at proof	⊐c
MSI-P Magnaflux stamp illegible on bbl C MSM-P Magnaflux stamp missing on bbl C PP-P Plerced primer at proof C	GCSO-P	Gas cylinder shot off at proof	٦c
MSM-P Magnaflux stamp missing on bbl CPP-P Pierced primer at proof C			٦c
	MSM-P		o
	PP-P	Pierced primer at proof	٦0
	SCB-P	Stock cracked or broken at proof	o

AB	Action binds	⊓∘
BABS	Bulge at body shoulder	╗
BAC	Burr at chamber	٦٥
ВВМА	BBL-to-bolt misalignment	╗
вв	Bolt binds/catches	٦٥
BCOAB	Bolt catches on anti-bind	□o
BCOBS	Bolt catches on bolt stop	□0
BCOF	Bolt catches on follower	⊓∘
BC	Blows cases	╗
BHR	Bolt hits receiver	╗
BHS	Bolt plug hits safety switch	0
BLOP	Bar lock or disconnector out of position	0
BLSO	Barrel lug shot off	0
BPO	Bolt pulls out	0
BSSM	Bolt stems shell in magazine	0
BWCD	Bolt won't cam down	0
BWCFM	Bolt won't close over full magazine	0
CD	Case dented	0
CH	Closes hard	0
CLM	Can't load magazine	0
CO	Cut-off	0
CR	Cuts rim	0
CS	Cases swell	0
CTOG	Chamber torn or gouged	0
CTP	Creepy trigger pull	○
CWSB	Cams wrong side of action bar	∘
DBB	Doesn't blow back	<u> </u> О
DCS	Double click in safety switch	0
DCT	Double click in trigger	∘
DCU	Doesn't close-up	∘
DE	Doesn't eject	∘
DEL	Doesn't eject live round	o
DFB	Doesn't feed back	_ º
DFU	Doesn't feed up	0
DLO	Doesn't lock open (after last shell)	_ °
DLU	Doesn't lock-up	<b>_</b>  º
DS	Dead safe	_ ⁰
DX	Doesn't extract	<b>_</b>  º
DXL	Doesn't extract live round	<b>–</b>  ⁰
EDS	Extractor drops shell	<b>-</b>  º
ESB	Ejector sticks back	<b>_</b>  º
ESCR	Empty shell catches receiver	<b>_</b>  º
ESS	Extractor stems shell	<u></u> _0
FA	Fires automatically	0
FB	Follower binds	_ º
FC	Fails to connect	0
FCB	Fore-end cracked or broken	<b>□</b> º
FD	Follows-down	<b>□</b> º
FF	Fails to fire	0

FFP	Flat firing pin	0
FOS	Fires on safe	— ∘
FPHB	Firing pin hits bbl	o
FPHI	Firing pin hits inside rim	<b>-</b> □ 0
FPO	Floor plate opens	o
FPOH	Floor plate opens hard	0
FSR	Fires when safe is released	o
FT	Follower tips	٦٥
GCSO	Gas cyl shot off	<del></del>  ∘
HBL	Heavy bolt lift	<del></del>  ∘
HMSC	Heading mismatch-steps on case	<del></del>  ∘
HPA	High pressure ammo	o
HUR	Hard under rail	o
JCS	Jumps cartridge	0
JM	Jumps magazine	<b>−</b>   0
JO	Jars off	—   0
LB	Light blow	╗
MAH	Magazine assembles hard	o
MCW	Magazine capacity wrong	o
MFA	Misfires (ammo)	o
MFOP	Magazine follower out of position	<del></del>  ₀
ML	Magazine loose	o
MLH	Magazine loads hard	o
MRH	Magazine removes hard	—   0
ОН	Opens hard	<b>-</b> □ 0
OR	Over-rides	o
PH	Pulls hard	o
PSI	Proof stamp illegible	<b></b>
PSM	Proof stamp missing	o
RBOC	Rings and bulges on case	—   0
RDW	(Action) release doesn't work	—   0
RIC	Rings in chamber	o
RIS	Ring in sholder	— ∘
RS	Rim srem	o
SBC	Stems bottom chambers	0
SBE	Stems bbl extension	0
SCB	Stock cracked or broken	0
SCX	Shell catches	—   ∘
SHI	Short indent	o
SI	Stems incline	0
SIC	Stems in chamber	╗
SL	shaves lead	0
SLC	Stems left side of chamber	o
SMOC	Stretch marks on case	0
SOR	Stem over-ride	0
SP	Stems port	0
SR	Shoulder rough	o
SRC	Stems right side of chamber	<b>-</b>  ∘
SRIC	Specific rings in chamber	<b>−</b> 10

SSOC	Surface scratches on case	$\neg$
STC	Stems top chamber	٦
SWE	Safety switch works too easily	7
SWH	Safety switch works too hard	٦
SWW	Safety Switch won't work	$\exists$
⊤D	Tips down	٦
⊤U	Tips up	٦
TWP	Trigger won't pull	٦
TWR	Trigger won't retract	٦
UNCN-T	Uncoded	٦
XH	Extracts hard	٦
		_](
HI	High	٦
LO	Low	<b>□</b> (
LEFT	Left	_](
RIGHT	Right	(
DG	Doesn't Group	_](
FSST	Front sight tipped	(
RSTT	Rear sight tipped	_](
RSBR	Rear sight base raised	٦
FSTR	Front sight raised	_](
FSTL	Front sight loose	٦
RSTL	Rear sight loose	٦
MGPT-G	Missing parts at target	٦
UNCN-G	Uncoded nonconformity at target	٦
		٦
Al-P	Assembly incompleye at proof	٦
BBB	Barrel bracket cracked or broken at proof	٦
BC-P	Blows cases at proof	7
BEB-P	Barrel extension broken at proof	_ (
BLP-P	Blanked primer at proof	_ (
BLSO-P	Barrel lug shot off at proof	٦
BP-P	Blown primer at proof	٦
BS-P	Barrel split at proof	٦
DBF-P	Damaged Bolt Face	٦
DLOS-P	Doesn't lock over shells at proof	$\neg$
ESBBP-P	Ejector sticks back -Blown Primer cup	٦
ESBEC-P	Ejector sticks back - Ejector Cresent	٦
FCB-P	Fore-end cracked at proof	]։
FESO-P	Fore-end shot off at proof	<b>□</b> (
FF-P	Fails to fire at proof	J٥
GCSO-P	Gas cylinder shot off at proof	╗
MSI-P	Magnaflux stamp illegible on bbl	$\neg$
MSM-P	Magnaflux stamp missing on bbl	٦
	Diseased national at market	$\neg$
PP-P SCB-P	Pierced primer at proof	١,