

Centerfire

|         |                      |      |
|---------|----------------------|------|
| Summary | Total Tested         | 1717 |
|         | Total Rejected:      | 46   |
|         | Overall Reject Rate: | 2.68 |

|        |           |      |     |     |     |     |     |     |   |   |   |   |   |   |   |
|--------|-----------|------|-----|-----|-----|-----|-----|-----|---|---|---|---|---|---|---|
| Proof  | Shot:     | 1119 | 35  | 252 | 203 | 206 | 1   | 22  |   |   |   |   |   |   |   |
|        | Rejected: | 9    | 0   | 5   | 16  | 1   | 0   | 0   | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  | 0.8  | 0.0 | 2.0 | 7.9 | 0.5 | 0.0 | 0.0 |   |   |   |   |   |   |   |
| Test   | Shot:     | 983  | 35  | 279 | 178 | 219 | 1   | 22  |   |   |   |   |   |   |   |
|        | Rejected: | 8    | 0   | 4   | 0   | 3   | 0   | 0   | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  | 0.8  | 0.0 | 1.4 | 0.0 | 1.4 | 0.0 | 0.0 |   |   |   |   |   |   |   |
| Target | Shot:     | 101  | 3   | 23  | 20  | 13  |     | 2   |   |   |   |   |   |   |   |
|        | Rejected: | 0    | 0   | 0   | 0   | 0   | 0   | 0   | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  | 0.0  | 0.0 | 0.0 | 0.0 | 0.0 |     | 0.0 |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 | Rimfire |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|---------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| BB    | Bolt binds/catches                       | 1       |               | 1                |        | 1       |            |         |        |     |      |      |      |         |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        | 1       |            |         |        |     |      |      |      |         |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| CH    | Closes hard                              |         |               | 1                |        |         |            |         |        |     |      |      |      |         |
| CLM   | Can't load magazine                      |         |               |                  |        | 1       |            |         |        |     |      |      |      |         |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| DE    | Doesn't eject                            |         |               |                  |        |         |            |         |        |     |      |      |      |         |
| DEL   | Doesn't eject live round                 |         |               |                  |        |         |            |         |        |     |      |      |      |         |

Page 2 of 274

[illegible]

## Centerfire

|      |                                      |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
|------|--------------------------------------|---|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|
| DFB  | Doesn't feed back                    |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| DFU  | Doesn't feed up                      |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| DLO  | Doesn't lock open (after last shell) |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| DLU  | Doesn't lock-up                      |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| DS   | Dead safe                            |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| DX   | Doesn't extract                      | 3 |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| DXL  | Doesn't extract live round           |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| EDS  | Extractor drops shell                |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| ESB  | Ejector sticks back                  | 2 |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| ESCR | Empty shell catches receiver         |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| ESS  | Extractor stems shell                |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| FA   | Fires automatically                  |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| FB   | Follower binds                       |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| FC   | Fails to connect                     |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| FCB  | Fore-end cracked or broken           |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| FD   | Follows-down                         |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| FF   | Fails to fire                        |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| FFP  | Flat firing pin                      |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| FOS  | Fires on safe                        |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| FPHB | Firing pin hits bbl                  |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| FPHI | Firing pin hits inside rim           |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| FPO  | Floor plate opens                    |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| FPOH | Floor plate opens hard               |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| FSR  | Fires when safe is released          |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| FT   | Follower tips                        |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| GCSO | Gas cyl shot off                     |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| HBL  | Heavy bolt lift                      |   |  |  | 1 |  |  |  |  |  |  |  |  |  |  |  |  |
| HMSC | Heading mismatch-steps on case       |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| HPA  | High pressure ammo                   |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| HUR  | Hard under rail                      |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| JCS  | Jumps cartridge                      |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| JM   | Jumps magazine                       |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| JO   | Jars off                             |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| LB   | Light blow                           |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| MAH  | Magazine assembles hard              |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| MCW  | Magazine capacity wrong              |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| MFA  | Misfires (ammo)                      |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| MFOP | Magazine follower out of position    |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| ML   | Magazine loose                       |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| MLH  | Magazine loads hard                  |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| MRH  | Magazine removes hard                |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| OH   | Opens hard                           |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| OR   | Over-rides                           |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| PH   | Pulls hard                           |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| PSI  | Proof stamp illegible                |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| PSM  | Proof stamp missing                  |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| RBOC | Rings and bulges on case             |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| RDW  | (Action) release doesn't work        |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| RIC  | Rings in chamber                     |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| RIS  | Ring in sholder                      |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| RS   | Rim srem                             |   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |

[illegible]

## Centerfire

|        |   |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
|--------|---|---|--|---|----|--|--|--|--|--|--|--|--|--|--|--|--|
| SBC    | Stems bottom chambers                     |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| SBE    | Stems bbl extension                       |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| SCB    | Stock cracked or broken                   |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| SCX    | Shell catches                             |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| SHI    | Short indent                              |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| SI     | Stems incline                             |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| SIC    | Stems in chamber                          |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| SL     | shaves lead                               |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| SLC    | Stems left side of chamber                |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| SMOC   | Stretch marks on case                     |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| SOR    | Stem over-ride                            | 2 |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| SP     | Stems port                                |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| SR     | Shoulder rough                            |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| SRC    | Stems right side of chamber               |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| SRIC   | Specific rings in chamber                 |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| SSOC   | Surface scratches on case                 |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| STC    | Stems top chamber                         |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| SWE    | Safety switch works too easily            |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| SWH    | Safety switch works too hard              |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| SWW    | Safety Switch won't work                  |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| TD     | Tips down                                 |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| TU     | Tips up                                   |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| TWP    | Trigger won't pull                        |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| TWR    | Trigger won't retract                     |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| UNCN-T | Uncoded                                   |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| XH     | Extracts hard                             |   |  | 1 |    |  |  |  |  |  |  |  |  |  |  |  |  |
| HI     | High                                      |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| LO     | Low                                       |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| LEFT   | Left                                      |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| RIGHT  | Right                                     |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| DG     | Doesn't Group                             |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| FSST   | Front sight tipped                        |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| RSTT   | Rear sight tipped                         |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| RSBR   | Rear sight base raised                    |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| FSTR   | Front sight raised                        |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| FSTL   | Front sight loose                         |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| RSTL   | Rear sight loose                          |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| MGPT-G | Missing parts at target                   |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| UNCN-G | Uncoded nonconformity at target           |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| AI-P   | Assembly incomplete at proof              |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| BBB    | Barrel bracket cracked or broken at proof |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| BC-P   | Blows cases at proof                      |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| BEB-P  | Barrel extension broken at proof          |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| BLP-P  | Blanked primer at proof                   |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| BLSO-P | Barrel lug shot off at proof              |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| BP-P   | Blown primer at proof                     |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| BS-P   | Barrel split at proof                     |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |
| DBF-P  | Damaged Bolt Face                         | 4 |  | 5 | 16 |  |  |  |  |  |  |  |  |  |  |  |  |
| DLOS-P | Doesn't lock over shells at proof         |   |  |   |    |  |  |  |  |  |  |  |  |  |  |  |  |



Centerfire

|         |                                       |   |  |  |  |   |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|---|--|--|--|---|--|--|--|--|--|--|--|--|
| ESBBP-P | Ejector sticks back -Blown Primer cup | 2 |  |  |  | 1 |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |   |  |  |  |   |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |   |  |  |  |   |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |   |  |  |  |   |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |   |  |  |  |   |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |   |  |  |  |   |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |   |  |  |  |   |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |   |  |  |  |   |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |   |  |  |  |   |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |   |  |  |  |   |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            | 3 |  |  |  |   |  |  |  |  |  |  |  |  |

Centerfire

|   |   |  |
|---|---|--|
| 3 | 3 |  |
|   |   |  |
|   |   |  |
|   |   |  |
|   |   |  |
|   |   |  |
|   |   |  |
|   |   |  |
|   |   |  |
| 3 | 3 |  |



|   |                          |
|---|--------------------------|
| Gallery Top Faults for 700's - Current month through: |                          |
| <div>&lt;autoda...</div>                              |                          |
| 1   | Action kinds             |
| 09  | Bulge at body            |
| 08  | Burr at chamber          |
| 07  | B.L. w ball              |
| 06  | misalignment             |
| 05  | Bolt thickness           |
| 04  | Bolt catches on bolt     |
| 03  | Bolt catches on follower |
| 02  | Blows cases              |
| 01  | Both receiver            |
| 0   | Both firing safety       |
|   | Bar lock or              |
|   | disconnector out of      |
|   | position                 |
|   | Barrel lug shot off      |
|   | Bolt pulls out           |
|   | Right stems wheel in     |
|   | magazine                 |
|   | Bolt won't cam           |
|   | down                     |
|   | Bolt won't close         |
|   | over full magazine       |
|   | Case deformed            |
|   | Close hard               |
|   | Car's load               |
|   | magazine                 |
|   | Cut-off                  |

|       |  |   |
|-------|--|---|
| AB    | Action binds                             | 0 |
| BABS  | Bulge at body shoulder                   | 0 |
| BAC   | Burr at chamber                          | 0 |
| BBMA  | BBL-to-bolt misalignment                 | 0 |
| BB    | Bolt binds/catches                       | 0 |
| BCOBS | Bolt catches on bolt stop                | 0 |
| BCOF  | Bolt catches on follower                 | 0 |
| BC    | Blows cases                              | 0 |
| BHR   | Bolt hits receiver                       | 0 |
| BHS   | Bolt plug hits safety switch             | 0 |
| BLOP  | Bar lock or disconnecter out of position | 0 |
| BLSO  | Barrel lug shot off                      | 0 |
| BPO   | Bolt pulls out                           | 0 |
| BSSM  | Bolt stems shell in magazine             | 0 |
| BWCD  | Bolt won't cam down                      | 0 |
| BWCFM | Bolt won't close over full magazine      | 0 |
| CD    | Case dented                              | 0 |
| CH    | Closes hard                              | 0 |
| CLM   | Can't load magazine                      | 0 |
| CO    | Cut-off                                  | 0 |
| CR    | Cuts rim                                 | 0 |
| CS    | Cases swell                              | 0 |
| CTOG  | Chamber torn or gouged                   | 0 |
| CTP   | Creepy trigger pull                      | 0 |
| CWSB  | Cams wrong side of action bar            | 0 |
| DBB   | Doesn't blow back                        | 0 |
| DCS   | Double click in safety switch            | 0 |
| DCT   | Double click in trigger                  | 0 |
| DCU   | Doesn't close-up                         | 0 |
| DE    | Doesn't eject                            | 0 |
| DEL   | Doesn't eject live round                 | 0 |
| DFB   | Doesn't feed back                        | 0 |
| DFU   | Doesn't feed up                          | 0 |
| DLO   | Doesn't lock open (after last shell)     | 0 |
| DLU   | Doesn't lock-up                          | 0 |
| DS    | Dead safe                                | 0 |
| DX    | Doesn't extract                          | 0 |
| DXL   | Doesn't extract live round               | 0 |
| EDS   | Extractor drops shell                    | 0 |
| ESB   | Ejector sticks back                      | 0 |
| ESCR  | Empty shell catches receiver             | 0 |
| ESS   | Extractor stems shell                    | 0 |
| FA    | Fires automatically                      | 0 |
| FB    | Follower binds                           | 0 |
| FC    | Fails to connect                         | 0 |
| FCB   | Fore-end cracked or broken               | 0 |
| FD    | Follows-down                             | 0 |
| FF    | Fails to fire                            | 0 |
| FFP   | Flat firing pin                          | 0 |

|      |                                   |   |
|------|-----------------------------------|---|
| FOS  | Fires on safe                     | 0 |
| FPHB | Firing pin hits bbl               | 0 |
| FPHI | Firing pin hits inside rim        | 0 |
| FPO  | Floor plate opens                 | 0 |
| FPOH | Floor plate opens hard            | 0 |
| FSR  | Fires when safe is released       | 0 |
| FT   | Follower tips                     | 0 |
| GCSO | Gas cyl shot off                  | 0 |
| HBL  | Heavy bolt lift                   | 0 |
| HMSC | Heading mismatch-steps on case    | 0 |
| HPA  | High pressure ammo                | 0 |
| HUR  | Hard under rail                   | 0 |
| JCS  | Jumps cartridge                   | 0 |
| JM   | Jumps magazine                    | 0 |
| JO   | Jars off                          | 0 |
| LB   | Light blow                        | 0 |
| MAH  | Magazine assembles hard           | 0 |
| MCVW | Magazine capacity wrong           | 0 |
| MFA  | Misfires (ammo)                   | 0 |
| MFOP | Magazine follower out of position | 0 |
| ML   | Magazine loose                    | 0 |
| MLH  | Magazine loads hard               | 0 |
| MRH  | Magazine removes hard             | 0 |
| OH   | Opens hard                        | 0 |
| OR   | Over-rides                        | 0 |
| PH   | Pulls hard                        | 0 |
| PSI  | Proof stamp illegible             | 0 |
| PSM  | Proof stamp missing               | 0 |
| RBOC | Rings and bulges on case          | 0 |
| RDW  | (Action) release doesn't work     | 0 |
| RIC  | Rings in chamber                  | 0 |
| RIS  | Ring in sholder                   | 0 |
| RS   | Rim srem                          | 0 |
| SBC  | Stems bottom chambers             | 0 |
| SBE  | Stems bbl extension               | 0 |
| SCB  | Stock cracked or broken           | 0 |
| SCX  | Shell catches                     | 0 |
| SHI  | Short indent                      | 0 |
| SI   | Stems incline                     | 0 |
| SIC  | Stems in chamber                  | 0 |
| SL   | shaves lead                       | 0 |
| SLC  | Stems left side of chamber        | 0 |
| SMOC | Stretch marks on case             | 0 |
| SOR  | Stem over-ride                    | 0 |
| SP   | Stems port                        | 0 |
| SR   | Shoulder rough                    | 0 |
| SRC  | Stems right side of chamber       | 0 |
| SRIC | Specific rings in chamber         | 0 |
| SSOC | Surface scratches on case         | 0 |

|         |   |   |
|---------|---|---|
| STC     | Stems top chamber                         | 0 |
| SWE     | Safety switch works too easily            | 0 |
| SWH     | Safety switch works too hard              | 0 |
| SWW     | Safety Switch won't work                  | 0 |
| TD      | Tips down                                 | 0 |
| TU      | Tips up                                   | 0 |
| TWP     | Trigger won't pull                        | 0 |
| TWR     | Trigger won't retract                     | 0 |
| UNCN-T  | Uncoded                                   | 0 |
| XH      | Extracts hard                             | 0 |
|         |   | 0 |
| HI      | High                                      | 0 |
| LO      | Low                                       | 0 |
| LEFT    | Left                                      | 0 |
| RIGHT   | Right                                     | 0 |
| DG      | Doesn't Group                             | 0 |
| FSST    | Front sight tipped                        | 0 |
| RSTT    | Rear sight tipped                         | 0 |
| RSBR    | Rear sight base raised                    | 0 |
| FSTR    | Front sight raised                        | 0 |
| FSTL    | Front sight loose                         | 0 |
| RSTL    | Rear sight loose                          | 0 |
| MGPT-G  | Missing parts at target                   | 0 |
| UNCN-G  | Uncoded nonconformity at target           | 0 |
|         |   | 0 |
| AI-P    | Assembly incomplete at proof              | 0 |
| BBB     | Barrel bracket cracked or broken at proof | 0 |
| BC-P    | Blows cases at proof                      | 0 |
| BEB-P   | Barrel extension broken at proof          | 0 |
| BLP-P   | Blanked primer at proof                   | 0 |
| BLSO-P  | Barrel lug shot off at proof              | 0 |
| BP-P    | Blown primer at proof                     | 0 |
| BS-P    | Barrel split at proof                     | 0 |
| DBF-P   | Damaged Bolt Face                         | 0 |
| DLOS-P  | Doesn't lock over shells at proof         | 0 |
| ESBBP-P | Ejector sticks back -Blown Primer cup     | 0 |
| ESBEC-P | Ejector sticks back - Ejector Crescent    | 0 |
| FCB-P   | Fore-end cracked at proof                 | 0 |
| FESO-P  | Fore-end shot off at proof                | 0 |
| FF-P    | Fails to fire at proof                    | 0 |
| GCSO-P  | Gas cylinder shot off at proof            | 0 |
| MSI-P   | Magnaflux stamp illegible on bbl          | 0 |
| MSM-P   | Magnaflux stamp missing on bbl            | 0 |
| PP-P    | Pierced primer at proof                   | 0 |
| SCB-P   | Stock cracked or broken at proof          | 0 |
| BCOAB   | Bolt catches on anti-bind                 |   |
| BCOAB   | Bolt catches on anti-bind                 |   |

<autodate  
>-1

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

[illegible]

## Page 16 of 274

[illegible]



# Gallery Performance Report

Page 17 of 274

[illegible]

## Page 18 of 274

[illegible]



Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |      |            |
|---------|----------------------|------|------------|
| Summary | Total Tested         | 423  | Test Date: |
|         | Total Rejected:      | 11   |            |
|         | Overall Reject Rate: | 2.60 |            |

|        |           |     |   |     |     |     |     |   |   |   |   |   |   |   |
|--------|-----------|-----|---|-----|-----|-----|-----|---|---|---|---|---|---|---|
| Proof  | Shot:     | 354 |   | 66  | 4   | 114 | 1   |   |   |   |   |   |   |   |
|        | Rejected: | 4   | 0 | 0   | 0   | 1   | 0   | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  | 1.1 |   | 0.0 | 0.0 | 0.9 | 0.0 |   |   |   |   |   |   |   |
| Test   | Shot:     | 240 |   | 65  | 4   | 113 | 1   |   |   |   |   |   |   |   |
|        | Rejected: | 4   | 0 | 1   | 0   | 1   | 0   | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  | 1.7 |   | 1.5 | 0.0 | 0.9 | 0.0 |   |   |   |   |   |   |   |
| Target | Shot:     | 24  |   | 6   |     | 9   |     |   |   |   |   |   |   |   |
|        | Rejected: | 0   | 0 | 0   | 0   | 0   | 0   | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  | 0.0 |   | 0.0 |     | 0.0 |     |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS SS | 700 BDL & ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|------------|---------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |            |               |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |            |               |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |            |               |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |            |               |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |            |               |        | 1       |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |            |               |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |            |               |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |            |               |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |            |               |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |            |               |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |            |               |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |            |               |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |            |               |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |            |               |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |            |               |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |            |               |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |            |               |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |            |               |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |            | 1             |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |            |               |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |            |               |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |            |               |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |            |               |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |            |               |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |            |               |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |            |               |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |            |               |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |            |               |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |            |               |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |            |               |        |         |            |         |        |     |      |      |      |

## Proof - Test - Target

[illegible]

## Page 24 of 274

[illegible]





## Page 26 of 274

[illegible]

[illegible]

Gallery Performance Report

|         |                                       |   |  |                       |   |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|---|--|-----------------------|---|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |   |  | Proof - Test - Target |   |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |   |  |                       |   |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |   |  |                       |   |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |   |  |                       |   |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     | 2 |  |                       |   |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |   |  |                       |   |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup | 2 |  |                       | 1 |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |   |  |                       |   |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |   |  |                       |   |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |   |  |                       |   |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |   |  |                       |   |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |   |  |                       |   |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |   |  |                       |   |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |   |  |                       |   |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |   |  |                       |   |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |   |  |                       |   |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |   |  |                       |   |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |      |            |  |  |  |  |  |  |  |  |  |
|---------|----------------------|------|------------|--|--|--|--|--|--|--|--|--|
| Summary | Total Tested         | 639  | Test Date: |  |  |  |  |  |  |  |  |  |
|         | Total Rejected:      | 17   |            |  |  |  |  |  |  |  |  |  |
|         | Overall Reject Rate: | 2.66 |            |  |  |  |  |  |  |  |  |  |

|        |           |     |   |     |     |     |   |     |   |   |   |   |
|--------|-----------|-----|---|-----|-----|-----|---|-----|---|---|---|---|
| Proof  | Shot:     | 433 |   | 42  | 86  | 76  |   | 22  |   |   |   |   |
|        | Rejected: | 5   | 0 | 3   | 5   | 0   | 0 | 0   | 0 | 0 | 0 | 0 |
|        | Percent:  | 1.2 |   | 7.1 | 5.8 | 0.0 |   | 0.0 |   |   |   |   |
| Test   | Shot:     | 432 |   | 39  | 70  | 76  |   | 22  |   |   |   |   |
|        | Rejected: | 2   | 0 | 0   | 0   | 2   | 0 | 0   | 0 | 0 | 0 | 0 |
|        | Percent:  | 0.5 |   | 0.0 | 0.0 | 2.6 |   | 0.0 |   |   |   |   |
| Target | Shot:     | 43  |   |     | 9   | 2   |   | 2   |   |   |   |   |
|        | Rejected: | 0   | 0 | 0   | 0   | 0   | 0 | 0   | 0 | 0 | 0 | 0 |
|        | Percent:  | 0.0 |   |     | 0.0 | 0.0 |   | 0.0 |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       | 1       |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        | 1       |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        | 1       |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

## Proof - Test - Target

[illegible]

## Page 32 of 274

[illegible]



[illegible]

## Page 34 of 274

[illegible]



Gallery Performance Report

|         |                                       |   |  |                       |   |  |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|---|--|-----------------------|---|--|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |   |  | Proof - Test - Target |   |  |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |   |  |                       |   |  |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |   |  |                       |   |  |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |   |  |                       |   |  |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     | 2 |  | 3                     | 5 |  |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |   |  |                       |   |  |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |   |  |                       |   |  |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |   |  |                       |   |  |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |   |  |                       |   |  |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |   |  |                       |   |  |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |   |  |                       |   |  |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |   |  |                       |   |  |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |   |  |                       |   |  |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |   |  |                       |   |  |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |   |  |                       |   |  |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |   |  |                       |   |  |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            | 3 |  |                       |   |  |  |  |  |  |  |  |  |  |



Gallery Performance Report

Proof - Test - Target

Cell: D163  
Comment: ingalry:  
broken trigger

Gallery Performance Report

|         |                      |      |            |  |  |  |  |  |  |
|---------|----------------------|------|------------|--|--|--|--|--|--|
| Summary | Total Tested         | 655  | Test Date: |  |  |  |  |  |  |
|         | Total Rejected:      | 18   |            |  |  |  |  |  |  |
|         | Overall Reject Rate: | 2.75 |            |  |  |  |  |  |  |

|        |           |     |     |     |     |     |   |   |   |   |
|--------|-----------|-----|-----|-----|-----|-----|---|---|---|---|
| Proof  | Shot:     | 332 | 35  | 144 | 113 | 16  |   |   |   |   |
|        | Rejected: | 0   | 0   | 2   | 11  | 0   | 0 | 0 | 0 | 0 |
|        | Percent:  | 0.0 | 0.0 | 1.4 | 9.7 | 0.0 |   |   |   |   |
| Test   | Shot:     | 311 | 35  | 175 | 104 | 30  |   |   |   |   |
|        | Rejected: | 2   | 0   | 3   | 0   | 0   | 0 | 0 | 0 | 0 |
|        | Percent:  | 0.6 | 0.0 | 1.7 | 0.0 | 0.0 |   |   |   |   |
| Target | Shot:     | 34  | 3   | 17  | 11  | 2   |   |   |   |   |
|        | Rejected: | 0   | 0   | 0   | 0   | 0   | 0 | 0 | 0 | 0 |
|        | Percent:  | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS | SS | 700 BDL & ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 |
|-------|--|---------|---------|----|---------------|--------|---------|------------|---------|--------|-----|
| AB    | Action binds                             |         |         |    |               |        |         |            |         |        |     |
| BABS  | Bulge at body shoulder                   |         |         |    |               |        |         |            |         |        |     |
| BAC   | Burr at chamber                          |         |         |    |               |        |         |            |         |        |     |
| BBMA  | BBL-to-bolt misalignment                 |         |         |    |               |        |         |            |         |        |     |
| BB    | Bolt binds/catches                       |         |         |    | 1             |        |         |            |         |        |     |
| BCOAB | Bolt catches on anti-bind                |         |         |    |               |        |         |            |         |        |     |
| BCOBS | Bolt catches on bolt stop                |         |         |    |               |        |         |            |         |        |     |
| BCOF  | Bolt catches on follower                 |         |         |    |               |        |         |            |         |        |     |
| BC    | Blows cases                              |         |         |    |               |        |         |            |         |        |     |
| BHR   | Bolt hits receiver                       |         |         |    |               |        |         |            |         |        |     |
| BHS   | Bolt plug hits safety switch             |         |         |    |               |        |         |            |         |        |     |
| BLOP  | Bar lock or disconnecter out of position |         |         |    |               |        |         |            |         |        |     |
| BLSO  | Barrel lug shot off                      |         |         |    |               |        |         |            |         |        |     |
| BPO   | Bolt pulls out                           |         |         |    |               |        |         |            |         |        |     |
| BSSM  | Bolt stems shell in magazine             |         |         |    |               |        |         |            |         |        |     |
| BWCD  | Bolt won't cam down                      |         |         |    |               |        |         |            |         |        |     |
| BWCFM | Bolt won't close over full magazine      |         |         |    |               |        |         |            |         |        |     |
| CD    | Case dented                              |         |         |    |               |        |         |            |         |        |     |
| CH    | Closes hard                              |         |         |    |               |        |         |            |         |        |     |
| CLM   | Can't load magazine                      |         |         |    |               |        |         |            |         |        |     |
| CO    | Cut-off                                  |         |         |    |               |        |         |            |         |        |     |
| CR    | Cuts rim                                 |         |         |    |               |        |         |            |         |        |     |
| CS    | Cases swell                              |         |         |    |               |        |         |            |         |        |     |
| CTOG  | Chamber torn or gouged                   |         |         |    |               |        |         |            |         |        |     |
| CTP   | Creepy trigger pull                      |         |         |    |               |        |         |            |         |        |     |
| CWSB  | Cams wrong side of action bar            |         |         |    |               |        |         |            |         |        |     |
| DBB   | Doesn't blow back                        |         |         |    |               |        |         |            |         |        |     |
| DCS   | Double click in safety switch            |         |         |    |               |        |         |            |         |        |     |
| DCT   | Double click in trigger                  |         |         |    |               |        |         |            |         |        |     |
| DCU   | Doesn't close-up                         |         |         |    |               |        |         |            |         |        |     |
| DE    | Doesn't eject                            |         |         |    |               |        |         |            |         |        |     |

Proof - Test - Target

[illegible]



## Page 41 of 274

[illegible]

[illegible]

# Gallery Performance Report

|        |   |   | Proof - Test - Target |   |  |  |  |  |  |  |
|--------|---|---|-----------------------|---|--|--|--|--|--|--|
| RIC    | Rings in chamber                          |   |                       |   |  |  |  |  |  |  |
| RIS    | Ring in sholder                           |   |                       |   |  |  |  |  |  |  |
| RS     | Rim srem                                  |   |                       |   |  |  |  |  |  |  |
| SBC    | Stems bottom chambers                     |   |                       |   |  |  |  |  |  |  |
| SBE    | Stems bbl extension                       |   |                       |   |  |  |  |  |  |  |
| SCB    | Stock cracked or broken                   |   |                       |   |  |  |  |  |  |  |
| SCX    | Shell catches                             |   |                       |   |  |  |  |  |  |  |
| SHI    | Short indent                              |   |                       |   |  |  |  |  |  |  |
| SI     | Stems Incline                             |   |                       |   |  |  |  |  |  |  |
| SIC    | Stems in chamber                          |   |                       |   |  |  |  |  |  |  |
| SL     | shaves lead                               |   |                       |   |  |  |  |  |  |  |
| SLC    | Stems left side of chamber                |   |                       |   |  |  |  |  |  |  |
| SMOC   | Stretch marks on case                     |   |                       |   |  |  |  |  |  |  |
| SOR    | Stem over-ride                            | 1 |                       |   |  |  |  |  |  |  |
| SP     | Stems port                                |   |                       |   |  |  |  |  |  |  |
| SR     | Shoulder rough                            |   |                       |   |  |  |  |  |  |  |
| SRC    | Stems right side of chamber               |   |                       |   |  |  |  |  |  |  |
| SRIC   | Specific rings in chamber                 |   |                       |   |  |  |  |  |  |  |
| SSOC   | Surface scratches on case                 |   |                       |   |  |  |  |  |  |  |
| STC    | Stems top chamber                         |   |                       |   |  |  |  |  |  |  |
| SWE    | Safety switch works too easily            |   |                       |   |  |  |  |  |  |  |
| SWH    | Safety switch works too hard              |   |                       |   |  |  |  |  |  |  |
| SWW    | Safety Switch won't work                  |   |                       |   |  |  |  |  |  |  |
| TD     | Tips down                                 |   |                       |   |  |  |  |  |  |  |
| TU     | Tips up                                   |   |                       |   |  |  |  |  |  |  |
| TWP    | Trigger won't pull                        |   |                       |   |  |  |  |  |  |  |
| TWR    | Trigger won't retract                     |   |                       |   |  |  |  |  |  |  |
| UNCN-T | Uncoded                                   |   |                       |   |  |  |  |  |  |  |
| XH     | Extracts hard                             |   |                       | 1 |  |  |  |  |  |  |
|        |   |   |                       |   |  |  |  |  |  |  |
| HI     | High                                      |   |                       |   |  |  |  |  |  |  |
| LO     | Low                                       |   |                       |   |  |  |  |  |  |  |
| LEFT   | Left                                      |   |                       |   |  |  |  |  |  |  |
| RIGHT  | Right                                     |   |                       |   |  |  |  |  |  |  |
| DG     | Doesn't Group                             |   |                       |   |  |  |  |  |  |  |
| FSST   | Front sight tipped                        |   |                       |   |  |  |  |  |  |  |
| RSTT   | Rear sight tipped                         |   |                       |   |  |  |  |  |  |  |
| RBBR   | Rear sight base raised                    |   |                       |   |  |  |  |  |  |  |
| FSTR   | Front sight raised                        |   |                       |   |  |  |  |  |  |  |
| FSTL   | Front sight loose                         |   |                       |   |  |  |  |  |  |  |
| RSTL   | Rear sight loose                          |   |                       |   |  |  |  |  |  |  |
| MGPT-G | Missing parts at target                   |   |                       |   |  |  |  |  |  |  |
| UNCN-G | Uncoded nonconformity at target           |   |                       |   |  |  |  |  |  |  |
|        |   |   |                       |   |  |  |  |  |  |  |
| AI-P   | Assembly incomplete at proof              |   |                       |   |  |  |  |  |  |  |
| BBB    | Barrel bracket cracked or broken at proof |   |                       |   |  |  |  |  |  |  |
| BC-P   | Blows cases at proof                      |   |                       |   |  |  |  |  |  |  |
| BEB-P  | Barrel extension broken at proof          |   |                       |   |  |  |  |  |  |  |
| BLP-P  | Blanked primer at proof                   |   |                       |   |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |  |  |  |                       |    |  |  |  |  |  |
|---------|--|--|--|-----------------------|----|--|--|--|--|--|
| BLSO-P  | Barrel lug shot off at proof           |  |  | Proof - Test - Target |    |  |  |  |  |  |
| BP-P    | Blown primer at proof                  |  |  |                       |    |  |  |  |  |  |
| BS-P    | Barrel split at proof                  |  |  |                       |    |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                      |  |  | 2                     | 11 |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof      |  |  |                       |    |  |  |  |  |  |
| ESBBP-P | Ejector sticks back - Blown Primer cup |  |  |                       |    |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent  |  |  |                       |    |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof              |  |  |                       |    |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof             |  |  |                       |    |  |  |  |  |  |
| FF-P    | Fails to fire at proof                 |  |  |                       |    |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof         |  |  |                       |    |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl       |  |  |                       |    |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl         |  |  |                       |    |  |  |  |  |  |
| PP-P    | Pierced primer at proof                |  |  |                       |    |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof       |  |  |                       |    |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions             |  |  |                       |    |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

[illegible]



## Page 49 of 274

[illegible]

[illegible]

## Page 51 of 274

[illegible]

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

## Proof - Test - Target

[illegible]



## Page 57 of 274

[illegible]

[illegible]

## Gallery Performance Report

[illegible]

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |  |

## Gallery Performance Report

Proof - Test - Target

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

[illegible]



## Page 65 of 274

[illegible]

[illegible]

## Page 67 of 274

[illegible]

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

## Gallery Performance Report



## Page 73 of 274

[illegible]



## Gallery Performance Report

[illegible]

# Gallery Performance Report

Proof - Test - Target

Page 76 of 274

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |





## Page 81 of 274

[illegible]

## Gallery Performance Report

Proof - Test - Target

Page 82 of 274

[illegible]

## Page 83 of 274

[illegible]

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |

# Gallery Performance Report

Proof - Test - Target

Page 86 of 274

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

## Gallery Performance Report



## Gallery Performance Report

[illegible]

[illegible]

## Page 91 of 274

[illegible]

# Gallery Performance Report

Proof - Test - Target

Page 92 of 274

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |





## Gallery Performance Report

[illegible]

# Gallery Performance Report

Proof - Test - Target

Page 98 of 274

[illegible]

## Gallery Performance Report

|        |   |
|--------|---|
| RDW    | (Action) release doesn't work             |
| RIC    | Rings in chamber                          |
| RIS    | Ring in shoulder                          |
| RS     | Rim sream                                 |
| SBC    | Stems bottom chambers                     |
| SBE    | Stems bbl extension                       |
| SCB    | Stock cracked or broken                   |
| SCX    | Shell catches                             |
| SHI    | Short indent                              |
| SI     | Stems incline                             |
| SIC    | Stems in chamber                          |
| SL     | shaves lead                               |
| SLC    | Stems left side of chamber                |
| SMOC   | Stretch marks on case                     |
| SOR    | Stem over-ride                            |
| SP     | Stems port                                |
| SR     | Shoulder rough                            |
| SRC    | Stems right side of chamber               |
| SRIC   | Specific rings in chamber                 |
| SSOC   | Surface scratches on case                 |
| STC    | Stems top chamber                         |
| SWE    | Safety switch works too easily            |
| SVH    | Safety switch works too hard              |
| SWW    | Safety Switch won't work                  |
| TD     | Tips down                                 |
| TU     | Tips up                                   |
| TWP    | Trigger won't pull                        |
| TWR    | Trigger won't retract                     |
| UNCN-T | Uncoded                                   |
| XH     | Extracts hard                             |
| HI     | High                                      |
| LO     | Low                                       |
| LEFT   | Left                                      |
| RIGHT  | Right                                     |
| DG     | Doesn't Group                             |
| FSST   | Front sight tipped                        |
| RSTT   | Rear sight tipped                         |
| RSBR   | Rear sight base raised                    |
| FSTR   | Front sight raised                        |
| FSTL   | Front sight loose                         |
| RSTL   | Rear sight loose                          |
| MGPT-G | Missing parts at target                   |
| UNCN-G | Uncoded nonconformity at target           |
| AI-P   | Assembly incomplete at proof              |
| BBB    | Barrel bracket cracked or broken at proof |
| BC-P   | Blows cases at proof                      |
| BEB-P  | Barrel extension broken at proof          |

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |

## Gallery Performance Report

Proof - Test - Target

Page 102 of 274

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

## Gallery Performance Report



## Gallery Performance Report

[illegible]

## Gallery Performance Report

Proof - Test - Target

Page 106 of 274

[illegible]

## Page 107 of 274

[illegible]

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

[illegible]



## Page 113 of 274

[illegible]



## Page 115 of 274

[illegible]

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |





## Page 121 of 274

[illegible]

# Gallery Performance Report

Proof - Test - Target

Page 122 of 274

[illegible]

## Page 123 of 274

[illegible]

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

[illegible]



## Page 129 of 274

[illegible]

[illegible]

## Gallery Performance Report

[illegible]

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |





## Page 137 of 274

[illegible]

[illegible]

## Page 139 of 274

[illegible]

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

[illegible]



## Page 145 of 274

[illegible]

[illegible]

## Gallery Performance Report

[illegible]

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

[illegible]



## Page 153 of 274

[illegible]

[illegible]

## Gallery Performance Report

[illegible]

# Gallery Performance Report

Proof - Test - Target

Page 156 of 274

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

[illegible]



## Page 161 of 274

[illegible]

# Gallery Performance Report

Proof - Test - Target

Page 162 of 274

[illegible]

## Page 163 of 274

[illegible]

## Gallery Performance Report

Proof - Test - Target

Page 164 of 274

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

[illegible]



## Gallery Performance Report

[illegible]

[illegible]

## Gallery Performance Report

[illegible]

# Gallery Performance Report

Proof - Test - Target

Page 172 of 274

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

[illegible]



## Gallery Performance Report

[illegible]

[illegible]

## Gallery Performance Report

[illegible]

# Gallery Performance Report

Proof - Test - Target

Page 180 of 274

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

[illegible]



## Gallery Performance Report

[illegible]

[illegible]

## Gallery Performance Report

[illegible]

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

## Gallery Performance Report



## Page 193 of 274

[illegible]

[illegible]

## Gallery Performance Report

[illegible]

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |





**SUBJECT TO PROTECTIVE ORDER - KINZER V. REMINGTON**

**BARBER - RE 0008752**

[illegible]

**BARBER - RE 0008754**

Page 203 of 274

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

[illegible]



## Page 209 of 274

[illegible]

[illegible]

## Gallery Performance Report

[illegible]

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

[illegible]



## Page 217 of 274

[illegible]

# Gallery Performance Report

Proof - Test - Target

Page 218 of 274

[illegible]

## Gallery Performance Report

[illegible]

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

[illegible]



## Page 225 of 274

[illegible]

[illegible]

## Gallery Performance Report

[illegible]

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

## Proof - Test - Target

[illegible]



## Page 233 of 274

[illegible]

[illegible]

## Gallery Performance Report

[illegible]

# Gallery Performance Report

Proof - Test - Target

Page 236 of 274

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |





## Page 241 of 274

[illegible]

[illegible]

## Page 243 of 274

[illegible]

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

[illegible]



**BARBER - RE 0008800**

Page 249 of 274

[illegible]

## Gallery Performance Report

[illegible]

[illegible]

Gallery Performance Report

|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |

[illegible]

Gallery Performance Report

|         |                      |   |            |
|---------|----------------------|---|------------|
| Summary | Total Tested         | 0 | Test Date: |
|         | Total Rejected:      | 0 |            |
|         | Overall Reject Rate: |   |            |

|        |           |   |   |   |   |   |   |   |   |   |   |   |   |
|--------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|
| Proof  | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Test   | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |
| Target | Shot:     |   |   |   |   |   |   |   |   |   |   |   |   |
|        | Rejected: | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|        | Percent:  |   |   |   |   |   |   |   |   |   |   |   |   |

| CODE  | MALFUNCTION INDEX                        | 700 SPS | 700 SPS<br>SS | 700 BDL &<br>ADL | 700 SS | 700 CDL | 700 POLICE | MODEL 7 | XR-100 | 750 | 7400 | 7600 | 7615 |
|-------|--|---------|---------------|------------------|--------|---------|------------|---------|--------|-----|------|------|------|
| AB    | Action binds                             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BABS  | Bulge at body shoulder                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| BAC   | Burr at chamber                          |         |               |                  |        |         |            |         |        |     |      |      |      |
| BBMA  | BBL-to-bolt misalignment                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BB    | Bolt binds/catches                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOAB | Bolt catches on anti-bind                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOBS | Bolt catches on bolt stop                |         |               |                  |        |         |            |         |        |     |      |      |      |
| BCOF  | Bolt catches on follower                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| BC    | Blows cases                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHR   | Bolt hits receiver                       |         |               |                  |        |         |            |         |        |     |      |      |      |
| BHS   | Bolt plug hits safety switch             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLOP  | Bar lock or disconnecter out of position |         |               |                  |        |         |            |         |        |     |      |      |      |
| BLSO  | Barrel lug shot off                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BPO   | Bolt pulls out                           |         |               |                  |        |         |            |         |        |     |      |      |      |
| BSSM  | Bolt stems shell in magazine             |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCD  | Bolt won't cam down                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| BWCFM | Bolt won't close over full magazine      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CD    | Case dented                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CH    | Closes hard                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CLM   | Can't load magazine                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CO    | Cut-off                                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| CR    | Cuts rim                                 |         |               |                  |        |         |            |         |        |     |      |      |      |
| CS    | Cases swell                              |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTOG  | Chamber torn or gouged                   |         |               |                  |        |         |            |         |        |     |      |      |      |
| CTP   | Creepy trigger pull                      |         |               |                  |        |         |            |         |        |     |      |      |      |
| CWSB  | Cams wrong side of action bar            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DBB   | Doesn't blow back                        |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCS   | Double click in safety switch            |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCT   | Double click in trigger                  |         |               |                  |        |         |            |         |        |     |      |      |      |
| DCU   | Doesn't close-up                         |         |               |                  |        |         |            |         |        |     |      |      |      |

## Proof - Test - Target

[illegible]



## Page 257 of 274

[illegible]

[illegible]

## Gallery Performance Report

[illegible]

# Gallery Performance Report

Proof - Test - Target


Page 260 of 274


[illegible]

Gallery Performance Report


|         |                                       |  |  |  |                       |  |  |  |  |  |  |  |  |  |
|---------|---------------------------------------|--|--|--|-----------------------|--|--|--|--|--|--|--|--|--|
| BLP-P   | Blanked primer at proof               |  |  |  | Proof - Test - Target |  |  |  |  |  |  |  |  |  |
| BLSO-P  | Barrel lug shot off at proof          |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BP-P    | Blown primer at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| BS-P    | Barrel split at proof                 |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DBF-P   | Damaged Bolt Face                     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| DLOS-P  | Doesn't lock over shells at proof     |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBBP-P | Ejector sticks back -Blown Primer cup |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| ESBEC-P | Ejector sticks back - Ejector Cresent |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FCB-P   | Fore-end cracked at proof             |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FESO-P  | Fore-end shot off at proof            |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| FF-P    | Fails to fire at proof                |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| GCSO-P  | Gas cylinder shot off at proof        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSI-P   | Magnaflux stamp illegible on bbl      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| MSM-P   | Magnaflux stamp missing on bbl        |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| PP-P    | Pierced primer at proof               |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| SCB-P   | Stock cracked or broken at proof      |  |  |  |                       |  |  |  |  |  |  |  |  |  |
| UNCM-P  | Uncoded proof malfunctions            |  |  |  |                       |  |  |  |  |  |  |  |  |  |











|       |  |   |
|-------|--|---|
| AB    | Action binds                             | 0 |
| BABS  | Bulge at body shoulder                   | 0 |
| BAC   | Burr at chamber                          | 0 |
| BBMA  | BBL-to-bolt misalignment                 | 0 |
| BB    | Bolt binds/catches                       | 0 |
| BCOAB | Bolt catches on anti-bind                | 0 |
| BCOBS | Bolt catches on bolt stop                | 0 |
| BCOF  | Bolt catches on follower                 | 0 |
| BC    | Blows cases                              | 0 |
| BHR   | Bolt hits receiver                       | 0 |
| BHS   | Bolt plug hits safety switch             | 0 |
| BLOP  | Bar lock or disconnecter out of position | 0 |
| BLSO  | Barrel lug shot off                      | 0 |
| BPO   | Bolt pulls out                           | 0 |
| BSSM  | Bolt stems shell in magazine             | 0 |
| BWCD  | Bolt won't cam down                      | 0 |
| BWCFM | Bolt won't close over full magazine      | 0 |
| CD    | Case dented                              | 0 |
| CH    | Closes hard                              | 0 |
| CLM   | Can't load magazine                      | 0 |
| CO    | Cut-off                                  | 0 |
| CR    | Cuts rim                                 | 0 |
| CS    | Cases swell                              | 0 |
| CTOG  | Chamber torn or gouged                   | 0 |
| CTP   | Creepy trigger pull                      | 0 |
| CWSB  | Cams wrong side of action bar            | 0 |
| DBB   | Doesn't blow back                        | 0 |
| DCS   | Double click in safety switch            | 0 |
| DCT   | Double click in trigger                  | 0 |
| DCU   | Doesn't close-up                         | 0 |
| DE    | Doesn't eject                            | 0 |
| DEL   | Doesn't eject live round                 | 0 |
| DFB   | Doesn't feed back                        | 0 |
| DFU   | Doesn't feed up                          | 0 |
| DLO   | Doesn't lock open (after last shell)     | 0 |
| DLU   | Doesn't lock-up                          | 0 |
| DS    | Dead safe                                | 0 |
| DX    | Doesn't extract                          | 0 |
| DXL   | Doesn't extract live round               | 0 |
| EDS   | Extractor drops shell                    | 0 |
| ESB   | Ejector sticks back                      | 0 |
| ESCR  | Empty shell catches receiver             | 0 |
| ESS   | Extractor stems shell                    | 0 |
| FA    | Fires automatically                      | 0 |
| FB    | Follower binds                           | 0 |
| FC    | Fails to connect                         | 0 |
| FCB   | Fore-end cracked or broken               | 0 |
| FD    | Follows-down                             | 0 |
| FF    | Fails to fire                            | 0 |

|      |                                   |   |
|------|-----------------------------------|---|
| FFP  | Flat firing pin                   | 0 |
| FOS  | Fires on safe                     | 0 |
| FPHB | Firing pin hits bbl               | 0 |
| FPHI | Firing pin hits inside rim        | 0 |
| FPO  | Floor plate opens                 | 0 |
| FPOH | Floor plate opens hard            | 0 |
| FSR  | Fires when safe is released       | 0 |
| FT   | Follower tips                     | 0 |
| GCSO | Gas cyl shot off                  | 0 |
| HBL  | Heavy bolt lift                   | 0 |
| HMSC | Heading mismatch-steps on case    | 0 |
| HPA  | High pressure ammo                | 0 |
| HUR  | Hard under rail                   | 0 |
| JCS  | Jumps cartridge                   | 0 |
| JM   | Jumps magazine                    | 0 |
| JO   | Jers off                          | 0 |
| LB   | Light blow                        | 0 |
| MAH  | Magazine assembles hard           | 0 |
| MCW  | Magazine capacity wrong           | 0 |
| MFA  | Misfires (ammo)                   | 0 |
| MFOP | Magazine follower out of position | 0 |
| ML   | Magazine loose                    | 0 |
| MLH  | Magazine loads hard               | 0 |
| MRH  | Magazine removes hard             | 0 |
| OH   | Opens hard                        | 0 |
| OR   | Over-rides                        | 0 |
| PH   | Pulls hard                        | 0 |
| PSI  | Proof stamp illegible             | 0 |
| PSM  | Proof stamp missing               | 0 |
| RBOC | Rings and bulges on case          | 0 |
| RDW  | (Action) release doesn't work     | 0 |
| RIC  | Rings in chamber                  | 0 |
| RIS  | Ring in sholder                   | 0 |
| RS   | Rim srem                          | 0 |
| SBC  | Stems bottom chambers             | 0 |
| SBE  | Stems bbl extension               | 0 |
| SCB  | Stock cracked or broken           | 0 |
| SCX  | Shell catches                     | 0 |
| SHI  | Short indent                      | 0 |
| SI   | Stems incline                     | 0 |
| SIC  | Stems in chamber                  | 0 |
| SL   | shaves lead                       | 0 |
| SLC  | Stems left side of chamber        | 0 |
| SLOC | Stretch marks on case             | 0 |
| SOR  | Stem over-ride                    | 0 |
| SP   | Stems port                        | 0 |
| SR   | Shoulder rough                    | 0 |
| SRC  | Stems right side of chamber       | 0 |
| SRIC | Specific rings in chamber         | 0 |

|         |   |   |
|---------|---|---|
| SSOC    | Surface scratches on case                 | 0 |
| STC     | Stems top chamber                         | 0 |
| SWE     | Safety switch works too easily            | 0 |
| SWH     | Safety switch works too hard              | 0 |
| SWW     | Safety Switch won't work                  | 0 |
| TD      | Tips down                                 | 0 |
| TU      | Tips up                                   | 0 |
| TWP     | Trigger won't pull                        | 0 |
| TWR     | Trigger won't retract                     | 0 |
| UNCN-T  | Uncoded                                   | 0 |
| XH      | Extracts hard                             | 0 |
|         |   | 0 |
| HI      | High                                      | 0 |
| LO      | Low                                       | 0 |
| LEFT    | Left                                      | 0 |
| RIGHT   | Right                                     | 0 |
| DG      | Doesn't Group                             | 0 |
| FSST    | Front sight tipped                        | 0 |
| RSTT    | Rear sight tipped                         | 0 |
| RSBR    | Rear sight base raised                    | 0 |
| FSTR    | Front sight raised                        | 0 |
| FSTL    | Front sight loose                         | 0 |
| RSTL    | Rear sight loose                          | 0 |
| MGPT-G  | Missing parts at target                   | 0 |
| UNCN-G  | Uncoded nonconformity at target           | 0 |
|         |   | 0 |
| AI-P    | Assembly incomplete at proof              | 0 |
| BBB     | Barrel bracket cracked or broken at proof | 0 |
| BC-P    | Blows cases at proof                      | 0 |
| BEB-P   | Barrel extension broken at proof          | 0 |
| BLP-P   | Blanked primer at proof                   | 0 |
| BLSO-P  | Barrel lug shot off at proof              | 0 |
| BP-P    | Blown primer at proof                     | 0 |
| BS-P    | Barrel split at proof                     | 0 |
| DBF-P   | Damaged Bolt Face                         | 0 |
| DLOS-P  | Doesn't lock over shells at proof         | 0 |
| ESBBP-P | Ejector sticks back -Blown Primer cup     | 0 |
| ESBEC-P | Ejector sticks back - Ejector Crescent    | 0 |
| FCB-P   | Fore-end cracked at proof                 | 0 |
| FESO-P  | Fore-end shot off at proof                | 0 |
| FF-P    | Fails to fire at proof                    | 0 |
| GCSO-P  | Gas cylinder shot off at proof            | 0 |
| MSI-P   | Magnaflux stamp illegible on bbl          | 0 |
| MSM-P   | Magnaflux stamp missing on bbl            | 0 |
| PP-P    | Pierced primer at proof                   | 0 |
| SCB-P   | Stock cracked or broken at proof          | 0 |

|       |  |   |
|-------|--|---|
| AB    | Action binds                             | 0 |
| BABS  | Bulge at body shoulder                   | 0 |
| BAC   | Burr at chamber                          | 0 |
| BBMA  | BBL-to-bolt misalignment                 | 0 |
| BB    | Bolt binds/catches                       | 0 |
| BCOAB | Bolt catches on anti-bind                | 0 |
| BCOBS | Bolt catches on bolt stop                | 0 |
| BCOF  | Bolt catches on follower                 | 0 |
| BC    | Blows cases                              | 0 |
| BHR   | Bolt hits receiver                       | 0 |
| BHS   | Bolt plug hits safety switch             | 0 |
| BLOP  | Bar lock or disconnecter out of position | 0 |
| BLSO  | Barrel lug shot off                      | 0 |
| BPO   | Bolt pulls out                           | 0 |
| BSSM  | Bolt stems shell in magazine             | 0 |
| BWCD  | Bolt won't cam down                      | 0 |
| BWCFM | Bolt won't close over full magazine      | 0 |
| CD    | Case dented                              | 0 |
| CH    | Closes hard                              | 0 |
| CLM   | Can't load magazine                      | 0 |
| CO    | Cut-off                                  | 0 |
| CR    | Cuts rim                                 | 0 |
| CS    | Cases swell                              | 0 |
| CTOG  | Chamber torn or gouged                   | 0 |
| CTP   | Creepy trigger pull                      | 0 |
| CWSB  | Cams wrong side of action bar            | 0 |
| DBB   | Doesn't blow back                        | 0 |
| DCS   | Double click in safety switch            | 0 |
| DCT   | Double click in trigger                  | 0 |
| DCU   | Doesn't close-up                         | 0 |
| DE    | Doesn't eject                            | 0 |
| DEL   | Doesn't eject live round                 | 0 |
| DFB   | Doesn't feed back                        | 0 |
| DFU   | Doesn't feed up                          | 0 |
| DLO   | Doesn't lock open (after last shell)     | 0 |
| DLU   | Doesn't lock-up                          | 0 |
| DS    | Dead safe                                | 0 |
| DX    | Doesn't extract                          | 0 |
| DXL   | Doesn't extract live round               | 0 |
| EDS   | Extractor drops shell                    | 0 |
| ESB   | Ejector sticks back                      | 0 |
| ESCR  | Empty shell catches receiver             | 0 |
| ESS   | Extractor stems shell                    | 0 |
| FA    | Fires automatically                      | 0 |
| FB    | Follower binds                           | 0 |
| FC    | Fails to connect                         | 0 |
| FCB   | Fore-end cracked or broken               | 0 |
| FD    | Follows-down                             | 0 |
| FF    | Fails to fire                            | 0 |

|      |                                   |   |
|------|-----------------------------------|---|
| FFP  | Flat firing pin                   | 0 |
| FOS  | Fires on safe                     | 0 |
| FPHB | Firing pin hits bbl               | 0 |
| FPHI | Firing pin hits inside rim        | 0 |
| FPO  | Floor plate opens                 | 0 |
| FPOH | Floor plate opens hard            | 0 |
| FSR  | Fires when safe is released       | 0 |
| FT   | Follower tips                     | 0 |
| GCSO | Gas cyl shot off                  | 0 |
| HBL  | Heavy bolt lift                   | 0 |
| HMSC | Heading mismatch-steps on case    | 0 |
| HPA  | High pressure ammo                | 0 |
| HUR  | Hard under rail                   | 0 |
| JCS  | Jumps cartridge                   | 0 |
| JM   | Jumps magazine                    | 0 |
| JO   | Jers off                          | 0 |
| LB   | Light blow                        | 0 |
| MAH  | Magazine assembles hard           | 0 |
| MCW  | Magazine capacity wrong           | 0 |
| MFA  | Misfires (ammo)                   | 0 |
| MFOP | Magazine follower out of position | 0 |
| ML   | Magazine loose                    | 0 |
| MLH  | Magazine loads hard               | 0 |
| MRH  | Magazine removes hard             | 0 |
| OH   | Opens hard                        | 0 |
| OR   | Over-rides                        | 0 |
| PH   | Pulls hard                        | 0 |
| PSI  | Proof stamp illegible             | 0 |
| PSM  | Proof stamp missing               | 0 |
| RBOC | Rings and bulges on case          | 0 |
| RDW  | (Action) release doesn't work     | 0 |
| RIC  | Rings in chamber                  | 0 |
| RIS  | Ring in sholder                   | 0 |
| RS   | Rim srem                          | 0 |
| SBC  | Stems bottom chambers             | 0 |
| SBE  | Stems bbl extension               | 0 |
| SCB  | Stock cracked or broken           | 0 |
| SCX  | Shell catches                     | 0 |
| SHI  | Short indent                      | 0 |
| SI   | Stems incline                     | 0 |
| SIC  | Stems in chamber                  | 0 |
| SL   | shaves lead                       | 0 |
| SLC  | Stems left side of chamber        | 0 |
| SMOC | Stretch marks on case             | 0 |
| SOR  | Stem over-ride                    | 0 |
| SP   | Stems port                        | 0 |
| SR   | Shoulder rough                    | 0 |
| SRC  | Stems right side of chamber       | 0 |
| SRIC | Specific rings in chamber         | 0 |

|         |   |   |
|---------|---|---|
| SSOC    | Surface scratches on case                 | 0 |
| STC     | Stems top chamber                         | 0 |
| SWE     | Safety switch works too easily            | 0 |
| SWH     | Safety switch works too hard              | 0 |
| SWW     | Safety Switch won't work                  | 0 |
| TD      | Tips down                                 | 0 |
| TU      | Tips up                                   | 0 |
| TWP     | Trigger won't pull                        | 0 |
| TWR     | Trigger won't retract                     | 0 |
| UNCN-T  | Uncoded                                   | 0 |
| XH      | Extracts hard                             | 0 |
|         |   | 0 |
| HI      | High                                      | 0 |
| LO      | Low                                       | 0 |
| LEFT    | Left                                      | 0 |
| RIGHT   | Right                                     | 0 |
| DG      | Doesn't Group                             | 0 |
| FSST    | Front sight tipped                        | 0 |
| RSTT    | Rear sight tipped                         | 0 |
| RSBR    | Rear sight base raised                    | 0 |
| FSTR    | Front sight raised                        | 0 |
| FSTL    | Front sight loose                         | 0 |
| RSTL    | Rear sight loose                          | 0 |
| MGPT-G  | Missing parts at target                   | 0 |
| UNCN-G  | Uncoded nonconformity at target           | 0 |
|         |   | 0 |
| AI-P    | Assembly incomplete at proof              | 0 |
| BBB     | Barrel bracket cracked or broken at proof | 0 |
| BC-P    | Blows cases at proof                      | 0 |
| BEB-P   | Barrel extension broken at proof          | 0 |
| BLP-P   | Blanked primer at proof                   | 0 |
| BLSO-P  | Barrel lug shot off at proof              | 0 |
| BP-P    | Blown primer at proof                     | 0 |
| BS-P    | Barrel split at proof                     | 0 |
| DBF-P   | Damaged Bolt Face                         | 0 |
| DLOS-P  | Doesn't lock over shells at proof         | 0 |
| ESBBP-P | Ejector sticks back -Blown Primer cup     | 0 |
| ESBEC-P | Ejector sticks back - Ejector Crescent    | 0 |
| FCB-P   | Fore-end cracked at proof                 | 0 |
| FESO-P  | Fore-end shot off at proof                | 0 |
| FF-P    | Fails to fire at proof                    | 0 |
| GCSO-P  | Gas cylinder shot off at proof            | 0 |
| MSI-P   | Magnaflux stamp illegible on bbl          | 0 |
| MSM-P   | Magnaflux stamp missing on bbl            | 0 |
| PP-P    | Pierced primer at proof                   | 0 |
| SCB-P   | Stock cracked or broken at proof          | 0 |

|       |  |   |
|-------|--|---|
| AB    | Action binds                             | 0 |
| BABS  | Bulge at body shoulder                   | 0 |
| BAC   | Burr at chamber                          | 0 |
| BBMA  | BBL-to-bolt misalignment                 | 0 |
| BB    | Bolt binds/catches                       | 0 |
| BCOAB | Bolt catches on anti-bind                | 0 |
| BCOBS | Bolt catches on bolt stop                | 0 |
| BCOF  | Bolt catches on follower                 | 0 |
| BC    | Blows cases                              | 0 |
| BHR   | Bolt hits receiver                       | 0 |
| BHS   | Bolt plug hits safety switch             | 0 |
| BLOP  | Bar lock or disconnecter out of position | 0 |
| BLSO  | Barrel lug shot off                      | 0 |
| BPO   | Bolt pulls out                           | 0 |
| BSSM  | Bolt stems shell in magazine             | 0 |
| BWCD  | Bolt won't cam down                      | 0 |
| BWCFM | Bolt won't close over full magazine      | 0 |
| CD    | Case dented                              | 0 |
| CH    | Closes hard                              | 0 |
| CLM   | Can't load magazine                      | 0 |
| CO    | Cut-off                                  | 0 |
| CR    | Cuts rim                                 | 0 |
| CS    | Cases swell                              | 0 |
| CTOG  | Chamber torn or gouged                   | 0 |
| CTP   | Creepy trigger pull                      | 0 |
| CWSB  | Cams wrong side of action bar            | 0 |
| DBB   | Doesn't blow back                        | 0 |
| DCS   | Double click in safety switch            | 0 |
| DCT   | Double click in trigger                  | 0 |
| DCU   | Doesn't close-up                         | 0 |
| DE    | Doesn't eject                            | 0 |
| DEL   | Doesn't eject live round                 | 0 |
| DFB   | Doesn't feed back                        | 0 |
| DFU   | Doesn't feed up                          | 0 |
| DLO   | Doesn't lock open (after last shell)     | 0 |
| DLU   | Doesn't lock-up                          | 0 |
| DS    | Dead safe                                | 0 |
| DX    | Doesn't extract                          | 0 |
| DXL   | Doesn't extract live round               | 0 |
| EDS   | Extractor drops shell                    | 0 |
| ESB   | Ejector sticks back                      | 0 |
| ESCR  | Empty shell catches receiver             | 0 |
| ESS   | Extractor stems shell                    | 0 |
| FA    | Fires automatically                      | 0 |
| FB    | Follower binds                           | 0 |
| FC    | Fails to connect                         | 0 |
| FCB   | Fore-end cracked or broken               | 0 |
| FD    | Follows-down                             | 0 |
| FF    | Fails to fire                            | 0 |



|      |                                   |   |
|------|-----------------------------------|---|
| FFP  | Flat firing pin                   | 0 |
| FOS  | Fires on safe                     | 0 |
| FPHB | Firing pin hits bbl               | 0 |
| FPHI | Firing pin hits inside rim        | 0 |
| FPO  | Floor plate opens                 | 0 |
| FPOH | Floor plate opens hard            | 0 |
| FSR  | Fires when safe is released       | 0 |
| FT   | Follower tips                     | 0 |
| GCSO | Gas cyl shot off                  | 0 |
| HBL  | Heavy bolt lift                   | 0 |
| HMSC | Heading mismatch-steps on case    | 0 |
| HPA  | High pressure ammo                | 0 |
| HUR  | Hard under rail                   | 0 |
| JCS  | Jumps cartridge                   | 0 |
| JM   | Jumps magazine                    | 0 |
| JO   | Jers off                          | 0 |
| LB   | Light blow                        | 0 |
| MAH  | Magazine assembles hard           | 0 |
| MCW  | Magazine capacity wrong           | 0 |
| MFA  | Misfires (ammo)                   | 0 |
| MFOP | Magazine follower out of position | 0 |
| ML   | Magazine loose                    | 0 |
| MLH  | Magazine loads hard               | 0 |
| MRH  | Magazine removes hard             | 0 |
| OH   | Opens hard                        | 0 |
| OR   | Over-rides                        | 0 |
| PH   | Pulls hard                        | 0 |
| PSI  | Proof stamp illegible             | 0 |
| PSM  | Proof stamp missing               | 0 |
| RBOC | Rings and bulges on case          | 0 |
| RDW  | (Action) release doesn't work     | 0 |
| RIC  | Rings in chamber                  | 0 |
| RIS  | Ring in sholder                   | 0 |
| RS   | Rim srem                          | 0 |
| SBC  | Stems bottom chambers             | 0 |
| SBE  | Stems bbl extension               | 0 |
| SCB  | Stock cracked or broken           | 0 |
| SCX  | Shell catches                     | 0 |
| SHI  | Short indent                      | 0 |
| SI   | Stems incline                     | 0 |
| SIC  | Stems in chamber                  | 0 |
| SL   | shaves lead                       | 0 |
| SLC  | Stems left side of chamber        | 0 |
| SMOC | Stretch marks on case             | 0 |
| SOR  | Stem over-ride                    | 0 |
| SP   | Stems port                        | 0 |
| SR   | Shoulder rough                    | 0 |
| SRC  | Stems right side of chamber       | 0 |
| SRIC | Specific rings in chamber         | 0 |

|         |   |   |
|---------|---|---|
| SSOC    | Surface scratches on case                 | 0 |
| STC     | Stems top chamber                         | 0 |
| SWE     | Safety switch works too easily            | 0 |
| SWH     | Safety switch works too hard              | 0 |
| SWW     | Safety Switch won't work                  | 0 |
| TD      | Tips down                                 | 0 |
| TU      | Tips up                                   | 0 |
| TWP     | Trigger won't pull                        | 0 |
| TWR     | Trigger won't retract                     | 0 |
| UNCN-T  | Uncoded                                   | 0 |
| XH      | Extracts hard                             | 0 |
|         |   | 0 |
| HI      | High                                      | 0 |
| LO      | Low                                       | 0 |
| LEFT    | Left                                      | 0 |
| RIGHT   | Right                                     | 0 |
| DG      | Doesn't Group                             | 0 |
| FSST    | Front sight tipped                        | 0 |
| RSTT    | Rear sight tipped                         | 0 |
| RSBR    | Rear sight base raised                    | 0 |
| FSTR    | Front sight raised                        | 0 |
| FSTL    | Front sight loose                         | 0 |
| RSTL    | Rear sight loose                          | 0 |
| MGPT-G  | Missing parts at target                   | 0 |
| UNCN-G  | Uncoded nonconformity at target           | 0 |
|         |   | 0 |
| AI-P    | Assembly incomplete at proof              | 0 |
| BBB     | Barrel bracket cracked or broken at proof | 0 |
| BC-P    | Blows cases at proof                      | 0 |
| BEB-P   | Barrel extension broken at proof          | 0 |
| BLP-P   | Blanked primer at proof                   | 0 |
| BLSO-P  | Barrel lug shot off at proof              | 0 |
| BP-P    | Blown primer at proof                     | 0 |
| BS-P    | Barrel split at proof                     | 0 |
| DBF-P   | Damaged Bolt Face                         | 0 |
| DLOS-P  | Doesn't lock over shells at proof         | 0 |
| ESBBP-P | Ejector sticks back -Blown Primer cup     | 0 |
| ESBEC-P | Ejector sticks back - Ejector Crescent    | 0 |
| FCB-P   | Fore-end cracked at proof                 | 0 |
| FESO-P  | Fore-end shot off at proof                | 0 |
| FF-P    | Fails to fire at proof                    | 0 |
| GCSO-P  | Gas cylinder shot off at proof            | 0 |
| MSI-P   | Magnaflux stamp illegible on bbl          | 0 |
| MSM-P   | Magnaflux stamp missing on bbl            | 0 |
| PP-P    | Pierced primer at proof                   | 0 |
| SCB-P   | Stock cracked or broken at proof          | 0 |