

750
280 REM

SORTED BY SERIAL NUMBER			
Serial #	Tester	Ammo	# of Malfunction
G6785514	Dudeck	R308W2	1 Bolt Override
G6788277	Farrington	R30067	1 Stems Left Side Chamber
G6788424	Morris	R30067	1 Shell stems magazine
G6788427	Farrington	R30067	1 Stem Override
G6785448			0 ok
G6788274	Farrington	R30067	0 Changed trigger adjustment

<autofile>

3/15/05

750
280 REM
FIELD TEST SUMMARY

MALFUNCTIONS SORTED BY SERIAL NUMBER									
Serial #	# of Malf	# of Rds. Fired	Malf. Rate	Malfunction					
				DLO	DX	DLU	SOR	SL	SLC
TOTALS	0	0	#DIV/0!	0	0	0	0	0	0

MALFUNCTIONS SORTED BY TESTER									
Tester	# of Malf	# of Rds. Fired	Malf. Rate	Malfunction					
				DLO	DX	DLU	SOR	SL	SLC
TOTALS	0	0	#DIV/0!	0	0	0	0	0	0

MALFUNCTIONS SORTED BY AMMUNITION									
Ammunition	# of Malf	# of Rds. Fired	Malf. Rate	Malfunction					
				DLO	DX	DLU	SOR	SL	SLC
TOTALS	0	0	#DIV/0!	0	0	0	0	0	0

Ammunition	Description			
RM308V7	168 gr. MATCHKING BTHP			
R308V2	180 gr CORE-LOCT SOFT POINT			
R30067	220 gr CORE-LOCT SOFT POINT			
PRSC3006B	180 gr SWIFT SCIROCCO BONDED			

M/700 XMP
Adjustable

Fire Control 1				Fire Control 2			
Trigger Pull	0	5000	10000	Trigger Pull	0	5000	10000
1	3.7	3.9	4.3	1	3.5	4.2	4.1
2	3.5	3.8	4.1	2	3.5	4.0	4.2
3	3.4	4.0	4.3	3	3.3	3.9	3.6
4	3.6	3.9	4.0	4	3.7	4.2	4.0
5	3.6	4.2	4.0	5	3.4	3.9	3.8
Average	3.5	4.0	4.1	Average	3.5	4.0	3.9
Sear Lift	0.012	0.011	0.011	Sear Lift	0.010	0.01	0.011

Fire Control 3				Fire Control 4			
Trigger Pull	0	5000	10000	Trigger Pull	0	5000	10000
1	3.8	Trigger broke @ 5000 rounds - Operator		1	3.3	4.2	3.9
2	3.5			2	3.7	4.6	4
3	3.3			3	3.4	4.6	3.7
4	3.7			4	3.8	4.2	4.1
5	3.5			5	3.6	4.8	3.8
Average	3.6			Average	3.6	4.5	3.9
Sear Lift	0.012			Sear Lift	0.012	0.013	0.013

Fire Control 5				Fire Control 6			
Trigger Pull	0	5000	10000	Trigger Pull	0	5000	10000
1	3.8	3.8	3.8	1	3.5	3.5	3.5
2	3.5	3.5	3.5	2	3.5	3.5	3.5
3	3.4	3.4	3.4	3	3.6	3.6	3.6
4	3.6	3.6	3.6	4	3.3	3.3	3.3
5	3.3	3.3	3.3	5	3.5	3.5	3.5
Average	3.5	3.5	3.5	Average	3.5	3.5	3.5
Sear Lift	0.01	0.011	0.01	Sear Lift	0.012	0.012	0.012

Fire Control 7				Fire Control 8			
Trigger Pull	0	5000	10000	Trigger Pull	0	5000	10000
1	3.4	3.2	3.6	1	3.4	4.8	5.1
2	3.2	3.7	3.9	2	3.3	4.6	5.2
3	3.4	3.4	3.7	3	3.3	4.7	4.2
4	3.2	3.2	3.6	4	3.5	4.7	5
5	3.2	3.3	3.9	5	3.2	5	4.5
Average	3.3	3.4	3.7	Average	3.3	4.8	4.8
Sear Lift	0.012	0.01	0.011	Sear Lift	0.012	0.012	0.012

Fire Control 9				Fire Control 10			
Trigger Pull	0	5000	10000	Trigger Pull	0	5000	10000
1	3.4	3.5	3.9	1	3.3	4.3	3.6

M/700 XMP
Adjustable

2	3.6	3.5	3.8	2	3.4	4.2	4.1
3	3.5	3.7	3.8	3	3.6	3.9	4.1
4	3.6	3.6	3.4	4	3.6	4.3	3.9
5	3.2	4	3.8	5	3.6	4.1	4
Average	3.5	3.7	3.7	Average	3.5	4.2	3.9
Sear Lift	0.012	0.012	0.012	Sear Lift	0.011	0.011	0.011