

P.I. YES GUN EXAMINATION REPORT NUMBER: 192 MODEL: 700 BDL
 GENERAL CONDITION: GOOD R #: 32134
 OUTSIDE WORK: NONE VISIBLE, LETTER DATE: 12-4-79
STATES SAFETY REPAIRED BY GUN SHOP FROM: JOE PENNEY
213 SO. MAIN ST
SALT LAKE CITY UT.
 FIRED AMMO TYPE: NOT KNOWN GUN #: A6739101
 & CONDITION: NO SHELLS REC. BY ME CODE: AV = 3-79
 PROOF: (AEP) INSP.: U TEST: 64 GA./CAL.: 7MM MAG.
 HEADING: OK CHECKED BY: M-HARDY
 BREACH OPENING: OK APPROVED: 9/11/12/21/79
 RECOIL SHOULDERS: OK APPROVED: 12-21-79
 CHAMBER: OK APPROVED: 12-21-79
 TEST: OK APPROVED: 12-21-79
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: 12-21-79
Good.

COMPLAINT: FIRE WHEN SAFE WAS RELEASED

INCIDENT:

COMMENTS:

Rifle passed back test, Trigger Pull #1/2*

Unable to duplicate customer complaint out of stock. Replace trigger assembly & bolt at no charge to customer.

Customer admits to outside gunsmith work.

P.I. NO GUN EXAMINATION REPORT NUMBER: 566 MODEL: 700 ADL
GENERAL CONDITION: FAIR R #: 28511
OUTSIDE WORK: SCOPE MOUNT, S/STUDS, & RECOIL DATE: 12-9-81
PAD ADDED - R/SIGHT MISSING FROM: CHET PAULSON, INC.
FIRED AMMO TYPE: NOT KNOWN 935 FAWCETT AVE.
TACOMA WASH.
& CONDITION: _____ GUN #: 6280500
PROP: B INSP.: 88 TEST: 87 CODE: ES-10-69
HEADING: OK GA./CAL.: 3006
BREACH OPENING: OK CHECKED BY: M-HARDY
RECOIL SHOULDERS: OK APPROVED: JPH 12/10/81
CHAMBER: OK APPROVED: PB 12/10/81
TEST: _____ APPROVED: W B 12-10-81
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: P.M. 12-10-81
BRIGHT METAL SCRATCHES ON REC. STOCK
PITTED TOE CHIPPED
COMPLAINT: FIRES WHEN SAFETY IS RELEASED
INCIDENT:
COMMENTS: Trigger pull 4# - unable to duplicate
customer complaint.
Replace fire control - no charge
Make sure safety doesn't hit wood.
Dyno & hb 14

P.I. NO GUN EXAMINATION REPORT NUMBER: 623 MODEL: 700 BDL
GENERAL CONDITION: FAIR R #: 03525
OUTSIDE WORK: SCOPE SCREWS REMOVED DATE: 1-12-82
FIRED AMMO TYPE: NOT KNOWN FROM: SURPLUS CITY USA
& CONDITION: 4455 Hwy 80 West
PROOF: B INSP.: 115 TEST: 13 GUN #: 6749631
HEADING: OK CODE: KY-5-74
BREECH OPENING: OK GA./CAL.: 3006
RECOIL SHOULDERS: OK CHECKED BY: M HARDY
CHAMBER: OK APPROVED: JGH 2/16/82
TEST: OK APPROVED: PG 2/16/82
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: WBS-12-82

SLIGHT MARKS ON STOCK

COMPLAINT: WHEN SAFETY IS THROWN OFF GUN GOES OFF

INCIDENT: _____

COMMENTS:

Unable to duplicate customer complaint

-Trigger pull 4#

-OK on tick test

- .017 bear engagement

P.I. YES GUN EXAMINATION REPORT NUMBER: 641 MODEL: 700 BDL
 GENERAL CONDITION: GOOD R #: 06964
 OUTSIDE WORK: SCOPE MOUNT ADDED DATE: 2-8-82
 FROM: SPORTCO INC.
 FIRED AMMO TYPE: NOT KNOWN 1696 COBB PARKWAY S.
MARIETTA GEORGIA 3006.
 & CONDITION: _____ GUN #: A6663581
 PROOF: (REP) INSP.: 128 TEST: 123 CODE: DR = 9-78
 HEADING: OK GA./CAL.: 3006
 BREACH OPENING: OK CHECKED BY: M. HARRY
 RECOIL SHOULDERS: OK APPROVED: 910pt 3/16/82
 CHAMBER: OK APPROVED: RGJ 3/16/82
 TEST: _____ APPROVED: P.V. 3/16/82
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: JS 3/16/82

SLIGHT MARKS ON STOCK, BOLT PLUG IS
MARRED ON LEFT SIDE.

COMPLAINT: FIRING WHEN THE SAFETY IS MOVED FROM
SAFE TO THE FIRE POSITION.

INCIDENT: _____

COMMENTS: Unable to duplicate customer complaint -
• Trigger pull 3#
- Sear lift full safe .010
- Sear lift Null .0075
- Sear Engagement .015
- OK on trick test.

P.I. NO GUN EXAMINATION REPORT NUMBER: 657 MODEL: 700 BDL
GENERAL CONDITION: GOOD R #: 09411
OUTSIDE WORK: SCOPE MOUNTS ADDED DATE: 3-5-82
FIRED AMMO TYPE: NOT KNOWN FROM: KAYTON CO
3400 5TH ST. HWY
READING PENNA
& CONDITION: GUN #: A6854273
PROOF: REP INSP.: 86 TEST: 53 CODE: BA=1-80
HEADING: OK GA./CAL.: 270
BREECH OPENING: OK CHECKED BY: M HARDY
RECOIL SHOULDERS: OK APPROVED: 9/21/82 3/23/82
CHAMBER: OK APPROVED: APL 3/23/82
TEST: APPROVED: P.M. 3/23/82
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: 5/23/82
VERY GOOD, BOLT PLUG MARKED BY
SAFE BUTTON

COMPLAINT: GUN FIRED WHEN SAFETY WAS MOVED

INCIDENT:

COMMENTS: Unable to duplicate customer complaint
-OK on tick test
- 015 Sear Engagement
- 010 Sear left full safe
- Trigger Pull 5#

P.I. YES GUN EXAMINATION REPORT NUMBER: 307 MODEL: 700 BDL
 GENERAL CONDITION: GOOD R #: 33285
 OUTSIDE WORK: NONE DATE: 12-8-80
 FROM: CENTRAL GUN SHOP
124 E WALL ST
 FIRED AMMO TYPE: NOT KNOWN FT SCOTT KAN.
 & CONDITION: _____ GUN #: B6229768
 PROOF: (REP) INSP.: 131 TEST: 119 CODE: PA = 6-80
 HEADING: OK GA./CAL.: 7MM REM MAG
 BREACH OPENING: OK CHECKED BY: M-HARDY
 RECOIL SHOULDERS: OK APPROVED: JAH 1/21/81
 CHAMBER: OK APPROVED: KRE 1/21/81
 TEST: _____ APPROVED: [Signature]
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: _____

BRIGHT MARK ON LEFT SIDE OF TRIG. GUARD

COMPLAINT: FIRED WHEN SAFE WAS RELEASED

It fired by itself when he let of the safety putting a
 INCIDENT: hole in his friends truck door!

COMMENTS: Trigger pull 5#, Rifle passed tick test.
Unable to duplicate customer complaint.

P.I. NO GUN EXAMINATION REPORT NUMBER: 624 MODEL: 700 BDL
GENERAL CONDITION: GOOD R #: 01873
OUTSIDE WORK: SCOPE SCREWS REMOVED DATE: 12-28-81
FIRED AMMO TYPE: NOT KNOWN FROM: POOR TOMS
& CONDITION: POOR TOMS
PROOF: REP INSP.: 108 TEST: 119 FROM: GUN SHOP
HEADING: OK FROM: ROCKY HILL RD.
BREECH OPENING: OK FROM: AMSTERDAM NY 12010
RECOIL SHOULDERS: OK GUN #: B6317842
CHAMBER: OK CODE: CB = 4-81
TEST: OK GA./CAL.: 7MM REM MAG
COMPONENT CONDITION: (Damaged, Broken, Old Style) CHECKED BY: M HARDY
SLIGHT DENTS IN STOCK APPROVED: JOH 2/16/82
APPROVED: JB 2/10/82
APPROVED: JOH 2/16/82
APPROVED: JB 2/10/82

COMPLAINT: RIFLE GOES OFF UPON RELEASING
SAFETY PERIODICALLY

INCIDENT: _____

COMMENTS: Unable to duplicate customer complaint
- OK on Trick test
- .019 sear engagement
- .0135 sear lift - full safe
- Trigger Pull 4 1/2*

P.I. YES GUN EXAMINATION REPORT NUMBER: 408 MODEL: 700 A DL
GENERAL CONDITION: FAIR R #: 04374
OUTSIDE WORK: SCOPE MOUNT ADDED DATE: 2-2-81
FIRED AMMO TYPE: NOT KNOWN FROM: GLASS MASTER COR.
12008 WARFIELD
SAN ANTONIO, TEX
& CONDITION: GUN #: 6410866
PROOF: I INSP.: 58 TEST: 13 CODE: LU=2-71
HEADING: OK GA./CAL.: 270
BREACH OPENING: OK CHECKED BY: M-HARDY
RECOIL SHOULDERS: OK APPROVED: gph 4/7/81
CHAMBER: OK APPROVED: PN 4/7/81
TEST: APPROVED: pg 4/7/81
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: B 4-7-81
WOOD MARKED BOLT RUSTY

COMPLAINT: FIRIED WHEN RELEASING SAFETY

INCIDENT:

COMMENTS:

Unable to duplicate customer complaint.
Replace fire control per customer request.

P.I. YES GUN EXAMINATION REPORT NUMBER: 406 MODEL: 700 BDL
 GENERAL CONDITION: GOOD R #: 04894
 OUTSIDE WORK: SCOPE MOUNT ADDED DATE: 2-6-81
 FIRED AMMO TYPE: NOT KNOWN FROM: JERRY CUNNINGHAM
35140 FREEDOM,
FARMINGTON
HILLS MICH.
 & CONDITION: _____ GUN #: A6494029
 PROOF: L INSP.: 45 TEST: 102 CODE: W0-8-77
 HEADING: OK GA./CAL.: 3006
 BREECH OPENING: OK CHECKED BY: M-HARDY
 RECOIL SHOULDERS: OK APPROVED: 7/24/81
 CHAMBER: OK APPROVED: 3/24/81
 TEST: _____ APPROVED: 3/24/81
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: 140 B.S.-24-81
3/24/81

BRIGHT MAR ON BOTTOM FRONT OF BDL.

SLIGHT MARS IN STOCK, TWO LARGE DENTS LEFT
OF FLOOR PLATE

COMPLAINT: RIFLE FIRED WHEN SAFETY WAS TOUCHED
TO RELEASE IT

INCIDENT: _____

COMMENTS: Sear lift .009, Trigger Pull 4 1/2 #,

Sear engagement .008, Remington Specs .015 to .020.
Replace gun - no charge.

Return to Chisnell for action.

P.I. YES GUN EXAMINATION REPORT NUMBER: 431 MODEL: 700 BDL
GENERAL CONDITION: GOOD R #: 07745
OUTSIDE WORK: NONE DATE: 3-4-81
FIRED AMMO TYPE: NOT KNOWN FROM: BEST PRODUCTS
10765 KINGSFORD RD.
HOUSTON TEX
& CONDITION: GUN #: A6818730
PROOF: (REP) INSP.: 115 TEST: 53 CODE: OV-7-79
HEADING: OK GA./CAL.: 3006
BREACH OPENING: OK CHECKED BY: M-HARDY
RECOIL SHOULDERS: OK APPROVED: ADH 4/7/81
CHAMBER: OK APPROVED: PM 4/7/81
TEST: APPROVED: ADH 4/7/81
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: ADH 4-7-81

TRIG. PULL 5LB

TRICK TEST OK, 012 SEAR LIFT FULL SAFE

008 SEAR LIFT NULL.

.030 ENGAGEMENT AT TRIG CONNECTOR

COMPLAINT: FIRED WHILE RELEASING SAFETY

INCIDENT:

COMMENTS:

Unable to duplicate customer complaint.

P.I. VES GUN EXAMINATION REPORT NUMBER: 481 MODEL: 700 BXL
 GENERAL CONDITION: GOOD R #: 17848
 OUTSIDE WORK: L1 SIGHTS - W/SLING, SCOPE DATE: 7-2-81
MOUNT FROM: JOHN HOOTON
 FIRED AMMO TYPE: NOT KNOWN KINGWOOD, WV.
 & CONDITION: _____ GUN #: 6894689
 PROOF: (REP) INSP.: 54 TEST: 70 CODE: WZ-8-75
 HEADING: OK GA./CAL.: 3006
 BREACH OPENING: OK CHECKED BY: M-HARDY
 RECOIL SHOULDERS: OK APPROVED: GOT 7/20/81
 CHAMBER: OK APPROVED: RK 7/24/81
 TEST: _____ APPROVED: RN 7/24/81
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: JW 7/24/81
STOCK CRACKED AT TOE 7-24-81

COMPLAINT: FIRES WHEN SAFE IS PUSHED FORWARD

INCIDENT: _____

COMMENTS: Trigger Pull 4 3/4#, Gun passed
Trick Test. Seal Engagement .018, Seal Lift full
Safe .006.

Unable to duplicate customer complaint.

P.I. YES GUN EXAMINATION REPORT NUMBER: 496 MODEL: 700 BDL
 GENERAL CONDITION: FAIR R #: 20402
 OUTSIDE WORK: SCOPE MOUNTS ADDED DATE: 8-12-81
SIGHTS REMOVED FROM: BENTON COUNTY CO-O
PA BOX 278 HWY. 5 N.
ASHLAND MISS.
 FIRED AMMO TYPE: NOT KNOWN GUN #: 6499295
 & CONDITION: _____ CODE: BW = 1-72
 PROOF: M INSP.: 73 TEST: 97 GA./CAL.: 22-250
 HEADING: OK CHECKED BY: M-HARDY
 BREACH OPENING: OK APPROVED: [Signature] 8/18/81
 RECOIL SHOULDERS: OK APPROVED: [Signature] 8/27/81
 CHAMBER: OK APPROVED: [Signature] 8/28/81
 TEST: _____ APPROVED: [Signature] 8/28/81
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: [Signature] 8/28/81

BRIGHT METAL ON BBL. SLIGHT MARKS ON STOCK
SEAL BROKEN ON FRONTPIG SCREW

COMPLAINT: HAS GONE OFF WHEN SAFETY WAS PUSHED
TO THE FIRE POSITION

INCIDENT: _____

COMMENTS: Trigger pull 2# - adjusted outside of plow and
resealed with red material.

Unable to duplicate customer complaint.

Repair as customer requested - replace fire control.

P.I. NO GUN EXAMINATION REPORT NUMBER: 511 MODEL: 700 CLASSIC
 GENERAL CONDITION: GOOD R #: 21197
 OUTSIDE WORK: NONE DATE: 8-26-81
 FROM: RILEYS, SPT. SH.
1475 HOOKSETT RD.
HOOKSETT N.H.
 FIRED AMMO TYPE: NOT KNOWN GUN #: A6728154
 & CONDITION: _____ CODE: LV-2-79
 PROOF: (REP) INSP.: 83 TEST: 116 GA./CAL.: 3006
 HEADING: OK CHECKED BY: M-HARDY
 BREACH OPENING: OK APPROVED: 9/29/81
 RECOIL SHOULDERS: OK APPROVED: P.N. 9/29/81
 CHAMBER: OK APPROVED: 9/29/81
 TEST: _____ APPROVED: 9/29/81
 COMPONENT CONDITION: (Damaged, Broken, Old Style)
SLIGHT MARK ON STOCK
 APPROVED: _____

COMPLAINT: FIRES WHEN SAFETY PUSHED OFF

INCIDENT: _____

COMMENTS:

Could not duplicate customer complaint.

Gun appears to be to Remington Specs - 3 1/2" Trigger
Pull, OK on tick test, sear lift full safe .0085",
sear engagement .020"

P.I. ND GUN EXAMINATION REPORT NUMBER: 513 MODEL: 700 BDL
GENERAL CONDITION: Good R #: 21866
OUTSIDE WORK: SCOPE BASE ADDED DATE: 9-4-81
FROM: BRADYMAN ARMS CO
912 PENN AVE
FIRED AMMO TYPE: NOT KNOWN WILKINS BURG PA
& CONDITION: _____ GUN #: A1487280
PROOF: L INSP.: 45 TEST: 102 CODE: 00 = 7-77
HEADING: OK GA./CAL.: 3006
BREACH OPENING: OK CHECKED BY: M HARDY
RECOIL SHOULDERS: OK APPROVED: 9/1/81 9/22/81
CHAMBER: DIRTY APPROVED: P.W. 9/22/81
TEST: _____ APPROVED: 2WB 9-22-81
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: 9/22/81
SLIGHT MARKS ON STOCK

COMPLAINT: FIRED WHEN CLOSING BOLT ALSO WHEN
FLIPPING OFF SAFETY

INCIDENT: _____

COMMENTS: Unable to duplicate customer complaint.
Gun appears to be to Remington Spec.

P.I. YES GUN EXAMINATION REPORT NUMBER: 528 MODEL: 700
 GENERAL CONDITION: FAIR R #: 23771
 OUTSIDE WORK: SIGHT REMOVED, RECOIL PAD AND DATE: 10-2-81
SWIVEL STUDS ADDED FROM: CAL REDDICK
920 W. LAKE CANNON
WINTER HAVEN FLA
 FIRED AMMO TYPE: NOT KNOWN GUN #: 359092
 & CONDITION: _____ CODE: OR-7-68
 PROOF: REP INSP.: 9 TEST: 55 GA./CAL.: 3006
 HEADING: OK CHECKED BY: M. HARDY
 BREACH OPENING: OK APPROVED: JPH 10/22/81
 RECOIL SHOULDERS: OK APPROVED: PS 10/22/81
 CHAMBER: OK APPROVED: P. H. 10/22/81
 TEST: _____ APPROVED: JWB 10/22-81
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: PS 10/22/81
BOLT RUSTY BRIGHT METAL ON BBL.
MADS ON STOCK, 2 1/2 LB. TRIG PULL
 COMPLAINT: FIRES WHEN SAFETY IS RELEASED
 INCIDENT: _____
 COMMENTS: Unable to duplicate customer complaint.
Gun passes trick test, .008" vertical sear lift -
.017 Trigger connector engagement.
Trigger adjusting screws adjusted outside factory
as evidenced by red glue on these screws. Trigger pull
2 1/2# - Rem Specs 3# to 5#
Could get follow down by slamming bolt.

P.I. NU GUN EXAMINATION REPORT NUMBER: 539 MODEL: 700 ?

GENERAL CONDITION: FAIL R #: 25516

OUTSIDE WORK: L/WOOD - L/MAG. BOX + TRIG GUARD DATE: 10-15-81

FROM: W.G.S. INC.
18200 JOHN R. ST
DETROIT MICH.

FIRED AMMO TYPE: NOT KNOWN GUN #: 6799294

& CONDITION: _____ CODE: RY-11-74

PROOF: B INSP.: 54 TEST: ? GA./CAL.: 3006

HEADING: OK CHECKED BY: M-HARDY

BREACH OPENING: OK APPROVED: 9/11/81

RECOIL SHOULDERS: OK APPROVED: 9/11/81

CHAMBER: OK APPROVED: 9/11/81

TEST: _____ APPROVED: 9/11/81

COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: 9/11/81

COMPLAINT: FIRES WHEN SAFETY WAS MOVED FROM
SAFE TO FIRE POSITION

INCIDENT: _____

COMMENTS: Unable to duplicate customer complaint.
4 1/2# Trigger Pull, Passes Trick test, 008 bear lift,

Replace fire control - No Charge

P.I. NO GUN EXAMINATION REPORT NUMBER: 538 MODEL: 700 BDL
 GENERAL CONDITION: FAIR R #: 26528
 OUTSIDE WORK: SCOPE SCREWS REMOVED DATE: 10-22-81
 FIRED AMMO TYPE: NOT KNOWN FROM: CHARLIES
SPT3 GOODS
7401 H-MANUAL BLD
N.E. ALBUQUERQUE, N.M.
 & CONDITION: _____ GUN #: A6634154
 PROOF: R INSP.: 9 TEST: 111 CODE: OQ=7-78
 HEADING: OK GA./CAL.: 270
 BREACH OPENING: OK CHECKED BY: M-HARDY
 RECOIL SHOULDERS: OK APPROVED: 4/21 11/19/81
 CHAMBER: _____ APPROVED: PR 11/19/81
 TEST: _____ APPROVED: JB 11-19-81
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: JD 11/15/81
S LIGHT SCRATCHES ON RIGHT SIDE OF STOCK

COMPLAINT: FIRING WHEN SAFETY WAS REMOVED

INCIDENT: _____

COMMENTS: Unable to duplicate customer complaint.
4 1/2# Trigger Pull, Passes trigger test, .009 Sec. lift

Replace fire control - No charge. JPH

P.I. YES ? GUN EXAMINATION REPORT NUMBER: 585 MODEL: 700 BDL
 GENERAL CONDITION: NEW R # : 30585
 OUTSIDE WORK: NONE DATE: 11-30-81
 FROM: GELL'S SPT. GOODS
17242 GREYDALE
DETROIT MICH
 FIRED AMMO TYPE: NOT KNOWN GUN # : A6827002
 & CONDITION: _____ CODE: EV=10-79
 PROOF: 0 INSP.: 92 TEST: 119 GA./CAL.: 3006
 HEADING: OK CHECKED BY: M-HARDY
 BREACH OPENING: OK APPROVED: [Signature] 12/22/81
 RECOIL SHOULDERS: OK APPROVED: [Signature] 12/22/81
 CHAMBER: OK APPROVED: [Signature] 12-22-81
 TEST: REG. GALLERY TEST OK APPROVED: _____
 COMPONENT CONDITION: (Damaged, Broken, Old Style)
SLIGHT MARKS IN STOCK

COMPLAINT: FIRES WHEN SAFETY IS TAKEN OFF

INCIDENT: _____

COMMENTS: Unable to duplicate customer complaint.

- Trigger Pull 4 1/2#

- OK on Trick Test

- Seal Engagement .019

- Seal Lift .010

P.I. NO GUN EXAMINATION REPORT NUMBER: 592 MODEL: 700 BOK
GENERAL CONDITION: GOOD R #: 31244
OUTSIDE WORK: SCOPE SCREWS MISSING DATE: 12-4-81
FIRED AMMO TYPE: REM PETERS FROM: R. KLOSOWSKI
1100 YOUNGS DITCH
BAY CITY MICH.
CONDITION: ONE SPENT CASE GUN #: 6811550
PROOF: S INSP.: 62 TEST: 52 CODE: XY = 12-74
HEADING: OK GA./CAL.: 7MM MAG
BREACH OPENING: OK CHECKED BY: M-HARDY
RECOIL SHOULDERS: OK APPROVED: JCH 1/13/82
CHAMBER: OK APPROVED: DEJ 1/13/82
TEST: APPROVED: P.J. 1/13/82
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: W 1/13/82
BRIGHT MARKS ON TOP OF REC. 102 B. 1-13-82

COMPLAINT: FIRED WHEN SAFE WAS RELEASED

INCIDENT:

COMMENTS:

Unable to duplicate customer complaint
- Passes trick test.
- Horizontal Rear Engagement .015

P.I. NO GUN EXAMINATION REPORT NUMBER: 594 MODEL: M-700 ADL
GENERAL CONDITION: GOOD R #: 32631
OUTSIDE WORK: TWO SCOPE SCREWS REMOVED DATE: 12-17-81
FIRE: AMMO TYPE: NOT KNOWN FROM: JOSEPH MORRIS
RT#3 BOX 37A
POUGHATAN, VA, 22135
CONDITION: GOOD GUN #: B6265592
PROOF: REP INSP.: 52 TEST: 53 CODE: PA-11-80
HEADING: OK GA./CAL.: 243
BREECH OPENING: OK CHECKED BY: M-HARDY
RECOIL SHOULDERS: OK APPROVED: SGT 1/19/82
CHAMBER: OK APPROVED: PG 1/19/82
TEST: OK APPROVED: P.M. 1/19/82
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: DO 1/19/82
SLIGHT SCRATCHES ON WOOD

COMPLAINT: FIRE WHEN SAFE IS RELEASED

INCIDENT:

COMMENTS:

Unable to duplicate customer complaint.

- Trigger pull 3 1/2 #

- Horizontal Sear Engagement .018

- Vertical Sear lift - Full Safe - .0095

P.I. YES GUN EXAMINATION REPORT NUMBER: 217 MODEL: 700 ADL
 GENERAL CONDITION: NEW R #: 08200
 OUTSIDE WORK: NOVE DATE: 3-4-80
 FIRED AMMO TYPE: NOT KNOWN FROM: FIVEPOINTS
SP20-540
PT 512 BANGOR PA.
 & CONDITION: GUN #: 6573996
 PROOF: REM INSP.: 73 TEST: 86 CODE: EV-10-72
 HEADING: OK GA./CAL.: 308
 BREECH OPENING: OK CHECKED BY: M-HARRY
 RECOIL SHOULDERS: OK APPROVED: 4/16/80
 CHAMBER: OK APPROVED: 4/16/80
 TEST: APPROVED: 4/16/80
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: 4-16-80

SLIGHT MARKS ON STOCK

COMPLAINT: FIRE WHEN SAFE IS RELEASED

INCIDENT: DISCHARGED IN FLOWERS HOME

COMMENTS: Serial 0065, Trigger Puller, Passes Trick Test.

Unable to duplicate customer complaint.

P.I. YES GUN EXAMINATION REPORT NUMBER: 220 MODEL: 700 BDL
GENERAL CONDITION: Good R #: 09509
OUTSIDE WORK: REAR SIGHT EYE PIECE DATE: 3-17-80
REMOVED, SCOPE BASE ADDED FROM: ACHER ARMS
3295th ST.
LINCOLN NEB.
FIRED AMMO TYPE: NOT KNOWN GUN #: A6464840
& CONDITION: _____ CODE: PO = 6-77
PROOF: (REP)L INSP.: 45 TEST: 711 GA./CAL.: 6 MM REM
HEADING: OK CHECKED BY: M-H-974
BREECH OPENING: OK APPROVED: 9/2/80 5/7/80
RECOIL SHOULDERS: OK APPROVED: L.B. 5-7-80
CHAMBER: OK APPROVED: 9/5/80
TEST: _____ APPROVED: 5-7-80
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: 5-7-80
SLIGHT MARKS IN STOCK

COMPLAINT: RIFLE DISCHARGED TWICE WHEN SAFETY
WAS MOVED TO OFF POSITION

INCIDENT: _____

COMMENTS: Sear lift .0105", Trigger Pull 4 3/4", Passed
Trick Test.

Unable to duplicate customer complaint.

P.I. YES GUN EXAMINATION REPORT NUMBER: 219 MODEL: 700-AOL
 GENERAL CONDITION: FAIR R #: 10666
 OUTSIDE WORK: REAR SIGHT REMOVED DATE: 3-26-80
SCOPE BASE ADDED FROM: EDWARDS
2654E BILLYG
 FIRED AMMO TYPE: NOT KNOWN MESA, ARIZ.
 & CONDITION: _____ GUN #: 6524577
 PROOF: (REM) M INSP.: 9 TEST: 97 CODE: 2N = 2-72
 HEADING: OK GA./CAL.: 2506
 BREECH OPENING: OK CHECKED BY: M-H 4/23/80
 RECOIL SHOULDERS: OK APPROVED: PG 4/23/80
 CHAMBER: OK APPROVED: PG 4/23/80
 TEST: _____ APPROVED: PG 4/23/80
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: R.B. 4-23-80

SLIGHT MARKS ON STOCK

BRIGHT METAL MARKS ON BBL

COMPLAINT: FIRED WHEN SAFETY WAS MOVED TO OFF

INCIDENT: _____

COMMENTS: Sear lift .0095", Trigger Pull 4#, Passed

Trick Test.

Fire control adjusting screws possibly adjusted
outside of Remington and resealed with red sealant.

Unable to duplicate customer complaint.

P.I. YES GUN EXAMINATION REPORT NUMBER: 314 MODEL: 700 ADL
GENERAL CONDITION: FAIR R #: 32622
OUTSIDE WORK: SIGHTS REMOVED DATE: 12-3-80
SWIVEL STUDS ADDED, FRONT Bearing Pad FROM: DE MARCO SPT. GOOL
removed in stock. 200 N. SIDE DRIVING
FIRED AMMO TYPE: NOT KNOWN BENNINGTON VERM
& CONDITION: _____ GUN #: B6217994
PROOF: REP INSP.: 122 TEST: 82 CODE: PA 3=11-80
HEADING: OK GA./CAL.: 270
BREECH OPENING: OK CHECKED BY: M HARDY
RECOIL SHOULDERS: OK APPROVED: Sgt 1/13/81
CHAMBER: OK APPROVED: REP 1/13/81
TEST: _____ APPROVED: JDO 1/13/81
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: _____

BRIGHT MARKS ON TOP REC

EXTRACTOR BROKEN RIGHT SIDE OF RIVET

COMPLAINT: RIFLE HAS FIRING PROBLEM

INCIDENT: SHOT HOLE IN TRUCK - FSR

COMMENTS: Trigger pull 3 3/4#, Passed Trick test

Unable to verify customer complaint. Gun
appears to be normal.

P.I. YES GUN EXAMINATION REPORT NUMBER: 48 MODEL: 700
GENERAL CONDITION: FAIR R #: 00557
OUTSIDE WORK: SCOPE MOUNTS ADDED DATE: 12/27/78
FROM: DEB GEIER
FIRED AMMO TYPE: UNKNOWN BOX 228 POTLATCH 10AM
& CONDITION: _____ GUN #: 6771922
PROOF: CRP INSP.: 41 TEST: 70 CODE: OY-7-74
HEADING: OK GA./CAL.: 3006
BREACH OPENING: OK CHECKED BY: M-HARDY
RECOIL SHOULDERS: OK APPROVED: PH 1/12/79
CHAMBER: RUSTY APPROVED: PH 1/12/79
TEST: _____ APPROVED: FEH 1-12-79
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: CH 1-12-79

STOCK DENTED, COLOR OFF BAL. RUSTY REC.

COMPLAINT: FIRE WHEN SAFETY WAS RELEASED

INCIDENT: POT HOLE IN CARPET AND FLOOR

COMMENTS: Unable to duplicate customer's malfunction.
all components within factory specs

P.I. YES GUN EXAMINATION REPORT NUMBER: 46 MODEL: 700
 GENERAL CONDITION: GOOD R #: 29285
 OUTSIDE WORK: REAR SIGHT REMOVED AND DATE: 12/8/78
HOLDS PLUGGED, SCOPE BASE MOUNTED FROM: FRED JAVILA
TUTTLE RD.
WALTON, N.Y.
 FIRED AMMO TYPE: UNKNOWN GUN #: A6347686
 & CONDITION: _____ CODE: W1 = 8-76
 PROOF: (REP) INSP.: 77 TEST: 76 GA./CAL.: 3006
 HEADING: _____ CHECKED BY: M-HARDY
 BREACH OPENING: OK APPROVED: 1/5/79
 RECOIL SHOULDERS: OK APPROVED: 1/5/79
 CHAMBER: DIRTY APPROVED: 1/5/79
 TEST: _____ APPROVED: 1/5/79
 COMPONENT CONDITION: (Damaged, Broken, Old Style)
GOOD APPROVED: 1/5/79
1/5/79
1/5/79

COMPLAINT: GUN GOING OFF WHEN SAFETY IS
PUSHED INTO FIRE

INCIDENT: _____

COMMENTS: Could not duplicate malfunction reported.
Sear & Connector engagement satisfactory, Sear lift
.008". Trigger screws were properly sealed.

P.I. YES GUN EXAMINATION REPORT NUMBER: 74 MODEL: 700-LH BDL
GENERAL CONDITION: FAIR R #: 02021
OUTSIDE WORK: SIGHTS REMOVED ALSO DATE: 1-11-79
SCOPE SCREWS FROM: N.Y. BARGAIN STORE
WHITAKER + TILLEY'S
FIRED AMMO TYPE: UNKNOWN ENFIELD N.G.
& CONDITION: — GUN #: 6627846
PROOF: PREP B INSP.: 73 TEST: 111 CODE: W-K-8-73
HEADING: OK GA./CAL.: 270
BREACH OPENING: OK CHECKED BY: M HARDY
RECOIL SHOULDERS: OK APPROVED: SPH 3/2/79
CHAMBER: OK APPROVED: SPH 3/2/79
TEST: — APPROVED: SPH 3/2/79
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: WAD 3-2-79
SMALL DENTS IN WOOD BOLT SHOWS WEAR
BRIGHT METAL ON BBL.

COMPLAINT: FIRES WHEN SAFETY IS RELEASED

INCIDENT: BULLET HOLE THROUGH FLOOR BOARD &
TRANSMISSION OF TRUCK

COMMENTS: Trigger pull adjusted below factory specs.
Trigger adjusting screw appears to have been
adjusted outside factory. No return spring tension
on trigger.

P.I. YES GUN EXAMINATION REPORT NUMBER: 68 MODEL: 700 BDL
 GENERAL CONDITION: GOOD R #: 05858
 OUTSIDE WORK: SCOPE SCREWS AND SIGHTS DATE: 2-15-79
REMOVED FROM: KENNETH ARNOLD
 FIRED AMMO TYPE: UNKNOWN 3401 RUSTWOOD
& CONDITION: LUFRIN TEXAS
 GUN #: A6427943
 PROOF: REP'21 INSP.: 45 TEST: 117 CODE: A-0-3-77
 HEADING: OK GA./CAL.: 2506
 BREECH OPENING: OK CHECKED BY: M HARDY
 RECOIL SHOULDERS: OK APPROVED: SM 3/9/79
 CHAMBER: OK APPROVED: NO 3/5/79
 TEST: — APPROVED: 2-15-79
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: WAV 3-9-79
SMALL DENTS IN STOCKS, BRIGHT METAL ON
MUZZLE.
 COMPLAINT: RIFLE DISCHARGED TWO TIMES WHEN SAFE
WAS MOVED TO OFF POS. TO REMOVE SHELL FROM CHAMBER
 INCIDENT: SHOT, HOLE IN FLOOR BOARD OF TRUCK AND
SECOND TIME SHOT CHUNK OUT OF FRONT PORCH.
 COMMENTS: unable to duplicate incident

P.I. YES GUN EXAMINATION REPORT NUMBER: 73 MODEL: 700 ADL
GENERAL CONDITION: Good R #: 06083
OUTSIDE WORK: SCOPE BASE AND SWIVEL DATE: 2-16-79
STUDS ADDED FROM: JOHNNIE D MILLS
FIRED AMMO TYPE: UNKNOWN Box 155 DODD CITY TEX
& CONDITION: — GUN #: 6524970
PROOF: REM M INSP.: W TEST: 84 CODE: L-W = 2-72
HEADING: OK GA./CAL.: 170
BREECH OPENING: OK CHECKED BY: M-HARDY
RECOIL SHOULDERS: OK APPROVED: GMH 3/16/79
CHAMBER: OK APPROVED: PRJ 3/16/79
TEST: — APPROVED: R.P.B. 3-16-79
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: 20W 3-16-79
SLIGHT DENTS IN WOOD. BBL MAR. ON APPROVED: WVW 3-16-79
TOP

COMPLAINT: RIFLE DISCHARGED WHEN SAFE WAS
MOVED TO OFF POS.
INCIDENT: SHOOT HOLE THROUGH FLOOR OF PICKUP
TRUCK
COMMENTS: Unable to duplicate incident.

P.I. YES GUN EXAMINATION REPORT NUMBER: 99 MODEL: 700 BDL
 GENERAL CONDITION: FAIR R #: 07317
 OUTSIDE WORK: SCOPE MOUNTS AND DATE: 2-27-79
SWIVELS ADDED FROM: WILLIAM R. STRES
RT 2 Box 16A
 FIRED AMMO TYPE: NOT KNOWN TERRA, AHA W. VA.
 & CONDITION: _____ GUN #: A6351419
 PROOF: 1/PEP12 INSP.: 65 TEST: ? CODE: DI = 9-76
 HEADING: OK GA./CAL.: 3006
 BREECH OPENING: OK CHECKED BY: M-HARDY
 RECOIL SHOULDERS: OK APPROVED: Jgt 5/18/79
 CHAMBER: OK APPROVED: REJ 5/18/79
 TEST: _____ APPROVED: R.F.B. 5-18-79
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: WAB 5-18-79
STOCK OPEN GRAIN SLIGHT SCRATCHES
BBE MAR. SOME RUST AND PITTED
 COMPLAINT: RIFLE DISCHARGED WHEN SAFETY WAS PUSHED
FORWARD
 INCIDENT: SHOT HOLE IN DOOR OF FORD BRONCO
 COMMENTS: Unable to duplicate customer complaint.

- Trigger pull 5#

- Gun passes tick test.

- Sear engagement adequate

P.I. YES GUN EXAMINATION REPORT NUMBER: 87 MODEL: 700 BDL
 GENERAL CONDITION: Good R #: 08810
 OUTSIDE WORK: SCOPE SCREWS REMOVED DATE: 3-9-79
 FROM: R. HARRISON
 FIRED AMMO TYPE: UNKNOWN 13129000 DELAY 5;
 & CONDITION: — BASTP 00 LA 71220
 GUN #: A6305900
 PROOF: REPU INSP.: U TEST: III CODE: K1-5-76
 HEADING: OK GA./CAL.: 243
 BREECH OPENING: OK CHECKED BY: M. H. P. D. V.
 RECOIL SHOULDERS: OK APPROVED: Sgt 3/30/79
 CHAMBER: OK APPROVED: PLG 3/30/79
 TEST: — APPROVED: PLB 3-30-79
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: WAB 3-30-79
 APPROVED: WAB 3-30-79

SMALL DENTS IN WOOD

RIGHT METAL AT NOZZLE

COMPLAINT: RIFLE DISCHARGED WHEN SAFE WAS
MOVED FORWARD

INCIDENT: BLEW A HOLE IN BED OF PICK
UP TRUCK

COMMENTS: Unable to duplicate incident. Weight
A full screw & overtravel screw not sealed indicating
they have been adjusted outside of Remington.

P.I. YES GUN EXAMINATION REPORT NUMBER: 100 MODEL: 700 BDL
 GENERAL CONDITION: Good R #: 10483
 OUTSIDE WORK: SLING STRAP AND DATE: 3-22-79
SWIVELS ADDED FROM: WILLIAM C GIBBS
619 CHARLES ST
PASADENA TEXAS
 FIRED AMMO TYPE: NOT KNOWN GUN #: A6419765
 & CONDITION: — CODE: L-0 = 2-77
 PROOF: 'REP' U INSP.: U TEST: 70 GA./CAL.: 3006
 HEADING: OK CHECKED BY: M HARDY
 BREECH OPENING: OK APPROVED: GR 5/17/79
 RECOIL SHOULDERS: OK APPROVED: PEL 5/17/79
 CHAMBER: OK APPROVED: WAS 5-17-79
 TEST: — APPROVED: WAS 5-17-79
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: WAS 5-17-79
BBL AND FLOOR PLATE BRIGHT MARKS.
Customer added 2 drops of oil and he said gun quit
misfiring.
 COMPLAINT: FIRES ON SAFETY RELEASE. GUN MISSES FIRES
 INCIDENT: 2 OR 3 WINDOWS, WALL OF HOUSE, PICKUP TRUCK
AND CAMPER
 COMMENTS: - Unable to duplicate customer complaint.
- Gun passed tick test
- Trigger Pull 5*
- Trigger free - does not bind

P.I. YES GUN EXAMINATION REPORT NUMBER: 106 MODEL: 700 BDL
 GENERAL CONDITION: FAIR R #: 11147
 OUTSIDE WORK: SCOPE SCREWS REMOVED DATE: 3-28-79
 FROM: MR TONY VARNUM
 FIRED AMMO TYPE: NOT KNOWN PT 2 BOX 194 SUPPLY N.
 & CONDITION: — GUN #: A6482019
 PROOF: (R/E P) X INSP.: V TEST: 52 CODE: 00-7-77
 HEADING: OK GA./CAL.: 270
 BREACH OPENING: OK CHECKED BY: IM HARDY
 RECOIL SHOULDERS: OK APPROVED: 904 5/18/79
 CHAMBER: DIRTY APPROVED: REJ 5/18/79
 TEST: — APPROVED: R.P.B. 5-18-79
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: NAB 5/18/79
 APPROVED: VAN 5-18-79

BBL MAR. BRIGHT SPITS.

SMALL DEENTS IN WOOD

JEWEL WORN ON BOLT

COMPLAINT: FIRE WHEN SAFE IS RELEASED

INCIDENT: FIRE IN AIR FIRST TIME
SECOND TIME SHOOT THROUGH MY CAR

COMMENTS: Unable to duplicate customer complaint.

- Trigger pull 5#

- Gun passes tick test

- Sear engagement satisfactory.

P.I. YES GUN EXAMINATION REPORT NUMBER: 114 MODEL: 700 BDL
GENERAL CONDITION: GOOD R #: 15597
OUTSIDE WORK: SIGHTS REMOVED DATE: 5-17-79
SCOPE BASE: ADDED FROM: DAVE'S GUN CONTRA
FIRED AMMO TYPE: NOT KNOWN 6971 BROOKVILLE
& CONDITION: SALEM RD BROOKVILLE OH
PROOF: REPU INSP.: U TEST: 112 GUN #: A6537717
HEADING: OK CODE: X-0-12-77
BREECH OPENING: OK GA./CAL.: M-14 ADY
RECOIL SHOULDERS: OK CHECKED BY: GRH 6/22/79
CHAMBER: OK APPROVED: GRH 6-22-79
TEST: OK APPROVED: R.F.B. 6-22-79
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: GRH 6-22-79
APPROVED: 7/24 C-22-79

BBL. MAR. AT MUZZEL TOP

FLOOR PLATE BRIGHT

COMPLAINT: FIRED WHEN SAFE WAS MOVED TO OFF POS.

INCIDENT: BLEW HOLE THRU PASSENGER DOOR

COMMENTS: Unable to duplicate customer complaint. Trigger
pull below our specifications - has been adjusted
outside Remington - trigger stop screw sealant not of Remington
type. Safety has also been removed as evidenced
by safety detent spring not in proper position.
- Gun passed tick test
- Seal lift .007

T. 0 11 131*

P.I. YES GUN EXAMINATION REPORT NUMBER: 115 MODEL: 700
GENERAL CONDITION: GOOD R #: 16182
OUTSIDE WORK: SLING STRAP STOPS AND DATE: 5-23-79
SCOPE MOUNTS ADDED FROM: VEAGERS
3101 NW AVE.
FIRED AMMO TYPE: NOT KNOWN BELLINGHAM, WASH.
& CONDITION: _____ GUN #: A6298588
PROOF: REP INSP.: 71 TEST: 112 CODE: K-1-5-76
HEADING: OK GA./CAL.: 7MM MAG.
BREECH OPENING: OK CHECKED BY: M-HARDY
RECOIL SHOULDERS: OK APPROVED: [Signature]
CHAMBER: OK APPROVED: [Signature] 6/2/79
TEST: _____ APPROVED: [Signature] 6-22-79
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: [Signature] 6-22-79

SLIGHT MARKS IN STOCK

COMPLAINT: GUN GOES OFF WHEN SAFE IS
RELEASED

INCIDENT: SHOT HOLE THRU DOOR OF PICK UP TRUCK

COMMENTS: Unable to duplicate customer complaint.

- Serial lift 008
- Trigger pull 4 1/4 lbs
- Gun passes tick test.

P.I. YES GUN EXAMINATION REPORT NUMBER: 191 MODEL: 700 BDL.
 GENERAL CONDITION: FAIR R #: 32059
 OUTSIDE WORK: FRONT & REAR SIGHTS DATE: 12-3-79
AND SCOPE SCREWS REMOVED FROM: BOSTICK OIL
AND TIRE DIST.
 FIRED AMMO TYPE: NOT KNOWN PO BOX 726 - ESTILL Sp.
 & CONDITION: _____ GUN #: 6627830
 PROOF: N INSP.: V TEST: 27 CODE: CX-4-73
 HEADING: OK GA./CAL.: 270 WIN.
 BREECH OPENING: OK CHECKED BY: M-HARDY
 RECOIL SHOULDERS: OK APPROVED: 920/12/14/79
 CHAMBER: OK APPROVED: REY 12/14/79
 TEST: _____ APPROVED: R.B. 12-18-79
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: 102 B 12-14-79
 APPROVED: AND 12-18-79

SLIGHT MARKS ON STOCK

BRIGHT METAL ON REAR & REG. SMALL DENTS
ON REG. TRIG. PULL 3 1/2 LB

COMPLAINT: FIRED ON TWO SEPERATE OCCASIONS
AS SAFETY WAS MOVED TO OFF POSITION

INCIDENT: _____

COMMENTS: Trigger Pull 3 1/2#, Sear lift .007, Passes
truck test.

Unable to duplicate incident.

P.I. NO GUN EXAMINATION REPORT NUMBER: 209 MODEL: 700 ADL
 GENERAL CONDITION: Good R #: 34219
 OUTSIDE WORK: STOCK DRILLED FOR DATE: 12-21-79
SWIVEL STUDS. FROM: SV JACKSON
411 CONNIE
LOS ALAMOS, N.M.
 FIRED AMMO TYPE: NOT KNOWN GUN #: A6485099
 & CONDITION: _____ CODE: 0027-77
 PROOF: REPH INSP.: 45 TEST: NO TEST OR TARGET STAMP
 HEADING: OK GA./CAL.: 3006
 BREECH OPENING: OK CHECKED BY: M-HARDY
 RECOIL SHOULDERS: OK APPROVED: JPH 4/16/80
 CHAMBER: OK APPROVED: PS 4/16/80
 TEST: _____ APPROVED: PS 4/16/80
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: L.F.B. 4-16-80
SLIGHT MARS ON STOCK

COMPLAINT: ON THREE OCCASIONS RIFLE FIRED
IMMEDIATELY UPON RELEASING THE SAFETY

INCIDENT: _____

COMMENTS: - Seal Lift .011, Trigger Pull 4 1/2#, Passed Tuck
Test,
- Unable to duplicate customer complaint.