

P.I. YES GUN EXAMINATION REPORT NUMBER: 106 MODEL: 700 BDL
 GENERAL CONDITION: FAIR R #: 11147
 OUTSIDE WORK: SCOPE SCREENS REMOVED DATE: 3-28-79
 FROM: MR. TONY VARNUM
 FIRED AMMO TYPE: NOT KNOWN PT 5 BOX 194 SUPPLY N.
 & CONDITION: — GUN #: A6482019
 PROOF: (R/E P) X INSP.: V TEST: 52 CODE: 00-7-77
 HEADING: OK GA./CAL.: 270
 BREECH OPENING: OK CHECKED BY: M. HARDY
 RECOIL SHOULDERS: OK APPROVED: GH 5/18/79
 CHAMBER: DIRTY APPROVED: REL 5/18/79
 TEST: — APPROVED: R.I.B. 5-18-79
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: NAB 5/18/79
 APPROVED: WAA 5-18-79

BBL MAR. BRIGHT SPITS.

SMALL DENTS IN WOOD

JEWEL WORN ON BOLT

COMPLAINT: FIRE WHEN SAFE IS RELEASED

INCIDENT: FIRE IN AIR FIRST TIME
SECOND TIME SHOOT THROUGH MY CAR

COMMENTS: Unable to duplicate customer complaint.

- Trigger pull 5#

- Gun passes truck test

- Rear engagement satisfactory.

P.F. YES GUN EXAMINATION REPORT NUMBER: 114 MODEL: 700 BDL
 GENERAL CONDITION: GOOD R #: 15597
 OUTSIDE WORK: SIGHTS REMOVED DATE: 5-17-79
SCOPE BASE! ADDED FROM: DAVE'S GUN CORP
SALEM RD BROOKVILLE OH
 FIRED AMMO TYPE: NOT KNOWN GUN #: A6537717
 & CONDITION: _____ CODE: X-0-12-77
 PROOF: REP U INSP.: U TEST: 112 GA./CAL.: M-14 S&W
 HEADING: OK CHECKED BY: JRH 6/2/79
 BREECH OPENING: OK APPROVED: [Signature] 6-22-79
 RECOIL SHOULDERS: OK APPROVED: R.F.B. 6-22-79
 CHAMBER: OK APPROVED: [Signature] 6-22-79
 TEST: _____ APPROVED: [Signature] 6-22-79
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: [Signature] 6-22-79

BBL. MAR. AT MUZZEL TOP
FLOOR PLATE BRIGHT

COMPLAINT: FIRED WHEN SAFE WAS MOVED TO OFF POS.

INCIDENT: BLEW HOLE THRU PASSENGER DOOR

COMMENTS: Unable to duplicate customer complaint. Trigger
pull below our specifications - has been adjusted
outside Remington - trigger stop screw seated not of Remington
type. Safety has also been removed as evidenced
by Safety's detent spring not in proper position.
- Gun passed tick test
- Seal lift .007
- Trigger Pull 13.1#

P.I.: YES GUN EXAMINATION REPORT NUMBER: 115 MODEL: 700
GENERAL CONDITION: GOOD R #: 16182
OUTSIDE WORK: SLING STRAP STOPS AND DATE: 5-23-79
SCOPE MOUNTS ADDED FROM: VEAGERS
3101 N.W. AVE.
FIRED AMMO TYPE: NOT KNOWN BELLINGHAM, WASH.
& CONDITION: _____ GUN #: A629588
PROOF: REP INSP.: 71 TEST: 112 CODE: K-1-5-76
HEADING: OK GA./CAL.: 7MM MAG.
BREECH OPENING: OK CHECKED BY: M-HARDY
RECOIL SHOULDERS: OK APPROVED: [Signature]
CHAMBER: OK APPROVED: [Signature] 6/22/79
TEST: _____ APPROVED: [Signature] 6-22-79
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: [Signature] 6-22-79

SLIGHT MARKS IN STOCK

COMPLAINT: GUN GOES OFF WHEN SAFE IS
RELEASED

INCIDENT: SHOT HOLE THRU DOOR OF PICK UP TRUCK

COMMENTS: Unable to duplicate customer complaint

- Scan lift .008

- Traizer Bull 4 1/4"

- Gun passes tick test.

P.I. YES GUN EXAMINATION REPORT NUMBER: 191 MODEL: 700 ED.
 GENERAL CONDITION: FAIR R #: 32059
 OUTSIDE WORK: FRONT & REAR SIGHTS DATE: 12-3-79
AND SCOPE SCREWS REMOVED FROM: BOSTICK OIL
AND FIRE DIST.
 FIRED AMMO TYPE: NOT KNOWN PO Box 726 - ESTILL SP.
 & CONDITION: _____ GUN #: 6627830
 PROOF: N INSP.: V TEST: 27 CODE: CX-4-73
 HEADING: _____ OK GA./CAL.: 270 WIN.
 BREECH OPENING: _____ OK CHECKED BY: M. HARDY
 RECOIL SHOULDERS: _____ OK APPROVED: 9201 12/14/79
 CHAMBER: _____ OK APPROVED: PEL 12/14/79
 TEST: _____ APPROVED: RAB 12-12-79
 APPROVED: 12-14-79
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: WAD 12-10-79

SLIGHT MARKS ON STOCK

BRIGHT METAL ON ROLL PEG, SMALL DENTS
ON REG. TRIG. PULL 3 1/2 LB

COMPLAINT: FIRED ON TWO SEPERATE OCCASIONS
AS SAFETY WAS MOVED TO OFF POSITION

INCIDENT: _____

COMMENTS: Trigger Pull 3 1/2#, Sear lift .007, Passes
truck test.
Unable to duplicate incident.

P.I. YES GUN EXAMINATION REPORT NUMBER: 192 MODEL: 700 BDL
GENERAL CONDITION: GOOD R #: 32134
OUTSIDE WORK: NONE VISIBLE, LETTER DATE: 12-4-79
STATES SAFETY REPAIRED BY GUN SHOP FROM: SC PENNEY
FIRED AMMO TYPE: NOT KNOWN 213 SO. MAIN ST
SALT LAKE CITY UT.
& CONDITION: NO SHELLS REC. BY ME GUN #: A6739101
PROOF: (REP) INSP.: U TEST: 64 CODE: AV = 3-79
HEADING: OK GA./CAL.: 7MM MAG.
BREECH OPENING: OK CHECKED BY: M-H-34
RECOIL SHOULDERS: OK APPROVED: 904 12/21/79
CHAMBER: OK APPROVED: 12/21/79
TEST: OK APPROVED: 12/21/79
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: 12/21/79
Good. APPROVED: 12/21/79

COMPLAINT: FIRING WHEN SAFE WAS RELEASED

INCIDENT: _____

COMMENTS: Rifle passed track test, Trigger Pull #13*

Unable to duplicate customer complaint out of stock. Replace trigger assembly & bolt at no charge to customer.

Customer admits to outside gunsmith work.

P.I.: NO GUN EXAMINATION REPORT NUMBER: 209

MODEL: 700 ADL

GENERAL CONDITION: Good

R #: 34219

OUTSIDE WORK: STOCK DRILLED FOR SWIVEL STUDS.

DATE: 12-21-79

FIRE AMMO TYPE: NOT KNOWN

FROM: SV. JACKSON
411 CONNIE
LOS ALAMOS, N.M.

& CONDITION: _____

GUN #: A6485099

PROOF: PEP/H INSP.: 45 TEST: NO TEST

CODE: 0027-77

OR TARGET STAMP

HEADING: OK

GA./CAL.: 3006

BREACH OPENING: OK

CHECKED BY: M-HARDY

RECOIL SHOULDERS: OK

APPROVED: 92H 4/16/80

CHAMBER: OK

Test sequence

APPROVED: PS 4/16/80

TEST: 40rd test - OK - Load, Safe on - Jargon
Safe off - fire given

APPROVED: PS 4/16/80

COMPONENT CONDITION: (Damaged, Broken, Old Style)

APPROVED: L.F.B. 4-16-80

SLIGHT MARKS ON STOCK

COMPLAINT: ON THREE OCCASIONS, RIFLE FIRED

IMMEDIATELY UPON RELEASING THE SAFETY

INCIDENT: _____

COMMENTS: - Seal lift .011, Trigger Pull 4 1/2#, Passed Trick
Test.

- Unable to duplicate customer complaint.

P.I. NO GUN EXAMINATION REPORT NUMBER: 623 MODEL: 700 BDL
GENERAL CONDITION: FAIR R #: 03525
OUTSIDE WORK: SCOPE SCREWS REMOVED DATE: 1-12-82
FIRED AMMO TYPE: NOT KNOWN FROM: SURPLUS CITY USA
4455 HWY 80 WEST
JACKSON MISS. 39201
& CONDITION: _____ GUN #: 6749631
PROOF: B INSP.: 115 TEST: 13 CODE: KY-5-74
HEADING: OK GA./CAL.: 3006
BREECH OPENING: OK CHECKED BY: M HARDY
RECOIL SHOULDERS: OK APPROVED: JGH 2/16/82
CHAMBER: OK APPROVED: PG 2/16/82
TEST: _____ APPROVED: WBB 2-15-82
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: ✓
SLIGHT MARKS ON STOCK

COMPLAINT: WHEN SAFETY IS THROWN OFF GUN GOES OFF

INCIDENT: _____

COMMENTS:

Unable to duplicate customer complaint

-Trigger pull 4#

-OK on tick test

- .017 sec engagement

P.I. NO GUN EXAMINATION REPORT NUMBER: 500 MODEL: 700 BDL
 GENERAL CONDITION: GOOD R #: 19506
 OUTSIDE WORK: SCOPE BASE ADDED DATE: 7-30-81
 FIRED AMMO TYPE: NOT KNOWN FROM: H.G. BENTLIN
2646 JACKSON DR.
FALLS CHURCH VA
 & CONDITION: GUN #: 223209
 PROOF: (RFP) INSP.: 9 TEST: 87 CODE: ON-7-66
 HEADING: OK GA./CAL.: 243
 BREACH OPENING: OK CHECKED BY: M-HARDY
 RECOIL SHOULDERS: OK APPROVED: APR 9/1/81
 CHAMBER: OK APPROVED: PG 9/1/81
 TEST: APPROVED: P.M. 9/1/81
 APPROVED: 7-30-81
 APPROVED: 7-30-81
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: 7-30-81

OLD STYLE FIRE CONTROL. SLIGHT DENTS IN WOOD

COMPLAINT: FIRES WHEN SAFE IS RELEASED, AT TIMES

INCIDENT: _____

COMMENTS: Clear-safety cam sticks in downward position,
because of accumulation of dirt & oil. Clean & return
to customer. Clean Bolt & Firing Pin Head, & has
oil on it also.

Send new instruction manual to customer.

REMINGTON ARMS COMPANY, INC.

INTER-DEPARTMENTAL CORRESPONDENCE



"CONFINE YOUR LETTER TO ONE SUBJECT ONLY" _____

April 23, 1982

TO: R.B. SPERLING - BRIDGEPORT

FROM: J.A. STEKL - ILION *JAS.*

SUBJECT: TERI SEE V. REMINGTON

The following, with attachments, is being forwarded in compliance with plaintiff's Request for Production of Documents:

1. See attached Owner's Manual copies
2. See attached Service Manual copies
3. See attached Parts Drawing copies
4. See attached Parts Drawing copies
5. See attachment "A"

JAS:tp
attch.

P.I. ND GUN EXAMINATION REPORT NUMBER: zdd MODEL: 700 BDL
 GENERAL CONDITION: WORK R #: 04240
 OUTSIDE WORK: SCOPE MOUNTS, TRIGGER DATE: 2/1/80
ASST. SEALS BROKEN FROM: G.A. NERNANDET
 FIRED AMMO TYPE: UNKNOWN COLLEGE PARK, GA
 & CONDITION: UNKNOWN GUN #: A6334914
 PROOF: REP 0 INSP.: 71 TEST: 70 CODE: 01-776
 HEADING: OIL GA./CAL.: 30-06
 BREACH OPENING: --- CHECKED BY: Rd Jay
 RECOIL SHOULDERS: OK APPROVED: 908 J 3/5/80
 CHAMBER: --- APPROVED: L.B. 3-5-80
 TEST: FAILS NOU TRICK TEST APPROVED: J 2-5-80
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: _____
✓ TRIGGER ADJUSTING SEALS BROKEN

COMPLAINT: "THE GUN WILL DISCHARGE WHEN THE SAFETY
IS MOVED TO THE FIRE POSITION"

INCIDENT: _____

COMMENTS: Trigger Pull 3 1/4 #, Seal Lift .0095". Fails trick test.
Trigger adjusting screw seals broken - no sealant indicated,
adjustment of screws outside of factory.

P.I. YES GUN EXAMINATION REPORT NUMBER: 314MODEL: 700 A DLGENERAL CONDITION: FAIRR #: 32622OUTSIDE WORK: SIGHTS REMOVEDDATE: 12-3-80

SWIVEL STUDS ADDED FRONT Bearing Pad
removed in stock.
 FIRED AMMO TYPE: NOT KNOWN

FROM: DEMARCO SPT. GOOL
200 N SIDE DRIVE
BENNINGTON VERM

& CONDITION: _____

GUN #: 86217994PROOF: REP INSP.: 122 TEST: 82CODE: PA 3=11-80
EA 3=10-80HEADING: OKGA./CAL.: 270BREECH OPENING: OKCHECKED BY: M HARDCRECOIL SHOULDERS: OKAPPROVED: SAH 1/13/81CHAMBER: OKAPPROVED: REY 1/13/81

TEST: _____

APPROVED: SAH 1/13/81

COMPONENT CONDITION: (Damaged, Broken, Old Style)

APPROVED: _____

BRIGHT MARKS ON TOP RECEXTRACTOR BROKEN RIGHT SIDE OF RIVETCOMPLAINT: RIFLE HAS FIRING PROBLEMINCIDENT: SHOT HOLE IN TRUCK - FSRCOMMENTS: Tugger pull 3 3/4", Passed Tuck test

Unable to verify customer complaint. Gun
appears to be normal.

11 "A" 11

P.I. N.O. GUN EXAMINATION REPORT NUMBER: 599 MODEL: 700 ADL
GENERAL CONDITION: FAIR R #: 01375
OUTSIDE WORK: SLING STRAP STUDS AND SCOPE DATE: 12-18-81
BASE ADDED FROM: LOUIS F. MADEN
216 N. MADISON ST.
STANTON, VA.
FIRE AMMO TYPE: NOT KNOWN GUN #: 6596747
& CONDITION: REVERSED
PROOF: B INSP.: U TEST: 79 CODE: ER = 10-68
HEADING: OK GA./CAL.: 270
BREACH OPENING: OK CHECKED BY: M-HARDY
RECOIL SHOULDERS: OK APPROVED: PH 1/20/82
CHAMBER: OK APPROVED: PH 1/20/82
TEST: OK APPROVED: P.H. 1/20/82
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: 80 81-26-82
SLIGHT MARKS ON STOCK APPROVED: PH 1/20/82

COMPLAINT: FIRES WHEN SAFETY IS RELEASED AT TIMES

INCIDENT: _____

COMMENTS: Unable to duplicate customer complaint.
- OK on truck test
- Horizontal rear engagement .017

P.I. YES GUN EXAMINATION REPORT NUMBER: 639 MODEL: 700 ADL
GENERAL CONDITION: USED, DIRTY R #: 06970
OUTSIDE WORK: SWIVEL STUDS + SCOPE MOUNT ADDED DATE: 2-8-82
SIGHTS REMOVED FROM: ED. GREGORY
3808 W. HUNDRED RD.
CHESTER, VA. 23831
FIRED AMMO TYPE: NOT KNOWN GUN #: A6306009
& CONDITION: _____ CODE: 023 = 7-76
PROOF: Z INSP.: 122 TEST: 112 GA./CAL.: 243
HEADING: OK CHECKED BY: M. H. ADOLPH
BREECH OPENING: OK APPROVED: 90H 3/16/82
RECOIL SHOULDERS: OK APPROVED: PSJ 3/16/82
CHAMBER: DIRTY APPROVED: P.N. 3/16/82
TEST: _____ APPROVED: JAV 3/16/82
COMPONENT CONDITION: (Damaged, Broken, Old Style)
BRIGHT METAL AT MUZZLE

COMPLAINT: FIRE WHEN SAFETY WAS MOVED TO FIRE POSITION

INCIDENT: _____

COMMENTS: Malfunction possibly caused by gummed up
fire control.

- Sear engagement .015

- Sear lift full stroke .0075

P.I. NO GUN EXAMINATION REPORT NUMBER: 644 MODEL: 700 ADL
GENERAL CONDITION: FAIR R #: 08105
OUTSIDE WORK: SCOPE SCREENS REMOVED DATE: 2-18-82
SWIVEL STUDS ADDED FROM: J.E. CHRISTEN
576 LAUREL LAVE
LANCASTER PA
FIRED AMMO TYPE: NOT KNOWN GUN #: 6475149
& CONDITION: _____ CODE: DU = 9-71
PROOF: M INSP.: ? TEST: 13 GA./CAL.: 3006
HEADING: OK CHECKED BY: M-HARDY
BREECH OPENING: OK APPROVED: JPH 3/16/82
RECOIL SHOULDERS: OK APPROVED: P.N. 3/16/82
CHAMBER: OK APPROVED: JPH 3/16/82
TEST: _____ APPROVED: _____
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: _____
SLIGHT NIPS ON STOCK. BOLT RELEASE BINDS

COMPLAINT: FIRED ON TWO OCCASIONS WHEN SAFETY
WAS MOVED TO FIRE POS. BOTH TIMES CHAMBER WAS EMPT
INCIDENT: _____

COMMENTS: Apparent cause of malfunction due to jammed
up fire control.
.008 Seal lift
.070 Seal engagement.
OK on trick test.

P.I. NO GUN EXAMINATION REPORT NUMBER: 657MODEL: 700 BDLGENERAL CONDITION: GoodR #: 09411OUTSIDE WORK: SCOPE MOUNTS ADDEDDATE: 3-5-82FIRED AMMO TYPE: NOT KNOWNFROM: KAYTON CO
3400 5TH ST HWY
READING PENN

& CONDITION: _____

GUN #: A6854273PROOF: REP INSP.: 86 TEST: 53CODE: BA-1-80HEADING: OKGA./CAL.: 270BREECH OPENING: OKCHECKED BY: MI HARSHRECOIL SHOULDERS: OKAPPROVED: 901 3/23/82CHAMBER: OKAPPROVED: 901 3/23/82

TEST: _____

APPROVED: PN 3/23/82
10 3123102

COMPONENT CONDITION: (Damaged, Broken, Old Style)

APPROVED: _____

VERY GOOD, BOLT PLUG MISSING BYSAFE BUTTONCOMPLAINT: GUN FIRED WHEN SAFETY WAS MOVED

INCIDENT: _____

COMMENTS: Unable to duplicate customer complaint-OK on tick test- .015 Seal Engagement- .010 Seal left full safe- Trigger Fall 5"

P.I. YES GUN EXAMINATION REPORT NUMBER: 307 MODEL: 700 BDL
 GENERAL CONDITION: GOOD R #: 33285
 OUTSIDE WORK: NONE DATE: 12-8-80
 FROM: CENTRAL GUN SHOP
124 E WALL ST
 FIRED AMMO TYPE: NOT KNOWN FT SCOTT KAN.
 & CONDITION: _____ GUN #: B6229768
 PROOF: (REP) INSP.: 131 TEST: 119 CODE: PA = 6-80
 HEADING: OK GA./CAL.: 7MM REM MAG
 BREECH OPENING: OK CHECKED BY: M-HARDY
 RECOIL SHOULDERS: OK APPROVED: JPH 1/21/81
 CHAMBER: OK APPROVED: KRE 1/21/81
 TEST: _____ APPROVED: U.S. G.P.
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: _____

BRIGHT MARK ON LEFT SIDE OF TRIG. GUARD

COMPLAINT: FIRED WHEN SAFE WAS RELEASED
It fired by itself when he let of the safety putting a
 INCIDENT: hole in his friends truck door!

COMMENTS: Trigger pull 5#, Rifle passed tick test.
Unable to duplicate customer complaint.

P.I. NO GUN EXAMINATION REPORT NUMBER: 624 MODEL: 700 BDL
 GENERAL CONDITION: GOOD R #: 01873
 OUTSIDE WORK: SCOPE SCREWS REMOVED DATE: 12-28-81
 FIRED AMMO TYPE: NOT KNOWN FROM: POOR TOMS
 & CONDITION: FROM GUN SHOP
 PROOF: RFP INSP.: 108 TEST: 119 ROCKY HILL RD
 HEADING: OK AMSTERDAM NY 12010
 BREECH OPENING: OK GUN #: 136317842
 RECOIL SHOULDERS: OK CODE: CB = 4-81
 CHAMBER: OK GA./CAL.: 7MM REM MAG
 TEST: OK CHECKED BY: M HAROLD
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: 90H 2/16/82
SLIGHT DENTS IN STOCK APPROVED: 16B 2/10/82
 APPROVED: 211/16/82
 APPROVED: 2/10/82

COMPLAINT: RIFLE GOES OFF UPON RELEASING
SAFETY PERIODICALLY

INCIDENT: _____

COMMENTS: _____

Unable to duplicate customer complaint
- OK on Trick test
- .019 Seal engagement
- .0135 Seal lift - full safe
- Trigger Pull 4 1/2#

P.I. YES GUN EXAMINATION REPORT NUMBER: 408 MODEL: 700 ADL
GENERAL CONDITION: FAIR R #: 04374
OUTSIDE WORK: SCOPE MOUNT ADDED DATE: 2-2-81
FIRED AMMO TYPE: NOT KNOWN FROM: GLASS MASTER CORP
12008 WATFIELD
SAN ANTONIO, TEX
& CONDITION: _____ GUN #: 6410866
PROOF: I INSP.: 58 TEST: 13 CODE: LU-2-71
HEADING: OK GA./CAL.: 270
BREECH OPENING: OK CHECKED BY: M-HARDY
RECOIL SHOULDERS: OK APPROVED: gjh 4/7/81
CHAMBER: OK APPROVED: PH 4/7/81
TEST: _____ APPROVED: pg 4/7/81
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: gjh 4-7-81
WOOD MARKED BOLT RUSTY

COMPLAINT: FIRIED WHEN RELEASING SAFETY

INCIDENT: _____

COMMENTS: Unable to duplicate customer complaint

Replace fire control per customer request.

P.I.: YES GUN EXAMINATION REPORT NUMBER: 43A MODEL: 700 BDL
 GENERAL CONDITION: GOOD R #: 07745
 OUTSIDE WORK: NONE DATE: 3-4-81
 FIRED AMMO TYPE: NOT KNOWN FROM: BEST PRODUCTS
CA. ILL.
10765 KINGSFORD RD.
HOUSTON TEX
 & CONDITION: _____ GUN #: A6818730
 PROOF: (PEP) INSP.: 115 TEST: 53 CODE: OV-7-79
 HEADING: OK GA./CAL.: 3006
 BREECH OPENING: OK CHECKED BY: M-HARDY
 RECOIL SHOULDERS: OK APPROVED: 4/7/81
 CHAMBER: OK APPROVED: PM 4/7/81
 TEST: _____ APPROVED: 4/7/81
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: 4-7-81

TRIG. PULL 5LB

TRICK TEST OK, 012 SEAR LIFT FULL SAFE
008 SEAR LIFT NULL.

.030 ENGAGEMENT AT TRIG CONNECTOR

COMPLAINT: FIRED WHILE RELEASING SAFETY

INCIDENT: _____

COMMENTS: Unable to duplicate customer complaint.

P.I.: VRS GUN EXAMINATION REPORT NUMBER: 481 MODEL: 700 BCL
 GENERAL CONDITION: GOOD R #: 17845
 OUTSIDE WORK: L/ SIGHTS - W/ SLING, SCOPE DATE: 7-2-81
MOUNT FROM: JOHN Hooton
 FIRED AMMO TYPE: NOT KNOWN KING WOOD, L.V.
 & CONDITION: _____ GUN #: 6894689
 PROOF: (REP) INSP.: 54 TEST: 70 CODE: WZ = 8-75
 HEADING: OK GA./CAL.: 3006
 BREACH OPENING: OK CHECKED BY: M-40924
 RECOIL SHOULDERS: OK APPROVED: GOT 7/24/81
 CHAMBER: OK APPROVED: RRL 7/24/81
 TEST: _____ APPROVED: PN 7/24/81
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: JW 7/24/81
STOCK CRACKED AT TOE 7-24-81

COMPLAINT: FIRES WHEN SAFE IS PUSHED FORWARD

INCIDENT: _____

COMMENTS: Trigger Pull 4 3/4#, Gun passes
Trick Test. Sea Engagement .018 Sea left field
Age .006.

Unable to duplicate customer complaint.

P.I.: YES GUN EXAMINATION REPORT NUMBER: 496 MODEL: 700 BDL
 GENERAL CONDITION: FAIR R #: 20402
 OUTSIDE WORK: SCOPE MOUNTS ADDED DATE: 8-12-81
SIGHTS REMOVED FROM: BENTON COUNTY CO-0
PO BOX 278 HWY. 5 N.
ASHLAND MISS.
 FIRED AMMO TYPE: NOT KNOWN GUN #: 6499295
 & CONDITION: CODE: BW = 1-72
 PROOF: M INSP.: 73 TEST: 97
 HEADING: OK GA./CAL.: 22-250
 BREACH OPENING: OK CHECKED BY: M-HARPO
 RECOIL SHOULDERS: OK APPROVED: [Signature] 8/18/81
 CHAMBER: OK APPROVED: [Signature] 8/25/81
 TEST: APPROVED: [Signature] 8/25/81
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: [Signature] 8/25/81

BRIGHT METAL ON BBL. SLIGHT MARKS ON STOCK
SEAL BROKEN ON FRONTPIE SCREW

COMPLAINT: HAS GONE OFF WHEN SAFETY WAS PUSHED
TO THE FIRE POSITION

INCIDENT: _____

COMMENTS: Trigger pull 2# - adjusted outside of slot and
resealed with red material.

Unable to duplicate customer complaint.

Repair as customer requested - replace fire control

P.I. NO GUN EXAMINATION REPORT NUMBER: 511 MODEL: 700 CLASSIC
 GENERAL CONDITION: GOOD R #: 21197
 OUTSIDE WORK: NONE DATE: 8-26-81
 FIRED AMMO TYPE: NOT KNOWN FROM: R. ILEYS, SPT. SA
1475 HOOKSETT RD.
HOOKSETT N.H.
 & CONDITION: _____ GUN #: A6728154
 PROOF: CREP INSP.: 83 TEST: 116 CODE: LV-2-79
 HEADING: OK GA./CAL.: 3006
 BREACH OPENING: OK CHECKED BY: M-HARDY
 RECOIL SHOULDERS: OK APPROVED: 9/29/81
 CHAMBER: OK APPROVED: 9/29/81
 TEST: _____ APPROVED: 9/29/81
 COMPONENT CONDITION: (Damaged, Broken, Old Style)
SLIGHT MARK ON STOCK
 APPROVED: _____

COMPLAINT: FIRES WHEN SAFETY PUSHED OFF

INCIDENT: _____

COMMENTS:

Could not duplicate customer complaint.

Gun appears to be to Remington Specs - 3 1/4" Trigger
Pull, OK on tick test, sear lift full safe .0085",
sear engagement .020"

P.I. NO GUN EXAMINATION REPORT NUMBER: 513 MODEL: 700 S&W
GENERAL CONDITION: Good R #: 21866
OUTSIDE WORK: SCOPE BASE ADDED DATE: 9-4-81
BRADYMAN ARMS CO
FROM: 912 PENN AVE
FIRE AMMO TYPE: NOT KNOWN WILKINS BURG PA
& CONDITION: _____ GUN #: AC48728J
PROOF: L INSP.: 45 TEST: 102 CODE: 00 = 7-77
HEADING: OK GA./CAL.: 3006
BREACH OPENING: OK CHECKED BY: M HARDY
RECOIL SHOULDERS: OK APPROVED: 9/18/81 9/22/81
CHAMBER: DIRTY APPROVED: P.V. 9/22/81
TEST: _____ APPROVED: 208 9-22-81
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: 9/22/81
SLIGHT MARKS ON STOCK

COMPLAINT: FIRED WHEN CLOSING BOLT ALSO WHEN
FLIPPING OFF SAFETY

INCIDENT: _____

COMMENTS: Unable to duplicate customer complaint.
Gun appears to be to Remington Specs.

P.I. YES GUN EXAMINATION REPORT NUMBER: 528 MODEL: 700
 GENERAL CONDITION: FAIR R #: 23771
 OUTSIDE WORK: SIGHT REMOVED, RECOIL PAD AND DATE: 10-2-81
SWIVEL STUDS ADDED FROM: CAL REDDICK
920 W. LAKE CANYON,
WINTER HAVEN FLA
 FIRED AMMO TYPE: NOT KNOWN GUN #: 359092
 & CONDITION: _____ CODE: OR-7-68
 PROOF: REP INSP.: 9 TEST: 55 GA./CAL.: 3006
 HEADING: OK CHECKED BY: M. HARDY
 BREACH OPENING: OK APPROVED: SPH 10/22/81
 RECOIL SHOULDERS: OK APPROVED: PSA 10/22/81
 CHAMBER: OK APPROVED: P. H. 10/22/81
 TEST: _____ APPROVED: JWB 10/22-81
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: PSA 10/22/81
BOLT RUSTY BRIGHT METAL ON BBL.
MARS ON STOCK, 2 1/2 LB. TRIG PULL

COMPLAINT: FIRED WHEN SAFETY IS RELEASED

INCIDENT: _____

COMMENTS: Unable to duplicate customer complaint
Gun passes tick test, .008" vertical sear lift -
.017 Trigger connector engagement.

Trigger adjusting screws adjusted outside factory
as evidenced by red glue on these screws. Trigger pull
2 1/2# - Rem Specs 3# to 5#
could get better down by slamming bolt.

P.I. N0 GUN EXAMINATION REPORT NUMBER: 530 MODEL: 700 BDL
 GENERAL CONDITION: FAIR R #: 24180
 OUTSIDE WORK: S/REMOVED, SCOPE MOUNTS ADDED DATE: 10-9-81
TRIG & CONNECTOR REMOVED AS IS FROM: BILLY W. SWEAT
PT #2 BOX 186A
ALLENTON TEX.
 FIRED AMMO TYPE: NOT KNOWN GUN #: A6376164
 & CONDITION: _____ CODE: RI=11-76
 PROOF: V INSP.: 123 TEST: 64 GA./CAL.: 6MM REM
 HEADING: OK CHECKED BY: M-HARSH
 BREACH OPENING: OK APPROVED: 9/08/10/12/81
 RECOIL SHOULDERS: OK APPROVED: PG 10/12/81
 CHAMBER: OK APPROVED: 10/10-22-81
 TEST: CHECKED FIRE PIN PROTRUSION, OK APPROVED: 10/10-22-81
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: _____
TRIG. CONNECTOR BROKEN

COMPLAINT: FIRE WHEN TAKEN OFF SAFETY

INCIDENT: _____

COMMENTS: _____

Please replace fire control - no charge

P.I. NU GUN EXAMINATION REPORT NUMBER: 539 MODEL: 700 ?
 GENERAL CONDITION: FAIL R #: 25516
 OUTSIDE WORK: L/WOOD-L/MAG BOX + TRIG GUARD DATE: 10-15-81
 FIRED AMMO TYPE: NOT KNOWN FROM: W.G.S. INC.
18200 JOHN R. ST
DETROIT MICH.
 & CONDITION: GUN #: 6799294
 PROOF: B INSP.: 54 TEST: ? CODE: IPY=11-74
 HEADING: OK GA./CAL.: 3006
 BREACH OPENING: OK CHECKED BY: MI-HARDY
 RECOIL SHOULDERS: OK APPROVED: 904 11/19/81
 CHAMBER: OK APPROVED: P.M. 11/19/81
RES 11/19/81
 TEST: APPROVED: 803 11-19-81
QB 11/19/81
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: 803 11/19/81
1

COMPLAINT: FIRES WHEN SAFETY WAS MOVED FROM
SAFE TO FIRE POSITION

INCIDENT: _____

COMMENTS: Unable to duplicate customer complaint.
4 1/2 # Trigger Pull, Passes Trick test, 008 bear lift,

Replace fire control - No Charge

P.I. NO GUN EXAMINATION REPORT NUMBER: 538 MODEL: 700 BDL
 GENERAL CONDITION: FAIR R #: 26328
 OUTSIDE WORK: SCOPE SCREWS REMOVED DATE: 10-22-81
 FROM: CHARLIE'S
SPT. GOODS
7401 H-MANUAL BLD
N.E. ALBANY VERMONT
 FIRED AMMO TYPE: NOT KNOWN GUN #: A6634154
 & CONDITION: _____ CODE: 0Q-7-78
 PROOF: R INSP.: 9 TEST: 111 GA./CAL.: 270
 HEADING: OK CHECKED BY: M-HARDY
 BREACH OPENING: OK APPROVED: 4/11/19/81
 RECOIL SHOULDERS: OK APPROVED: R.N. 11/19/81
 CHAMBER: _____ APPROVED: PE 11/19/81
 TEST: _____ APPROVED: W.B. 11-19-81
 APPROVED: SA 11/19/81
 COMPONENT CONDITION: (Damaged, Broken, Old Style)
S LIGHT SCRATCHES ON RIGHT SIDE OF STOCK

COMPLAINT: FIBED WHEN SAFTY WAS REMOVED

INCIDENT: _____

COMMENTS: Unable to duplicate customer complaint.
4 1/2# Trigger Pull, Passer truck test, .009 Sec. lift

Replace fire control - no charge. 4/11

P.I. NO GUN EXAMINATION REPORT NUMBER: 566 MODEL: 700 ADL

GENERAL CONDITION: FAIR R #: 28511

OUTSIDE WORK: SCOPE MOUNT, S/STUDS, & RECOIL DATE: 12-9-81

PAD ADDED - R/SIGHT MISSING FROM: CHET PAULSON, INC.

FIRE AMMO TYPE: NOT KNOWN 935 FAWCETT AVE.

GUN #: 6280500 TACOMA WASH

CONDITION: _____ CODE: ES-10-69

PROOF: B INSP.: 88 TEST: 87 GA./CAL.: 3006

HEADING: OK CHECKED BY: M-HARDY

BREACH OPENING: OK APPROVED: JPH 12/10/81

RECOIL SHOULDERS: OK APPROVED: PEJ 12/10/81

CHAMBER: OK APPROVED: WJB 12-10-81

TEST: _____ APPROVED: PN 12-10-81

COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: WJB 12-10-81

BRIGHT METAL SCRATCHES ON REC. STOCK

PITTED TOE CHIPPED

COMPLAINT: FIRES WHEN SAFETY IS RELEASED

INCIDENT: _____

REMARKS: Trigger pull 4# - unable to duplicate

customer complaint.

Replace fire control - No charge

Make sure safety doesn't hit wood.

YES ? GUN EXAMINATION REPORT NUMBER: 585 MODEL: 700 BDL

INTERNAL CONDITION: NEW R # : 30585

OUTSIDE WORK: NONE DATE: 11-30-81

FROM: GELL'S SPT. GOODS
17242 GREYDALE
DETROIT MICH

FIRE AMMO TYPE: NOT KNOWN GUN # : AG827002

& CONDITION: _____ CODE: EV=10-79

PROOF: 0 INSP.: 92 TEST: 119 GA./CAL.: 3006

READING: OK CHECKED BY: M-HARDY

BREACH OPENING: OK APPROVED: [Signature]

RECOIL SHOULDERS: OK APPROVED: [Signature]

CHAMBER: OK APPROVED: [Signature]

TEST: REG. GALLERY TEST OK APPROVED: [Signature]

COMPONENT CONDITION: (Damaged, Broken, Old Style)
SLIGHT MARKS IN STOCK APPROVED: _____

COMPLAINT: FIRES WHEN SAFETY IS TAKEN OFF

INCIDENT: _____

COMMENTS: Unable to duplicate customer complaint.
- Trigger Pull 4 1/2#
- OK on Trick Test
- Seal Engagement .019
- Seal Lift .010

P.I. NO GUN EXAMINATION REPORT NUMBER: 592 MODEL: 700 BDL
 GENERAL CONDITION: GOOD R #: 31244
 OUTSIDE WORK: SCOPE SCREWS MISSING DATE: 12-4-81
 FROM: R. KLOSOWSKI
1100 YOUNGS DRIVE
BAY CITY MICH.
 FIRED AMMO TYPE: REM PETERS GUN #: 6811550
 & CONDITION: ONE SPENT CASE CODE: X4 = 12-74
 PROOF: S INSP.: 62 TEST: 32 GA./CAL.: 7MM MAG
 HEADING: OK CHECKED BY: M-HARDY
 BREACH OPENING: OK APPROVED: JPH 1/13/82
 RECOIL SHOULDERS: OK APPROVED: REJ 1/13/82
 CHAMBER: OK APPROVED: P.H. 1/13/82
 TEST: APPROVED: ED 1/13/82
 COMPONENT CONDITION: (Damaged, Broken, Old Style) new 74-75
BRIGHT MARKS ON TOP OF REC. 413 1/13/82
12-13-82

COMPLAINT: FIRE WHEN SAFE WAS RELEASED

INCIDENT:

COMMENTS: Unable to duplicate customer complaint
- Passes trick test.
- Horizontal Rear Engagement .015

P.I. NO GUN EXAMINATION REPORT NUMBER: 594 MODEL: M-700 ADL
GENERAL CONDITION: GOOD R #: 32631
OUTSIDE WORK: TWO SCOPE SCREWS REMOVED DATE: 12-17-81
FIRE: AMMO TYPE: NOT KNOWN FROM: JOSEPH MORRIS
RT# 3 BOX 37A
POUHATAN, VA, 23135
& CONDITION: GOOD GUN #: B6265392
PROP: REP INSP.: 52 TEST: 53 CODE: RA-11-80
HEADING: OK GA./CAL.: 243
BREACH OPENING: OK CHECKED BY: M-HARDY
RECOIL SHOULDERS: OK APPROVED: GOF 1/19/82
CHAMBER: OK APPROVED: RGL 1/19/82
TEST: OK APPROVED: P.M. 1/19/82
COMPONENT CONDITION: (Damaged, Broken, Old Style)
SLIGHT SCRATCHES ON WOOD APPROVED: 1/19/82

COMPLAINT: FIRE WHEN SAFE IS RELEASED

INCIDENT:

COMMENTS: Unable to duplicate customer complaint.
- Trigger pull 3 1/2 #
- Horizontal Sear Engagement .018
- Vertical Sear lift - Full Safe .0095

P.I. ND GUN EXAMINATION REPORT NUMBER: 234 MODEL: 700 BDL
GENERAL CONDITION: NEW R #: 06930
OUTSIDE WORK: SCOPE USED DATE: 2/23/80
FROM: W.R. FRANZ
FIRED AMMO TYPE: UNKNOWN ENNIS, TX
& CONDITION: UNKNOWN GUN #: A6785377
PROOF: REP INSP.: 52 TEST: 57 CODE: PJ = 679
HEADING: OK GA./CAL.: 30-06
BREECH OPENING: ✓ CHECKED BY: RJL/aj
RECOIL SHOULDERS: OK APPROVED: 4/9/80 3/4/80
CHAMBER: ✓ APPROVED: PJL 2/4/80
TEST: BENCH - OK APPROVED: P.B. 3-4-80
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: WAW 3-4-80
SCOPE HOLE PLUG SCREWS MISSING

COMPLAINT: "UPON MOVING THE SAFETY TO THE OFF POSITION,
THE GUN DISCHARGED -- "

INCIDENT: _____

COMMENTS: Sear lift .0105, Passed Trick test.
Unable to duplicate customer complaint.

P.I. 75 GUN EXAMINATION REPORT NUMBER: 217 MODEL: 700 - 20
 GENERAL CONDITION: NEW R #: 08200
 OUTSIDE WORK: 1/10/80 DATE: 3-4-80
 FIRED AMMO TYPE: NOT KNOWN FROM: FIVE POINTS
 & CONDITION: RT 512 BANGOR PA.
 PROOF: REMUM INSP.: 73 TEST: 86 GUN #: 6573996
 HEADING: OK CODE: EW = 15-72
 BREECH OPENING: OK GA./CAL.: 308
 RECOIL SHOULDERS: OK CHECKED BY: W. H. BRY
 CHAMBER: OK APPROVED: W. H. BRY 4/16/80
 TEST: OK APPROVED: W. H. BRY 4/16/80
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: R. B. 4-16-80
LIGHT MARKS ON STOCK

COMPLAINT: FIRE WHEN SAFE IS RELEASED

INCIDENT: DISCHARGED IN FATHERS HOME

COMMENTS: Serial 0065, Trigger Pull #, Passes Trick Test.

Unable to duplicate customer complaint.

P.I. W.F.S GUN EXAMINATION REPORT NUMBER: 220 MODEL: 700 BDL
GENERAL CONDITION: Good R #: 09509
OUTSIDE WORK: REAR SIGHT EYE PIECE DATE: 3-17-80
REMOVED, SCOPE RING ADDED FROM: ACHER APMS
3295 RAD ST.
LINCOLN NEB.
FIRED AMMO TYPE: NOT KNOWN GUN #: A6464840
& CONDITION: _____ CODE: PO = 6-77
PROOF: (REP)L INSP.: 45 TEST: 111 GA./CAL.: 6 MM REM
HEADING: OK CHECKED BY: M-H-004
BREECH OPENING: OK APPROVED: 9/8/80 5-7-80
RECOIL SHOULDERS: OK APPROVED: L.B. 5-7-80
CHAMBER: OK APPROVED: 9/8 5/7/80
TEST: _____ APPROVED: 5-7-80
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: 5-7-80
SLIGHT MARKS IN STOCK

COMPLAINT: RIFLE DISCHARGED TWICE WHEN SAFETY
WAS MOVED TO OFF POSITION

INCIDENT: _____

COMMENTS: Sear lift .0105", Trigger Pull 4 3/4", Passed
Trick Test.

Unable to duplicate customer complaint.

P.I. YES GUN EXAMINATION REPORT NUMBER: 219 MODEL: 700-3-12
 GENERAL CONDITION: FAIR R #: 10066
 OUTSIDE WORK: REAR SIGHT REMOVED DATE: 3-25-80
SCOPE BASE ADDED FROM: 2654E BULLDOGS
 FIRED AMMO TYPE: NOT KNOWN MESA APIC
 & CONDITION: _____ GUN #: 6524577
 PROOF: (REM) M INSP.: 9 TEST: 97 CODE: 24-2-72
 HEADING: OK GA./CAL.: 2506
 BREECH OPENING: OK CHECKED BY: M-42800
 RECOIL SHOULDERS: OK APPROVED: JMH 4/23/80
 CHAMBER: OK APPROVED: PEL 4/23/80
 TEST: _____ APPROVED: WJB 4/23/80
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: RJB 4-23-80

SLIGHT MARKS ON STOCK

BRIGHT METAL MARKS ON BBL

COMPLAINT: FIRED WHEN SAFETY WAS MOVED TO OFF

INCIDENT: _____

COMMENTS: Sear lift .0095", Trigger Pull 4#, Passed
Trick Test.

Fire control adjusting screws possibly adjusted
inside of Remington and resealed with red sealant.

Unable to duplicate customer complaint.

P.I. YES GUN EXAMINATION REPORT NUMBER: 48 MODEL: 700
GENERAL CONDITION: FAIR R #: 00557
OUTSIDE WORK: SCOPE MOUNTS ADDED DATE: 12/27/78
FROM: DEB. GEIER
FIRED AMMO TYPE: UNKNOWN BOX 228 POTLATCH 1044
& CONDITION: _____ GUN #: 6771922
PROOF: CRP INSP.: 41 TEST: 70 CODE: 04-7-74
HEADING: OK GA./CAL.: 3006
BREECH OPENING: OK CHECKED BY: M-HARRIS
RECOIL SHOULDERS: OK APPROVED: 1/12/79
CHAMBER: RUSTY APPROVED: 1/12/79
TEST: _____ APPROVED: 7-12-79
COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: 1-12-79

STOCK DENTED, COLOR OFF BBL, RUSTY REC.

COMPLAINT: FIRED WHEN SAFETY WAS RELEASED

INCIDENT: PUT HOLE IN CARPET AND FLOOR

COMMENTS: Unable to duplicate customer's malfunction.
all components within factory specs

P.I. YES GUN EXAMINATION REPORT NUMBER: 110MODEL: 700 BDLGENERAL CONDITION: GoodR #: 12287OUTSIDE WORK: SCOPE AND SLINGDATE: 4-10-78STRAP SWIVELS ADDEDFROM: ALBERT MOIVY
CLOVER VALLEY
WELLS NEWTONFIRED AMMO TYPE: NOT KNOWNGUN #: A6578703& CONDITION: ---PROOF: (REPO) INSP.: 71 TEST: 119CODE: AQ-3-78HEADING: OKGA./CAL.: 300 WIN. MAGBREECH OPENING: OKCHECKED BY: M. HARDYRECOIL SHOULDERS: OKAPPROVED: 9011 6/12/79CHAMBER: OKAPPROVED: WAW 6-12-79TEST: ---APPROVED: SWB 6-12-79

COMPONENT CONDITION: (Damaged, Broken, Old Style)

APPROVED: R/E 6-12-79SCOPE FLOOR PLATE & STOCK DAMAGED, excessive molybdate
in action.COMPLAINT: RIFLE FIRED WHEN SAFE WAS MOVED
TO OFF POSITION. Per customerINCIDENT: BEING OFF BALANCE, FELL POLLING
MUSCLES IN BACK LAST 2 WEEKS
WORK. per customerCOMMENTS: - Unable to duplicate customer complaint.- Passed tick test- Lm. lift .008"- Trigger Pull 4 1/2 #- Connector & sec. safety Cam engagement surfaces
appear to be correct.

P.I. YES GUN IDENTIFICATION REPORT NUMBER: 52 MODEL: 700 B06
 GENERAL CONDITION: METAL WORN BRIGHT R #: 30015
 OUTSIDE WORK: STOCK REMOVED + DATE: 12/15/78
SCOPE SCREWS FROM: RAYMOND BENJAMIN
710 W. 3 RD
MCCONT NEB.
 FIRED AMMO TYPE: UNKNOWN GUN #: 63645-78
 & CONDITION: _____ CODE: W-T-8-70
 PROOF: A INSP.: 63 TEST: 49 GA./CAL.: 270
 HEADING: OK CHECKED BY: M-HARDY
 BREECH OPENING: OK APPROVED: JPH 3/23/79
 RECOIL SHOULDERS: OK APPROVED: PHJ 3/23/79
 CHAMBER: OK APPROVED: JOB 3/23/79
 TEST: _____ APPROVED: 2.76 3/23/79
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: 7.6 3/23/79

METAL BRIGHT AT MUZZLE
JEWELING ON BOLT WORN OFF
COLOR OFF FRONT SIGHT STOCK, FLOOR
PLATE, MAG BOX SPRING + FOLLOWER MISSING

COMPLAINT: FIRE UPON TAKING OFF SAFETY

INCIDENT: SHOT A HOLE IN FLOOR OF SCOUT.

COMMENTS: Unable to duplicate incident. Excessive
oil in fire control could cause impaired mechanism
function.

P.I. VES GUN IDENTIFICATION REPORT NUMBER: 62 MODEL: 700
 GENERAL CONDITION: USED R #: 02321
 OUTSIDE WORK: SIGHTS AND STOCK MISSING DATE: 1-15-79
SCOPE BASE ADDED FROM: KEIL-L. HEGGLAND
STEAMBOAT, SPY, COLORADO
 FIRED AMMO TYPE: UNKNOWN GUN #: 6359039
 & CONDITION: _____ CODE: XT = 12-70
 PROOF: (REP) A INSP.: 58 TEST: 87 GA./CAL.: 264 WIN. MAG
 HEADING: _____ CHECKED BY: M-HARDY
 BREECH OPENING: OK APPROVED: JOH 2/16/79
 RECOIL SHOULDERS: OK APPROVED: REX 2/16/79
 CHAMBER: OK APPROVED: R.B. 2-16-79
 TEST: OK APPROVED: REX 2/16/79
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: HAH 2-16-79
BRIGHT METAL SHOWING ON BBL Muzzle
AND FLOOR PLATE.

COMPLAINT: WEAPON DISCHARGED WHEN SAFETY
WAS PUSHED TO OFF SAFE POSITION

INCIDENT: SHOOT HOLE IN BACK OF PICKUP TRUCK
CAB, A VEST AND PICK UP BOX.

COMMENTS: Malfunction appears to have been caused by
excessive oil in trigger mechanism. R&D confirmed
malfunction at low temperature test (0°F).

Trigger has been adjusted outside Remington
as evidenced by block lock over on adjusting screws.
Engagement .050.

P.I. YES GUN EXAMINATION REPORT NUMBER: 74 MODEL: 700-LH BDL
 GENERAL CONDITION: FAIR R #: 02021
 OUTSIDE WORK: SIGHTS REMOVED ALSO DATE: 1-11-79
SCOPE SCREWS FROM: NY BARGAIN STORE
WHITAKER + TIDDYS
ENFIELD N.C.
 FIRED AMMO TYPE: UNKNOWN GUN #: 6627846
 & CONDITION: — CODE: W-X-8-73
 PROOF: PRIPB INSP.: 73 TEST: 111 GA./CAL.: 270
 HEADING: OK CHECKED BY: M HARDY
 BREECH OPENING: OK APPROVED: SPH 3/2/79
 RECOIL SHOULDERS: OK APPROVED: SPH 3/2/79
 CHAMBER: OK APPROVED: SPH 3/2/79
 TEST: — APPROVED: SPH 3/2/79
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: WAD 3-2-79

SMALL DENTS IN WOOD. BOLT SHOULDER WEAR
BRIGHT METAL ON BBL.

COMPLAINT: FIRES WHEN SAFETY IS RELEASED

INCIDENT: BULLET HOLE THROUGH FLOOR BOARD &
TRANSMISSION OF TRUCK

COMMENTS: Trigger pull adjusted below factory specs.
Trigger adjusting screw appears to have been
adjusted outside factory. No return spring tension
on trigger.

P.I. YES GUN EXAMINATION REPORT NUMBER: 68 MODEL: 700 BDL
 GENERAL CONDITION: Good R #: 05858
 OUTSIDE WORK: SCOPE SCREWS AND SIGHTS DATE: 2-15-79
REMOVED FROM: KENNETH ARNOLD
 FIRED AMMO TYPE: UNKNOWN 3401 RUSTWOOD
& CONDITION: --- LUFRIN TEXAS
 GUN #: A6427943
 PROOF: REP(2) INSP.: 45 TEST: 117 CODE: A-0 = 3-77
 HEADING: OK GA./CAL.: 2506
 BREECH OPENING: OK CHECKED BY: M HARDY
 RECOIL SHOULDERS: OK APPROVED: SM 3/2/79
 CHAMBER: OK APPROVED: NO 3/2/79
 TEST: --- APPROVED: 2/15/79
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: WAV 3-9-79

SMALL DENTS IN STOCKS, BRIGHT METAL ON
MUZZLE.

COMPLAINT: RIFLE DISCHARGED TWO TIMES WHEN SAFE
WAS MOVED TO OFF POS. TO REMOVE SHELL FROM CHAMBER

INCIDENT: SHOT, HOLE IN FLOOR BOARD OF TRUCK AND
SECOND TIME SHOT CHUNK OUT OF FRONT PORCH.

COMMENTS: unable to duplicate incident

P.I. YES GUN EXAMINATION REPORT NUMBER: 73 MODEL: 700 ADL
 GENERAL CONDITION: GOOD R #: 06083
 OUTSIDE WORK: SCOPE BASE AND SWIVEL DATE: 2-16-79
STUDS ADDED FROM: JOHNNIE D MILLS
 FIRED AMMO TYPE: UNKNOWN BOX 155 DODD CITY TEX
 & CONDITION: — GUN #: 6524970
 PROOF: PERM INSP.: W TEST: 84 CODE: L-W = 2-72
 HEADING: OK GA./CAL.: 270
 BREACH OPENING: OK CHECKED BY: M-HARDY
 RECOIL SHOULDERS: OK APPROVED: AGH 3/16/79
 CHAMBER: OK APPROVED: PRO 3/16/79
 TEST: — APPROVED: R.E. 3-16-79
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: W.W. 3-16-79
SLIGHT DENTS IN WOOD. BBL M.H.R. ON
TOP

COMPLAINT: RIFLE DISCHARGED WHEN SAFE WAS
MOVED TO OFF POS.

INCIDENT: SHOOT HOLE THROUGH FLOOR OF PICK UP
TRUCK

COMMENTS: Unable to duplicate incident.

P.I. YES GUN EXAMINATION REPORT NUMBER: 99 MODEL: 700 BDL
 GENERAL CONDITION: FAIR R #: 07317
 OUTSIDE WORK: SCOPE MOUNTS AND DATE: 2-27-79
SWIVELS ADDED FROM: WILLIAM R. STRES
RT 2 BOX 16A
 FIRED AMMO TYPE: NOT KNOWN TERRAH, AHA W.VA.
 & CONDITION: _____ GUN #: A6351419
 PROOF: 1PEP12 INSP.: 65 TEST: ? CODE: DE=9-76
 HEADING: OK GA./CAL.: 3006
 BREECH OPENING: OK CHECKED BY: M-HADY
 RECOIL SHOULDERS: OK APPROVED: Jgt 5/18/79
 CHAMBER: OK APPROVED: REJ 5/18/79
 TEST: _____ APPROVED: R.Y.B. 5-18-79
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: WAB 5-18-79
STUCK OPEN GRAIN SLIGHT SCREATHS
BBL MAA. SOME RUST AND PITTED
 COMPLAINT: RIFLE DISCHARGED WHEN SAFETY WAS PUSHED
FORWARD
 INCIDENT: SHOT HOLE IN DOOR OF FORD BRONCO
 COMMENTS: Unable to duplicate customer complaint.
- Trigger pull 5#
- Gun passes trick test
- Sear engagement adequate

P.I. YES GUN EXAMINATION REPORT NUMBER: 100 MODEL: 700 BDL
 GENERAL CONDITION: Good R #: 10483
 OUTSIDE WORK: SLING STRAP AND DATE: 3-22-79
SWIVELS ADDED FROM: WILLIAM C GIBBS
619 CHARLES ST
PASADENA TEXAS
 FIRED AMMO TYPE: NOT KNOWN GUN #: A6419765
 & CONDITION: — CODE: L0-2-77
 PROOF: REP U INSP.: U TEST: 70 GA./CAL.: 3006
 HEADING: OK CHECKED BY: M H 4/2/79
 BREECH OPENING: OK APPROVED: REP 5/17/79
 RECOIL SHOULDERS: OK APPROVED: REP 5-17-79
 CHAMBER: OK APPROVED: REP 5/17/79
 TEST: — APPROVED: REP 5/17/79
 COMPONENT CONDITION: (Damaged, Broken, Old Style) APPROVED: REP 5/17/79
BBL AND FLOOR PLATE BRIGHT MARKS
customer added 2 drops of oil and he said gun just
misfiring.
 COMPLAINT: FIRES ON SAFETY RELEASE, GUN MISFIRES
 INCIDENT: 2 OR 3 WINDOWS, WALL OF HOUSE, PICKUP TRUCK
AND CAMPER
 COMMENTS: - Unable to duplicate customer complaint.
- Gun passed tick test
- Trigger Pull 5#
- Trigger free - does not bind