

CAL- 30.06 SPRG.

DAILY TEST DATA SHEET

PROJECT #241095

Forms

ET18785

GUN: # B-17
DATE: 9-18-00
SHOOTER: JEL

710 DAY FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 2

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT # <u>105207513</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL. TIP 165 GR 29178
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 100

ET18786

DATE : 9-15-00
SHOOTER : Jess C

ENDURANCE TEST

PROJECT # 241095

ROUNDS BEFORE 100

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	AMMO	
MALFUNCTIONS			MALFUNCTIONS	
1	<i>Strengthen Mag Box</i>	51		
2				
3				
4				
5				
6				
7				
8				
9				
10		60		
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A	
12		62		
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21	FED BT SP 150 GR P3006G	71		
22		72	<i>Strengthen Mag Box</i>	
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81	WIN FAIL SAFE 150 GR S3006XB	
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	WIN POWER PT.+ 180 GR SHV30064	91		
42	<i>Strengthen MAG Box</i>	92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

3 Str. Box

ROUNDS AFTER 200

ET18787

SHOOTER *Jen*ROUNDS BEFORE 260

AMMO REM PT SP CORE-LOKT 180 GR 27828

LOT #

MALFUNCTIONS

MALFUNCTIONS

1
2
3
4
5
6
7
8
9

10

11
12
13
14
15
16
17
18
19

20

21
22
23
24
25
26
27
28
29

30

31
32
33
34
35
36
37
38
39

40

41
42
43
44
45
46
47
48
49

50

REM SP CORE-LOKT 220 GR 27830

REM MC (UMC) 150 GR 23699

*Strengthen mag box*51
52
53
54
55
56
57
58
59

60

61
62
63
64
65
66
67
68
69

70

71
72
73
74
75
76
77
78
79

80

81
82
83
84
85
86
87
88
89

90

91
92
93
94
95
96
97
98
99

100

REM NOSLER BAL. TIP 165 GR 29178

FED SP 180 GR 3006B

Remington Arms Confidential

*1 Str. Box*ROUNDS AFTER 300

ROUNDS BEFORE 300

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	
1	MALFUNCTIONS	51	MALFUNCTIONS
2	<i>STRAIGHTS mag box</i>	52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	WIN BALLISTIC SILVER TIP 168 GR SBST3006A
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT.+ 180 GR SHV30064	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

15 tr. Box

ROUNDS AFTER 400

GUN: # B - 11
DATE: 9-16-00
SHOOTER: Jone

710 DAY FUNCTION
ENDURANCE TEST

Tracking #: TEW 0010AC
PROJECT # 241095

ROUNDS BEFORE 400

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT #	
MALFUNCTIONS		MALFUNCTIONS	
1	<i>Straight to mag box</i>	51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL. TIP 165 GR 29178
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

15th Box

ROUNDS AFTER 500

ET18790

2
CONFIDENTIAL
DATE : 9-16-00
SHOOTER : Test 2

ENDURANCE TEST

PROJECT # 241095

ROUNDS BEFORE 500

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	AMMO	
MALFUNCTIONS			MALFUNCTIONS	
1	<i>STraight Ten mag Box</i>	51		
2				
3				
4				
5				
6				
7				
8				
9				
10		60	WIN BALLISTIC SILVER TIP 168 GR SBST3006A	
11		61	<i>STraight Ten mag Box</i>	
12				
13				
14				
15				
16				
17				
18				
19				
20		70		
21	FED BT SP 150 GR P3006G	71	<i>CONFIDENTIAL</i>	83
22		72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81		
32				
33				
34				
35				
36				
37				
38				
39				
40		90		
41	WIN POWER PT.+ 180 GR SHV30064	91		
42		92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

2 Str. box

ROUNDS AFTER 600

DATE : 9-16-00
SHOOTER : J. C. M. C.

ENDURANCE TEST

PROJECT # 241095

ROUNDS BEFORE 600

AMMO REM PT SP CORE-LOKT 180 GR 27828

LOT #

MALFUNCTIONS

MALFUNCTIONS

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50

51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

REM SP CORE-LOKT 220 GR 27830

5 Tr. 9570 - No. 308

REM NOSLER BAL. TIP 165 GR 29178

FED SP 180 GR 3006B

REM MC (UMC) 150 GR 23699

Remington Arms Confidential

1 Str. Box

ROUNDS AFTER 200

ET18792

SHOOTER : *John*ROUNDS BEFORE 700

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	MALFUNCTIONS	
1		51		
2		52		
3		53		
4		54		
5		55		
6		56		
7		57		
8		58		
9		59		
10		60		
11		61		
12		62		
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21	FED BT SP 150 GR P3006G	71		WIN BALLISTIC SILVER TIP 168 GR SBST3006A
22		72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81		WIN FAIL SAFE 150 GR S3006XB
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	WIN POWER PT.+ 180 GR SHV30064	91		
42		92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

STRAIGHT - NO BOX

CONFIDENTIAL

15 Tr. Box

IFTE

Remington Arms Confidential

ROUNDS AFTER 700

DATE : 9-17-00
SHOOTER : Jellie

ENDURANCE TEST

PROJECT # 241095

ROUNDS BEFORE 800

AMMO REM PT SP CORE-LOKT 180 GR 27828

LOT #

MALFUNCTIONS

Straighten mag box

MALFUNCTIONS

1 FTE

REM SP CORE-LOKT 220 GR 27830

REM NOSLER BAL. TIP 165 GR 29178

FED SP 180 GR 3006B

REM MC (UMC) 150 GR 23699

Remington Arms Confidential

*1 Str. Box
1 FTE*

ROUNDS AFTER 900

ET18794

DATE : 9-12-00
SHOOTER : *Tad*

ENDURANCE TEST

PROJECT # 241095

ROUNDS BEFORE 900

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	
MALFUNCTIONS		MALFUNCTIONS	
1	<i>Stratton mag box</i>	51	
2			
3			
4			
5			
6			
7			
8			
9			
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT. + 180 GR SHV30064	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

*1 Str. Box*ROUNDS AFTER 1000

ET18795

Clean & Inspect Checklist

Model: 710

Project: 241095

Rifle: B-17

TLW #: TLW 0010AD

Date: 09 / 17 / 00

Inspector: Bob Lee

Round Level: 1000

- ☒ Measure Headspace + .003.
- ☒ Firing Pin Indent 1st. 014 2nd. 0145 3rd. 011 Ave. 83
- ☒ Sear Engagement: 0262.
- ☒ Trigger Pull: 1st. 5.0 2nd. 5.0 3rd. 4.75 Ave. 83
- ☐ Measure Feed Lip on Mag. Box at front: _____ & rear: _____.

Check the following areas for signs of unusual wear or breakage:

- ☒ Receiver insert
- ☐ Rear surface of Bolt Lugs
- ☒ Check for "galling" on rear of Bolt Lugs
- ☒ Bolt Plug
- ☒ Bolt Plug Insert "ears" on firing pin assembly
- ☒ Check for loose or missing pins – make note and re-stake if necessary
- ☒ Check plastic inserts for cracks or other damage.

Take digital photographs, if appropriate, to record unusual wear, damage or other note-worthy observations. List the digital file name for reference along with any comments below.

1000

AMMO TYPE - REM R30064 180GR			LOT# - C035C1326		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	✓
3	3		53	1	Stem High
4	4	✓	54	2	
5	1		55	3	
6	2		56	4	✓
7	3		57	1	
8	4	✓	58	2	
9	1		59	3	
10	2		60	4	✓
11	3		61	1	
12	4	✓	62	2	
13	1		63	3	
14	2		64	4	✓
15	3		65	1	
16	4	✓	66	2	
17	1		67	3	
18	2		68	4	✓
19	3		69	1	
20	4	✓	70	2	
21	1	Oiled bolt	71	3	
22	2		72	4	✓
23	3		73	1	
24	4	✓	74	2	
25	1		75	3	
26	2		76	4	✓
27	3		77	1	
28	4	✓	78	2	
29	1		79	3	
30	2		80	4	✓
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	✓
35	3		85	1	
36	4	✓	86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4	✓	90	2	
41	1		91	3	✓
42	2		92	4	
43	3		93	1	
44	4	✓	94	2	
45	1		95	3	
46	2		96	4	✓
47	3		97	1	
48	4	✓	98	2	
49	1		99	3	
50	2		100	4	✓

1 S High

GUN - 9-11
DATE - 9-18-00
SHOOTER - SL

M/710 FUNCTION
AND ENDURANCE

PROJECT # 241093
TLW 0010AC

1100

AMMO TYPE - REM R30064 180GR			LOT# - C038C1326		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4	✓	54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4	✓	58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4	✓	62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4	✓	66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4	✓	70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4	✓	74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4	✓	78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4	✓	82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4	✓	86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4	✓	90	2	
41	1		91	3	
42	2		92	4	
43	3	✓	93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4	✓	98	2	
49	1		99	3	
50	2		100	4	

0

GUN -
DATE - 9-18-00
SHOOTER - Jesse

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1200

AMMO TYPE - REM R30064 180GR			LOT# - C035C1326		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

0

DATE - 9-18-00
SHOOTER - B. Lee

AND ENDURANCE

TLW 0010AC

1300

AMMO TYPE - REM R30064 180GR		LOT# - 001502025	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

15L

DATE - 9-18-00
SHOOTER - B. LEE

AND ENDURANCE

TLW 0010AC

1400

AMMO TYPE - REM R30064 180GR		LOT# - 061502020	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

Lubed Bolt

83

0

GUN -
DATE - 9-18-00
SHOOTER - B.L.R.

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1500

AMMO TYPE - REM R30064 180GR			LOT# - C03 SC 2026		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

0

GUN - 17
DATE - 9-8-00
SHOOTER - B-L-P

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1600

AMMO TYPE - REM R30064 180GR			LOT# - C01 SC 2025		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

0

1700

GUN - 17
DATE - 9-18-00
SHOOTER - B. Lee / SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1700

AMMO TYPE - REM R30064 180GR			LOT# - 001 SC 0025		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	✓
3	3		53	1	
4	4		54	2	
5	1		55	3	✓
6	2		56	4	✓
7	3		57	1	
8	4		58	2	
9	1		59	3	✓
10	2		60	4	✓
11	3		61	1	Oiled Bolt
12	4		62	2	
13	1		63	3	
14	2		64	4	✓
15	3	Fail to Eject	65	1	
16	4		66	2	
17	1		67	3	✓
18	2		68	4	✓
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	✓
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	✓
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	✓
31	3		81	1	
32	4		82	2	
33	1		83	3	✓
34	2		84	4	✓
35	3		85	1	
36	4		86	2	
37	1		87	3	✓
38	2		88	4	✓
39	3		89	1	
40	4		90	2	
41	1		91	3	✓
42	2		92	4	✓
43	3	✓	93	1	
44	4	✓	94	2	
45	1		95	3	✓
46	2		96	4	✓
47	3	✓	97	1	
48	4	✓	98	2	
49	1		99	3	✓
50	2		100	4	✓

1 FTE

GUN - 8-11
DATE - 9/19/00
SHOOTER - SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1806

AMMO TYPE - REM R30064 180GR			LOT# - 2015C2025		
MALFUNCTIONS			MALFUNCTIONS		
1	1	51	3		
2	2	52	4	✓	
3	3	53	1		
4	4	54	2		
5	1	55	3	✓	
6	2	56	4	✓	
7	3	57	1		
8	4	58	2		
9	1	59	3	✓	
10	2	60	4	✓	
11	3	61	1	2015C1325	
12	4	62	2		
13	1	63	3	✓	
14	2	64	4	✓	
15	3	65	1		
16	4	66	2		
17	1	67	3		
18	2	68	4	✓	
19	3	69	1		
20	4	70	2		
21	1	71	3	✓	
22	2	72	4	✓	
23	3	73	1		
24	4	74	2		
25	1	75	3	✓	
26	2	76	4	✓	
27	3	77	1		
28	4	78	2		
29	1	79	3	✓	
30	2	80	4	✓	
31	3	81	1		
32	4	82	2		
33	1	83	3	✓	
34	2	84	4	✓	
35	3	85	1		
36	4	86	2		
37	1	87	3	✓	
38	2	88	4	✓	
39	3	89	1		
40	4	90	2		
41	1	91	3		
42	2	92	4	✓	
43	3	93	1		
44	4	94	2		
45	1	95	3	✓	
46	2	96	4	✓	
47	3	97	1		
48	4	98	2		
49	1	99	3	✓	
50	2	100	4	✓	

GUN - 0-11
DATE - 9/19/00
SHOOTER - SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1900

AMMO TYPE - REM R30064 180GR			LOT# - C0151325		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	✓
2	2		52	4	✓
3	3		53	1	
4	4	✓	54	2	
5	1		55	3	✓
6	2		56	4	✓
7	3	✓	57	1	
8	4	✓	58	2	
9	1		59	3	✓
10	2		60	4	✓
11	3		61	1	C035C2026
12	4	✓	62	2	
13	1		63	3	
14	2		64	4	✓
15	3	✓	65	1	
16	4	✓	66	2	
17	1		67	3	✓
18	2		68	4	✓
19	3	✓	69	1	
20	4	✓	70	2	
21	1	C015C2025	71	3	✓
22	2		72	4	✓
23	3	✓	73	1	
24	4	✓	74	2	
25	1		75	3	✓
26	2		76	4	✓
27	3	✓	77	1	stem Low
28	4	✓	78	2	
29	1		79	3	✓
30	2		80	4	✓
31	3		81	1	
32	4	✓	82	2	
33	1		83	3	✓
34	2		84	4	✓
35	3	✓	85	1	
36	4	✓	86	2	
37	1		87	3	✓
38	2		88	4	✓
39	3	✓	89	1	
40	4	✓	90	2	
41	1	C035C1326	91	3	✓
42	2		92	4	✓
43	3	✓	93	1	
44	4	✓	94	2	
45	1		95	3	✓
46	2		96	4	✓
47	3	✓	97	1	
48	4	✓	98	2	
49	1		99	3	✓
50	2		100	4	✓

Clean & Inspect Checklist

Model: 710

Project: 241095

Rifle: B-17

TLW #: TLW 0010AD

Date: 9 / 19 / 00

Inspector: Tell

Round Level: 2000

- ☐ Measure Headspace + .004
- ☐ Firing Pin Indent 1st. .015 2nd. .014 3rd. .015 Ave. 83
- ☐ Sear Engagement: .0262
- ☐ Trigger Pull: 1st. 4.29 2nd. 4 3rd. 4.5 Ave. 83
- ☐ Measure Feed Lip on Mag. Box at front: _____ & rear: _____

Check the following areas for signs of unusual wear or breakage:

- ☒ Receiver insert *Some wear*
- ☒ Rear surface of Bolt Lugs
- ☒ Check for "galling" on rear of Bolt Lugs *Some*
- ☒ Bolt Plug
- ☒ Bolt Plug Insert "ears" on firing pin assembly *Some wear*
- ☒ Check for loose or missing pins – make note and re-stake if necessary
- ☒ Check plastic inserts for cracks or other damage. *Some wear*

Take digital photographs, if appropriate, to record unusual wear, damage or other note-worthy observations. List the digital file name for reference along with any comments below.
