

CAL- 30.06 SPRG.

DAILY TEST DATA SHEET

TRACKING #TLW0010
PROJECT #241095

BARBER - 5.22.06r0003123

NAME	DATE	TEST ACTIVITY	COMMENTS	ROUNDS AT START-	
				RDS. FIRED	TOTAL RDS.
JW/ SW	9/11/00	HEADSPACE	Min T002		
JW/ SW	9/11/00	PROOF, HEADSPACE	Proof Test, Min T002 & Stamp	1	1
JA/B4/TC	9-11-00	Trigger Pulls			
	9-11-00	Sear/Trigger Engagement/Sear Lift			
	9-11-00	Indents			
MRT	9-12-00	MAGNAFLUX BOLT HEAD - NO INDICATIONS			
Jesse	9-13-00	Basic Tech. Function Test		200	201
Jesse	9-13-00	Prs. & Shoulder Function Test		50	251
SETH	9-13-00	Cleaned			
Jody	9-13-00	Point of Impact Test		9	260
Tate	9-14-00	Accuracy		62	322
B-Lee	9-16-00	Endurance	1000 Rd Level	1000	1,322
B-Lee	9-17-00	Cleaned	Inspected		
B-Lee	9-18-00	Endurance	Rd Level 740	740	2062
JA/SW	9-19-00	Endurance	2000 Rd Level	200	2322
Jesse	9-19-00	Cleaned/Inspected			
B-Lee	9-19-00	Endurance	2960 Rd Level	960	3282
Jesse	9-20-00	Endurance	3000 Rd Level	40	3322
JA/SW	9-20-00	Cleaned/Inspected			
Michael	9-20-00	Shimmed Bolt Strip			
B-Lee	9-20-00	Endurance	4000 Rd Level	1000	4322
B-Lee	9-20-00	Cleaned/Inspected			
B-Lee	9-20-00	Endurance	Bolt handle came off 4,029 Rds	29	4351
PKR	9-21-00	Replaced Bolt Body only with bolt body from B-15, B-15 Bolt Body has 238 rds, head space min +.003			
B-Lee	9-21-00	Endurance	Rd Level 5000	971	5322
B-Lee	9-21-00	Cleaned/Inspected			

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

Forms

Confidential - Subpoena 502-061003423e Order

ET18887

1. GUN : # B -13
DATE : 9-14-00
SHOOTER : BOB LEE

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 0

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT # L05A07513	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL. TIP 165 GR 29178 J273A1914
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B 410210X005
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23899 004YA6513	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 100

ET18888

Sheet
2

BARBER - 5.22.06r0003125

GUN : # B - 13

DATE : 9-15-00

SHOOTER : BOB LEE

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 100

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT # 4146782074	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A 3P L80
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G 4164572321	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB 2M D01
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT.+ 180 GR SHV30064 86RA70	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 200

ET18889

Sheet

BARBER - 5.22.06r0003126

GUN : # B - 13

710 DAT FUNCTION
ENDURANCE TESTTracking #: TLW 0010AC
PROJECT # 241095

DATE : 9-15-00

SHOOTER : Blee

ROUNDS BEFORE 200

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT # <u>205 R.C 7513</u>	
MALFUNCTIONS		MALFUNCTIONS	
1	<u>straighten mag box</u>	51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL. TIP 165 GR 29178 <u>J27BA1914</u>
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830 <u>F175C1025</u>	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B <u>410457X041</u>
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699 <u>C04YBC514</u>	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 300

ET18890

Sheet
2 GUN: # B - 13

DATE: 9-15-00

SHOOTER: B. Lee

710 DAT FUNCTION
ENDURANCE TESTTracking #: TLW 0010AC
PROJECT # 241095ROUNDS BEFORE 300

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT # 215182R018	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A 3PL 80
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G 4104572321	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB FMD01
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT.+ 180 GR SHV30064 86RA70	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 99

ET18891

Sheet
1.

BARBER - 5.22.06r0003128

GUN: # B - 13

DATE: 9-15-00

SHOOTER: B. Lee

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC

PROJECT # 241095

ROUNDS BEFORE 400

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT # <u>L05 RC7513</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL. TIP 165 GR 29178 <u>J27040713</u>
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830 <u>B30NC 9713</u>	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B <u>4102 10 K005</u>
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699 <u>204406514</u>	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

0

ROUNDS AFTER 500

ET18892

Sheet 2
GUN: # B - 13
DATE: 9-5-00
SHOOTER: B. Lee

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 500

AMMO FED NOSLER BA. TIP 165 GR P3006Q 4146782074 LOT #

MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A 3P180
12		62	
13		63	
14		64	
15		65	83
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G 410472321	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT.+ 180 GR SHV30064 86 RA-70	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 600

ET18893

Sheet
1.

BARBER - 5.22.06r0003130

GUN : # B - 13

DATE : 9 - 11 - 00

SHOOTER : BOB LEE

710 DAT FUNCTION
ENDURANCE TESTTracking #: TLW 0010AC
PROJECT # 241095ROUNDS BEFORE 600

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT #	LO5RC7513	
MALFUNCTIONS		MALFUNCTIONS		
1		51		
2		52		
3		53		
4		54		
5		55		
6		56		
7		57		
8		58		
9		59		
10		60	REM NOSLER BAL. TIP 165 GR 29178 J27 DAO714	
11		61		
12		62		
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21	REM SP CORE-LOKT 220 GR 27830 B30MC 9714	71		
22		72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81	FED SP 180 GR 3006B 410210X005	
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	REM MC (UMC) 150 GR 23699 L15WB 9613	91		
42		92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

ROUNDS AFTER 760

ET18894

Sheet 2
 GUN : # B-13
 DATE : 9-16-00
 SHOOTER : Blll

710 DAT FUNCTION
 ENDURANCE TEST

Tracking #: TLW 0010AC
 PROJECT # 241095

ROUNDS BEFORE 700

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT # 4146782074	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A 3A 80
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G 4104572321	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB FMD01
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT.+ 180 GR SHV30064 86RA70	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 800

ET18895

Sheet

BARBER - 5.22.06r0003132

GUN: # B-13

DATE: 9-16-00

SHOOTER: B. Lee

710 DAT FUNCTION
ENDURANCE TESTTracking #: TLW 0010AC
PROJECT # 241095ROUNDS BEFORE 800

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT # <u>L05RB1514</u>	
MALFUNCTIONS		MALFUNCTIONS	
1	Stranger mag box	51	
2		52	
3		53	
4	MAG Box came apart	54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL. TIP 165 GR 29178 J27BA0-14
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830 A10808426	71	MAG Box came apart
22		72	
23	MAG Box came apart	73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B 40210X005
32		82	
33		83	
34		84	
35		85	
36	MAG Box came apart	86	
37		87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699 L17WB9614	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 900

ET18896

Sheet
2

GUN: # B-13

DATE: 9-16-00

SHOOTER: B. Lee

710 DAT FUNCTION
ENDURANCE TESTTracking #: TLW 0010AC
PROJECT # 241095ROUNDS BEFORE 900

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	4146782674
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A 39L 80
12		62	
13		63	Bolt came out
14		64	
15		65	83
16		66	Bolt came out
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G 4104572321	71	
22		72	
23		73	
24	MAG Fail to seat properly	74	
25		75	
26		76	
27		77	
28		78	
29	Bolt came out	79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB FMD01
32	STem Low	82	
33		83	
34		84	Bolt override
35		85	
36		86	
37	MAG Box came apart	87	
38		88	
39		89	
40		90	
41	WIN POWER PT. + 180 GR SHV30064 86RAT0	91	Bolt override
42		92	
43		93	
44	MAG Box failed to seat properly	94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

1 SL
1 Box
3 SL
7 BD

1 SL
1 Mag. Box
ROUNDS AFTER 1000

ET18897

Clean & Inspect Checklist

Model: 710Project: 241095Rifle: B-13TLW #: TLW 0010ADDate: 09 / 17 / 00Inspector: Bob LeeRound Level: 1000

- ☒ Measure Headspace min +.003
- ☒ Firing Pin Indent 1st. .0145 2nd. .014 3rd. .014 Ave.
- ☒ Scar Engagement: .0285
- ☒ Trigger Pull: 1st. 5.5 2nd. 5.5 3rd. 5.5 Ave.
- ☐ Measure Feed Lip on Mag. Box at front: & rear:

Check the following areas for signs of unusual wear or breakage:

- ☒ Receiver insert OK
- ☒ Rear surface of Bolt Lugs OK
- ☒ Check for "galling" on rear of Bolt Lugs OK
- ☒ Bolt Plug OK
- ☒ Bolt Plug Insert "ears" on firing pin assembly
- ☒ Check for loose or missing pins - make note and re-stake if necessary
- ☒ Check plastic inserts for cracks or other damage.

Take digital photographs, if appropriate, to record unusual wear, damage or other note-worthy observations. List the digital file name for reference along with any comments below.

ET18898

1000

AMMO TYPE - REM R30064 180GR			LOT# - C03SC122C		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	✓
3	3		53	1	
4	4	✓	54	2	✓
5	1		55	3	✓
6	2		56	4	✓
7	3	✓	57	1	
8	4	✓	58	2	
9	1		59	3	✓
10	2		60	4	✓
11	3	✓	61	1	
12	4	✓	62	2	
13	1		63	3	✓
14	2		64	4	✓
15	3	✓	65	1	
16	4	✓	66	2	
17	1		67	3	✓
18	2	✓	68	4	✓
19	3	✓	69	1	
20	4	✓	70	2	
21	1	oiled bolt	71	3	✓
22	2		72	4	✓
23	3		73	1	
24	4	✓	74	2	✓
25	1		75	3	✓
26	2		76	4	✓
27	3	✓	77	1	
28	4	✓	78	2	
29	1		79	3	✓
30	2		80	4	✓
31	3	✓	81	1	
32	4	✓	82	2	
33	1		83	3	✓
34	2		84	4	✓
35	3	✓	85	1	
36	4	✓	86	2	
37	1		87	3	✓
38	2		88	4	✓
39	3	✓	89	1	
40	4	✓	90	2	
41	1		91	3	✓
42	2		92	4	✓
43	3	✓	93	1	
44	4	✓	94	2	
45	1		95	3	✓
46	2		96	4	✓
47	3	✓	97	1	
48	4		98	2	
49	1		99	3	✓
50	2		100	4	✓

BARBER - 5.22.06r0003136
GUN - R-13
DATE - 9-18-00
SHOOTER - SL

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1100

AMMO TYPE - REM R30064 180GR			LOT# - C03SC1326		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4	✓	54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4	✓	58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4	✓	62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4	✓	66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4	✓	70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4	✓	74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4	✓	78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4	✓	82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4	✓	86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4	✓	90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

GUN - B-13
 DATE - 9-18-00
 SHOOTER - JES/C

M/710 FUNCTION
 AND ENDURANCE

PROJECT# 241095
 TLW 0010AC

1200

AMMO TYPE - REM R30064 180GR			LOT# - C03SC 1326		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

GUN - 17
 DATE - 9-18-00
 SHOOTER - BL22

M/710 FUNCTION
 AND ENDURANCE

PROJECT# 241095
 TLW 0010AC

1300

AMMO TYPE - REM R30064 180GR			LOT# - 001902025		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

GUN - 13
DATE - 9-18-00
SHOOTER - B. Lee

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1400

AMMO TYPE - REM R30064 180GR		LOT# - 01 SC 2026	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

83

Curbed Bolt

GUN - 15
DATE - 9-18-00
SHOOTER - B L E E

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1500

AMMO TYPE - REM R30064 180GR		LOT# - C03 SC 2026	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

BARBER - 5.22.06r0003141
GUN - 13
DATE - 9-18-00
SHOOTER - B.L.C.

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1600

AMMO TYPE - REM R30064 180GR		LOT# - 001SC2025	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

1700

AMMO TYPE - REM R30064 180GR		LOT# - C01SC2025	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4 ✓
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4 ✓
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4 ✓
11	3	61	1 Oiled Bolt
12	4	62	2
13	1	63	3
14	2	64	4 ✓
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4 ✓
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4 ✓
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4 ✓
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4 ✓
31	3	81	1
32	4	82	2 ✓
33	1	83	3 ✓
34	2	84	4 ✓
35	3	85	1
36	4	86	2
37	1	87	3 ✓
38	2	88	4 ✓
39	3	89	1
40	4	90	2
41	1	91	3 ✓
42	2	92	4 ✓
43	3	93	1
44	4 ✓	94	2
45	1	95	3 ✓
46	2	96	4 ✓
47	3	97	1
48	4 ✓	98	2
49	1	99	3
50	2	100	4 ✓

0

BARBER - 5.22.06r0003143
GUN - 13-13
DATE - 9/19/00
SHOOTER - SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1800

AMMO TYPE - REM R30064 180GR			LOT# - CO1SC2025		
MALFUNCTIONS			MALFUNCTIONS		
1	1	51	3	✓	
2	2	52	4	✓	
3	3	53	1		
4	4	54	2		
5	1	55	3	✓	
6	2	56	4	✓	
7	3	57	1		
8	4	58	2		
9	1	59	3	✓	
10	2	60	4	✓	
11	3	61	1	CO1SC1325	
12	4	62	2		
13	1	63	3		
14	2	64	4	✓	
15	3	65	1		
16	4	66	2		
17	1	67	3	✓	
18	2	68	4	✓	
19	3	69	1		
20	4	70	2		
21	1	71	3	✓	
22	2	72	4	✓	
23	3	73	1		
24	4	74	2		
25	1	75	3	✓	
26	2	76	4	✓	
27	3	77	1		
28	4	78	2		
29	1	79	3	✓	
30	2	80	4	✓	
31	3	81	1		
32	4	82	2		
33	1	83	3	✓	
34	2	84	4	✓	
35	3	85	1		
36	4	86	2		
37	1	87	3	✓	
38	2	88	4	✓	
39	3	89	1		
40	4	90	2		
41	1	91	3	✓	
42	2	92	4	✓	
43	3	93	1		
44	4	94	2		
45	1	95	3	✓	
46	2	96	4	✓	
47	3	97	1		
48	4	98	2		
49	1	99	3	✓	
50	2	100	4	✓	

BARBER - 5.22.06r0003144
GUN - 13-13
DATE - 9/19/06
SHOOTER - SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

AMMO TYPE - REM R30064 180GR			LOT# - C01SC1325		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	✓
3	3		53	1	
4	4	✓	54	2	
5	1		55	3	✓
6	2		56	4	✓
7	3	✓	57	1	
8	4	✓	58	2	
9	1		59	3	
10	2		60	4	✓
11	3		61	1	C03SC2026
12	4	✓	62	2	
13	1		63	3	
14	2		64	4	✓
15	3		65	1	
16	4	✓	66	2	
17	1		67	3	✓
18	2		68	4	✓
19	3		69	1	
20	4	✓	70	2	
21	1	C01SC2025	71	3	✓
22	2		72	4	✓
23	3	✓	73	1	
24	4	✓	74	2	✓
25	1		75	3	✓
26	2		76	4	✓
27	3		77	1	
28	4	✓	78	2	Stem Low
29	1		79	3	
30	2		80	4	✓
31	3	✓	81	1	
32	4	✓	82	2	
33	1		83	3	✓
34	2		84	4	✓
35	3	✓	85	1	
36	4	✓	86	2	
37	1		87	3	✓
38	2		88	4	✓
39	3	✓	89	1	
40	4	✓	90	2	
41	1	C03S1326	91	3	✓
42	2		92	4	✓
43	3	✓	93	1	
44	4	✓	94	2	
45	1		95	3	✓
46	2		96	4	✓
47	3	✓	97	1	
48	4	✓	98	2	
49	1		99	3	✓
50	2		100	4	✓

15L

Clean & Inspect Checklist

Model: 710Project: 241095Rifle: B-13TLW #: TLW 0010ADDate: 9 / 19 / 00Inspector: DeleRound Level: 2000

- ☐ Measure Headspace 7.004.
- ☐ Firing Pin Indent 1st. .015 2nd. .014 3rd. .015 Ave. _____
- ☐ Sear Engagement: .0276.
- ☐ Trigger Pull: 1st. 4.5 2nd. 5 3rd. 4.75 Ave. _____
- ☐ Measure Feed Lip on Mag. Box at front: _____ & rear: _____

Check the following areas for signs of unusual wear or breakage:

- ☒ Receiver insert
- ☒ Rear surface of Bolt Lugs *Some wear*
- ☒ Check for "galling" on rear of Bolt Lugs
- ☒ Bolt Plug
- ☒ Bolt Plug Insert "ears" on firing pin assembly *Some wear*
- ☒ Check for loose or missing pins – make note and re-stake if necessary
- ☒ Check plastic inserts for cracks or other damage. *Some wear*

Take digital photographs, if appropriate, to record unusual wear, damage or other note-worthy observations. List the digital file name for reference along with any comments below.

ET18909

GUN - B-13
DATE - 9-19-00
SHOOTER - B. Lee

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

R30063 150 gr BP

2000

AMMO TYPE - REM-R30064-180GR		LOT# - J26 NB 9713	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

1 FTE

GUN -
DATE - 9-19-08
SHOOTER - B-LERM/710 FUNCTION
AND ENDURANCEPROJECT# 241095
TLW 0010AC

2100

AMMO TYPE - REM R30064 180GR			LOT# -	
MALFUNCTIONS			MALFUNCTIONS	
1	1		51	3
2	2		52	4
3	3		53	1
4	4		54	2
5	1	Stem Low	55	3
6	2		56	4
7	3		57	1
8	4		58	2
9	1		59	3
10	2		60	4
11	3		61	1
12	4		62	2
13	1		63	3
14	2		64	4
15	3		65	1
16	4		66	2
17	1		67	3
18	2		68	4
19	3		69	1
20	4		70	2
21	1		71	3
22	2		72	4
23	3		73	1
24	4		74	2
25	1		75	3
26	2		76	4
27	3		77	1
28	4		78	2
29	1		79	3
30	2		80	4
31	3		81	1
32	4		82	2
33	1		83	3
34	2		84	4
35	3		85	1
36	4		86	2
37	1		87	3
38	2		88	4
39	3		89	1
40	4		90	2
41	1		91	3
42	2		92	4
43	3		93	1
44	4		94	2
45	1		95	3
46	2		96	4
47	3		97	1
48	4		98	2
49	1		99	3
50	2		100	4

2 SL

GUN - B-13
DATE - 9-19-00
SHOOTER - B. L. O. L.

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

2200

AMMO TYPE - REM R30064 180GR			LOT# - 003 SC 132-6		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

0

GUN - B-13
DATE - 9-19-08
SHOOTER - B. Lee

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

2300

AMMO TYPE - REM R30064 180GR		LOT# - C03 SC 2026	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

0

BARBER - 5.22.06r0003150
GUN - B-13
DATE - 9-19-00
SHOOTER - B-lee

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

2400

AMMO TYPE - REM R30064 180GR		LOT# - C03 SC 1326	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

BARBER - 5.22.06r0003151
GUN - B-13
DATE - 9-19-00
SHOOTER - B-Lee

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

2500

AMMO TYPE - REM R30064 180GR		LOT# - C03SC2026	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

GUN - B-13
DATE - 9-19-00
SHOOTER - B. LeeM/710 FUNCTION
AND ENDURANCEPROJECT# 241095
TLW 0010AC

2600

AMMO TYPE - REM R30064 180GR			LOT# - 003 SC 2826		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

GUN - B-13
DATE - 9-19-00
SHOOTER - B. Lee

M710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

2700

AMMO TYPE - REM R30064 180GR		LOT# - C03 SC 1320	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

ET18917

GUN - B-13
DATE - 9-19-00
SHOOTER - B-LEE

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

2800

AMMO TYPE - REM R30064 180GR		LOT# - C03 SC202C	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

GUN - B-13
 DATE - 9-19-00
 SHOOTER - B-Lee

M/710 FUNCTION
 AND ENDURANCE

PROJECT# 241095
 TLW 0010AC

2900

AMMO TYPE - REM R30064 180GR		LOT# - C03SC2026	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

Clean & Inspect Checklist

Model: 710Project: 241095Rifle: B-13TLW #: TLW 0010ADDate: 9 / 20 / 00Inspector: DT/JSWRound Level: 2000☒ Measure Headspace Min +.004☒ Firing Pin Indent 1st. .016 2nd. .016 3rd. .017 Ave. ☒ Sear Engagement: .0284☒ Trigger Pull: 1st. 3.25 2nd. 3.30 3rd. 3.50 Ave. ☐ Measure Feed Lip on Mag. Box at front: & rear:

Check the following areas for signs of unusual wear or breakage:

☒ Receiver insert☐ Rear surface of Bolt Lugs shows wear☐ Check for "galling" on rear of Bolt Lugs☒ Bolt Plug☐ Bolt Plug Insert "ears" on firing pin assembly some wear☐ Check for loose or missing pins - make note and re-stake if necessary☐ Check plastic inserts for cracks or other damage.

Take digital photographs, if appropriate, to record unusual wear, damage or other note-worthy observations. List the digital file name for reference along with any comments below.

Bolt stop does not work

ET18920

GUN - 70
DATE - 9-20-00
SHOOTER - JCR

M710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

3000

AMMO TYPE - REM R30064 180GR		LOT# - C07SC25	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

Charged to mag box
12-15

CONFIDENTIAL

BARBER - 5.22.06r0003158
GUN - 12-77
DATE - 9-20-00
SHOOTER - JESS E

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

3100

AMMO TYPE - REM R30064 180GR			LOT# -	
MALFUNCTIONS			MALFUNCTIONS	
1	1	changed mag box	51	3
2	2		52	4
3	3		53	1
4	4		54	2
5	1		55	3
6	2		56	4
7	3		57	1
8	4		58	2
9	1		59	3
10	2		60	4
11	3		61	1
12	4		62	2
13	1		63	3
14	2		64	4
15	3		65	1
16	4		66	2
17	1		67	3
18	2		68	4
19	3		69	1
20	4		70	2
21	1		71	3
22	2		72	4
23	3		73	1
24	4		74	2
25	1		75	3
26	2		76	4
27	3		77	1
28	4		78	2
29	1		79	3
30	2		80	4
31	3		81	1
32	4		82	2
33	1		83	3
34	2		84	4
35	3		85	1
36	4		86	2
37	1		87	3
38	2		88	4
39	3		89	1
40	4		90	2
41	1		91	3
42	2		92	4
43	3		93	1
44	4		94	2
45	1		95	3
46	2		96	4
47	3		97	1
48	4		98	2
49	1		99	3
50	2		100	4

GUN - *B-13*
 DATE - *9-20-00*
 SHOOTER - *Jell*

M/710 FUNCTION
 AND ENDURANCE

PROJECT# 241095
 TLW 0010AC

3200

AMMO TYPE - REM R30064 180GR		LOT# - <i>C03SC 25</i>	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

GUN - B-13
 DATE - 9-20-00
 SHOOTER - JNR

M/710 FUNCTION
 AND ENDURANCE

PROJECT# 241095
 TLW 0010AC

3300

AMMO TYPE - REM R30064 180GR		LOT# - 20352 20 25	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

GUN - B-13
DATE - 9/20/00
SHOOTER - SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

3400

AMMO TYPE - REM R30064 180GR		LOT# - 2015C1325	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

GUN - 13-75
DATE - 9/20/00
SHOOTER - SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

3500

AMMO TYPE - REM R30064 180GR			LOT# - C01SC1325		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	/
2	2		52	4	/
3	3	/	53	1	
4	4	/	54	2	
5	1		55	3	/
6	2	/	56	4	/
7	3	/	57	1	
8	4	/	58	2	
9	1		59	3	/
10	2		60	4	/
11	3	/	61	1	
12	4	/	62	2	
13	1		63	3	/
14	2		64	4	/
15	3	/	65	1	
16	4	/	66	2	
17	1		67	3	/
18	2		68	4	/
19	3	/	69	1	
20	4	/	70	2	
21	1		71	3	/
22	2	/	72	4	/
23	3	/	73	1	
24	4	/	74	2	
25	1		75	3	/
26	2	/	76	4	/
27	3	/	77	1	
28	4	/	78	2	
29	1		79	3	/
30	2		80	4	/
31	3	/	81	1	
32	4	/	82	2	
33	1		83	3	/
34	2	/	84	4	/
35	3	/	85	1	
36	4	/	86	2	
37	1		87	3	/
38	2	/	88	4	/
39	3	/	89	1	
40	4	/	90	2	
41	1		91	3	/
42	2	/	92	4	/
43	3	/	93	1	
44	4	/	94	2	
45	1		95	3	/
46	2		96	4	/
47	3	/	97	1	
48	4	/	98	2	
49	1		99	3	/
50	2		100	4	/

3600

AMMO TYPE - REM R30064 180GR			LOT# - C03SC0026		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

GUN - 8 V3
DATE - 9-20-00
SHOOTER - Blee

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

3200

AMMO TYPE - REM R30064 180GR			LOT# - C03 SC2026		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

BARBER - 5.22.06r0003165
GUN - B-15
DATE - 9-20-00
SHOOTER - B. Lee

M710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

3800

AMMO TYPE - REM R30064 180GR			LOT# - 003 SC2026		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

GUN-812
DATE-9-20-00
SHOOTER-BLEEM710 FUNCTION
AND ENDURANCEPROJECT# 241095
TLW 0010AC

3900

AMMO TYPE - REM R30064 180GR			LOT# - C03 SC 2026		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

Clean & Inspect Checklist

Model: 710Project: 241095Rifle: B-13TLW #: TLW 0010ADDate: 09 / 20 / 00Inspector: B. LeeRound Level: 4000

- ☒ Measure Headspace min. .004.
- ☒ Firing Pin Indent 1st. .017 2nd. .015 3rd. .014 Ave. _____
- ☒ Sear Engagement: .0282.
- ☒ Trigger Pull: 1st. 3.50 2nd. 3.0 3rd. 3.0 Ave. _____
- ☐ Measure Feed Lip on Mag. Box at front: _____ & rear: _____

Check the following areas for signs of unusual wear or breakage:

- ☒ Receiver insert worn
- ☒ Rear surface of Bolt Lugs some wear
- ☒ Check for "galling" on rear of Bolt Lugs some wear
- ☒ Bolt Plug
- ☒ Bolt Plug Insert "ears" on firing pin assembly one broken off
- ☒ Check for loose or missing pins - make note and re-stake if necessary
- ☒ Check plastic inserts for cracks or other damage. some wear

Take digital photographs, if appropriate, to record unusual wear, damage or other note-worthy observations. List the digital file name for reference along with any comments below.

ET18931

GUN - B-13

DATE - 9-20-00

SHOOTER - Biel & SW

M710 FUNCTION
AND ENDURANCE

PROJECT# 241095

TLW 0010AC

4000

AMMO TYPE - REM R30064 180GR			LOT# - 003502020		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	✓
2	2		52	4	✓
3	3		53	1	
4	4	✓	54	2	
5	1		55	3	✓
6	2		56	4	✓
7	3	✓	57	1	
8	4	✓	58	2	
9	1		59	3	✓
10	2	✓	60	4	✓
11	3		61	1	
12	4		62	2	
13	1		63	3	✓
14	2		64	4	✓
15	3		65	1	
16	4	✓	66	2	
17	1		67	3	✓
18	2		68	4	✓
19	3	✓	69	1	
20	4	✓	70	2	
21	1		71	3	✓
22	2		72	4	✓
23	3		73	1	
24	4	✓	74	2	
25	1		75	3	✓
26	2		76	4	✓
27	3		77	1	
28	4	✓	78	2	
29	1	✓ Bolt handle came off	79	3	✓
30	2	400 RDS	80	4	✓
31	3	Oiled Bolt (SW)	81	1	
32	4	✓	82	2	✓
33	1		83	3	✓
34	2		84	4	✓
35	3	✓	85	1	
36	4	✓	86	2	
37	1		87	3	✓
38	2		88	4	✓
39	3	✓	89	1	
40	4	✓	90	2	
41	1		91	3	✓
42	2		92	4	✓
43	3	✓	93	1	
44	4		94	2	
45	1		95	3	✓
46	2		96	4	✓
47	3	✓	97	1	
48	4	✓	98	2	
49	1		99	3	✓
50	2		100	4	✓

BoF 400 RDS

4100

BARBER - 5.22.06r0003169
GUN - 0-15
DATE - 9-21-00
SHOOTER - SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

4100

AMMO TYPE - REM R30064 180GR			LOT# - 2015C1335		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	✓
2	2		52	4	✓
3	3	✓	53	1	
4	4	✓	54	2	
5	1		55	3	✓
6	2		56	4	✓
7	3	✓	57	1	
8	4	✓	58	2	
9	1		59	3	✓
10	2		60	4	✓
11	3	✓	61	1	
12	4	✓	62	2	
13	1		63	3	✓
14	2		64	4	✓
15	3		65	1	
16	4	✓	66	2	
17	1	✓	67	3	✓
18	2		68	4	✓
19	3	✓	69	1	
20	4	✓	70	2	
21	1		71	3	✓
22	2		72	4	✓
23	3	✓	73	1	
24	4	✓	74	2	
25	1		75	3	✓
26	2		76	4	✓
27	3	✓	77	1	
28	4	✓	78	2	
29	1		79	3	✓
30	2		80	4	✓
31	3	✓	81	1	
32	4	✓	82	2	
33	1		83	3	✓
34	2		84	4	✓
35	3	✓	85	1	
36	4	✓	86	2	
37	1		87	3	✓
38	2		88	4	✓
39	3	✓	89	1	
40	4	✓	90	2	
41	1		91	3	✓
42	2		92	4	✓
43	3	✓	93	1	
44	4	✓	94	2	
45	1		95	3	✓
46	2		96	4	✓
47	3	✓	97	1	
48	4	✓	98	2	
49	1		99	3	✓
50	2		100	4	✓

15L

GUN - D-13
DATE - 9-21-00
SHOOTER - SL

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW0010AC

4200

AMMO TYPE - REM R30064 180GR		LOT# - C03S2026	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

New Magazine Box M. H. K.

New Box

GUN - B-13
DATE - 9-21-00
SHOOTER - SLM710 FUNCTION
AND ENDURANCEPROJECT# 241095
TLW 0010AC

4300

AMMO TYPE - REM R30064 180GR			LOT# - C0352026		
MALFUNCTIONS			MALFUNCTIONS		
1	1	New Magazine - box Mike H	51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

BARBER-5.22.06r0003172
GUN - 8-017
DATE - 9-21-00
SHOOTER - JEN

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

4400

AMMO TYPE - REM R30064-180GR R30063 180GR				LOT# - J26NB9713	
MALFUNCTIONS				MALFUNCTIONS	
1	1	new mag box	51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

NOTE: Gun will not
EJECT spent rds AT ALL,
new BOX

Page 1

TOTAL RDS - 4500

ET18936

BARBER - 5.22.06r0003173
GUN - 13-13
DATE - 9-21-00
SHOOTER - Jelic

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

4500

AMMO TYPE - REM R30064 180GR			LOT# - Co35c26		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	Stem Low
48	4		98	2	
49	1		99	3	
50	2		100	4	

154

GUN - 0575
DATE - 9-21-00
SHOOTER -M710 FUNCTION
AND ENDURANCEPROJECT# 241095
TLW 0010AC

4600

AMMO TYPE - REM R30064 180GR			LOT# - C035626		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	Fail to Eject
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	Fail to Eject
42	2		92	4	Fail to Eject
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

3 FTE

ET18938

GUN - B13
DATE - 9-21-00
SHOOTER - B. Lee

M710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

470

AMMO TYPE - REM R30064 180GR		LOT# - C035C1326	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

1 FTE

ET18939

GUN - B-13
DATE - 9-21-00
SHOOTER - B. Lee

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

4800

AMMO TYPE - REM R30064 180GR		LOT# - C035C1326	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

1 FTE

BARBER - 5.22.06r0003177
GUN - B-13
DATE - 9-21-00
SHOOTER - B. Lee

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

4900

AMMO TYPE - REM R30064 180GR			LOT# - 003501326		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3	Fail to Eject	73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

1 FTE

Clean & Inspect Checklist

Model: 710Project: 241095Rifle: B-13TLW #: TLW 0010ADDate: 09 121 100Inspector: B. LeeRound Level: 5000

- ☒ Measure Headspace min +.004
- ☒ Firing Pin Indent 1st. 017 2nd. 017 3rd. 016 Ave. _____
- ☐ Sear Engagement: .0275
- ☒ Trigger Pull: 1st. 3.75 2nd. 4.0 3rd. 4.0 Ave. _____
- ☐ Measure Feed Lip on Mag. Box at front: _____ & rear: _____

Check the following areas for signs of unusual wear or breakage:

- ☒ Receiver insert Some wear
- ☒ Rear surface of Bolt Lugs Some wear
- ☒ Check for "galling" on rear of Bolt Lugs Some wear
- ☒ Bolt Plug Some wear
- ☒ Bolt Plug Insert "ears" on firing pin assembly One ear Broken off
- ☒ Check for loose or missing pins - make note and re-stake if necessary
- ☒ Check plastic inserts for cracks or other damage. Some wear

Take digital photographs, if appropriate, to record unusual wear, damage or other note-worthy observations. List the digital file name for reference along with any comments below.

ET18942