

710

83

ET19723

Confidential - Subject to Protective Order
BARBER - 5 22 06r0003362
Williams v. Remington

Test Lab Work Request Form

Rev.3 -20 April, 2000

Date Submitted: 03/18/2005	Tracking # : TLW 1731
Project # : Mayfield Support	Engineer: Franz
Test Objective: Qualify M/710 "Production Molded" Short Receiver Insert	
Test Description: Five magnum & five non-magnum inserts available for the following test. 1. Check fit and install New inserts into 5 magnum & 5 non-magnum rifles from T&P test with new stocks. (stocks to arrive from Mayfield on Monday 3/21/05). 2. Measure Sear/Firing Pin Head Engagement 3. Inspect trigger position relative to trigger guard to insure it is no different than the current production. 4. Live Fire test all rifles to 100 rds. ea. 5. Live Fire one magnum rifle to a total of 500 rds.	
Resource Usage: Manpower Requirements - Facility Requirements -	Test Results Required: Formal Report: Data Only: Requested Completion Date:
Required Materials/Parts/Equipment (include quantities):	
Test Parts Availability Date:	
Start Date: 3/21/05 Completion Date: 4/5/05 Report Date: 4/6/05	Test Assigned To: Steve Wade Assignment Date: 03/18/05

ET19724

CAL: 30.06 SPFD

PROJECT # 241230

NAME	DATE	TEST ACTIVITY	COMMENTS	ROUNDS	AT START-0
				RDS. FIRED	TOTAL RDS.
SW	3/21/05	Install Insert (Production Molded) + New stock			2211
↓	↓	Serv/Firing Pin Head Engagement Height - .085 Pin .000/.010			
↓	↓	Check fit of New Insert OK			
SW	3/23/05	Inspect trigger position relative to trigger guard. OK			
SW	3/28/05	Live Fire Test 100 yds		100	2311
SW	3/28/05	Inspect Insert & stock. OK			

Logform

BARBER - 5.22.06r0003364

2

ET19725

Confidential - SHARPER - 502-660-0354 Order

SHARBER - 5:02 PM 5/6/2016 Order

Williams v. Remington

GUN # A-1
SHOOTER:
SERIAL # 71202770
CAL - 30.06 SPRG

M/710 (PRODUCTION MOLDED) SHORT RECIEVER INSERT

TLW1731
PROJECT # 241230

AMMO		DATE: 3/23/05	ROUND LEVEL - 0
MALFUNCTIONS		MALFUNCTIONS	
1	SA30064	51	
2		52	
3		53	
4	/	54	/
5	/	55	/
6		56	
7		57	
8		58	
9		59	
10	/	60	/
11		61	
12		62	
13		63	
14	/	64	/
15	/	65	/
16		66	
17		67	
18		68	
19	/	69	/
20	/	70	/
21	R30065	71	
22		72	
23		73	
24	/	74	/
25	/	75	/
26		76	
27		77	
28		78	
29		79	
30	/	80	/
31		81	PRC 3006A
32		82	
33		83	
34	/	84	/
35	/	85	/
36		86	
37		87	
38		88	
39	/	89	/
40	/	90	/
41		91	
42		92	
43		93	
44	/	94	/
45	/	95	/
46		96	
47		97	
48	/	98	/
49	/	99	/
50	/	100	/

100

ET19726

CAL: 30.06 SPFD

PROJECT # 241230

NAME	DATE	TEST ACTIVITY	COMMENTS	ROUNDS	AT START-0
				RDS. FIRED	TOTAL RDS.
SW	3/21/05	Install Insert (Production Molded) + New Stock			1211
↓	↓	Serv/Firing Pin Head Engagement Height $\approx .082$ Pin .000/.010			
↓	↓	Check fit of New Insert OK			
SW	3/23/05	Inspect trigger position relative to trigger guard OK			
SW	3/28/05	Live Fire Test 100 rds		100	1311
SW	3/28/05	Inspect Insert + stock OK			

Logform

0

BARBER - 5.22.06r0003366

ET19727

~~CONFIDENTIAL - SUBPARABER - 502206100033600~~ Order

Williams v. Remington

GUN # A-2
SHOOTER:
SERIAL # 71202775
CAL - 30.06 SPRG

M/710 (PRODUCTION MOLDED) SHORT RECIEVER INSERT

TLW1731
PROJECT # 241230

AMMO		DATE: 3/23/05	ROUND LEVEL - ()
MALFUNCTIONS		MALFUNCTIONS	
1	SA 30064	51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	R 30065	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	PAC 3006A
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

100

ET19728

CAL: 30.06 SPFD

TRACKING # TLW 1731
PROJECT # 241230

BARBER - 5.22.06r0003368

NAME	DATE	TEST ACTIVITY	COMMENTS	ROUNDS	AT START-0
				RDS. FIRED	TOTAL RDS.
SW	3/21/05	Install Insert (Production Molded) + New Stock			711
		Serv/Firing Pin Head Engagement Height gauge ±.085 Pin .000/.010			
		Check fit of New Insert OK			
SW	3/23/05	Inspect trigger position relative to trigger guard. OK		100	811
SW	3/28/05	Live Fire Test 100 rds			
SW		Inspect Insert & stock OK			

Logform

53

ET19729

~~Confidential - Submitter - 502-2061-00033688 Order~~

Williams v. Remington

GUN # A-3
SHOOTER:
SERIAL # 71203229
CAL - 30.06 SPRG

M710 (PRODUCTION MOLDED) SHORT RECIEVER INSERT

TLW1731
PROJECT # 241230

AMMO		DATE: 3/23/05	ROUND LEVEL - 0
MALFUNCTIONS		MALFUNCTIONS	
1	SA30064	51	
2		52	
3		53	
4	✓	54	
5	✓	55	✓
6		56	
7		57	
8		58	
9	✓	59	
10	✓	60	✓
11		61	
12		62	
13		63	
14		64	
15	✓	65	✓
16		66	
17		67	
18		68	
19		69	
20	✓	70	✓
21	A30065	71	
22		72	
23		73	
24	✓	74	✓
25	✓	75	✓
26		76	
27		77	
28		78	
29		79	
30	✓	80	✓
31		81	PRC 3006A
32		82	
33		83	
34	✓	84	✓
35	✓	85	✓
36		86	
37		87	
38		88	
39	✓	89	✓
40	✓	90	✓
41		91	
42		92	
43		93	
44	✓	94	✓
45	✓	95	✓
46		96	
47		97	
48		98	
49	✓	99	✓
50	✓	100	✓

100

ET19730

CAL: 30.06 SPFD

PROJECT # 241230

NAME	DATE	TEST ACTIVITY	COMMENTS	ROUNDS	AT START-0
				RDS. FIRED	TOTAL RDS.
SW	3/21/05	Install Insert (Production Molded) & New stock			711
		Serv/Firing Pin Head Engagement Height gauge .084 Pin .000/.010			
		Check fit of New Insert OK			
		Inspect trigger position relative to trigger guard. OK			
SW	3/23/05	Live Fire Test 100 rds		100	811
SW	3/28/05	Inspect Insert & stock OK			

Logform

Q

BARBER - 5.22.06r0003370

ET19731

Confidential - Submitter: 502P000003370e Order

Williams v. Remington

GUN # A-4
SHOOTER:
SERIAL # 71202780
CAL - 30.06 SPRG

M/710 (PRODUCTION MOLDED) SHORT RECIEVER INSERT

TLW1731
PROJECT # 241230

AMMO		DATE: 3/23/05	ROUND LEVEL - 0
MALFUNCTIONS		MALFUNCTIONS	
1	SA 30064	51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	R 30065	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	PRC 3006C
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

100

ET19732

CAL: 30.06 SPFD

PROJECT # 241230

BARBER - 5.22.06r0003372

NAME	DATE	TEST ACTIVITY	COMMENTS	ROUNDS	AT START-0
				RDS. FIRED	TOTAL RDS.
SW	3/21/05	Install Insert (Production Molded) + New Stock			711
↓	↓	Zero/Firing Pin Head Engagement	Height gauge .082 Pin .000/.010		
↓	↓	Check fit of New Insert	OK		
SW	3/23/05	Inspect trigger position relative to trigger guard	OK		
SW	3/23/05	Live Fire Test	100 yds	100	811
SW	3/28/05	Inspect Insert + Stock	OK		

Logform

1

ET19733

Confidential - SHARPER-5022-661005372E Order

Williams v. Remington

GUN # A-5
SHOOTER:
SERIAL # 71203237
CAL - 30.06 SPRG

M710 (PRODUCTION MOLDED) SHORT RECIEVER INSERT

TLW1731
PROJECT # 241230

AMMO		DATE : 3/23/05		ROUND LEVEL - 0	
MALFUNCTIONS				MALFUNCTIONS	
1	SA 30067	51			
2		52			
3		53			
4	/	54			
5	/	55			
6		56			
7		57			
8	/	58			
9	/	59			
10	/	60			
11		61			
12		62			
13	/	63			
14	/	64			
15	/	65			
16		66			
17		67			
18		68			
19		69			
20	/	70			
21	R 30065	71			
22		72			
23		73			
24	/	74			
25	/	75			
26		76			
27		77			
28		78			
29		79			
30	/	80			
31		81			PAC 3006C
32		82			
33		83			
34	/	84			
35	/	85			
36		86			
37		87			
38		88			
39	/	89			
40	/	90			
41		91			
42		92			
43	/	93			
44	/	94			
45	/	95			
46		96			
47		97			
48	/	98			
49	/	99			
50		100			

100

ET19734

CAL: 300 WIN MAG

PROJECT # 241230

NAME	DATE	TEST ACTIVITY	COMMENTS	ROUNDS	AT START-0
				RDS. FIRED	TOTAL RDS.
SW	3/31/05	Install Insert (Production Molded) & New Stock	Senr/Firing Pin Head Engagement Height Gauge .082 Pin .000/.010		2229
		Check fit of New Insert			
SW	4/4/05	Inspect trigger position relative to trigger guard.			
SW	4/5/05	Live Fire test 100 rds.		100	2329
		Inspect Insert & stock	OK		

Logform

BARBER - 5.22.06r0003374

ET19735

Confidential - ~~Stalker~~ - 2022-06-06 03:14:00 Order
Williams v. Remington

GUN # A-31
SHOOTER: SW
SERIAL # 712032744
CAL - 300 WIN MAG

M710 (PRODUCTION MOLDED) SHORT RECIEVER INSERT

TLW1731
PROJECT # 241230

AMMO		DATE : 3/24/05 ROUND LEVEL - 0	
MALFUNCTIONS		4/4/05 MALFUNCTIONS	
1	SA 300WM2	51	✓
2		52	✓
3		53	
4	✓	54	
5		55	
6		56	✓
7		57	
8	✓	58	
9		59	
10		60	✓
11	✓	61	8300W2
12	✓	62	
13		63	
14		64	✓
15	✓	65	
16	✓	66	
17		67	
18		68	✓
19		69	
20	✓	70	
21		71	
22		72	✓
23		73	
24	✓	74	
25		75	
26		76	✓
27		77	
28	✓	78	
29		79	
30		80	✓
31	✓	81	
32	✓	82	
33		83	
34		84	✓
35	✓	85	
36	✓	86	
37		87	
38		88	✓
39		89	
40	✓	90	
41	Muzzed Recoil	91	✓
42		92	
43		93	
44	✓	94	
45		95	✓
46	✓	96	✓
47	✓	97	
48	✓	98	
49		99	
50		100	✓

100

ET19736

CAL: 300 WIN MAG

TRACKING # TLW 1731
PROJECT # 241230

BARBER - 5.22.06r0003376

NAME	DATE	TEST ACTIVITY	COMMENTS	ROUNDS	AT START-0
				RDS. FIRED	TOTAL RDS.
SW	3/21/05	Install Insert (Production Molded) + New Stock			1229
		Serv/Firing Pin Head Engagement Height Gauge .083	Pin .000/.010		
		Check fit of New Insert OK			
		Inspect trigger position relative to trigger guard OK		100	1329
SW	4/4/05	Live fire test 100 yds			
SW	4/5/05	Inspect Insert + Stock OK			

Logform

2

ET19737

Confidential - ~~Slacker~~ - 502 P.0010003370e Order
Williams v. Remington

GUN # A-32
SHOOTER: JW
SERIAL # 712032753
CAL - 300 WIN MAG

M/710 (PRODUCTION MOLDED) SHORT RECIEVER INSERT

TLW1731
PROJECT # 241230

AMMO		DATE : 3/27/05 ROUND LEVEL - 0	
MALFUNCTIONS		4/4/05 MALFUNCTIONS	
1	SA 300W M2	51	✓
2	✓	52	✓
3	✓	53	✓
4	✓	54	✓
5	✓	55	✓
6	✓	56	✓
7	✓	57	✓
8	✓	58	✓
9	✓	59	✓
10	✓	60	✓
11	✓	61	✓
12	✓	62	✓
13	✓	63	✓
14	✓	64	✓
15	✓	65	✓
16	✓	66	✓
17	✓	67	✓
18	✓	68	✓
19	✓	69	✓
20	✓	70	✓
21	✓	71	✓
22	✓	72	✓
23	✓	73	✓
24	✓	74	✓
25	✓	75	✓
26	✓	76	✓
27	✓	77	✓
28	✓	78	✓
29	✓	79	✓
30	✓	80	✓
31	✓	81	✓
32	✓	82	✓
33	✓	83	✓
34	✓	84	✓
35	✓	85	✓
36	✓	86	✓
37	✓	87	✓
38	✓	88	✓
39	✓	89	✓
40	✓	90	✓
41	PRC 300WA	91	✓
42	✓	92	✓
43	✓	93	✓
44	✓	94	✓
45	✓	95	✓
46	✓	96	✓
47	✓	97	✓
48	✓	98	✓
49	✓	99	✓
50	✓	100	✓

100

ET19738

CAL: 300 WIN MAG

PROJECT # 241230

NAME	DATE	TEST ACTIVITY	COMMENTS	ROUNDS	AT START-0
				RDS. FIRED	TOTAL RDS.
SW	3/21/05	Install Insert (Production Molded) & New Stock			729
↓	↓	Seal/Firing Pin Head Engagement Height Gauge .083 Pin.000/.010			
↓	↓	Check fit of New Insert OK			
SW	4/4/05	Inspect trigger position relative to trigger guard. OK			
SW	4/5/05	Live fire test 100 yds		100	829
SW	4/5/05	Inspect Insert & stock OK			

Logform

BARBER - 5.22.06r0003378

1

ET19739

Confidential - ~~Subpoena to 2706000370~~ Order
Williams v. Remington

GUN # A-33
SHOOTER: SW
SERIAL # 71203001
CAL - 300 WIN MAG

M/710 (PRODUCTION MOLDED) SHORT RECIEVER INSERT

TLW1731
PROJECT # 241230

AMMO		DATE: 3/24/05		ROUND LEVEL - 0	
MALFUNCTIONS		4/4/05 MALFUNCTIONS			
1	SA 300W M2	51	✓		
2		52	✓		
3		53			
4	✓	54			
5		55	✓		
6		56	✓		
7	✓	57			
8	✓	58			
9		59	✓		
10		60	✓		
11	✓	61	R300W2		
12	✓	62			
13		63	✓		
14		64	✓		
15	✓	65			
16	✓	66			
17		67	✓		
18		68	✓		
19	✓	69			
20	✓	70			
21		71	✓		
22		72	✓		
23	✓	73			
24	✓	74			
25		75	✓		
26		76	✓		
27	✓	77			
28	✓	78			
29		79	✓		
30	✓	80	✓		
31	✓	81			
32	✓	82			
33		83			
34		84	✓		
35	✓	85			
36	✓	86			
37		87			
38	✓	88	✓		
39	✓	89			
40		90			
41	PRC 300WA	91	✓		
42		92	✓		
43		93			
44	✓	94			
45		95	✓		
46		96	✓		
47	✓	97			
48	✓	98			
49		99			
50		100	✓		

100

ET19740

CAL: 300 WIN MAG

PROJECT # 241230

BARBER - 5.22.06r0003380

NAME	DATE	TEST ACTIVITY	COMMENTS	ROUNDS	AT START-0
				RDS. FIRED	TOTAL RDS.
SW	3/2/05	Install Insert (Production Molded) + New Stock			729
↓	↓	Sear/Firing Pin Head Engagement Height Gauge .084 Pin .000/.010			
↓	↓	Check fit of New Insert OK			
SW	4/4/05	Inspect trigger position relative to trigger guard. OK			
SW	4/6/05	Live Fire test 100 rds		100	829
SW	4/6/05	Inspect Insert + Stock OK			

Logform

33

ET19741

Confidential - Submitter - 502.P06100033800 Order

Subheader - 5.2.2: Photojive Order

Williams v. Remington

GUN # A-34
SHOOTER: JW
SERIAL # 71202778
CAL - 300 WIN MAG

M710 (PRODUCTION MOLDED) SHORT RECIEVER INSERT

TLW1731
PROJECT # 241230

AMMO		DATE: 3/24/05 ROUND LEVEL - 0	
MALFUNCTIONS		7/4/05 MALFUNCTIONS	
1	SA 300 W 2	51	✓
2		52	✓
3		53	
4	✓	54	✓
5		55	✓
6		56	✓
7		57	
8	✓	58	
9		59	✓
10		60	✓
11		61	✓
12	✓	62	✓
13		63	✓
14		64	✓
15	✓	65	✓
16		66	✓
17		67	✓
18		68	✓
19		69	✓
20	✓	70	✓
21	Managed Recoil	71	✓
22		72	✓
23		73	✓
24	✓	74	✓
25		75	✓
26		76	✓
27		77	✓
28	✓	78	✓
29		79	✓
30		80	✓
31		81	✓
32	✓	82	✓
33		83	✓
34		84	✓
35	✓	85	✓
36		86	✓
37		87	✓
38		88	✓
39		89	✓
40	✓	90	✓
41	PRC 300 WA	91	✓
42		92	✓
43		93	✓
44	✓	94	✓
45		95	✓
46		96	✓
47	✓	97	✓
48		98	✓
49		99	✓
50		100	✓

100

ET19742

CAL: 300 WIN MAG

PROJECT # 241230

BARBER - 5.22.06r0003382

NAME	DATE	TEST ACTIVITY	COMMENTS	ROUNDS	AT START-0
				RDS. FIRED	TOTAL RDS.
SW	3/21/05	Install Insert (Production Molded) & New Stock			719
SW	4/4/05	Sear/Firing Pin Head Engagement Height Gauge .085 Pin .000/.010			
SW	4/6/05	Check fit of New Insert OK			
SW	4/4/05	Inspect trigger position relative to trigger guard, OK			
SW	4/6/05	Live fire test 500 rds		500	1219
SW	4/6/05	Inspect Insert & stock OK			

Logform

ET19743

Confidential - ~~Shanker - 502 P.0010003302~~ Order
Williams v. Remington

GUN # A-35
SHOOTER: S W
SERIAL # 71203034
CAL - 300 WIN MAG

M710 (PRODUCTION MOLDED) SHORT RECIEVER INSERT

TLW1731
PROJECT # 241230

AMMO		DATE: 3/24/05 ROUND LEVEL - 0	
MALFUNCTIONS		4/7/05 MALFUNCTIONS	
1	5A 30WM 2	51	✓
2		52	✓
3		53	
4	✓	54	
5		55	✓
6		56	✓
7		57	
8	✓	58	
9		59	
10		60	✓
11	✓	61	
12	✓	62	
13		63	
14		64	✓
15	✓	65	
16	✓	66	
17		67	
18		68	✓
19		69	
20	✓	70	
21	Managed Recoil	71	✓
22		72	
23		73	
24	✓	74	
25		75	✓
26		76	✓
27		77	
28	✓	78	
29		79	
30	✓	80	✓
31	✓	81	
32		82	
33		83	✓
34		84	
35	✓	85	
36	✓	86	
37		87	✓
38		88	
39		89	
40	✓	90	
41	9300W2	91	✓
42		92	
43		93	
44	✓	94	
45		95	✓
46		96	
47	✓	97	
48	✓	98	
49		99	✓
50		100	

100

ET19744

GUN # A-35
SHOOTER: SW
SERIAL # 71203034
CAL 300 WIN MAG

M/710 (PRODUCTION MOLDED) SHORT RECIEVER INSERT

TLW1731
PROJECT # 241230

AMMO REM R300W2		DATE : 7/4/05	ROUND LEVEL - 100
MALFUNCTIONS		MALFUNCTIONS	
1	51	✓	
2	52		
3	53		
4	54		
5	55		
6	56	✓	
7	57		
8	58		
9	59		
10	60	✓	
11	61		
12	62		
13	63		
14	64	✓	
15	65		
16	66		
17	67		
18	68	✓	
19	69		
20	70	✓	
21	71		
22	72	✓	
23	73		
24	74		
25	75	✓	
26	76	✓	
27	77		
28	78		
29	79		
30	80	✓	
31	81		
32	82		
33	83		
34	84	✓	
35	85		
36	86		
37	87		
38	88	✓	
39	89		
40	90		
41	91		
42	92	✓	
43	93		
44	94		
45	95	✓	
46	96	✓	
47	97		
48	98		
49	99		
50	100	✓	

200

ET19745

GUN # A-35
SHOOTER: SW
SERIAL # 71203034
CAL 300 WIN MAG

M/710 (PRODUCTION MOLDED) SHORT RECIEVER INSERT

TLW1731
PROJECT # 241230

AMMO REM R300W2		DATE : 4/4/05	ROUND LEVEL - 200
MALFUNCTIONS		4/5/05 MALFUNCTIONS	
1		51	✓
2		52	
3	✓	53	
4		54	
5		55	✓
6		56	✓
7		57	
8	✓	58	
9		59	
10		60	✓
11		61	
12	✓	62	
13		63	
14		64	✓
15		65	
16	✓	66	
17		67	
18		68	✓
19		69	
20	✓	70	
21		71	✓
22		72	✓
23		73	
24	✓	74	
25		75	
26		76	✓
27		77	
28		78	
29		79	
30		80	✓
31		81	
32	✓	82	
33		83	
34		84	✓
35		85	
36	✓	86	
37		87	
38		88	✓
39		89	
40	✓	90	
41		91	✓
42		92	✓
43		93	
44	✓	94	
45		95	
46		96	✓
47		97	
48	✓	98	
49		99	
50		100	✓

300

ET19746

GUN # A-35
SHOOTER: SW
SERIAL # 71203034
CAL 300 WIN MAG

M/710 (PRODUCTION MOLDED) SHORT RECIEVER INSERT

TLW1731
PROJECT # 241230

AMMO REM R300W2		DATE: 4/5/05	ROUND LEVEL - 306
MALFUNCTIONS		MALFUNCTIONS	
1	51	✓	
2	52	✓	
3	53		
4	54		
5	55	✓	
6	56		
7	57		
8	58		
9	59		
10	60	✓	
11	61		
12	62		
13	63	✓	
14	64		
15	65		
16	66		
17	67		
18	68		
19	69		
20	70	✓	
21	71		
22	72		
23	73		
24	74		
25	75		
26	76	✓	
27	77		
28	78		
29	79		
30	80	✓	
31	81		
32	82		
33	83	✓	
34	84		
35	85		
36	86		
37	87		
38	88	✓	
39	89		
40	90		
41	91	✓	
42	92		
43	93		
44	94		
45	95		
46	96	✓	
47	97		
48	98		
49	99		
50	100	✓	

400

ET19747

GUN # A-35
SHOOTER: SW
SERIAL # 71203034
CAL 300 WIN MAG

M/710 (PRODUCTION MOLDED) SHORT RECIEVER INSERT

TLW1731
PROJECT # 241230

AMMO REM R300W2		DATE: 4/5/05		ROUND LEVEL - 400	
MALFUNCTIONS				MALFUNCTIONS	
1		51			
2		52	✓		
3		53			
4	✓	54			
5		55			
6		56	✓		
7		57			
8	✓	58			
9		59			
10		60	✓		
11		61			
12	✓	62			
13		63			
14		64	✓		
15		65			
16	✓	66			
17		67			
18		68			
19		69			
20	✓	70			
21		71			
22		72	✓		
23		73			
24	✓	74			
25		75			
26		76	✓		
27		77			
28		78			
29		79			
30		80	✓		
31		81			
32	✓	82			
33		83			
34		84	✓		
35		85			
36	✓	86			
37		87			
38		88	✓		
39		89			
40	✓	90			
41		91			
42		92	✓		
43		93			
44	✓	94			
45		95			
46		96	✓		
47		97			
48	✓	98			
49		99			
50		100	✓		

500

ET19748