

Remington Arms Co., Inc.
Product Service
Legal Case #:2220

Case Information

RE#	Date Opened	Date Opened(PS)	Date Closed	Incident Date	Pre Lit	Lit	Obsolete
142767	3/10/2008	3/11/2008	3/11/2008				

Customer Information

Type	Business	First Name	Last Name	Street	City	State	Zip	Age	Contact
Reporter		Randy	Bailey	405 S 4th St	Basin	WY	82410		H 307-272-7170 F 307-568-3387 E randybailey58@hotmail.com

Incident Information

Claims	Codes	Repair Est.	Medical Treatment	Medical Status
PI				
PD	Cause:4038 Could Not Duplicate Concern			
S	Concern:1008 Fired on Bolt Closing		Unknown	
C	fires on bolt closing			

3/12/08-correspondence from repair-when closing the bolt, the gun uncocks or follows down. Cust replaced trigger assembly w/ x-mark pro.lw

Firearm Information

Mfg.	Type	Model/Ga.	SKU	Serial	Bbl.	DOM
Remington	CF/BA	700/300 RUM	25735	E6766865	WV	8/2/2001 10:34:02 PM
Date Purchased	Where Purchased	Accessories	Original Owner			
1/15/2007	JERRY S SPORT INC (WL)		Y			

CONCERN:FOLLOWS DOWN

Ammunition Information - None Defined

Other Products Information - None Defined

Settlement

Remington/700/CF/BA

Settlement	Release of Claims	Release Date	Reimbursement	Cash Settlement	Reim. Date	APV	Cash Date	APV
repair at n/c								

Repair/Replacement Cost Repair/Replacement Date

3/12/08-repair at n/c, stock not cut out to fit new trigger.lw

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment
Examination	Examiner		B.TRAVIS
	Exam Date		3/11/2008
	Product Type		RF
	Action Type		A
	Assigned To		F.SUPRY
Cause	4038	Could Not Duplicate Concern	CUST.DID NOT CUT STK TO FIT X-MARK PRO TPA
Barrel	Description		26" 300 RUM
	Date Code		WV
	Bore Plugged	False	
	Bulged	False	
	Fired	False	
	Fired while Obstructed		
	Muzzle/Crown Condition	Like new; Functioning	

Bolt	Firing Pin	Like new; Functioning	
	Shroud	Slightly Worn; Functioning	
	Face	Slightly Worn; Functioning	
	Handle	Like new; Functioning	
	Stop	Like new; Functioning	
Extractor	Condition	Slightly Worn; Functioning	
	Cut Condition	Slightly Worn; Functioning	
	Ext/Eject Test	False	
Locking	Block Condition	---Select---	
	Lug Condition	Like new; Functioning	
	Notch Condition	---Select---	
Overall	Exterior Condition	Like new; Functioning	
	Stock Condition	Like new; Functioning	
	Fore End Condition	---Select---	
Receiver	Condition	Like new; Functioning	
	Bulged	False	
Safety	Description		STANDARD M/700 X-MARK PRO TPA
	Function	Like new; Functioning	
Sear	Lift	---Select---	.010
	Notch	Like new; Functioning	
	Tests	Test Fired	False
Feeding Test	Tests	False	
Trigger	Condition	Like new; Functioning	
	Pull	---Select---	3#
	Altered	True	TRIG PULL SET SCREW
	Sub-Assembly	X-Mark Pro	

BARBER - Kinzer PPS GAL RE0008413

E6766865

Model: 700



RE00142767



Return to Previous Page

with your firearm.

Serial Number: E6766865

Are you the original owner? ☒ YES ☐ NO

Name: RANDY BAILEY

Date of Purchase: 1-15-2007

Address (no PO Boxes): 405 S. 4th STREET

City: BASIN

State: WY

Zip: 82410

Phone (Daytime): 307-272-7170

Fax: 307-568-3387

E-mail Address: (if e-mail address is provided, notification of receipt and shipment will be sent) randybailey58@hotmail.com

E-mail Address:

☐ I would like to receive future e-mail updates from Remington.

Please describe your problem and date of occurrence:

when closing the bolt, the gun uncocks or follows down about 2 of 3 times. I replaced the trigger with an X-PRO REM, and it still does it.

could not duplicate concern, with stock off. The stk. is not cut to fit the x-mark pro assm. repair as needed + function test. AT N/C #230145

500 characters left

Ammunition Information:

- use T219 pull to within factory Specs -

Manufacturer: REM

Type: 180 gr

Other (i.e. bullet weight/type, shot size, powder):

GUN HAS BEEN FIRED ABOUT 14 TIMES ONLY

Handload Information: NONE

Powder Used:

Powder Weight:

Case/Hull Used:

Primer Used:

Bullet Type/Shot Size:

Reloader Used:

Firearms Care (Cleaning and Lubrication):

Brand of cleaning solution used: SHOOTERS CHOICE

How often do you clean the bore? (Months or Number of rounds) after each ROUND - STILL BREAKING IN

How often do you clean the action? (Months or Number of rounds) after each round

How often do you clean the trigger assembly? (Months or Number of rounds) NEW TRIGGER