

Remington Arms Co., Inc.
Product Service
Legal Case #:3500

Case Information

RE#	Date Opened	Date Opened(PS)	Date Closed	Incident Date	Pre Lit	Lit	Obsolete
		5/21/2009		5/20/2009			

Customer Information

Type	Business	First Name	Last Name	Street	City	State	Zip	Age	Contact
Reporter		Lt. Jay	Woods			NJ			W 609-457-9479

Incident Information

Claims	Codes	Repair Est.	Medical Treatment	Medical Status
PI				
PD	Cause:4079 Other - Unexamined		Unknown	
S	fired on safe release Concern:1007 Fired on Safe Release			
C				

5/21/09 Lt. Woods said that last night the officer disengaged the safety and the rifle fired. The rifle and another 700 have currently been locked up until contact was made with us. A safety officer was watching the shooter and said his finger was outside the trigger. They've contacted Gunworks of NY for pricing on triggers but wanted to call us to see if we've had a recurring problem of this with our rifles as they have heard. They have not had an armorer until recently and the Lt. I spoke with was not sure of the maintenance of these rifles.cm

Firearm Information

Mfg.	Type	Model/Ga.	SKU	Serial	Bbl.	DOM
Remington	CF/BA	700/308	25747	D6279349		6/7/1999
Date Purchased	Where Purchased	Accessories	Original Owner			
	LAWMEN SUPPLY CO OF NJ INC		Y			

Dept bought it new and it has been assigned to 2 officers since. 5000 rnds through it.

Ammunition Information - None Defined

Other Products Information - None Defined

Settlement

Settlement	Release of Claims	Release Date	Reimbursement	Cash Settlement	Reim. Date APV	Cash Date APV
	Repair/Replacement Cost	Repair/Replacement Date				

5/21/09 I offered a prepaid shipping label and recommended Rem Action Cleaner for duty weapon triggers. Officers have oiled but not cleaned triggers.cm

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment

Case #	3500	Date of Call	5/21/09	Date of Incident	5/20/09	PreLit		Lit		Obs	
--------	------	--------------	---------	------------------	---------	--------	--	-----	--	-----	--

Reporter name	Lt. Jay Woods NJ 609-457-9479	Incident name	
address		address	
contact #'s		contact #'s	
email		email	

Injury

Medical Treatment

Alleged cause

Firearm	Ser #	Cal	DOM	Orig owner?	When/Where purchased			
700	D6279349	.308	6/18/99	Y				

5000 on its in it

Ammunition	Factory/Reload	Manuf	Caliber	Bullet type/wgt	Lot #	Additional info

Other Product

Notes: Last night safety disengaged & it fired. Currently locked this gun & another. Safety officer was watching shooter & said finger outside trigger. They've contacted Gunworks of NY for pricing on triggers. This is only the 2nd officer this rifle has been assigned to.

Customer's Request

My actions/offers: I offered pre-paid label & recommended Rem. Action Cleaner for duty weapon triggers. Officers have o-led but not cleaned triggers.