

Remington Arms Co., Inc.

Product Service

Legal Case #:4896

Case Information

RE#	Date Opened	Date Opened(PS)	Date Closed	Incident Date	Pre Lit	Lit	Obsolete
		10/29/2010					

Customer Information

Type	Business	First Name	Last Name	Street	City	State	Zip	Age	Contact
Incident		Carl (Shannon)	Ayers	17771 Wells Rd	North Fort Myers	FL	33917		H 239-872-1292 E csalandclearing@aol.com

Incident Information

Claims	Codes	Repair Est.	Medical Treatment	Medical Status
PI PD S C	Cause:4079 Other - Unexamined Concern:1005 Unexplained Discharge Safe ON		Unknown	

10/29/10 Per call from Ayers, he was shooting his Ultra Mag caliber 700 Sunday before last and had fired one shot, chambered a 2nd and put his hand on the bolt at it fired. The safety was on. He has had the barrel magna-ported.cm

Firearm Information

Mfg.	Type	Model/Ga.	SKU	Serial	Bbl.	DOM
Remington	CF/BA	700/	n/a	G450491		
Date Purchased	Where Purchased	Accessories	Original Owner			
			Y			

Told him he was one number short or either the G is a 6.

Ammunition Information - None Defined

Other Products Information - None Defined

Settlement

Remington/700/CF/BA

Settlement	Release of Claims	Release Date	Reimbursement	Cash Settlement	Reim. Date APV	Cash Date APV
	Repair/Replacement Cost	Repair/Replacement Date				

10/29/10 Emailing ARS and letter.cm

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment
------	----------	------	---------

Remington.

www.remington.com

*E Mail*Remington Arms Company, Inc.
870 Remington Drive
P. O. Box 700
Madison, NC 27025-0700

ARS LABEL REQUEST FORM

DATE:	10/29/2010	REQUESTED BY:	christy
QUANTITY:	1	WEIGHT PER PACKAGE:	10
PLEASE CHECK ONE:			
MEDIA	Email to him at:		
COORDINATOR	<u>csalandclearing@aol.com</u>		
TO MAIL		I WILL MAIL	
DESCRIPTION:			
700			

LABEL INFORMATION

MAIL LABEL TO:	Carl Ayers 17771 Wells Rd N. Fort Myers, FL 33917	Email to him at:	<u>csalandclearing@aol.com</u>
RETURN ITEM TO: Remington Product Service			

PLEASE COMPLETE ALL PARTS OF THIS FORM AND SEND TO THE MEDIA COORDINATOR

4XX596 OCT 29, 2010 ALL CURR USD 1 OF 1
 SVC GND COM ACT WT 10.0 LBS
 TRACKING# 124XX5969W65201682
 REF 1: CARL AYERS/CD/CN
 REF 2: 700

HANDLING CHARGE 0.00		SVC T/P USD
SINGLE-PIECE PUB RATE CHRG:		RS 1.00
DV 0.00	COD 0.00	SD 0.00
DC 0.00	OGD 0.00	SP 0.00
AM 0.00	PR 0.00	
TOT PUB CHG 9.99		PUB+HANDLING 9.99

Jcd
csalandclearing@aol.com

BARBER - Kinzer PPS GAL RE 0009770

Remington Arms Co., Inc.

Product Service

Legal Case #:4822

Case Information

RE#	Date Opened	Date Opened(PS)	Date Closed	Incident Date	Pre Lit	Lit	Obsolete
		10/22/2010		10/22/2010			

Customer Information

Type	Business	First Name	Last Name	Street	City	State	Zip	Age	Contact
Incident		D.	Bailey		Frankfort	KY	40601		H 502-875-4564

Incident Information

Claims	Codes	Repair Est.	Medical Treatment	Medical Status
PI				
PD	Cause:4079 Other - Unexamined		Unknown	
S FSR	Concern:1007 Fired on Safe Release			
C				

10/22/10 Per call from Bailey, he bought his .270 BDL in the '70's and has had it fire on safe release. It was fine for the first year or two and then it happened several times. He has sent it to our RARC in Louisville for the BLSM program and had the BL removed. He has not shot it since. He wanted to have a X-Mark Pro trigger installed after viewing the CNBC broadcast. He will contact our RARC for a quote to replace the trigger.cm

Firearm Information

Mfg.	Type	Model/Ga.	SKU	Serial	Bbl.	DOM
Remington	CF/BA	700/270 WIN	n/a			
Date Purchased	Where Purchased	Accessories	Original Owner			
			Y			

Purchased in the 1970's.

Ammunition Information - None Defined

Other Products Information - None Defined

Settlement

Remington/700/CF/BA

Settlement	Release of Claims	Release Date	Reimbursement	Cash Settlement	Reim. Date APV	Cash Date APV
He will contact our RARC for a quote to replace the trigger						

Repair/Replacement Cost	Repair/Replacement Date
-------------------------	-------------------------

10/22/10 He will contact our RARC for a quote to replace the trigger.cm

Examination[Remington/CF/BA]

Part	Sub-Part	Code	Comment
------	----------	------	---------