				Remington Arms Co., I Product Service Legal Case #:5073	Inc.					
Case Infor	nation			Dogan Cable in Core						
RE#	Date O	pened	Date Opened(PS	S) Date Closed	l Inci	dent Date	Pı	re Lit	Lit	Obsolete
213337	12/8/2	-	11/12/2010	12/9/2010	11	/11/2010				
Customer I	nformation									•
Туре	Business	First Name	Last Name	Street	City	State	Zip	Age	С	ontact
Incident		Howard	Martens	56 Waterford Dr.	Mills Rive	r NC	28759		H 828	-891-7246
Incident In	formation									
Claims			Codes	Rep	air Est.	Medical	Treatme	ent	Medi	cal Status
PI										
PD	C	Cause:4054 A	s received Follow	vs Down		[In]	known			
S	-	Concern:1007 F	ired on Safe Relea	ase		U.I.				
C FSR										
				in a while. He took gun	to the range o	on 11/11/10) & had a	FSR of	the rar	ige. No
damage - N	to injury. He	stated he bough	nt gun used. df							
Firearm Int	formation									
Mfg.		Туре		Model/Ga.		SKU		Serial	Bbl.	DOM
Remington		CF/BA		700/222 REM	n/a		1	24143	XL	12/1/1964
Date Pu	ırchased	Where Purc	hased	Accessories	Or	iginal Ow	ner			
			TW	VO PIECE SCOPE BAS	E	N				
CONCERN	N:FBC,FSR									
Ammunitic	n Informatio	n - None Defin	ed							
		ion - None Def								
Settlement										
				Remington/700/CF/B	A					
Se	ttlement	Releas	e of Claims	Release Date	Reimburse	ment _{C-}	Cash ttlement		n. Date PV	Cash Date APV
	- Repair unde A program	er				.30	uement	A		AL V
DL	n program	Renair/	Replacement	Repair/Replacement						
			Cost	Date						
		\$	60.23	12/13/2010						
	Sending ARS, der BLM prog		x. Box order# 115	8770. df 12/13/10: Per F	Fred S As re	eceived wi	ll follow	down. F	teplace	TA, clean &
				·····				~~~~~		
Examinatio	on[Remington	/CF/BA]								
Examinatio	on[Remington	/CF/BA]		·						
Examinatio	on[Remington Part	/CF/BA]	Sub-Part	Code			C	ommen	t]

Part	Sub-Part	Code	Comment
	Examiner]	B.TRAVIS
	Exam Date] .	12/9/2010
Examination	Product Type]	RF
	Action Type]	Α
	Assigned To]	T.NAGLE
Cause	4054	As received Follows Down]
	Description]	22" 222 REM
	Date Code]	XL
	Bore Plugged	False] .
Barrel	Bulged	False]
	Fired	False	
	Fired while Obstructed		_
			7

http://cps03ap13:200/psaapp/PrintDisplay.aspx?ID=5073&Type=Case

12/13/2010

	Muzzle/Crown Condition	Slightly Worn; Functioning	
	Firing Pin	Slightly Worn; Functioning]
	Shroud	Slightly Worn; Functioning	
Bolt	Face	Slightly Worn; Functioning]
	Handle	Slightly Worn; Functioning	
	Stop	Slightly Worn; Functioning]
	Condition	Slightly Worn; Functioning	
Extractor	Cut Condition	Slightly Worn; Functioning]
	Ext/Eject Test	False]
	Block Condition	Select]
Locking	Lug Condition	Slightly Worn; Functioning]
	Notch Condition	Select]
	Exterior Condition	Slightly Worn; Not Functioning]
Overall	Stock Condition	Slightly Worn; Functioning]
	Fore End Condition	Select	
Receiver	Condition	Slightly Worn; Functioning]
	Bulged	False]
	Description]	STANDARD M/700 BOLT LOCK SAFETY
Safety	Function	Like new; Functioning	
_	Sub-Assembly	Non-ISS	
	Lift	Select	.007
Sear	Notch	Slightly Worn; Functioning	O/S DOUBLE
	Tests	Test Fired	False
Feeding Test	Tests	False	
	Condition	Slightly Worn; Not Functioning	WILL FOLLOW DOWN
Trianan	Pull	Select	2.5#
Trigger	Altered	False	
	Sub-Assembly	M/700 Bolt Lock	
Non-Remington Components	Description		TWO PIECE SCOPE BASE

http://cps03ap13:200/psaapp/PrintDisplay.aspx?ID=5073&Type=Case

12/13/2010

	Verity, Repair ADDAESS INFOR Name Address 1 51 Address 2	MATION Ustomer DWARD MARTI S WATERFORD	Seriat 1 REM 1 SERIA INS DR		700. Center Fire	n - Retur HOW/ 56 W/	Status	New 12/8/2010 10:37.	- 1049 (38.270). 	
	rAddress2 City M City M State N	ILLS RIVER		inter and in the			TERFUHD DH.	PO Box	-	
	ontact / Condition				IS		RIVER Zip Code: 2875		-	
	Street Free	Code New Expedite		Ner Nices	j In	Desc2	Shipping Hold Finieriace Hold Estimate Sent Parts Receive Passed Inspe Return as Rei Filhas Been App Trinternal Repa	di 128/2010 i en	w 10:37:59 AM staff B ench coation N doation N N Number	
	Repair Sea	ch					T Exclude TAT	Retresh	Ci	ose
<u>~000</u>										and the second

***	فياليها المستعدية		-	تہ یہ ہے۔ ،	* *** •	÷
., ¹	<u>ڪ ڪ</u>	25	3 8.3	: L .	•	
: د	DEC	1	0	201	0	τ
В	Y:					



2.5[±]

November 12, 2010

Howard Martens 56 Waterford Dr. Mills River, NC 28759 Ph: 828-891-7246

Ref: # 5073

Dear Mr. Martens,

Enclosed is a prepaid UPS shipping label to cover shipment of your firearm to our factory for examination.

Please include a copy of this letter to put inside the shipping container. The letter inside is important as sometimes the outside label gets damaged in transit and we want to be sure the firearm is logged in correctly. Mark the ends of the box with "Product Service". Product Service will be inspecting the firearm and will contact me with the results.

I hope that this action will keep you a loyal Remington, H&R customer.

Sincerely, D. Fulcher Consumer Affairs Administrator Remington, H&R, Marlin Phone: 1-800-243-9700 Fax: 336-548-7872

enclosure



Will follow down. Replace TPA, cleAD + Test Fine undentup for 15 20.00 T ship.

Quote

Remington Arms Company, Inc. • 870 Remington Drive • P.O. Box 700 • Madison, NC 27025 Phone 800-243-9700 • www.remington.com ١.

	Reset						
Model	Serial						
Number: 700 BDL	Number: 124143						
Are you the original owner?: 🖾 YES 😥 NO							
Name: Haulard M MARTENS	Date of Purchase: $SE_{0} = 10 - 2010$						
Address (no							
36 WATERTORD DR							
City: Mille Pinel	State: Zip: 759						
Phone							
(Daytime): 828 - 891 - 7246	Fax:						
E-mail Address:(if e-mail address is provid be sent)	ed, notification of receipt and shipment will						
E-mail A							
I would like to receive future e	e-mail updates from Remington.						
Please describe your proble							
When FEEding Ammo AND you close The BOLT THE FIRING PIN RELEASES AND GOES TO THE FIRED PISITION - IF. you RECYCLE THE BOLT AND PUT SAFETY THE BOLT GRES SOWN WHEN SAFETY is TAKEN OFF AND SOMETIMES CAUSES GUN							
THE FIRED PISITION - IF. you RECYCLE THE BOLT							
SAFETY is TAKEN DEP AND STRATES JOWN WHEN							
To FIRE ON ITS OWN OTHER WISE FRING FIN JOSTNIT hIT							
Ammunition I	nformation:						
Manufacturer: REMINGTER Type: 559R SST POINT							
Other (i.e. bullet weight/type, shot size, powder):							
Handload In	formation:						
Powder Used: IMR 3031	Powder Weight: 219 RAINS						
Case/Hull Used: 222 Rem NIC/CLE	Primer Used: WINCHESTER						
Bullet Type/Shot Size: 559R.F.M.j (Ro	Reloader Used: RCBS Rockelluc KER						
Firearms Care (Cleanii	ng and Lubrication):						

11/12/2010

۰.

Brand of cleaning solution used:
How often do you clean the bore? (Months or Number of rounds)
How often do you clean the action? (Months or Number of rounds) $AF \overline{fer} Fridg$
How often do you clean the trigger assembly? (Months or Number of rounds) Zota Rounds
Brand of lubricant used: 40 MES
How often do you lubricate the bore? (Months or Number of rounds) A-FTER CLEANING BARREL
How often do you lubricate the action? (Months or Number of rounds)
How often do you lubricate the trigger assembly? (Months or Number of rounds) 200 Rounds
Have you reviewed the cleaning and maintenance recommendations on our web site or in our owners manual? > PYES INO
When was the last time that your firearm was serviced by a Remington authorized repairman/gunsmith?)
What were the services
Ship your INSURED firearm by either UPS or Parcel Post to:
Remington Arms Co., Inc. Attn: Arms Service Division 14 Hoefler Avenue Ilion, NY 13357
WARNING: DO NOT SEND LIVE OR SPENT SHELLS IN YOUR FIREARM OR IN THE SAME BOX WITH THE FIREARM. THIS IS A VIOLATION OF FEDERAL LAW. IF YOU FEEL YOU MUST SEND SPENT SHELLS PLEASE SEND THEM IN A SEPARATE PACKAGE AND INCLUDE NAME, ADDRESS (WITH ZIP CODE), TELEPHONE AND MODEL AND SERIAL NUMBER OF YOUR FIREARM.
:: Record the serial number of your firearm before sending it. :: Pack your firearm for safety and to prevent further damage in shipping and handling. Preferably, ship in a firearm box. (Note: Original boxes may not be returned.) :: Remove all accessories from your firearm to prevent loss or damage. :: Provide a return address on both the outside and inside the box. Shipments without a proper

11/12/2010

return address will be refused.

:: Ship your INSURED firearm by either UPS or Parcel Post. Remington is not responsible for

damage or loss during shipment, so you may elect to purchase insurance from your carrier.

Charge repairs will be processed using the following guidelines:

:: Repairs \$75.00 and under will be completed and returned to you C.O.D. (To avoid C.O.D. Charges, please include your credit card number and expiration date with your gun)

:: For Repairs over \$75.00, you will receive a written estimate detailing the nature of the repair, applicable taxes and shipping. You will have 30 days to approve the repair estimate. Repairs can be paid by check, money order, or credit card (American Express, Discover, MasterCard, or VISA). If you wish, you can expedite repairs over \$75.00 by setting a pre-authorized amount that can be billed to your credit card. We process checks electronically through Check21.

Remington.

www.remington.com

Remington Arms Company, Inc. 870 Remington Drive P. O. Box 700 Madison, NC 27025-0700

ARS LABEL REQUEST FORM

DATE:		11/12/2010	REQUESTED BY:	Dell
QUANTITY:	· · · · · · · · · · · · · · · · · · ·	1	WEIGHT PER PACK	(A) 10 lbs
RIEASECHECKONE MEDIA COORDINATOR TO MAIL			I WILL MAIL	XXXXXX
DESCRIPTION:	Ref# 5073 Rifle			

LABEL INFORMATION

MAIL LABEL TO: Howard Martens 56 Waterford Dr. Mills River, NC 28759 Ph: 828-891-7246

RETURN ITEM TC Remington Arms Attn: Product Service Ilion, NY

- IPLEASE COMPLIENE ALL PARTS OF THIS FORM, AND SEND TO THE MEDIA COORDINATION

4XX596 NOV 12, 2010 ALL CURR USD SVC GNDCOM ACT WT 10.0 LBS TRACKING# 124XX5969067102179 REF 1:HOUARD MARTENS/CD/DMF REF 2:5073/RIFLE 1 OF 1 HANDLING CHARGE 0.00 SINGLE-PIECE PUB RATE CHRGS: DV 0.00 COD 0.00 SVC T/P USD RS 0.50 DV 0.00 DC 0.00 AH 0.00 TOT PUB CHG 8.74 SD 0.00 0.00 DGD 0.00 SP 0.00 PR PUB+HANDLING 8.74







