Remington Arms Co., Inc. Product Service Legal Case #:5124

Case Information

RE# Date Opened Date Opened(PS) Date Closed Incident Date Pre Lit Lit Obsolete 212130 12/1/2010 11/17/2010 12/7/2010

Customer Information

Type Business First Name Last Name Street City State Zip Age Contact

Incident Harold Snyder 363 S. Washington Ave. Piscataway NJ 08854 C 732-433-7570

Incident Information

Claims Codes Repair Est. Medical Treatment Medical Status

PΙ

PD Cause:4015 Improper Maintenance Unknown

S Concern: 1007 Fired on Safe Release

C FSR

11/17/10: Customer called in. He saw the CNBC show. He stated he has a FSR last fall. No damage - No injury. df The sear had to be forced to move due to build up of sticky residue. Once the gun fired the firing pin would follow down until the sear finally moved back to its proper position fls.

Firearm Information

 Mfg.
 Type
 Model/Ga.
 SKU
 Serial
 Bbl.
 DOM

 Remington
 CF/BA
 700/3006 SPRG
 n/a
 C6212908
 BI
 1/16/1988

Date Purchased Where Purchased Accessories Original Owner

NORTHEAST FIREARMS Y

Ammunition Information - None Defined Other Products Information - None Defined

Settlement

Remington/700/CF/BA

Settlement Release of Claims Release Date Reimbursement Cash Reim. Cash Settlement Date APV Date APV

Quote to repair at a

discount

Repair/Replacement Repair/Replacement

Cost Date

\$60.23 12/7/2010

11/17/10: Sending ARS, ltr, form. df 12/7/10: Replace TA, clean, test fire at discount price. I called customer & he apprvd & made payment. df

Examination[Remington/CF/BA]

| Part | Sub-Part | Code | Comment |
|-------------|--------------|----------|--|
| | Examiner | | supry |
| | Exam Date | | 12/2/2010 |
| Examination | Product Type | | RF |
| | Action Type |] | A |
| | Assigned To |] | Supry |
| Cause | 4015 | Improper | Outside clean, sticky residue inside the housing binding the sear. Photo |

| | 1 | Maintenance | shows some residue under the safety. | |
|-----------|---------------------------|-------------------------------|---|--|
| | Description |] | 22 inch Model 700 3006 caliber | |
| | Date Code | j | BI | |
| | Bore Plugged | False | | , |
| Barrel | Bulged | False | - | |
| | Fired | False | | |
| | Fired while Obstructed | | - | |
| | Muzzle/Crown Condition | Worn; Functioning | | |
| | Firing Pin | Slightly Worn; Functioning | Firing pin assembly was stainless the bolt was carbon | |
| | Shroud | Slightly Worn; Functioning | | |
| Bolt | Face | Slightly Worn; Functioning | | |
| | Handle | Slightly Worn; Functioning | | |
| | Stop | Slightly Worn; Functioning | | |
| | Condition | Slightly Worn; Functioning | | |
| Extractor | Cut Condition | Slightly Worn; Functioning | | |
| | Ext/Eject Test | True | | |
| | Block Condition | Select | | |
| Locking | Lug Condition | Slightly Worn; Functioning | | |
| | Notch Condition | Select | | |
| | Condition | Select | | |
| Magazine | Box Condition | Slightly Worn; Functioning | | |
| | Exterior Condition | Worn; Functioning | | |
| Overall | Stock Condition | Worn; Functioning | | |
| | Fore End Condition | Select | | |
| Receiver | Condition | Slightly Worn; Functioning | | |
| | Bulged | False | | 1 |
| | Description | | Model 700 | |
| Safety | Function | Slightly Worn; Functioning | | |
| | Lift | Select | not measured | |
| _ | Notch | Slightly Worn; Functioning | With the sear in the proper position it functioned normally | |
| Sear | | Condition | Abused; Not Functioning | Outside of housing was clear however, the inside was coat with sticky residue causing the sear to |

| Pull | | Select | 5.5 lbs | |
|-----------------------------|--|------------------------|---|---|
| Altered | Trigger | False | | |
| Sub-Assembly | an may also as the subdisciplination of the country | M/700 Non-Bolt Lock | | |
| Non-Remington Components | Description | | Two piece scope base and rings. Stock butt pad sleeve. | · |

| | air Expedite Repair Inqui | iry Repair Tools CSR Tools Re | ports Table Maintenance System L | Location | |
|--|--|---|-------------------------------------|----------|----------|
| rmREInquiry - Repair | Marian de la calcada de la cal | er Fire, Caliber. Repairmen. | | | |
| Verily Repair | Senal: C6212908 Model 700 Cent 3006 SPRG Produced: 01/16/1988 | Status: New 12 | 2/1/2010 2:49:57 PM | X | |
| DORESS INFORMATION | C P | from Return To | C Received from | | |
| Name: HAROLD SNYDER | G Received | HAROLD SNYDER | , neceverium | | • |
| Address 1: 363 S. WASHINGTON Address 2: | AVE. | 363 S. WASHINGTON AVE. | Box | | <u>.</u> |
| City PISCATAWAY State: NW - Zip Code: 088 | 354 Country US | PISCATAWAY NU Zip Code: 08854 C | Country (US | | |
| 24 Code () | Cooliny Po | 7.7 | | | |
| ontact / Condition Problems Estimat | e, History / Status Shipping / 8ib | ng) | | | |
| | | esc2 Shipping Hold | Current Status New | | |
| 12/1/2010 2 g. New lopa 12/1/2010 5:0 EmailSent Arm | | TREE@OPTON F Estimate Sent | 12/1/2010 249:57 PM lopalati | | |
| <u> </u> | | TREE@OPTON Parts Received Passed Inspection | Repair Bench Repair Location | | |
| 12/2/2010 1:2 Expedite sup | ryff From Check In To | Repair Bench Return as Received (Has Been Approved) | Current Location | | |
| (| | Cinternal Repair | Transfer Number | | |
| Répair Search | 1 2 2 | | Refresh Close | | |
| | | | | | |
| | | | | | |
| | | | programme and the second | | |
| | | | | | |
| | | | | 44.9 | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



B1 5,516s 22" 3006

CONT

November 17, 2010

Harold Snyder 363 S. Washington Ave. Piscataway, NJ 08854 Ph: 732-433-7570

Ref: #5124

Dear Mr. Snyder,



Enclosed is a prepaid UPS shipping label to cover shipment of your firearm to our factory for examination.

Please include a copy of this letter to put inside the shipping container. The letter inside is important as sometimes the outside label gets damaged in transit and we want to be sure the firearm is logged in correctly. Mark the ends of the box with "Product Service". Product Service will be inspecting the firearm and will contact me with the results.

I hope that this action will keep you a loyal Remington customer.

Sincerely,
D. Fulcher
Consumer Affairs Administrator
Remington, H&R, Marlin
Phone: 1-800-243-9700

Fax: 336-548-7872

enclosure

After firing follows down dore to Sear not raising up because of streky residue, Ite was experiencing delayed firings. Install New Trigger Assembly at thormal Charges as gestore of good will.

Remington Arms Company, Inc. • 870 Remington Drive • P.O. Box 700 • Madison, NC 27025

Phone 800-243-9700 • www.remington.com

BARBER - Kinzer PPS GAL RE 0012355

Reset

BARBER - Kinzer PPS GAL RE 0012356

Print

| | <u></u> | | | | | |
|--|------------------------------|--|--|--|--|--|
| Model | Serial | | | | | |
| Number: 700 BDL | Number: | | | | | |
| Are you the original owner?: YES 🖺 NO | | | | | | |
| Name: 1/2 1 0 C 0 C 0 Date of Purchase: | | | | | | |
| Name: HARCLD SNYDER | DON'T REMEMBER 10-12 yas mo? | | | | | |
| Address (no PO Boxes): | | | | | | |
| 363 WASHINGTON AVE. | | | | | | |
| City: PISCATAWAY | State: 14.1 Zip: 08854 | | | | | |
| Phone | Fax: | | | | | |
| (Daytime): 732-433-7570 | rdx. | | | | | |
| E-mail Address: (if e-mail address is provided, notification of receipt and shipment will be sent) #JTREE @ OPTONLINE, NET | | | | | | |
| | | | | | | |
| E-mail Address: I would like to receive future e-mail updates from Remington. | | | | | | |
| Please describe your proble | | | | | | |
| WHEN T TAKE OFF SE | AFETY, POLL TRIGGER NO FIRE | | | | | |
| E.TU-A - Cili | Takent | | | | | |
| SAFETY, YOU FIRES SOME | TIMES FIRE QUAY - DELAY | | | | | |
| SAFETY, gon FIRES. SOME TIMES FIRE OUN - DELAY GUN FIRES. LAST TIME FIRED GUN 1/2 YES AGO | | | | | | |
| LAS! /THE | 1/2 YES A90 | | | | | |
| TRIED REPLACING FIREING PIN & SPRING NOV FEB. 08 | | | | | | |
| REPLACED ENTIRE BOLT - NO | O CHANGE-(ITS IN SAFELY) | | | | | |
| REPLACED ENTIRE BOLT - NO CHANGE - (175 OF TRIGGER) | | | | | | |
| Ammunition Information: | | | | | | |
| Manufacturer: FEDERAL PREMIUM Type: 180gR NOSELER PART. | | | | | | |
| Other (i.e. bullet weight/type, shot size, | | | | | | |
| powder): | | | | | | |
| | | | | | | |
| Handload Information: | | | | | | |
| Powder Used: | Powder Weight: | | | | | |
| Case/Hull Used: | Primer Used: | | | | | |
| Bullet Type/Shot Size: | Reloader Used: | | | | | |
| | | | | | | |
| Firearms Care (Cleaning and Lubrication): | | | | | | |

BARBER - Kinzer PPS GAL RE 0012357

| Brand of cleaning solution used: | | | | | | |
|---|--|--|--|--|--|--|
| How often do you clean the bore? (Months or Number of rounds) AFTER SHOOTING FIRE APPROX | | | | | | |
| How often do you clean the action? (Months or Number of rounds) AFTER SHOOTING | | | | | | |
| How often do you clean the trigger assembly? (Months or Number of rounds) | | | | | | |
| Brand of lubricant used: | | | | | | |
| How often do you lubricate the bore? (Months or Number of rounds) | | | | | | |
| How often do you lubricate the action? (Months or Number of rounds) | | | | | | |
| How often do you lubricate the trigger assembly? (Months or Number of rounds) | | | | | | |
| Have you reviewed the cleaning and maintenance recommendations on our web site or in our owners manual? > ☑ YES ☑ NO | | | | | | |
| When was the last time that your firearm was serviced by a Remington authorized repairman/gunsmith?) | | | | | | |
| What were the services performed?) CHECK WEAPON (TOLD SEND TO REMINOTON) | | | | | | |
| Ship your INSURED firearm by either UPS or Parcel Post to: | | | | | | |
| Remington Arms Co., Inc. Attn: Arms Service Division 14 Hoefler Avenue Ilion, NY 13357 | | | | | | |
| ☐ WARNING: DO NOT SEND LIVE OR SPENT SHELLS IN YOUR FIREARM OR IN THE SAME BOX WITH THE FIREARM. THIS IS A VIOLATION OF FEDERAL LAW. IF YOU FEEL YOU MUST SEND SPENT SHELLS PLEASE SEND THEM IN A SEPARATE PACKAGE AND INCLUDE NAME, ADDRESS (WITH ZIP CODE), TELEPHONE AND MODEL AND SERIAL NUMBER OF YOUR FIREARM. | | | | | | |
| :: Record the serial number of your firearm before sending it. :: Pack your firearm for safety and to prevent further damage in shipping and handling. Preferably, ship in a firearm box. (Note: Original boxes may not be returned.) :: Remove all accessories from your firearm to prevent loss or damage. :: Provide a return address on both the outside and inside the box. Shipments without a proper | | | | | | |

BARBER - Kinzer PPS GAL RE 0012358

return address will be refused.

:: Ship your INSURED firearm by either UPS or Parcel Post. Remington is not responsible for

damage or loss during shipment, so you may elect to purchase insurance from your carrier.

Charge repairs will be processed using the following guidelines:

- :: Repairs \$75.00 and under will be completed and returned to you C.O.D. (To avoid C.O.D. Charges, please include your credit card number and expiration date with your gun)
- :: For Repairs over \$75.00, you will receive a written estimate detailing the nature of the repair, applicable taxes and shipping. You will have 30 days to approve the repair estimate. Repairs can be paid by check, money order, or credit card (American Express, Discover, MasterCard, or VISA). If you wish, you can expedite repairs over \$75.00 by setting a pre-authorized amount that can be billed to your credit card. We process checks electronically through Check21.



Remington Arms Company, Inc. 870 Remington Drive P. O. Box 700 Madison, NC 27025-0700

ARS LABEL REQUEST FORM

| DATE: | | 11/17/2010 | REQUESTED BY: | Dell |
|---|--------------------|------------|-----------------|------------|
| QUANTITY: | | 1 | WEIGHT PER PACI | KA: 10 lbs |
| PLEASE GHECK ONE MEDIA COORDINATOR TO MAIL | | | I WILL MAIL | XXXXX |
| DESCRIPTION: | Ref# 5124 Rifle | | | |

LABEL INFORMATION

MAIL LABEL TO: Harold Snyder
363 S. Washington Ave.
Piscataway, NJ 08854
Ph: 732-433-7570

RETURN ITEM TC Remington Arms
Attn: Product Service
Ilion, NY

*RLEASE COMPLETE ALLAPARTIS OF THIS FORM AND SEND TO THE MEDIA COORDINATION

4XX596 NOV 18, 2010 ALL CURR USD ACT WT 10.0 LBS 1 OF 1 SVC GNDCOM TRACKING# 1Z4XX5969065084961 REF 1: HAROLD SNYDER/CD/DMF REF 2:5124/RIFLE HANDLING CHARGE 0.00 SINGLE-PIECE PUB RATE CHRGS: SVC T/P USD DV 0.00 DC 0.00 COD 0.00 DGD 0.00 RS 0.50 SD 0.00 AH 0.00 TOT PUB CHG 7.42 PR 0.00 SP 0.00 PUB+HANDLING