

C6498874

69

MODEL 700™ M24

Model **SMS**™

Action

Barrel Length

Capacity

Order No. **5715**

*Includes 1 in chamber.

Remington

Arms Service Repair Management System

File Add Repair Estimate Repair Expedite Repair Inquiry Repair Tools CSR Tools Reports Table Maintenance System Maintenance Help

Repair Inquiry

Repair Number: **RE00069425** Serial: C6498874 Model 700 Center Fire Caliber: 7
 Verify Repair 62 NATO M/24 SWS Repairman: Status: Closed 9/2/2003 9:55:44 AM

Address Information

Customer: ☒ Received From Return To: ☐ Received From

Name: CHRIS BATES HHC 2/14 IN CHRIS BATES HHC 2/14 IN

Address 1: 10110 N RIVA RIDGE LOOP 10110 N RIVA RIDGE LOOP

Address 2: PO Box PO Box

City: FORT DRUM FORT DRUM

State: NY Zip Code: 13602 Country: US State: NY Zip Code: 13602 Country: US

FFL: ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

Contact / Condition	Problems	Estimate	History / Status	Shipping / Billing																					
Contact Information Phone: 315 772 7870 Fax: Email: Comments: REM FILE #003054	Received Condition Good Condition Notes: CSR Notes:	Accessories Received <table border="1"> <thead> <tr> <th>Code</th> <th>Desc</th> <th>Qty</th> </tr> </thead> <tbody> <tr> <td>A007</td> <td>With Stud</td> <td>3</td> </tr> <tr> <td>A008</td> <td>With Swivel</td> <td>2</td> </tr> <tr> <td>A017</td> <td>Scope Base</td> <td>1</td> </tr> <tr> <td>A026</td> <td>Scope</td> <td>1</td> </tr> <tr> <td>A045</td> <td>Bi Pod</td> <td>1</td> </tr> <tr> <td>C000</td> <td>FRT AND REAR BASI</td> <td>1</td> </tr> </tbody> </table>			Code	Desc	Qty	A007	With Stud	3	A008	With Swivel	2	A017	Scope Base	1	A026	Scope	1	A045	Bi Pod	1	C000	FRT AND REAR BASI	1
Code	Desc	Qty																							
A007	With Stud	3																							
A008	With Swivel	2																							
A017	Scope Base	1																							
A026	Scope	1																							
A045	Bi Pod	1																							
C000	FRT AND REAR BASI	1																							

Repair Search Refresh Close

nagletj 9/2/2003 12:47 PM CAPS NUM INS SCPL

start 8 Micros... Arms Servi... Parts Info 4 Micros... Part Search 2 Intern... 12:47 PM

Serial Number: **C6498874**

Model: **700**



RE00069425

SNIPER WEAPON SYSTEM - UNIQUE STATISTICAL INFORMATION

FIREARM SERIAL NUMBER / DATASET NAME: C6498874.__0
FILE DATE AND TIME: 09/16/2003 10:07

THE FOLLOWING DATA IS ALL REPORTED IN UNITS OF INCHES

The Average X Centroid of the Five Target Set:	-0.092
The Average Y Centroid of the Five Target Set:	-0.010
The Average Point of Impact of the Five Target Set:	0.093
The Average Mean Radius of the Five Target Set:	0.685
The Distance from POA to Centroid Target #1:	0.114
The Distance from Centroid Target #2 to Centroid Target #1:	0.191
The Distance from Centroid Target #3 to Centroid Target #1:	0.163
The Distance from Centroid Target #4 to Centroid Target #1:	0.342
The Distance from Centroid Target #5 to Centroid Target #1:	0.144


SERIAL NUMBER: C6498874. __0

TARGET NUMBER: 1

FILE DATE: 09/16/2003

FILE TIME: 10:07

	POINT#	X	Y
	1:	0.756	0.186
	2:	-0.387	1.360
	3:	-0.795	0.453
	4:	-0.489	0.242
X CENTROID:	5:	-0.289	-0.791
Y CENTROID:	6:	0.134	-0.618
POA TO CENTROID:	7:	0.327	-0.065
HORZ SPREAD:	8:	-0.091	-0.134
VERT SPREAD:	9:	0.088	0.262
GROUP SPREAD:	10:	0.114	0.049
MIN RADIUS:		0.183	
MAX RADIUS:		1.306	
MEAN RADIUS:		0.611	
# IN 1 IN DIAMETER:		5	
# IN 2 IN DIAMETER:		9	
# in 3 IN DIAMETER:		10	




TARGET APPROX 1/2 SCALE

SERIAL NUMBER: C6498874. 0
 TARGET NUMBER: 2
 FILE DATE: 09/16/2003
 FILE TIME: 10:07

X CENTROID: -0.254
 Y CENTROID: 0.098
 POA TO CENTROID: 0.273
 HORZ SPREAD: 2.006
 VERT SPREAD: 1.807
 GROUP SPREAD: 2.199
 MIN RADIUS: 0.224
 MAX RADIUS: 1.248
 MEAN RADIUS: 0.740
 # IN 1 IN DIAMETER: 4
 # IN 2 IN DIAMETER: 8
 # in 3 IN DIAMETER: 10

POINT#	X	Y
1:	0.821	-0.534
2:	-0.442	-0.933
3:	0.670	0.267
4:	-0.348	0.425
5:	-0.726	0.874
6:	-0.956	0.642
7:	-1.185	0.366
8:	-0.507	-0.210
9:	-0.058	-0.009
10:	0.187	0.096




TARGET APPROX 1/2 SCALE

SERIAL NUMBER: C6498874. 0
 TARGET NUMBER: 3
 FILE DATE: 09/16/2003
 FILE TIME: 10:07

X CENTROID: -0.048
 Y CENTROID: -0.068
 POA TO CENTROID: 0.083
 HORZ SPREAD: 2.399
 VERT SPREAD: 2.648
 GROUP SPREAD: 3.502
 MIN RADIUS: 0.080
 MAX RADIUS: 2.136
 MEAN RADIUS: 0.903
 # IN 1 IN DIAMETER: 1
 # IN 2 IN DIAMETER: 7
 # in 3 IN DIAMETER: 9

POINT#	X	Y
1:	0.923	-0.950
2:	0.815	-1.128
3:	0.146	-0.584
4:	-0.455	-0.590
5:	0.032	-0.075
6:	0.756	-0.040
7:	0.063	0.611
8:	-0.500	0.415
9:	-0.784	0.140
10:	-1.476	1.520



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: C6498874. 0

TARGET NUMBER: 4

FILE DATE: 09/16/2003

FILE TIME: 10:07

POINT#	X	Y
1:	1.092	-0.511
2:	0.872	-0.778
3:	0.413	-0.796
4:	0.608	0.158
5:	0.438	-0.080
6:	-0.024	-0.433
7:	-0.318	0.378
8:	-1.066	0.017
9:	-1.191	0.302
10:	0.163	-0.330

X CENTROID: 0.099

Y CENTROID: -0.207

POA TO CENTROID: 0.230

HORZ SPREAD: 2.283

VERT SPREAD: 1.174

GROUP SPREAD: 2.423

MIN RADIUS: 0.139


MAX RADIUS: 1.387

MEAN RADIUS: 0.734

IN 1 IN DIAMETER: 3

IN 2 IN DIAMETER: 7

in 3 IN DIAMETER: 10




TARGET APPROX 1/2 SCALE

SERIAL NUMBER: C6498874. __0
 TARGET NUMBER: 5
 FILE DATE: 09/16/2003
 FILE TIME: 10:07

POINT#	X	Y
1:	0.876	-0.187
2:	0.292	0.028
3:	0.096	-0.173
4:	-0.153	-0.223
5:	-0.252	-0.019
6:	-0.476	-0.013
7:	-0.685	0.022
8:	-0.463	0.160
9:	-0.657	0.279
10:	-0.508	0.448

X CENTROID: -0.193
 Y CENTROID: 0.032
 POA TO CENTROID: 0.196
 HORZ SPREAD: 1.561
 VERT SPREAD: 0.671
 GROUP SPREAD: 1.602
 MIN RADIUS: 0.078
 MAX RADIUS: 1.091
 MEAN RADIUS: 0.439
 # IN 1 IN DIAMETER: 7
 # IN 2 IN DIAMETER: 9
 # in 3 IN DIAMETER: 10



TARGET APPROX 1/2 SCALE

SERIAL # C649 8874INSPECTED BY: RTLDATE REC'D: 9-2-03DATE RET'D: 9-17-03

ITEM

BARREL ASSEMBLY

☒ BARREL
☒ RECEIVER
☒ FRONT SIGHT BASE
☒ REAR SIGHT BASE
☒ SCREWS
☒ FINISH

SCOPE ASSEMBLY

☒ SCOPE
☒ SCOPE RINGS
☒ MOUNTING SCREWS
☒ MOUNTING BASE
☒ SCREWS
☒ FINISH
☒ CLARITY

ITEM

STOCK ASSEMBLY

☒ STOCK
☒ SLING AWIVEL STUDS
☒ ADJUSTABLE
☒ BUTT PLATE
☒ LOCK NUTS
☒ BARREL CLEARANCE
☒ COLOR / FINISH

SYSTEMS CASE

☒ SCOPE CASE
☒ IRON SIGHTS
☒ DEPLOYMENT KIT

TRIGGER ASSEMBLY

☒ SAFETY OPERATION
☒ RE-SET TO FACTORY SPECS

COMMENTS: _____

R & E NUMBER	69425		
SERIAL NUMBER	C649 8874		
LOG-IN DATE	9-2-03		
INSPECT AND VERIFY:			
OPERATION #	OPERATION NAME	DATE	INITIAL
550	DIS-ASSEMBLE GUN	9-3-03	RTL
560 A	RE-BARREL	9-4-03	RTL
B	DRILL AND TAP	9-5-03	TRW
575	ASSEMBLE	9-4-03	RTL
600	PROOF	9-4-03	AC
605	CHECK HEADSPACE	9-4-03	AC
610	DIS-ASSEMBLE GUN	9-5-03	RTL
612	MAGNAFLUX		
615	ROLLMARK CALIBER	9-5-03	RTL
618	ROTO-BLAST	9-10-03	JAB
620	APPLY COATINGS	9-12	TA
625 A	FINAL ASSEMBLY	9-15-03	RTL
B	TRIGGER PULL TEST		
C	SAFETY "ON" FORCE		
D	SAFETY "OFF" FORCE		
E	FIRING PIN INDENT		
640	TARGET	9-16-03	AC
655	FINAL INSPECT	9-17-03	RTL
660	PACK	9-17-03	JA
		SHIP DATE	
	QAR INSPECTION DATE		

Receipt Of Firearm(s) Delivered to the Plant for Repair
Firearm Checked For Live Ammunition ☒

File 003054

Delivery Date 8/28/03Customer Name (Print) CHRIS BATES HHC 2/14 IN.Address 10110 N. RIVA RIDGE LOOP State NY Zip 13602Phone Number (315) 772-7870Fireman Description Model M24 SWS Cal./Ga. 7.62mmSerial Number 06498874

Stock/ Fore-end Condition circle the description

(Excellent, Good, Fair, Poor, Fancy, Plain, Synthetic, Wood)Comments on Stock/ Fore-end condition STOCK CRACKED

Metal Condition circle the description

(Excellent, Good, Fair, Poor, Fancy, Plain Stainless Steel)

Comments on Metal condition _____

Barrel Type (VT. Rib; Plain; Deer; Stainless Steel) Barrel length _____

List additional accessories IE Scope, Sling, Gun case and description;

M3A SCOPECustomer request: INSPECT AND FIX STOCKReturn Process Return to Clark St. Ent. ☒ Return via UPS ☐

By signing this receipt the person delivering the firearm understands to be the only person to receive the firearm upon completion of repairs.

Signature Chris Bates Date 8/28/03
person delivering firearmSignature Rm of Bentley Date 8/28/03
security officerSignature Don Utz Date 8/29/03
arms service / CSR

Customer Pick Up Verification

I certify, I am the person whom delivered the above described firearm to the Remington Ilion plant for repair and may lawfully possess a firearm in New York State.

Signature _____ Date ____ / ____ / ____
person receiving firearm must be the same who deliveredSignature _____ Date ____ / ____ / ____
security officer or other witness returning the firearm

Receipt Of Firearm. Doc
Rev. 6/4/03

ARM SERVICE COPY

Remington.

3 Steel

2 Swivel

Scope mt.

Int: Rear Base

Bi-pod

Scope

Remington

DU PONT
REG. U.S. PAT. & TM. OFF.

VERY IMPORTANT:
Instruction Book
enclosed to assure
safe use of this
firearm.

MODEL 700™ M24

SERIAL NO.
C6498874

ORDER NO.
5716

MADE IN ILION, N.Y. U.S.A. Reg. U.S. Pat & Tm. Off, Marca Registrada Marque Deposee.

01

5716 C6498874

UPC



0 47700 25716 7

RECEIVING AND ESTIMATING REPORT

BARBER M24 0009299

COMMENTS

ORDER

R 99-12355

W/SCOPE

INITIAL
RLP

CUSTOMER ORDER NO.

DATE RECEIVED
06/07/99DATE OPENED
06/09/99

DATE CODE

SERIAL NUMBER
C6498874

NEW SERIAL NUMBER

MODEL AND GRADE
700 7.62

NATO

ACCESSORIES

Scope # 89-0879

FROM:

TRANSPORTATION OFFICER
4525 CAMP HALE ROAD
FORT DRUM

NY 13602

SHIP TO:

TRANSPORTATION OFFICER
4525 CAMP HALE ROAD
FORT DRUMNY
13602

CUST NO: 210736 C.O.L.D

ACCOUNT NUMBER

ACCOUNT NUMBER N/C

WRITE ☐

PROM. DATE

ESTIMATED

VIA

UPS

GUN CONDITION

- ☐ NEW
☐ LIGHTLY WORN
☐ WORN
☐ VERY WORN
☐ UNREPAIRABLE
☐ MARRED

REPAIR CHARGE

EXCISE

TAX

INSURANCE

UPS

PARCEL POST

TOTAL

CUSTOMER CONCERN

AMMO

FUNCTION

FINISH

ACCURACY

FIT

INSPECT

CYCLE

A1

B1

TRIGGER GROUP

B2

BOLT ASSY.

B3

BARREL ASSY.

B4

REC. ASSY.

B5

WOOD

C1

D3

E5

F5

METAL

C2

MAIN FAULT

PARTS

COMMENTS

Barrel 96003

REPAIRMAN

PROOF

CLEAN

TEST

TARGET

PATTERN

GALLERY TESTER

DATE

DATE

DATE

DATE

DATE

OFFICE COPY

RD6925 REV. 7/97

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 000929909338

21 DAY TURN - AROUND

M-24

CONTRACT # DAAA09-92-C-0834

R&E NO.

SERIAL NO.

C6498874

LOG IN DATE: 6/17/99		DATE	INIT.
INSPECT & VERIFY:			
OP. #	OP. NAME		
550	DIS-ASSEMBLE GUN	6-10-99	RW
560 A	RE-BARREL AT CUSTOM SHOP	6-17-99	RW
B	DRILL & TAP		
C	POLISH		
575	ASSEMBLE		
600	PROOF	6-21-99	RW
605	CHECK HEADSPACE	6-21-99	RW
610	DIS-ASSEMBLE		
612	MAGNAFLUX	6-21-99	
615	ROLLMARK CALIBER	6-21-99	RW
618	ROTO-BLAST		
620	APPLY COATINGS		
625 A	FINAL ASSEMBLY		
B	TRIGGER PULL TEST		
C	SAFETY ON FORCE		
D	SAFETY OFF FORCE		
E	FIRING PIN INDENT		
640	TARGET	8-17-99	RW
655	FINAL INSPECT	8-18-99	RW
660	PACK		

QAR INSPECTION

SHIP DATE

6-399

C-6498874

Scope
S/N 89-0879

C-6498774

Scope
S/N 89-1400

BARBER - M24 0009302

U.S. GOVERNMENT BILL OF LADING

ORIGINAL

B/L NO. ► M-1443614

1. TRANSPORTATION COMPANY TENDERED TO PRESTON TRUCKING COMPANY INC		2. SCAC PRES	3. DATE B/L PREPARED 99.06.01	4. ROUTE ORDER/RELEASE NUMBER 7YBCANWVCA
5. DESTINATION (Name, address and ZIP code) TRANSPORTATION OFFICER REMINGTON ARMS CO INC. 14 HOEFLER AVENUE ILION, NY 13357-1816		6. SPLC (Dest.) 172856000	8. ORIGIN (Name, address and ZIP code) TRANSPORTATION OFFICER 4525 CAMP HALE ROAD FORT DRUM, NY 13602-5095	
		7. SPLC (Orig.) 181105250		
9. CONSIGNEE (Name, address and ZIP code of installation) TRANSPORTATION OFFICER REMINGTON ARMS CO INC. 14 HOEFLER AVENUE ILION, NY 13357-1816		10. GBLOC (Cons.) IOOI ZZZCZK	11. SHIPPER (Name, address and ZIP code) MATERIAL MOVEMENT ITW SECTION TRANSPORTATION DIVISION, DIR OF LOGISTICS, 15 LEWIS AVENUE FORT DRUM, NY 13602-5095 W16BEU	
12. APPROPRIATION CHARGEABLE SEE DESCRIPTION OF ARTICLES		13. BILL CHARGES TO (Dept./agency, bureau/office mailing address and ZIP code) DEFENSE FINANCE AND ACCOUNTING SVC INDIANAPOLIS CENTER TRANSPORTATION OPS. (DFAS-I-THA) INDIANAPOLIS, IN 46249-0611 AGENCY LOC CODE W53QRD		
14. VIA (Route shipment when advantageous to the Government)				
15. MARKS AND ANNOTATIONS EQUIPMENT 001 CS : DOD CONSTANT SURVEILLANCE SERVICE (111) SHIPPER TO LOAD AND CONSIGNEE TO UNLOAD. DOES NOT APPLY TO TOWAWAY SHIPMENTS. (143) DOD CONSTANT SURVEILLANCE SERVICE		TP:1 DDD:99.06.01 DBAT-03-9148001-01 REQUESTED. SIGNATURE AND TALLY RECORD (DD FORM 1907) FURNISHED TO CARRIER. (367) THIS SHIPMENT MUST NOT BE TRANSPORTED IN TRIP-LEASED EQUIPMENT.		

16. PACKAGES		17. HM	18. DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description)	19. WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				Services	Rate	Charges
1	PT		CLASSIFICATION ITEM NO. 999913 THIS BL CONSISTS OF 2 PAGES FIREARMS OR PARTS, NOI, IN BOXES, SEE NOTE, ITEM 69302 TCN: W809NM91240200AXX CU:5.7 FUND CITE/TAC: S11116 DIM: 0050L0014W0014H COMMODITY: 069300 2 PCS NSN: 1005-01-124-2136 APPRO: 97 X4930AC5G06D06D02SM2B700022NL0 11116 ACALA B14	144			
1	PT		BLOCK 24 EQUIPMENT DESCRIPTION CONT.: TOT QTY:144 P CU:5.7 SEE CONTINUATION SHEET FOR DETAILS	144			
					TOTAL CHARGES		

20. TARIFF/SPECIAL RATE AUTHORITY PRES 002180-00		21. PICKUP SERV. FURNISHED ☒ YES VEHICLE FULLY LOADED ☐ YES		SHIPPER'S INITIALS TJS	22. CARRIER WAY/FREIGHT BILL NO. AND DATE 115 697 363 5 - 99.06.01	
23. STOP THIS SHIPMENT AT		24. FURNISH INFORMATION ON CAR/TRUCKLOAD/CONTAINER SHIPMENTS				
		INITIALS & NO.		SEAL NUMBERS	LENGTH/CUBE	MARKED CAPACITY
FOR:		PRES:*		APPLIED BY:	ORDERED	FURNISHED
					ORDERED AV3	FURNISHED AV2
					99.06.01	
25. CARRIER'S PICKUP DATE (Year, month, & day) 99.06.01		26a. SIGNATURE OF AGENT JOEL MITCHELL <i>Joel Mitchell</i>		26b. PER PRES		B/L NUMBER M-1443614
27. MODE B	28. ESTIMATE 136	29. NO. OF CLS/TLS 1	30. TYPE RATE 1	31. PSC CS	32. REASON Received by the transportation company named above, subject to the regulations published in Title 41, Part 101-41 Of the federal regulations, the property hereinafter described, in apparent good order and condition (contents and value unknown), to be forwarded to destination by the said company and connecting lines, there to be delivered in like good order and condition to said consignee.	
FOR USE OF ISSUING OFFICE					CERTIFICATE OF CARRIER BILLING- CONSIGNEE MUST NOT PAY ANY CHARGES	
33a. ISSUING OFFICE (Name and complete address) MATERIAL MOVEMENT ITW SECTION TRANSPORTATION DIVISION, DIR OF LOGISTICS, 15 LEWIS AVENUE FORT DRUM, NY 13602-5095					34a. DELIVERED ON (Year, month & day)	
33b. GBLOC DBAT					34b. AT(actual delivery point)	
33c. ISSUING OFFICER ANN M. COLEMAN, TRANSPORTATION OFFICER					34c. BY (Name of delivering carrier)	
33d. CONTRACT/PURCHASE ORDER NO. OR OTHER AUTHORITY					34d. DELIVERED THIS CONSIGNMENT COMPLETE & IN APPARENT GOOD ORDER EXCEPT AS MAY BE INDICATED ☐ SHORTAGE ☐ DAMAGED	
33e. DATED					34e. ☐ CARRIER OS&D REPORT ATTACHED ☐ DELIVERY AT DESTINATION FURNISHED ☐ ACCESSORIAL SERVICES CERTIFICATION ATTACHED	
33f. FOB POINT NAMED IN CONTRACT					34f. NAME OF BILLING CARRIER	
					34g. SIGNATURE OF CARRIER'S AGENT	

*Show also cubic measurements for shipments via

DOD EXCEPTION TO SF 1103 APPROVED BY GSA/IRMS-8/88

1103-121-01

WHITE

STANDARD FORM 1103-11EFF. 6/96
REPRODUCED BY GSA. EXEMPT FROM 101-11.3CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 000990209341

BARBER M24 000909342 U.S. GOVERNMENT BILL OF LADING

MEMORANDUM
COPY

B/L NO. M-1443614

1. TRANSPORTATION COMPANY TENDERED TO PRESTON TRUCKING COMPANY INC		2. SCAC PRES	3. DATE B/L PREPARED 99.06.01	4. ROUTE ORDER/RELEASE NUMBER 7YBCANWVCA
5. DESTINATION (Name, address and ZIP code) TRANSPORTATION OFFICER REMINGTON ARMS CO INC. 14 HOEFLER AVENUE ILION, NY 13357-1816		6. SPLC (Dest.) 172856000	8. ORIGIN (Name, address and ZIP code) TRANSPORTATION OFFICER 4525 CAMP HALE ROAD FORT DRUM, NY 13602-5095	
		7. SPLC (Orig.) 181105250		
9. CONSIGNEE (Name, address and ZIP code of installation) TRANSPORTATION OFFICER REMINGTON ARMS CO INC. 14 HOEFLER AVENUE ILION, NY 13357-1816		10. GBLOC (Cons.) IOOI ZZCZCZ	11. SHIPPER (Name, address and ZIP code) MATERIAL MOVEMENT ITW SECTION TRANSPORTATION DIVISION, DIR OF LOGISTICS, 15 LEWIS AVENUE FORT DRUM, NY 13602-5095 W16BEU	
12. APPROPRIATION CHARGEABLE SEE DESCRIPTION OF ARTICLES		13. BILL CHARGES TO (Dept./agency, bureau/office mailing address and ZIP code) DEFENSE FINANCE AND ACCOUNTING SVC INDIANAPOLIS CENTER TRANSPORTATION OPS. (DFAS-I-THA) INDIANAPOLIS, IN 46249-0611 AGENCY LOC CODE W53QRD		
14. VIA (Route shipment when advantageous to the Government)				
15. MARKS AND ANNOTATIONS EQUIPMENT 001 CS : DOD CONSTANT SURVEILLANCE SERVICE (111) SHIPPER TO LOAD AND CONSIGNEE TO UNLOAD. DOES NOT APPLY TO TOWAWAY SHIPMENTS. (143) DOD CONSTANT SURVEILLANCE SERVICE		TP:1 DDD:99.06.01 DBAT-03-9148001-01 REQUESTED. SIGNATURE AND TALLY RECORD (DD FORM 1907) FURNISHED TO CARRIER. (367) THIS SHIPMENT MUST NOT BE TRANSPORTED IN TRIP-LEASED EQUIPMENT.		

16. PACKAGES		17. HM	18. DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description)	19. WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				Services	Rate	Charges
1	PT		CLASSIFICATION ITEM NO. 999913 FIREARMS OR PARTS, NOI, IN BOXES, SEE NOTE, ITEM 69302 TCN: W809NM912402OOAXX CU:5.7 FUND CITE/TAC: S11116 DIM: 0050L0014W0014H COMMODITY: 069300 2 PCS NSN: 1005-01-124-2136 APPRO: 97 X4930AC5G06D06D02SM2B700022NLO 11116 ACALA B14	144			
=====							
1	PT		BLOCK 24 EQUIPMENT DESCRIPTION CONT.: TOT QTY:144 P CU:5.7 SEE CONTINUATION SHEET FOR DETAILS	144			
					TOTAL CHARGES		

20. TARIFF/SPECIAL RATE AUTHORITY PRES 002180-00		21. PICKUP SERV. FURNISHED ☒ YES VEHICLE FULLY LOADED ☐ YES		SHIPPER'S INITIALS TJS	22. CARRIER WAY/FREIGHT BILL NO. AND DATE 115 697 363 5 - 99.06.01
23. STOP THIS SHIPMENT AT		24. FURNISH INFORMATION ON CAR/TRUCKLOAD/CONTAINER SHIPMENTS			
		INITIALS & NO.	SEAL NUMBERS	LENGTH/CUBE	MARKED CAPACITY
FOR:		PRES:*	APPLIED BY:	ORDERED	FURNISHED
				ORDERED AV3	FURNISHED AV2
					99.06.01

25. CARRIER'S PICKUP DATE (Year, month, & day) 99.06.01		26a. SIGNATURE OF AGENT JOEL MITCHELL		26b. PER PRES		B/L NUMBER M-1443614
27. MODE B	28. ESTIMATE 136	29. NO. OF CLS/TLS 1	30. TYPE RATE 1	31. PSC CS	32. REASON Received by the transportation company named above, subject to the regulations published in Title 41, Part 101-41 Of the federal regulations, the property hereinafter described, in apparent good order and condition (contents and value unknown), to be forwarded to destination by the said company and connecting lines, there to be delivered in like good order and condition to said consignee.	

FOR USE OF ISSUING OFFICE			
33a. ISSUING OFFICE (Name and complete address) MATERIAL MOVEMENT ITW SECTION TRANSPORTATION DIVISION, DIR OF LOGISTICS, 15 LEWIS AVENUE FORT DRUM, NY 13602-5095		33b. GBLOC DBAT	
33c. ISSUING OFFICER ANN M. COLEMAN, TRANSPORTATION OFFICER		34d. DELIVERED THIS CONSIGNMENT COMPLETE & IN APPARENT GOOD ORDER EXCEPT AS MAY BE INDICATED ☐ SHORTAGE ☐ DAMAGED	
33d. CONTRACT/PURCHASE ORDER NO. OR OTHER AUTHORITY		33e. DATED	
33f. FOB POINT NAMED IN CONTRACT			

*Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1103-221-01

YELLOW

STANDARD FORM 1103-A-LPIEFF, 6/961
PRESCRIBED BY GSA. FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 000909342

BARBER - M24 0009304 FREIGHT WAYBILL

ORIGINAL

B/L NO. ► M-1443614

1. TRANSPORTATION COMPANY TENDERED TO PRESTON TRUCKING COMPANY INC		2. SCAC PRES	3. DATE B/L PREPARED 99.06.01	4. ROUTE ORDER/RELEASE NUMBER 7YBCANWVCA
5. DESTINATION (Name, address and ZIP code) TRANSPORTATION OFFICER REMINGTON ARMS CO INC. 14 HOEFLER AVENUE ILION, NY 13357-1816		6. SPLC (Dest.) 172856000	8. ORIGIN STATION STATE TRANSPORTATION OFFICER 4525 CAMP HALE ROAD FORT DRUM, NY 13602-5095 NO.	
		7. SPLC (Orig.) 181105250		
9. CONSIGNEE (Name, address and ZIP code of installation) TRANSPORTATION OFFICER REMINGTON ARMS CO INC. 14 HOEFLER AVENUE ILION, NY 13357-1816		10. GBLOC (Cons.) IOOI ZZCZCZK	11. SHIPPER (Name, address and ZIP code) MATERIAL MOVEMENT ITW SECTION TRANSPORTATION DIVISION, DIR OF LOGISTICS, 15 LEWIS AVENUE FORT DRUM, NY 13602-5095 W16BEU	
12. APPROPRIATION CHARGEABLE SEE DESCRIPTION OF ARTICLES		13. BILL CHARGES TO (Dept./agency, bureau/office mailing address and ZIP code) DEFENSE FINANCE AND ACCOUNTING SVC INDIANAPOLIS CENTER TRANSPORTATION OPS. (DFAS-I-THA) INDIANAPOLIS, IN 46249-0611 AGENCY LOC CODE W53QRD		
14. VIA (Route shipment when advantageous to the Government)				

15. MARKS AND ANNOTATIONS
EQUIPMENT 001
CS : DOD CONSTANT SURVEILLANCE SERVICE
(111) SHIPPER TO LOAD AND CONSIGNEE TO UNLOAD. DOES NOT APPLY TO TOWAWAY SHIPMENTS.
(143) DOD CONSTANT SURVEILLANCE SERVICE

TP:1 DDD:99.06.01 DBAT-03-9148001-01
REQUESTED. SIGNATURE AND TALLY RECORD
(DD FORM 1907) FURNISHED TO CARRIER.
(367) THIS SHIPMENT MUST NOT BE TRANSPORTED IN TRIP-LEASED EQUIPMENT.

16. PACKAGES		17. HM	18. DESCRIPTION OF ARTICLES AND EXCEPTIONS	COMMODITY CODE NO.	19. WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND					Services	Rate	Charges
1	PT		CLASSIFICATION ITEM NO. 999913 FIREARMS OR PARTS, NOI, IN BOXES, SEE NOTE, ITEM 69302 TCN: W809NM912402OOAXX CU:5.7 FUND CITE/TAC: S11116 DIM: 0050L0014W0014H COMMODITY: 069300 2 PCS NSN: 1005-01-124-2136 APPRO: 97 X4930AC5G06D06D02SM2B700022NL0 11116 ACALA B14	THIS BL CONSISTS OF 2 PAGES	144			
1	PT		BLOCK 24 EQUIPMENT DESCRIPTION CONT.: TOT QTY:144 P CU:5.7 SEE CONTINUATION SHEET FOR DETAILS		144	TOTAL CHARGES		

20. TARIFF/SPECIAL RATE AUTHORITY PRES 002180-00		21. PICKUP SERV. FURNISHED ☒ YES VEHICLE FULLY LOADED ☐ YES		SHIPPER'S INITIALS TJS	22. CARRIER WAY/FREIGHT BILL NO. AND DATE 115 697 363 5 - 99.06.01
23. STOP THIS SHIPMENT AT		24. FURNISH INFORMATION ON CAR/TRUCKLOAD/CONTAINER SHIPMENTS			
		INITIALS & NO.	SEAL NUMBERS	LENGTH/CUBE	MARKED CAPACITY
FOR:		PRES:*	APPLIED BY:	ORDERED	DATE FURNISHED
				FURNISHED	99.06.01
25. CARRIER'S PICKUP DATE (Year, month, & day) 99.06.01		26a. SIGNATURE OF AGENT JOEL MITCHELL		26b. PER PRES	B/L NUMBER M-1443614

27. MODE B	28. ESTIMATE 136	29. NO. OF CLS/TLS 1	30. TYPE RATE 1	31. PSC CS	32. REASON	WEIGHED AT			
						GROSS	TARE	ALLOWANCE	NET

FOR USE OF ISSUING OFFICE						OUTBOUND JUNCTION AGENT — Show junction stamps in space and order provided. Additional junction stamps and all yard stamps to be placed on back hereof.			
33a. ISSUING OFFICE (Name and complete address) MATERIAL MOVEMENT ITW SECTION TRANSPORTATION DIVISION, DIR OF LOGISTICS, 15 LEWIS AVENUE FORT DRUM, NY 13602-5095						33b. GBLOC DBAT			
33c. ISSUING OFFICER ANN M. COLEMAN, TRANSPORTATION OFFICER						33d. CONTRACT/PURCHASE ORDER NO. OR OTHER AUTHORITY			
33e. DATED						33f. FOB POINT NAMED IN CONTRACT			
						33g. DATED			

*Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1105-121-01 WHITE STANDARD FORM 1105-LPIEFF 6/96 PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 000930409343

BARBER - M24 0009305

CARRIER'S
COPY

B/L
NO. ► M-1443614

1. TRANSPORTATION COMPANY TENDERED TO PRESTON TRUCKING COMPANY INC		2. SCAC PRES	3. DATE B/L PREPARED 99.06.01	4. ROUTE ORDER/RELEASE NUMBER 7YBCANWVCA
5. DESTINATION (Name, address and ZIP code) TRANSPORTATION OFFICER REMINGTON ARMS CO INC. 14 HOEFLER AVENUE ILION, NY 13357-1816		6. SPLC (Dest.) 172856000	8. ORIGIN STATION STATE TRANSPORTATION OFFICER 4525 CAMP HALE ROAD FORT DRUM, NY 13602-5095	
		7. SPLC (Orig.) 181105250	NO.	
9. CONSIGNEE (Name, address and ZIP code of installation) TRANSPORTATION OFFICER REMINGTON ARMS CO INC. 14 HOEFLER AVENUE ILION, NY 13357-1816		10. GBLOC (Cons.) IOOI ZZCZCK	11. SHIPPER (Name, address and ZIP code) MATERIAL MOVEMENT ITW SECTION TRANSPORTATION DIVISION, DIR OF LOGISTICS, 15 LEWIS AVENUE FORT DRUM, NY 13602-5095 W16BEU	
12. APPROPRIATION CHARGEABLE SEE DESCRIPTION OF ARTICLES		13. BILL CHARGES TO (Dept./agency, bureau/office mailing address and ZIP code) DEFENSE FINANCE AND ACCOUNTING SVC INDIANAPOLIS CENTER TRANSPORTATION OPS. (DFAS-I-THA) INDIANAPOLIS, IN 46249-0611		
14. VIA (Route shipment when advantageous to the Government)		AGENCY LOC CODE W53QRD		

15. MARKS AND ANNOTATIONS TP:1 DDD:99.06.01 DBAT-03-9148001-01

EQUIPMENT 001
CS : DOD CONSTANT SURVEILLANCE SERVICE
(111) SHIPPER TO LOAD AND CONSIGNEE TO
UNLOAD. DOES NOT APPLY TO TOWAWAY
SHIPMENTS.

REQUESTED. SIGNATURE AND TALLY RECORD
(DD FORM 1907) FURNISHED TO CARRIER.

(367) THIS SHIPMENT MUST NOT BE
TRANSPORTED IN TRIP-LEASED EQUIPMENT.

(143) DOD CONSTANT SURVEILLANCE SERVICE

16. PACKAGES		17. HM	18. DESCRIPTION OF ARTICLES AND EXCEPTIONS	COMMODITY CODE NO.	19. WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND					Services	Rate	Charges
1	PT		CLASSIFICATION ITEM NO. 999913 THIS BL CONSISTS OF 2 PAGES FIREARMS OR PARTS, NOI, IN BOXES. SEE NOTE, ITEM 69302 TCN: W809NM912402OOAXX CU:5.7 FUND CITE/TAC: S11116 DIM: 0050L0014W0014H COMMODITY: 069300 2 PCS NSN: 1005-01-124-2136 APPRO: 97 X4930AC5G06D06D02SM2B700022NLO 11116 ACALA B14		144			
1	PT		BLOCK 24 EQUIPMENT DESCRIPTION CONT.: TOT QTY:144 P CU:5.7 SEE CONTINUATION SHEET FOR DETAILS		144	TOTAL CHARGES		

20. TARIFF/SPECIAL RATE AUTHORITY PRES 002180-00	21. PICKUP SERV. FURNISHED ☒ YES VEHICLE FULLY LOADED ☐ YES	SHIPPER'S INITIALS TJS	22. CARRIER WAY/FREIGHT BILL NO. AND DATE 115 697 363 5 - 99.06.01
---	---	------------------------------	---

23. STOP THIS SHIPMENT AT FOR:	24. FURNISH INFORMATION ON CAR/TRUCKLOAD/CONTAINER SHIPMENTS								
	INITIALS & NO.		SEAL NUMBERS		LENGTH/CUBE		MARKED CAPACITY		DATE FURNISHED
	PRES:*		APPLIED BY:		ORDERED	FURNISHED	ORDERED AV3	FURNISHED AV2	99.06.01

25. CARRIER'S PICKUP DATE (Year, month, & day) 99.06.01	26a. SIGNATURE OF AGENT JOEL MITCHELL	26b. PER PRES	B/L NUMBER M-1443614
---	--	------------------	-------------------------

27. MODE B	28. ESTIMATE 136	29. NO. OF CLS/TLS 1	30. TYPE RATE 1	31. PSC CS	32. REASON	WEIGHED AT			
						GROSS	TARE	ALLOWANCE	NET

FOR USE OF ISSUING OFFICE	
33a. ISSUING OFFICE (Name and complete address) MATERIAL MOVEMENT ITW SECTION TRANSPORTATION DIVISION, DIR OF LOGISTICS, 15 LEWIS AVENUE FORT DRUM, NY 13602-5095	33b. GBLOC DBAT
33c. ISSUING OFFICER ANN M. COLEMAN, TRANSPORTATION OFFICER	
33d. CONTRACT/PURCHASE ORDER NO. OR OTHER AUTHORITY	33e. DATED
33f. FOB POINT NAMED IN CONTRACT	

*Show also cubic measurements for shipments via
air, truck or water carrier in cases where required.

1106-121-01

WHITE

STANDARD FORM 1106-LPIEFF. 6/96)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-11.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 000930509344

BARBER - M24 0009306
U.S. GOVERNMENT BILL OF LADING
CONTINUATION SHEET

ORIGINAL

B/L NO. **M-1443614**
SHEET NO. **2 OF 2**

(This form is to be used as a continuation sheet for SF 1103, U.S. Government Bill of Lading- Original, or SF 1203, U.S. Government Bill of Lading - Privately Owned Personal Property- Original.)

ISSUING OFFICE (Name and complete address)

MATERIAL MOVEMENT ITW SECTION
TRANSPORTATION DIVISION, DIR OF
LOGISTICS, 15 LEWIS AVENUE
FORT DRUM, NY 13602-5095

TRANSPORTATION COMPANY TENDERED TO

PRESTON TRUCKING COMPANY

FROM(Shipping Point)

W16BEU
181105250

WAYBILL DATE

99.06.01

WAYBILL NUMBER

115 697 363 5

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			TRACTOR: 10495				

* Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1109-114-01
DOD EXCEPTION TO SF 1109 APPROVED BY GSA/IRMS - 7/78.
WHITE

STANDARD FORM 1109, (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 000930609345

U.S. GOVERNMENT BILL OF LADING
CONTINUATION SHEETSHIPPING
ORDERB/L
NO.

M-1443614

SHEET NO.

2 OF 2

(This form is to be used as a continuation sheet for SF 1104, U.S.
Government Bill of Lading- Shipping Order, or SF 1204, U.S.
Government Bill of Lading - Privately Owned Personal Property- Shipping
Order.)

ISSUING OFFICE (Name and complete address)

MATERIAL MOVEMENT ITW SECTION
TRANSPORTATION DIVISION, DIR OF
LOGISTICS, 15 LEWIS AVENUE
FORT DRUM, NY 13602-5095

TRANSPORTATION COMPANY TENDERED TO

PRESTON TRUCKING COMPANY

FROM(Shipping Point)

W16BEU
181105250

WAYBILL DATE

99.06.01

WAYBILL NUMBER

115 697 363 5

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			TRACTOR: 10495				

* Show also cubic measurements for shipments via air, truck or
water carrier in cases where required.

1110-114

PINK

STANDARD FORM 1110. (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0009307

M24 0009307

U.S. GOVERNMENT BILL OF LADING
CONTINUATION SHEETMEMORANDUM
COPYB/L
NO.

M-1443614

SHEET NO.

2 OF 2

(This form is to be used as a continuation sheet for SF 1103-A, U.S. Government Bill of Lading- Memorandum Copy or SF 1203-A, U.S. Government Bill of Lading - Privately Owned Personal Property- Property-Memorandum Copy.)

ISSUING OFFICE (Name and complete address)

MATERIAL MOVEMENT ITW SECTION
TRANSPORTATION DIVISION, DIR OF
LOGISTICS, 15 LEWIS AVENUE
FORT DRUM, NY 13602-5095

TRANSPORTATION COMPANY TENDERED TO

PRESTON TRUCKING COMPANY

FROM (Shipping Point)

W16BEU
181105250

WAYBILL DATE

99.06.01

WAYBILL NUMBER

115 697 363 5

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			TRACTOR: 10495				

*Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1109-214

YELLOW

STANDARD FORM 1109-A, (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

U.S. GOVERNMENT FREIGHT WAYBILL CONTINUATION SHEET

ORIGINAL

B/L
NO.

M-1443614

SHEET NO.

2 OF 2

(This form is to be used as a continuation sheet for SF 1105, U.S. Government Freight Waybill-Original, or SF 1205, U.S. Government Freight Waybill- Privately Owned Personal Property- Original.)

ISSUING OFFICE (Name and complete address)

MATERIAL MOVEMENT ITW SECTION
TRANSPORTATION DIVISION, DIR OF
LOGISTICS, 15 LEWIS AVENUE
FORT DRUM, NY 13602-5095

TRANSPORTATION COMPANY TENDERED TO

PRESTON TRUCKING COMPANY

FROM(Shipping Point)

W16BEU
181105250

WAYBILL DATE

99.06.01

WAYBILL NUMBER

115 697 363 5

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			TRACTOR: 10495				

* Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1111-114

WHITE

STANDARD FORM 1111, (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 000930909348

U.S. GOVERNMENT FREIGHT WAYBILL
CONTINUATION SHEETCARRIER'S
COPYB/L
NO.

M-1443614

SHEET NO.

2 OF 2

(This form is to be used as a continuation sheet for SF 1106, U.S. Government Freight Waybill- Carrier's copy, or SF 1206, U.S. Government Freight Waybill- Privately Owned Personal Property- Carrier's Copy.)

ISSUING OFFICE (Name and complete address)

MATERIAL MOVEMENT ITW SECTION
TRANSPORTATION DIVISION, DIR OF
LOGISTICS, 15 LEWIS AVENUE
FORT DRUM, NY 13602-5095

TRANSPORTATION COMPANY TENDERED TO

PRESTON TRUCKING COMPANY

FROM (Shipping Point)

W16BEU
181105250

WAYBILL DATE

99.06.01

WAYBILL NUMBER

115 697 363 5

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nonechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			TRACTOR: 10495				

* Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1112-114

WHITE

STANDARD FORM 1112, (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0009340

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # c6498874
17 Aug 1999

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .0282
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: -.0018
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .0282574

THE AMR FOR THIS RIFLE IS: 1.049

CENTROIDAL DISTANCES

0 TO 1	.139818
1 TO 2	.237924
1 TO 3	.260233
1 TO 4	.333542
1 TO 5	.353579

5
3 + 1 <----POA
2


PATTERN #: 1

POA TO CENTROID: .140
 MIN RADIUS : .380
 MEAN RADIUS : 1.059
 MAX RADIUS : 1.875
 CENTROID X : .107
 CENTROID Y : -.090

17 Aug 1999

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/c6498874

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 1.83

2

VS= 3.50

5

GS= 3.50

8


PATTERN #: 2

POA TO CENTROID: .371
 MIN RADIUS : .071
 MEAN RADIUS : 1.033
 MAX RADIUS : 1.707
 CENTROID X : .215
 CENTROID Y : -.302

17 Aug 1999

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/c6498874

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 3.22
 VS= 2.63
 GS= 3.24

2
 5
 7


PATTERN #: 3

POA TO CENTROID: .172
 MIN RADIUS : .483
 MEAN RADIUS : .979
 MAX RADIUS : 1.730
 CENTROID X : -.153
 CENTROID Y : -.079

17 Aug 1999

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/c6498874

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

MS= 2.44
 VS= 2.76
 GS= 2.98


1
 6
 8

PATTERN #: 4
 POA TO CENTROID: .217
 MIN RADIUS : .651
 MEAN RADIUS : 1.171
 MAX RADIUS : 1.711
 CENTROID X : -.028
 CENTROID Y : .215

17 Aug 1999

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/c6498874

CENTERFIRE PATTERN # 4



OF SHOTS= 10

IN CIRCLE

HS= 2.08

0

VS= 2.96

3

GS= 3.03


7

PATTERN #: 5
 POA TO CENTROID: .247
 MIN RADIUS : .409
 MEAN RADIUS : 1.001
 MAX RADIUS : 1.766
 CENTROID X : -0.000
 CENTROID Y : .247

17 Aug 1999

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/c6490074

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 1.73

1

VS= 2.80

7

GS= 3.25

8

SIGNATURE AND TALLY RECORD

FORM APPROVED
OMB No. 0702-0027
Expires Oct 31, 1988

DISTRIBUTION INSTRUCTIONS

- * The SHIPPER will prepare copies 1 through 4, retain copy 4 and deliver copies 1 through 3 to the Origin Carrier.
- * The CARRIER will deliver copies 1 through 3 to the Destination Carrier.
- * The DESTINATION CARRIER will attach copy 1 (reflecting all signatures) and Standard Form 1113 (Public Voucher for Transportation Charges) to the original Government Bill of Lading, and forward for payment. Copy 2 will be delivered to the Consignee. Copy 3 will be retained.
- * The CONSIGNEE will ensure Destination Carrier surrenders copy 2.

SECTION A - To be completed by the SHIPPER

1. SHIPPER		2. PROTECTIVE SERVICE REQUESTED	
a. NAME FORT DRUM, NY W16BEU		CS DOD CONSTANT SURVEILLANCE SERVICE	
b. ORIGIN TRANSPORTATION OFFICER 4525 CAMP HALE ROAD FORT DRUM, NY 13602-5095		3. GBL OR CBL NUMBER M-1443614	
4. CONSIGNEE		5. PERMIT NUMBER (if any)	
a. NAME REMINGTON ARMS CO, ILION, NY ZZZCZK			
b. DESTINATION TRANSPORTATION OFFICER REMINGTON ARMS CO INC. 14 HOEFLER AVENUE ILION, NY 13357-1816		6. TRANSPORTATION CONTROL NUMBER* (DBAT-03-9148001 -01) W809NM91240200AXX * Shipment TCN detail list (by equipment) follows on additional page(s).	
7. ROUTING PRESTON TRUCKING COMPANY INC		8. WEIGHT 144 POUNDS	9. CUBE 5.7
10. SPECIAL INSTRUCTIONS		11. DATE SHIPMENT TENDERED TO CARRIER 99.06.01	12. NAME OF CARRIER PRES
13. NUMBER OF PIECES 1	14. TYPE OF PACKAGE(S) (For unsealed loads only) OR CONVEYANCE IDENTIFICATION & SEAL NUMBERS (for sealed loads only) PT	15. FREIGHT CLASSIFICATION DESCRIPTION 999913 FAK (SEE MFTRP 1A FOR CARGO LIABILITY)	

SECTION B - To be completed by each person accepting custody of classified or protected material requiring the use of transportation protective service during transit.

16. CUSTODY RECORD

a. PRINT NAME OF PERSON AND COMPANY REPRESENTED	b. STATION INTERCHANGE POINT DESTINATION	c. SIGNATURE OF PERSON ACCEPTING CUSTODY	d. TIME ACCEPTED	e. DATE ACCEPTED
JOE MITCHELL PRESTON	ILION N.Y.	Joe Mitchell	13:00	6/1/99
Ra. [unclear]	PRESTON SYRACUSE Terminal	[unclear]	20:10	6/1/99
Doon Stewers	↓	Doon Stewers	00:00	6/2/99
MIKE LEWIS PRESTON	↓	Mike Lewis	0300	6/2/99
Brian O'Conor	↓	Brian O'Conor	0900	6/2/99
GARY GREIG	ILION NY	Gary Greig	2:26pm	6/2/99

LEUPOLD & STEVENS, INC.MAILING: PO BOX 688
BEAVERTON OR 97075-0688
(503) 646-9171SHIPPING: 14400 NW GREENBRIER PARKWAY
BEAVERTON OR 97006-5934
FAX (503) 526-1455

TELEX 15-1227

MAIL REMITTANCE IN U.S.
FUNDS TO:**LEUPOLD & STEVENS, INC.**
PO BOX 4985
BEAVERTON OR 97076-4985 USA**B**
I
L
L
T
O
REMINGTON ARMS CO., INC.
Attn:
14 HOEFLER AVE.
ILION NY 13357**S**
H
I
P
T
O
REMINGTON ARMS CO., INC.
Attn:
14 HOEFLER AVE.
ILION NY 13357

Invoice No.	Date	Type of Service	Via
0181496	07/09/99	WARRANTY	

1 ea ULTRA M3A-10X	S/N# 890879	Charge
Complaints/Requests WARRANTY- INSPECTION		
Service Activity: REPLACED O-RING (S) CLEANED		
SHIPPING & HANDLING		AMOUNT DUE
		NO CHG

For Customer Use Only:

Charge/Debit Card Payment: ☐ Visa ☐ Master Card Card # _____

Expiration Date: _____ Signature: _____

VALUE FOR CUSTOMS PURPOSES ONLY \$ _____ THESE COMMODITIES ARE EXITING THE U.S.A. UNDER GENERAL LICENSE _____
"THESE COMMODITIES LICENSED BY THE UNITED STATES FOR ULTIMATE DESTINATION USA DIVERSION CONTRARY TO
UNITED STATES LAW PROHIBITED."EXPORTER/MANUFACTURER: LEUPOLD & STEVENS INC.
PLACE: BEAVERTON, OREGON USA

ECCN: 0A987

SIGNATURE: _____
NAME: _____ EXPORT/INVOICING SPECIALIST

I.D. 93-0372974

CONTRACT # DAAA21-87-C-0086

GUN SERIAL # C6498874

OP. #	OP. NAME	READINGS	DATE	INIT
575 & 580	Assemble Action and Stock	5 9	90	RW
600	Proof	5 9	90	RW
607	Check Headspace	5 9	90	RW
610	Dis-assemble Gun	5 9	90	RW
612	Magnaflux Barrel Action	5-15-90		KCR
	Magnaflux Bolt	5-15-90		KCR
615	Rollmark Caliber	5-15-90		GS
617	Drill and Tap Sight Holes		5/17/90	LB
618	Polish Barrel RB		5/17/90	WB
620	Apply Coatings (Barrel Action)		5-25-90	TJA
	Apply Coating (Bolt)			
625	Final Assembly			
	A) Clean inside of Bolt Assembly		5/25/90	RW
	B) Inspect Rear Firing Pin Hole for Chamfer in Bolt Head		5/25/90	RW
	C) Inspect Ejector Hole for Chamfer		5/25/90	RW
	D) Oil Firing Pin Ass'y		5/25/90	RW
	E) Adjust Trigger Pull to Min Setting and Stake		6-1-90	DL

BARBER - M24 0009320		READINGS					DATE	INIT
op. #	OP. NAME							
625 cont.	F) Safety On Force	4 3/4	4 1/2	4 1/2			6/4/90	WB
	G) Safety Off Force	2 1/2	2 1/2	2 1/2			6/4/90	WB
	H) Trigger Pull Test & Retainability						6-1-90	JR
	I) Firing Pin Indent	.0235	.024	.024			6/4/90	WB
	J) Assemble Stock						6/4/90	RW
	K) Assemble Swivel Studs						6/13/90	JH
	L) Attach Front and Rear Sight Assemblies						6/4/90	RW
	M) Iron Sight Alignment						6/4/90	RW
	N) Detach Front & Rear Sights & place in numbered container						6/4/90	RW
	O) Attach Scope to Rifle						6/4/90	WB
	P) Detach & Attach Scope 20 Times						6/4/90	WB
640	Gallery Target & Test						6-5-90	AC
	A) Time						6-5-90	AC
	B) Malfunctions						6-5-90	AC
	C) Pierced Primers						6-5-90	AC
	D) Optical Clarity of Scope						6-5-90	AC
645	Inspect for Live Ammo						6-5-90	AC
655	Final Inspection							
	A) Headspace						6/13/90	JH
	B) Trigger Pull	2.85	2.66	2.84	2.83	2.70	6/13/90	GS
	C) Function						6/13/90	JH
660	Pack						6-9-90	DH

AVERAGE PULL FORCE BETWEEN
INITIAL & CYCLE TESTS

2.50# + .50#

3.00# + .75#

4.00# + 1.00#

SERIAL NO. C6498874DATE 6-1-90TESTER JM

	2.50# INITIAL	2.50# AFTER 50 CYCLES	FINAL TEST & TO RESET 2.50#		COMMENTS
PULL #1	2.38	2.31	2.40	2.85	MIN. SETTING, NO AVG. OF 5 READINGS ACCEPT- ABLE LESS THAN 2#
PULL #2	2.34	2.33	2.45	2.66	
PULL #3	2.52	2.30	2.30	2.84	
PULL #4	2.39	2.45	2.23	2.83	
PULL #5	2.27	2.43	2.40	2.70	
TOTAL	11.90	11.82	11.78		
AVG.	2.38	2.364	2.356		

	3.00# INITIAL	3.00# AFTER 20 CYCLES		COMMENTS
PULL #1	3.20	3.14		
PULL #2	3.22	3.27		
PULL #3	3.47	3.35		
PULL #4	3.53	3.32		
PULL #5	3.51	3.19		
TOTAL	16.93	16.27		
AVG.	3.386	3.254		

	4.00# INITIAL	4.00# AFTER 20 CYCLES	MAX SETTING GREATER THAN 4#	RESET TO 4# FOR TARGET & ACCURACY
PULL #1	4.50	4.33		4.24
PULL #2	4.45	4.38		4.36
PULL #3	4.43	4.45		4.49
PULL #4	4.39	4.38		4.54
PULL #5	4.44	4.51		4.41
TOTAL	22.21	22.05		22.04
AVG.	4.442	4.41		4.408

CENTROIDAL DISTANCE CALCULATIONS
FOR RIFLE # C6498874
6 Jun 1990

CENTROIDAL DISTANCES

0 TO	1	.22737
1 TO	2	.38504
1 TO	3	.343961
1 TO	4	.559823
1 TO	5	.859184


$\frac{1}{5}$ <----POA

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: -.0014
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: -.304
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .304003
THE AMR FOR THIS RIFLE IS: .8072

6 Jun 1998

FILE:/PATTERNING/CENTERFIRE_PATT/C649B874

CENTERFIRE PATTERNS # 1



OF SHOTS- 10

IN CIR

1in = 1

2in = 7

3in = 10

HS= 1.669

VS= 1.833

GS= 2.365

CENTROID #

PATTERN #	1	9	8
SHOTS (BEST OF)	10	9	8
MAXIMUM X	.755	.654	.735
MINIMUM X	-.914	-.836	-.755
MAXIMUM Y	.950	1.040	.836
MINIMUM Y	-.883	-.793	-.663
CENTROID X	-.224	-.123	-.204
CENTROID Y	.039	-.051	-.180
POA TO CENTROID in.	.227	.133	.272
MIN RADIUS	.338	.429	.555
MEAN RADIUS	.858	.817	.756
MAX RADIUS	1.216	1.225	.984
HORIZONTAL SPREAD	1.669	1.490	1.490
VERTICAL SPREAD	1.833	1.833	1.499
EXTREME SPREAD	2.365	2.131	1.729
NUMBER IN ONE INCH CIRCLE =	1		
NUMBER IN TWO INCH CIRCLE =	7		
NUMBER IN THREE INCH CIRCLE =	10		

6 Jun 1998

FILE:/PATTERNING/CENTERFIRE_PATT/C6498874

CENTERFIRE PATTERNS # 2

POA

1in circle

2in circle

3in circle

OF SHOTS- 10

IN CIR

1in = 4

2in = 6

3in = 9

HS= 1.152

VS= 2.670

GS= 2.838


CENTROID *

PATTERN #	:	2		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	.706	.537	.591
MINIMUM X	:	-.446	-.367	-.313
MAXIMUM Y	:	1.079	.903	.708
MINIMUM Y	:	-1.591	-1.557	-.859
CENTROID X	:	.092	.013	-.041
CENTROID Y	:	-.181	-.005	.190
POA TO CENTROID in.	:	.203	.014	.194
MIN RADIUS	:	.125	.212	.330
MEAN RADIUS	:	.851	.734	.609
MAX RADIUS	:	1.740	1.617	.860
HORIZONTAL SPREAD	:	1.152	.904	.904
VERTICAL SPREAD	:	2.670	2.460	1.567
EXTREME SPREAD	:	2.838	2.535	1.574
NUMBER IN ONE INCH CIRCLE	=		4	
NUMBER IN TWO INCH CIRCLE	=		6	
NUMBER IN THREE INCH CIRCLE	=		9	

6 Jun 1998

FILE:/PATTERNING/CENTERFIRE_PATT/C6498874

CENTERFIRE PATTERNS # 3



OF SHOTS- 10

IN CIR

1in = 2

2in = 6

3in = 10

HS= 2.431

VS= 2.507


GS= 2.516

PATTERN #	:	3		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.321	1.361	.777
MINIMUM X	:	-1.110	-1.070	-.900
MAXIMUM Y	:	1.302	.700	.690
MINIMUM Y	:	-1.205	-1.061	-1.071
CENTROID X	:	-.127	-.167	-.337
CENTROID Y	:	-.291	-.435	-.425
POA TO CENTROID in.	:	.317	.466	.543
MIN RADIUS	:	.154	.285	.404
MEAN RADIUS	:	.869	.820	.744
MAX RADIUS	:	1.351	1.364	1.323
HORIZONTAL SPREAD	:	2.431	2.431	1.677
VERTICAL SPREAD	:	2.507	1.761	1.761
EXTREME SPREAD	:	2.516	2.446	2.101
NUMBER IN ONE INCH CIRCLE =			2	
NUMBER IN TWO INCH CIRCLE =			6	
NUMBER IN THREE INCH CIRCLE =			10	

6 Jun 1990

FILE:/PATTERNING/CENTERFIRE_PATT/C6498874

CENTERFIRE PATTERNS # 4



PATTERN #	:	4		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	.424	.374	.252
MINIMUM X	:	-.932	-.982	-.593
MAXIMUM Y	:	1.265	.849	.644
MINIMUM Y	:	-1.069	-.929	-.823
CENTROID X	:	-.125	-.075	.047
CENTROID Y	:	-.512	-.652	-.758
POA TO CENTROID in.	:	.527	.657	.760
MIN RADIUS	:	.118	.144	.187
MEAN RADIUS	:	.683	.603	.515
MAX RADIUS	:	1.340	1.298	.833
HORIZONTAL SPREAD	:	1.356	1.356	.845
VERTICAL SPREAD	:	2.334	1.778	1.467
EXTREME SPREAD	:	2.451	2.165	1.472
NUMBER IN ONE INCH CIRCLE	=		4	
NUMBER IN TWO INCH CIRCLE	=		7	
NUMBER IN THREE INCH CIRCLE	=		10	

6 Jun 1998

FILE:/PATTERNING/CENTERFIRE_PATT/06498874

CENTERFIRE PATTERNS

5

POA

1 in circle

2 in circle

3 in circle

CENTROID *

OF SHOTS- 10

IN CIR

1 in - 3

2 in - 7

3 in - 9

HS- 2.658

VS- 2.008

GS- 2.757

PATTERN #	:	5		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.282	1.211	.753
MINIMUM X	:	-1.376	-1.447	-1.296
MAXIMUM Y	:	1.368	.495	.441
MINIMUM Y	:	-.640	-.488	-.542
CENTROID X	:	.377	.448	.297
CENTROID Y	:	-.575	-.727	-.673
POA TO CENTROID in.	:	.688	.855	.736
MIN RADIUS	:	.166	.046	.126
MEAN RADIUS	:	.775	.668	.591
MAX RADIUS	:	1.510	1.478	1.319
HORIZONTAL SPREAD	:	2.658	2.658	2.049
VERTICAL SPREAD	:	2.008	.983	.983
EXTREME SPREAD	:	2.757	2.757	2.194
NUMBER IN ONE INCH CIRCLE	=		3	
NUMBER IN TWO INCH CIRCLE	=		7	
NUMBER IN THREE INCH CIRCLE	=		9	

RECEIVING AND ESTIMATING REPORT

COMMENTS

ORDER
R 95-14752INITIAL
JJM

CUSTOMER ORDER NO.

M-24 SNIPER

DATE RECEIVED

DATE OPENED

DATE CODE

SERIAL NUMBER

NEW SERIAL NUMBER

MODEL AND GRADE

05/16/95

05/15/95

KK 5-90

C6498874

700 7.62

NATO

ACCESSORIES

HARD CASE

FROM:

SHIP TO:

TRANSPORTATION OFFICER
BLDG. T-191
COR OSWEGO AVE & FIRST ST WEST
FORT DRUM NY 13602TRANSPORTATION OFFICER
BLDG. T-191
COR OSWEGO AVE & FIRST ST WEST
FORT DRUM NY 13602

CUST NO: 098433 C.O.D.L

ACCOUNT NUMBER

ACCOUNT NUMBER N/C

WRITE ☐

PROM. DATE

ESTIMATED

VIA

UPS

GUN CONDITION

- ☐ NEW
☐ LIGHTLY WORN
☐ WORN
☐ VERY WORN
☐ UNREPAIRABLE
☐ MARRED

REPAIR CHARGE

EXCISE

TAX

INSURANCE

UPS

PARCEL POST

TOTAL

CUSTOMER CONCERN

AMMO

FUNCTION

FINISH

ACCURACY

FIT

INSPECT

CYCLE

A1

B1

TRIGGER GROUP

B2

BOLT ASSY.

B3

BARREL ASSY.

New Barrel

REC. ASSY.

B5

WOOD

C1

METAL

C2

MAIN FAULT

PARTS

COMMENTS

Barrel - 96003

Repowder Coat Trigger Guard
Assy. Front & Rear Sight Bases.
Retine Scope Base & Swivel
Studs

0521409 5737 H227

REPAIRMAN

PROOF

CLEAN

TEST

TARGET

PATTERN

GALLERY TESTER

DATE

DATE

DATE

DATE

DATE

OFFICE COPY

RD6925 REV 1/94

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0009932809367

Final Inspection

Sn: C6498874

DATE REC'D: 5/15/95

DATE RET'D:

Auditor: *MM*

Item:

Barrel Assy.

☒ BARREL☒ RECEIVER☒ FRONT SIGHT BLOCK☒ REAR SIGHT BLOCK☒ SCREWS☒ FINISH

Scope Assy.

☐ Scope☐ Scope Rings☐ Mounting Screws☐ Mounting Base☐ Screws☐ FINISH☐ Looseness☐ CLARITY

Misc.

☐ DD-250☐ BAR CODE☐ PACKAGING

Item:

Stock Assy.

☒ Stock☒ Sling Swivel Studs☒ ADJUSTABLE BUTT PLATE☒ LOCK NUTS☒ BARREL CLEARANCE☒ COLOR/FINISH

Systems Case

☐ Scope Case☐ Iron Sights☐ Deployment Kit

Trigger

☒ SAFETY OPERATION☒ SET

Comments: _____

CONTRACT # DAAA21-87-C-0086

New Barrel

GUN SERIAL #

C6498874

OP. #	OP. NAME	READINGS	DATE	INITIAL
575 & 580	Assemble Action and Stock		5/30/95	RW
600	Proof		5/30/95	RW
607	Check Headspace		5/30/95	RW
610	Dis-assemble Gun		5/30/95	RW
612	Magnaflux Barrel Action			
	Magnaflux Bolt			
615	Rollmark Caliber			
617	Drill and Tap Sight Holes			
618	Polish Barrel			
620	Apply Coatings (Barrel Action)			
	Apply Coating (Bolt)			
625	Final Assembly A) Clean inside of Bolt Assembly		6/3/95	RW
	B) Inspect Rear Firing Pin Hole for Chamfer in Bolt Head		6/3/95	RW
	C) Inspect Ejector Hole for Chamfer		6/3/95	RW
	D) Oil Firing Pin Ass'y		6/3/95	RW
	E) Adjust Trigger Pull to Min Setting and Stake			

op. #	BARBER - M24 0009331 OP. NAME	READINGS	DATE	INIT
625 cont.	F) Safety On Force			
	G) Safety Off Force			
	H) Trigger Pull Test & Retainability			
	I) Firing Pin Indent			
	J) Assemble Stock			
	K) Assemble Swivel Studs			
	L) Attach Front and Rear Sight Assemblies			
	M) Iron Sight Alignment			
	N) Detach Front & Rear Sights & place in numbered container			
	O) Attach Scope to Rifle			
	P) Detach & Attach Scope 20 Times			
640	Gallery Target & Test		6/5/95	RW
	A) Time			
	B) Malfunctions			
	C) Pierced Primers			
	D) Optical Clarity of Scope			
645	Inspect for Live Ammo		6/5/95	RW
655	Final Inspection			
	A) Headspace		6/9/95	RW
	B) Trigger Pull			
	C) Function		6/9/95	RW
660	Pack			

SIGNATURE AND TALLY RECORD

FORM APPROVED
OMB No. 0702-0027
Expires Oct 31, 1988

DISTRIBUTION INSTRUCTIONS

- * The SHIPPER will prepare copies 1 through 4, retain copy 4 and deliver copies 1 through 3 to the Origin Carrier.
- * The CARRIER will deliver copies 1 through 3 to the Destination Carrier.
- * The DESTINATION CARRIER will attach copy 1 (reflecting all signatures) and Standard Form 1113 (Public Voucher for Transportation Charges) to the original Government Bill of Lading, and forward for payment. Copy 2 will be delivered to the Consignee. Copy 3 will be retained.
- * The CONSIGNEE will ensure Destination Carrier surrenders copy 2.

SECTION A - To be completed by the SHIPPER

1. SHIPPER		2. PROTECTIVE SERVICE REQUESTED	
a. NAME CDR, 10TH MTN DIV (LI) & FORT DRUM W16BEU		CS DOD CONSTANT SURVEILLANCE SERVICE	
b. ORIGIN TRANSPORTATION OFFICER BUILDING T-191 CORNER OSWEGO AVE & FIRST ST WEST FT DRUM, NY 13602-5095		3. GBL OR CBL NUMBER G-6316879	
4. CONSIGNEE		5. PERMIT NUMBER (if any)	
a. NAME REMINGTON ARMS CO INC, ILION NY			
b. DESTINATION REMINGTON ARMS CO INC 14 HOEFER AVE ILION, NY 13357		6. TRANSPORTATION CONTROL NUMBER (DBAT-01-5128002 -01) W16BE75100R001XXX	
7. ROUTING WHITTEN, C I TRANSFER CO		8. WEIGHT 250 POUNDS	9. CUBE 10.0
10. SPECIAL INSTRUCTIONS		11. DATE SHIPMENT TENDERED TO CARRIER 95.05.16	12. NAME OF CARRIER WITT
13. NUMBER OF PIECES 5	14. TYPE OF PACKAGE(S) (For unsealed loads only) OR CONVEYANCE IDENTIFICATION & SEAL NUMBERS (for sealed loads only) WITT- 0842323 0842324	15. FREIGHT CLASSIFICATION DESCRIPTION 069300 FIREARMS OR PARTS, NOI, IN BOXES, SEE NOTE, ITEM 69302	

SECTION B - To be completed by each person accepting custody of classified or protected material requiring the use of transportation protective service during transit.

16. CUSTODY RECORD

a. PRINT NAME OF PERSON AND COMPANY REPRESENTED	b. STATION INTERCHANGE POINT DESTINATION	c. SIGNATURE OF PERSON ACCEPTING CUSTODY	d. TIME ACCEPTED	e. DATE ACCEPTED
Jerry Goodrich	Ft. Drum, N.Y.	<i>[Signature]</i>	1100	5-15-95
Ricky Maynard	Ft. Drum N.Y.	<i>[Signature]</i>	1100	5-15-95
Ken Volz	Remington Arms	<i>[Signature]</i>	13:00	5-15-95

BARBER - M24 0009333

U.S. GOVERNMENT BILL OF LADING

MEMORANDUM
COPYB/L
NO. ►

G-6316879

1. TRANSPORTATION COMPANY TENDERED TO WHITTEN, C I TRANSFER CO		2. SCAC WITT	3. DATE B/L PREPARED 95.05.12	4. ROUTE ORDER/RELEASE NUMBER 1YBAAEGS7A
5. DESTINATION (Name, address and ZIP code) REMINGTON ARMS CO INC 14 HOEFER AVE ILION, NY 13357		6. SPLC (Dest.) 172856000	8. ORIGIN (Name, address and ZIP code) TRANSPORTATION OFFICER BUILDING T-191 CORNER OSWEGO AVE & FIRST ST WEST FT DRUM, NY 13602-5095	
9. CONSIGNEE (Name, address and ZIP code of installation) REMINGTON ARMS CO INC 14 HOEFER AVE ILION, NY 13357		7. SPLC (Orig.) 181105250	11. SHIPPER (Name, address and ZIP code) MATERIAL MOVEMENTS/ITW SECTION TRANSPORTATION DIV/DIR OF LOGISTICS 3 NASH BLVD FT DRUM, NY 13602-5095	
12. APPROPRIATION CHARGEABLE 2152020 76-2031 421010.11000 2217 000000 GBLG63168 79000/LHA100 030356		10. GBLOC (Cons.) IOOI	13. BILL CHARGES TO DEF FIN & ACCT SVC INDIANAPOLIS CTR TRANS OPERATIONS INDIANAPOLIS, IN 46249-0611	
14. VIA (Route shipment when advantageous to the Government)		AGENCY LOC CODE DFASOO		
15. MARKS AND ANNOTATIONS (if extra services are ordered, see Administrative Directions No. 2 on reverse) EQUIPMENT 1 CS: DOD CONSTANT SURVEILLANCE SERVICE DS: DROMEDARY SERVICE ... 1) INITIATING EXPL: N ATTN: FABRICATED PRODUCTS DEPT TP:3 DDD:95.05.17 DBAT-01-5128002-01				

SEE DESCRIPTION OF ARTICLES

16. PACKAGES		17. HM	18. DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description)	19. WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				Services	Rate	Charges
			CLASSIFICATION ITEM NO. 069300				
			THIS BL CONSISTS OF 2 PAGES				
			FIREARMS OR PARTS, NOI, IN BOXES, SEE NOTE, ITEM 69302				
1	CT		TCN: W16BE75100R001XXX CU:2.0 LHA1 FIREARMS NSN: 1005-00-124-0216	50			
4	CT		TCN: W16BE75122RA01XXX CU:8.0 LHA1 FIREARMS NSN: 1005-00-124-0216	200			
5	CT		MARKS & ANNOTATIONS: TOT QTY:250 P CU:10.0 SEE CONTINUATION SHEET FOR DETAILS	250	TOTAL CHARGES		

20. TARIFF/SPECIAL RATE AUTHORITY WITT 000367-00		21. PICKUP SERV. FURNISHED ☐ YES VEHICLE FULLY LOADED ☐ YES		SHIPPER'S INITIALS	22. CARRIER WAY/FREIGHT BILL NO. AND DATE	
23. STOP THIS SHIPMENT AT		24. FURNISH INFORMATION ON CAR/TRUCKLOAD/CONTAINER SHIPMENTS				
		INITIALS & NO.	SEAL NUMBERS	LENGTH/CUBE	MARKED CAPACITY	DATE FURNISHED
FOR:		WITT: 7182	0842323 0842324 APPLIED BY: SH	ORDERED FURNISHED	ORDERED AD1 FURNISHED AD1	95.05.16
25. CARRIER'S PICKUP DATE (Year, month, & day) 95.05.16		26a. SIGNATURE OF AGENT		26b. PER WITT	B/L NUMBER G-6316879	
27. MODE B	28. ESTIMATE 489	29. NO. OF CLS/TLS 1	30. TYPE RATE 1	31. PSC CS	32. REASON Received by the transportation company named above, subject to conditions named on the reverse hereof, the property hereinafter described, in apparent good order and condition (contents and value unknown), to be forwarded to destination by the said company and connecting lines, there to be delivered in like good order and condition to said consignee.	

FOR USE OF ISSUING OFFICE			
33a. ISSUING OFFICE (Name and complete address) MATERIAL MOVEMENTS/ITW SECTION TRANSPORTATION DIV/DIR OF LOGISTICS 3 NASH BLVD FT DRUM, NY 13602-5095		33b. GBLOC DBAT	
33c. ISSUING OFFICER ANN M. COLEMAN, CHIEF, TRANSPORTATION D		34d. DELIVERED THIS CONSIGNMENT COMPLETE & IN APPARENT GOOD ORDER EXCEPT AS MAY BE INDICATED ☐ SHORTAGE ☐ DAMAGED	
33d. CONTRACT/PURCHASE ORDER NO. OR OTHER AUTHORITY		33e. DATED	
33f. FOB POINT NAMED IN CONTRACT			

*Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1103-221-01

YELLOW

STANDARD FORM 1103-A (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 00099909372

U.S. GOVERNMENT BILL OF LADING CONTINUATION SHEET

MEMORANDUM
COPY

B/L
NO.

G-6316879

SHEET NO.

2 OF 2

(This form is to be used as a continuation sheet for SF 1103-A, U.S. Government Bill of Lading- Memorandum Copy or SF 1203-A, U.S. Government Bill of Lading - Privately Owned Personal Property-Property-Memorandum Copy.)

ISSUING OFFICE (Name and complete address)

MATERIAL MOVEMENTS/ITW SECTION
TRANSPORTATION DIV/DIR OF LOGISTICS
3 NASH BLVD
FT DRUM, NY 13602-5095

TRANSPORTATION COMPANY TENDERED TO

WHITTEN, C I TRANSFER CO

FROM(Shipping Point)

W16BEU
181105250

WAYBILL DATE

WAYBILL NUMBER

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			(111) SHIPPER TO LOAD AND CONSIGNEE TO UNLOAD.				
			(116) RELEASED VALUE NOT EXCEEDING \$2.50 PER POUND.				
			(143) DOD CONSTANT SURVEILLANCE SERVICE REQUESTED. SIGNATURE AND TALLY RECORD (DD FORM 1907) FURNISHED TO CARRIER.				
			(339) DROMEDARY SERVICE REQUESTED.				
			(367) THIS SHIPMENT MUST NOT BE TRANSPORTED IN TRIP-LEASED EQUIPMENT.				

*Show also cubic measurements for shipments via air, truck or water carrier in cases where required.

1109-214

YELLOW

STANDARD FORM 1109-A, (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0009334 09373

MILITARY SHIPMENT LABEL		Form Approved. OMB No. 0704-0188	
1. TRANSPORTATION CONTROL NUMBER W16BET-5122-RA01-XXX		2. POSTAGE DATA	
3. FROM CONS PROP ACCT RT. DRUM NY 13602		4. TYPE SERVICE	
5. SHIP TO/POE REMINGTON ARMS CO INC ATTN: FABRICATION PRODUCTS DEP 14 HOEFER AVE. ELION, N.Y. 13357-1816		6. TRANS PRIORITY 3	
7. POD		8. PROJECT	
9. ULTIMATE CONSIGNEE OR MARK FOR	10. WT. (This piece)	11. RDD	
	12. CUBE (This Piece)	13. CHARGES	
	14. DATE SHIPPED	15. FMS CASE NUMBER	
	16. PIECE NUMBER 2		
	17. TOTAL PIECES 4		

DD Form 1387, NOV 86

Previous editions are obsolete.

CENTROIDAL DISTANCE CALCULATIONS
FOR RIFLE # 66498874
11 Jul 1975

CENTROIDAL DISTANCE

1 TO	1	.630664
1 TO	2	.187257
1 TO	3	.515388
1 TO	4	.595762
1 TO	5	.442499


221
OF

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .249
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .1514
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .291415
THE AMR FOR THIS RIFLE IS: 1.012

11 Jul 1995

FILE:/PATTERNING/CENTERFIRE_PATT/C6498874

CENTERFIRE PATTERNS # 5



OF SHOTS= 10

IN CIR

1in = 2

2in = 4

3in = 7

HS= 2.415

VS= 2.906

GS= 2.917


CENTROID #

PATTERN #	:	5		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	.768	.585	.467
MINIMUM X	:	-1.647	-1.550	-1.477
MAXIMUM Y	:	1.430	1.466	1.349
MINIMUM Y	:	-1.476	-1.440	-1.257
CENTROID X	:	.229	.412	.339
CENTROID Y	:	.029	-.007	-.190
POA TO CENTROID in.	:	.231	.412	.389
MIN RADIUS	:	.317	.146	.189
MEAN RADIUS	:	1.078	.975	.896
MAX RADIUS	:	1.679	1.591	1.487
HORIZONTAL SPREAD	:	2.415	2.135	1.944
VERTICAL SPREAD	:	2.906	2.906	2.606
EXTREME SPREAD	:	2.917	2.917	2.606
NUMBER IN ONE INCH CIRCLE	=		2	
NUMBER IN TWO INCH CIRCLE	=		4	
NUMBER IN THREE INCH CIRCLE	=		7	

11/1/935

FILE:/PATTERNING/CENTERFIRE_PATT/06438874

CENTERFIRE PATTERNS # 4



OF SHOTS - 10

IN CIR

1 in = 0

2 in = 5

3 in = 9

HS = 2.309

VS = 2.393


GS = 2.927

PATTERN #	:	4		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.539	1.116	1.252
MINIMUM X	:	-.770	-.599	-.463
MAXIMUM Y	:	1.218	1.258	1.116
MINIMUM Y	:	-1.175	-1.135	-1.090
CENTROID X	:	.105	-.066	-.202
CENTROID Y	:	-.066	-.106	.036
POB TO CENTROID in.	:	.123	.125	.206
MIN RADIUS	:	.576	.511	.423
MEAN RADIUS	:	1.027	.928	.812
MAX RADIUS	:	1.581	1.572	1.344
HORIZONTAL SPREAD	:	2.309	1.715	1.715
VERTICAL SPREAD	:	2.393	2.393	2.206
EXTREME SPREAD	:	2.927	2.927	2.348
NUMBER IN ONE INCH CIRCLE	=		0	
NUMBER IN TWO INCH CIRCLE	=		5	
NUMBER IN THREE INCH CIRCLE	=		9	

11 Jul 1995

FILE:/PATTERNING/CENTERFIRE_PATT/C6498874

CENTERFIRE PATTERNS # 3



OF SHOTS- 10

IN CIR

1 in = 3

2 in = 8

3 in = 10

HS= 1.681

VS= 2.114

GS= 2.294


CENTROID *

PATTERN #	:	3		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.078	.381	.419
MINIMUM X	:	-.603	-.483	-.445
MAXIMUM Y	:	.939	.773	.639
MINIMUM Y	:	-1.175	-1.071	-.781
CENTROID X	:	.036	-.084	-.122
CENTROID Y	:	.170	.066	.200
POA TO CENTROID in.	:	.174	.106	.234
MIN RADIUS	:	.321	.321	.198
MEAN RADIUS	:	.715	.628	.527
MAX RADIUS	:	1.429	1.114	.833
HORIZONTAL SPREAD	:	1.681	.864	.864
VERTICAL SPREAD	:	2.114	1.844	1.420
EXTREME SPREAD	:	2.294	1.845	1.525
NUMBER IN ONE INCH CIRCLE	=		3	
NUMBER IN TWO INCH CIRCLE	=		8	
NUMBER IN THREE INCH CIRCLE	=		10	

11 JUL 1995

FILE:/PATTERNING/CENTERFIRE_PATT/C6498874

CENTERFIRE PATTERNS # 2



OF SHOTS- 10

IN CIR

1 in = 2

2 in = 4

3 in = 7

HS= 3.397

VS= 3.113

GS= 4.157


CENTROID #

PATTERN #	:	2		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.031	.768	.819
MINIMUM X	:	-2.366	-.588	-.492
MAXIMUM Y	:	1.697	1.620	1.222
MINIMUM Y	:	-1.416	-1.493	-1.291
CENTROID X	:	.364	.627	.531
CENTROID Y	:	.254	.331	.129
POA TO CENTROID in.	:	.444	.709	.547
MIN RADIUS	:	.053	.322	.223
MEAN RADIUS	:	1.124	.981	.855
MAX RADIUS	:	2.467	1.793	1.529
HORIZONTAL SPREAD	:	3.397	1.356	1.311
VERTICAL SPREAD	:	3.113	3.113	2.513
EXTREME SPREAD	:	4.157	3.113	2.707
NUMBER IN ONE INCH CIRCLE	=		2	
NUMBER IN TWO INCH CIRCLE	=		4	
NUMBER IN THREE INCH CIRCLE	=		7	

11 Jul 1995

FILE:/PATTERNING/CENTERFIRE_PATT/C6498874

CENTERFIRE PATTERNS # 1



OF SHOTS= 10

IN CIR

1in = 2

2in = 5

3in = 7

HS= 3.101

VS= 2.598

GS= 3.671

CENTROID #

PATTERN #	1	2	3
SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.872	1.835	.678
MINIMUM X	-1.229	-1.021	-.792
MAXIMUM Y	.907	.980	.848
MINIMUM Y	-1.691	-1.590	-1.468
CENTROID X	.511	.303	.074
CENTROID Y	.370	.269	.146
POA TO CENTROID in.	.631	.405	.164
MIN RADIUS	.251	.153	.312
MEAN RADIUS	1.118	.968	.819
MAX RADIUS	2.080	2.080	1.495
HORIZONTAL SPREAD	3.101	2.856	1.470
VERTICAL SPREAD	2.598	2.570	2.315
EXTREME SPREAD	3.671	3.481	2.507
NUMBER IN ONE INCH CIRCLE =	2		
NUMBER IN TWO INCH CIRCLE =	5		
NUMBER IN THREE INCH CIRCLE =	7		