

C6225356

MODEL 700™ M24

Model **700 M24™**

Action

Barrel Length

Capacity

Order No. **5716**

*Includes 1 in chamber.

Remington

Address Information			
Customer:	☒ Received From	Return To:	☐ Received From
Name:	TMO 436 APS TRTD FB 4497		TMO 436 APS TRTD FB 4497
Address 1:	505 ATLANTIC ST		505 ATLANTIC ST
Address 2:	PO Box:		PO Box:
City:	DOVER AFB		DOVER AFB
State:	DE	Zip Code:	19902
	Country:	US	

FFL						
-----	--	--	--	--	--	--

Repair Search

Refresh

Close

nanjet	4/29/2004	11:23 AM	CAGE	NUM	66	504
--------	-----------	----------	------	-----	----	-----

start 2 5 2

Model: M24 SWS



RE00080428

SERIAL # C6225356INSPECTED BY: RTLDATE REC'D: 4-29-04DATE RET'D: 6-7-04

ITEM

BARREL ASSEMBLY

☒ BARREL
☒ RECEIVER
☒ FRONT SIGHT BASE
☒ REAR SIGHT BASE
☒ SCREWS
☒ FINISH

SCOPE ASSEMBLY

☒ SCOPE
☒ SCOPE RINGS
☒ MOUNTING SCREWS
☒ MOUNTING BASE
☒ SCREWS
☒ FINISH
☒ CLARITY

ITEM

STOCK ASSEMBLY

☒ STOCK
☒ SLING AWIVEL STUDS
☒ ADJUSTABLE
☒ BUTT PLATE
☒ LOCK NUTS
☒ BARREL CLEARANCE
☒ COLOR / FINISH

SYSTEMS CASE

☒ SCOPE CASE
☒ IRON SIGHTS
☒ DEPLOYMENT KIT

TRIGGER ASSEMBLY

☒ SAFETY OPERATION
☒ RE-SET TO FACTORY SPECS

COMMENTS:

R & E NUMBER	80428		
SERIAL NUMBER	C6225356		
LOG-IN DATE	4-29-04		
INSPECT AND VERIFY:			
OPERATION #	OPERATION NAME	DATE	INITIAL
550	DIS-ASSEMBLE GUN	5-3-04	RTL
560 A	RE-BARREL	5-4-04	RTL
B	DRILL AND TAP	5-5-04	TRW
575	ASSEMBLE	5-4-04	RTL
600	PROOF	5-4-04	RTL
605	CHECK HEADSPACE	5-4-04	RTL
610	DIS-ASSEMBLE GUN	5-4-04	RTL
612	MAGNAFLUX OPERATOR		
615	ROLLMARK CALIBER	5/6/04	ts
618	ROTO-BLAST	5/7/04	sw
620	APPLY COATINGS	5-10	TA
625 A	FINAL ASSEMBLY	5-19-04	RTL
B	TRIGGER PULL TEST		
C	SAFETY "ON" FORCE		
D	SAFETY "OFF" FORCE		
E	FIRING PIN INDENT		
640	TARGET	5-24-04	TRW
655	FINAL INSPECT	5-26-04	RTL
660	PACK	6-9-04	DA
		SHIP DATE	
	QAR INSPECTION DATE		

SNIPER WEAPON SYSTEM - UNIQUE STATISTICAL INFORMATION

FIREARM SERIAL NUMBER / DATASET NAME: C6225356.__0

FILE DATE AND TIME: 05/24/2004 06:37

THE FOLLOWING DATA IS ALL REPORTED IN UNITS OF INCHES


The Average X Centroid of the Five Target Set:	-0.013
The Average Y Centroid of the Five Target Set:	-0.103
The Average Point of Impact of the Five Target Set:	0.104
The Average Mean Radius of the Five Target Set:	0.749
The Distance from POA to Centroid Target #1:	0.172
The Distance from Centroid Target #2 to Centroid Target #1:	0.131
The Distance from Centroid Target #3 to Centroid Target #1:	0.148
The Distance from Centroid Target #4 to Centroid Target #1:	0.296
The Distance from Centroid Target #5 to Centroid Target #1:	0.325

BARBER - M24 0013563

SERIAL NUMBER: C6225356. __0
 TARGET NUMBER: 1
 FILE DATE: 05/24/2004
 FILE TIME: 06:37

POINT#	X	Y
1:	0.984	-1.407
2:	0.616	-0.751
3:	0.348	-1.245
4:	0.282	-0.662
5:	0.030	-0.750
6:	0.252	-0.202
7:	-0.225	0.418
8:	-0.752	0.376
9:	-0.066	1.164
10:	0.037	2.222

X CENTROID: 0.151
 Y CENTROID: -0.084
 POA TO CENTROID: 0.172
 HORZ SPREAD: 1.736
 VERT SPREAD: 3.629
 GROUP SPREAD: 3.751
 MIN RADIUS: 0.156
 MAX RADIUS: 2.308
 MEAN RADIUS: 1.020
 # IN 1 IN DIAMETER: 1
 # IN 2 IN DIAMETER: 5
 # in 3 IN DIAMETER: 8



TARGET APPROX 1/2 SCALE

BARBER - M24 0013564

SERIAL NUMBER: C6225356. 0

TARGET NUMBER: 2

FILE DATE: 05/24/2004

FILE TIME: 06:37

POINT#	X	Y
1:	1.397	0.077
2:	0.414	-1.442
3:	-0.069	-0.962
4:	-1.378	0.404
5:	-0.426	-0.259
6:	-0.202	-0.008
7:	-0.173	0.149
8:	0.520	0.331
9:	0.480	0.861
10:	-0.012	0.913

X CENTROID: 0.055

Y CENTROID: 0.006

POA TO CENTROID: 0.055

HORZ SPREAD: 2.775

VERT SPREAD: 2.355

GROUP SPREAD: 2.573

MIN RADIUS: 0.258


MAX RADIUS: 1.492

MEAN RADIUS: 0.881

IN 1 IN DIAMETER: 2

IN 2 IN DIAMETER: 7

in 3 IN DIAMETER: 10



TARGET APPROX 1/2 SCALE

BARBER - M24 0013565

SERIAL NUMBER: C6225356. __0

TARGET NUMBER: 3

FILE DATE: 05/24/2004

FILE TIME: 06:37

POINT#	X	Y
1:	0.525	0.465
2:	-0.192	0.606
3:	-0.554	0.205
4:	-0.255	0.287
5:	-0.309	0.135
6:	0.452	-0.467
7:	0.339	-0.284
8:	0.141	-0.240
9:	-0.060	-0.287
10:	-0.010	-0.880

X CENTROID: 0.008

Y CENTROID: -0.046

POA TO CENTROID: 0.047

HORZ SPREAD: 1.079

VERT SPREAD: 1.486

GROUP SPREAD: 1.497

MIN RADIUS: 0.235


MAX RADIUS: 0.834

MEAN RADIUS: 0.515

IN 1 IN DIAMETER: 5

IN 2 IN DIAMETER: 10


in 3 IN DIAMETER: 10



TARGET APPROX 1/2 SCALE

BARBER - M24 0013566


SERIAL NUMBER: C6225356. __0	POINT#	X	Y
TARGET NUMBER: 4	1:	0.490	-1.314
FILE DATE: 05/24/2004	2:	0.332	-1.526
FILE TIME: 06:37	3:	-0.771	-0.442
	4:	-0.018	-0.409
X CENTROID: -0.126	5:	0.321	-0.180
Y CENTROID: -0.190	6:	-0.316	0.126
POA TO CENTROID: 0.228	7:	0.349	0.480
HORZ SPREAD: 1.389	8:	-0.899	0.268
VERT SPREAD: 2.569	9:	-0.267	1.043
GROUP SPREAD: 2.638	10:	-0.483	0.059
MIN RADIUS: 0.245			
MAX RADIUS: 1.413			
MEAN RADIUS: 0.784			
# IN 1 IN DIAMETER: 4			
# IN 2 IN DIAMETER: 7			
# in 3 IN DIAMETER: 10			



TARGET APPROX 1/2 SCALE

BARBER - M24 0013567

SERIAL NUMBER: C6225356.____0	POINT#	X	Y
TARGET NUMBER: 5	1:	-0.136	-0.191
FILE DATE: 05/24/2004	2:	0.427	-1.056
FILE TIME: 06:37	3:	0.089	-0.677
	4:	-1.192	-0.118
X CENTROID: -0.153	5:	-1.151	0.192
Y CENTROID: -0.201	6:	0.391	-0.051
POA TO CENTROID: 0.253	7:	0.173	-0.251
HORZ SPREAD: 1.619	8:	0.082	0.102
VERT SPREAD: 1.248	9:	-0.119	0.149
GROUP SPREAD: 2.012	10:	-0.093	-0.111
MIN RADIUS: 0.020			
MAX RADIUS: 1.073			
MEAN RADIUS: 0.544			
# IN 1 IN DIAMETER: 5			
# IN 2 IN DIAMETER: 7			
# in 3 IN DIAMETER: 10			



TARGET APPROX 1/2 SCALE

00299

[illegible]

M.24

CONTRACT # DAAA21-87-C-0086

GUN SERIAL # *C6225356*

OPERATION		DATE	INT
#	NAME		
575-580	ASSEMBLY	<i>1/22</i>	<i>FB</i>
600	PROOF	<i>1/28/88</i>	<i>KW</i>
615	MAGNAFLUX BARREL	<i>2/18/88</i>	<i>Pfe</i>
	MAGNAFLUX BOLT	<i>2/25/88</i>	<i>Pfe</i>
620	COATING	<i>3/21/88</i>	<i>JA</i>
625-630	FINAL ASSEMBLY		
635	TEST		
640	TARGET		
	FIRING PIN INDENT		
660	PACK		

OP.#	OP. NAME	READINGS	DATE	INITIAL
575 & 580	Assemble Action and stock			
600	Proof			
607	Check Headspace			
610	Dis-assemble gun			
612	Magnaflux Barrel Action			
	Magnaflux Bolt			
615	Rollmark Caliber			
617	Drill & Tap Sight Holes			
618	Polish Barrel			
620	Apply Coatings (Barrel Action)			
	Apply Coatings (Bolt)			
625	Final Assembly A) Clean inside of Bolt Assembly		9/8/88	AW
	B) Inspect Rear Firing Pin Hole for Chamfer in Bolt Head		9/8/88	AW
	C) Inspect Ejector Hole for Chamfer		9/8/88	AW

OVER

OP.#		READINGS	DATE	INITIAL
625 cont.	D) Oil Firing Pin Ass'y		9/8/88	RW
	E) Adjust Trigger Pull to Min. Setting and Stake		8 Sep 88	JS
	F) Safety on Force	6.75 7 7	8 Sep 88	JS
	G) Safety off Force	3 3 3	8 Sep 88	JS
	H) Trigger Pull Test & Retainability		8 Sep 88	JS
	I) Firing Pin Indent	.0215 .021 .0215	8 Sep 88	JS
	J) Assemble Stock		9/16/88	RW
	K) Assemble Swivel Studs		10-12-88	JS
	L) Attach Front & Rear Sight Assemblies		9/16/88	RW
	M) Iron Sight Alignment		9/16/88	RW
	N) Detach Front & Rear Sights & place in numbered container		9/16/88	RW
	O) Attach Scope to Rifle		10/5/88	RW
	P) Detach & Attach Scope 20 times		10-5-88	JS
640	Gallery Target & Test	59 R 96L	10/10/88	DT
	A) Optical Clarity of Scope		10/10/88	JS
645	Inspect for Live Ammo		10/10/88	JS
655	Final Inspection			
	A) Headspace		10-12-88	JS
	B) Trigger Pull		10-14-88	JS
	C) Function		10-12-88	JS
660	Pack		10-21-88	JS

AVERAGE PULL FORCE BETWEEN
INITIAL & CYCLE TESTS
2.50# ± .50#
3.00# ± .75#
4.00# ± 1.00#

SERIAL NO. C6225356DATE 8 Sept 88TESTER HS

	2.50# INITIAL	2.50# AFTER 50 CYCLES	FINAL TEST & TO RESET 2.50#		COMMENTS
PULL #1	2.50	2.40	2.60	2.67	MIN. SETTING, NO AVG. OF 5 READINGS ACCEPT- ABLE LESS THAN 2#
PULL #2	2.47	2.43	2.53	2.62	
PULL #3	2.46	2.45	2.49	2.70	
PULL #4	2.43	2.41	2.48	2.67	
PULL #5	2.43	2.40	2.49	2.69	
TOTAL	12.29	12.09	12.59	13.35	
AVG.	2.458	2.418	2.518	2.67	

	3.00# INITIAL	3.00# AFTER 20 CYCLES		COMMENTS
PULL #1	3.17	3.20		
PULL #2	3.21	3.20		
PULL #3	3.21	3.18		
PULL #4	3.25	3.25		
PULL #5	3.21	3.21		
TOTAL	16.04	16.04		
AVG.	3.208	3.208		

	4.00# INITIAL	4.00# AFTER 20 CYCLES	MAX SETTING GREATER THAN 4#	RESET TO 4# FOR TARGET & ACCURACY
PULL #1	4.10	4.05		4.37
PULL #2	4.06	4.09		4.38
PULL #3	4.02	4.05		4.38
PULL #4	4.10	4.08		4.34
PULL #5	4.10	4.12		4.31
TOTAL	20.38	20.39		21.78
AVG.	4.076	4.078		4.356

CENTROIDAL DISTANCE CALCULATIONS
FOR RIFLE # 6225356

CENTROIDAL DISTANCES

0 TO	1	.372945
1 TO	2	.935797
1 TO	3	.410099
1 TO	4	.99328
1 TO	5	1.6646


+₃ <----POA
4
5

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .5828
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: -.5068
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .772335
THE AMR FOR THIS RIFLE IS: 1.052

11 Oct 1988

FILE:/PATTERNING/CENTERFIRE_PATT/0225356

CENTERFIRE PATTERNS # 1



OF SHOTS = 10

IN CIR

1 in = 1

2 in = 5

3 in = 9

IS = 2.516

VS = 2.235

GS = 2.728

PATTERN #	10	9	8
SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.270	1.132	1.023
MINIMUM X	-1.246	-1.132	-1.241
MAXIMUM Y	1.112	1.019	.867
MINIMUM Y	-1.123	-1.216	-1.045
CENTROID X	.292	.430	.539
CENTROID Y	-.232	.325	.477
POB TO CENTROID in.	.373	.539	.720
MIN RADIUS	.376	.415	.474
MEAN RADIUS	1.005	.929	.833
MAX RADIUS	1.582	1.497	1.269
HORIZONTAL SPREAD	2.516	2.264	2.264
VERTICAL SPREAD	2.235	2.235	1.912
EXTREME SPREAD	2.728	2.568	2.266
NUMBER IN ONE INCH CIRCLE =	1		
NUMBER IN TWO INCH CIRCLE =	5		
NUMBER IN THREE INCH CIRCLE =	9		


11 Oct 1988

FILE:/PATTERNING/CENTERFIRE_PATT/0205356

CENTERFIRE PATTERNS

2

POA



OF SHOTS= 10

IN CIR

1in = 0

2in = 5

3in = 8

HS= 3.273

VS= 3.590

GS= 3.941

CENTROID *


PATTERN #	:	2		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	2.225	2.204	1.132
MINIMUM X	:	-1.148	-1.169	-0.993
MAXIMUM Y	:	2.412	1.090	1.035
MINIMUM Y	:	-1.178	-0.910	-0.965
CENTROID X	:	.693	.713	.437
CENTROID Y	:	-.614	-.882	-.827
POA TO CENTROID in.	:	.925	1.134	.935
MIN RADIUS	:	.529	.385	.211
MEAN RADIUS	:	1.225	1.054	.855
MAX RADIUS	:	2.419	2.248	1.367
HORIZONTAL SPREAD	:	3.373	3.373	2.025
VERTICAL SPREAD	:	3.590	2.000	2.000
EXTREME SPREAD	:	3.941	3.704	2.246
NUMBER IN ONE INCH CIRCLE	=		0	
NUMBER IN TWO INCH CIRCLE	=		5	
NUMBER IN THREE INCH CIRCLE	=		8	

11 Oct 1988

FILE:/PATTERNING/CENTERFIRE_PATT/B225356

CENTERFIRE PATTERNS # 3

POR



OF SHOTS = 10

IN CIR

1in = 0

2in = 1

3in = 9

HS = 2.882

VS = 2.666

GS = 3.257

PATTERN #	3
SHOTS (BEST OF)	10
MAXIMUM X	1.597
MINIMUM X	-1.286
MAXIMUM Y	1.235
MINIMUM Y	-1.431
CENTROID X	.322
CENTROID Y	-.177
POR TO CENTROID in.	.367
MIN RADIUS	.909
MEAN RADIUS	1.354
MAX RADIUS	1.859
HORIZONTAL SPREAD	2.883
VERTICAL SPREAD	2.666
EXTREME SPREAD	3.257
NUMBER IN ONE INCH CIRCLE =	0
NUMBER IN TWO INCH CIRCLE =	1
NUMBER IN THREE INCH CIRCLE =	9

11 Oct 1988

FILE:/PATTERNING/CENTERFIRE_PATT/6225358

CENTERFIRE PATTERNS

4

POR

1in circle

2in circle

3in circle

CENTROID #

OF SHOTS = 10

IN CIR

1in = 4

2in = 6

3in = 9

HS = 2.783

VS = 1.621

GS = 2.796

PATTERN #	:	4		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.564	1.072	.941
MINIMUM X	:	-1.219	-1.045	-.565
MAXIMUM Y	:	1.077	1.072	1.032
MINIMUM Y	:	-.544	-.549	-.589
CENTROID X	:	.558	.384	.515
CENTROID Y	:	-.725	-.720	-.680
POR TO CENTROID in.	:	.915	.816	.853
MIN RADIUS	:	.274	.315	.319
MEAN RADIUS	:	.811	.713	.661
MAX RADIUS	:	1.565	1.199	1.104
HORIZONTAL SPREAD	:	2.783	2.117	1.506
VERTICAL SPREAD	:	1.621	1.621	1.621
EXTREME SPREAD	:	2.796	2.128	1.853
NUMBER IN ONE INCH CIRCLE	=		4	
NUMBER IN TWO INCH CIRCLE	=		6	
NUMBER IN THREE INCH CIRCLE	=		9	

11 Oct 1988

FILE:/PATTERNING/CENTERFIRE_PATT/622535B

CENTERFIRE PATTERNS

5

POR

1 in circle

2 in circle

3 in circle

CENTROID +

OF SHOTS= 10

IN CIR

1 in = 4

2 in = 6

3 in = 8

IS= 2.401


VS= 2.942

GS= 2.945

PATTERN #	:	5		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	.801	.624	.658
MINIMUM X	:	-1.600	-.690	-.656
MAXIMUM Y	:	1.458	1.468	1.284
MINIMUM Y	:	-1.484	-1.474	-.565
CENTROID X	:	1.050	1.227	1.193
CENTROID Y	:	-1.250	-1.260	-1.076
POR TO CENTROID in.	:	1.632	1.759	1.607
MIN RADIUS	:	.274	.212	.371
MEAN RADIUS	:	.865	.777	.708
MAX RADIUS	:	1.603	1.499	1.296
HORIZONTAL SPREAD	:	2.401	1.314	1.314
VERTICAL SPREAD	:	2.942	2.942	1.849
EXTREME SPREAD	:	2.945	2.945	2.003
NUMBER IN ONE INCH CIRCLE	=		4	
NUMBER IN TWO INCH CIRCLE	=		6	
NUMBER IN THREE INCH CIRCLE	=		8	

WARNING: Standardized procedures regarding, defacing, or destroying this tag must be subject to a fine of not more than \$1,000 or imprisonment of not more than one year or both. (18 U.S.C. 1364)		FSN, PART NO. AND ITEM DESCRIPTION		UNSERVICEABLE (REPARABLE) TAG - MATERIEL	
		1005-01-240-2136 Sniper System 7.62MM M24		DOL INSPECTION ACTIVITY UNUSABLE	
		SERIAL NO./LOT NO. C6225356		CONDITION CODE 6	
		UNIT OF ISSUE Each		REASON FOR REPARABLE CONDITION Under Warranty Missing Sighted Sight 871110	
CONTRACT OR PURCHASE ORDER NO. 1-486		QUANTITY 1		REMOVED FROM ULTRA L+S Inc. 10X-1137	
REMARKS CCE 1/508TH Condition Code		INSPECTOR'S NAME OR STAMP AND DATE 4/17/11 4199			
U.S. GPO: 1992-331-759					

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	00
1. TOTAL PRICE										2. SHIP FROM										3. SHIP TO																																																																															
A5EB070 EA										CMAH2WMGM										032012JB14AF																																																																															
UNIT PRICE										DOLLARS										CTS																																																																															
0514500										5145.00										CMAH2W																																																																															
5 DOC DATE										6. NMFC										7. FRT RATE																																																																															
96198										069300										LTL 100																																																																															
8. TYPE CARGO										9 PS																																																																																									
681 Z4										4																																																																																									
10 QTY REC										11. UP										12. UNIT WEIGHT																																																																															
00001																																																																																																			
13. UNIT CUBE										14. UFG										15SL																																																																															
38340										0																																																																																									
16. FREIGHT CLASSIFICATION NOMENCLATURE:																																																																																																			
FIREARMS NOI																																																																																																			
17. ITEM NOMENCLATURE																																																																																																			
RIFLE																																																																																																			
18. TV CONT										19. NO CONT										20. TOTAL WEIGHT										21. TOTAL CUBE																																																																					
Ctn										1										15										0.5																																																																					
22. RECEIVED BY																																																																																																			
23. DATE RECEIVED																																																																																																			
24. ISSUED BY AND DATE																																																																																																			
25. SHIPPED BY AND DATE																																																																																																			
26. SIGNATURE REC REQ																																																																																																			
27. SELECT CODE: F ARM STOCK																																																																																																			
28. NON EXP PKG REF NO: MILSTD2073																																																																																																			
29. EXT WT: .00																																																																																																			
30. EXT CU:																																																																																																			
31. TP-1																																																																																																			
32. PA: P02 PL: 001																																																																																																			
33. SPW: 658002 001 CK DIG: L TAC:																																																																																																			
34. SHIP BY TRACEABLE MEANS																																																																																																			
35. 1 EXCEPTION																																																																																																			
36. LINE 001 OF 001																																																																																																			
37. REGISTERED MAIL																																																																																																			
38. SNT FOR DODSASP REQUIRED																																																																																																			
39. ULTIMATE CONSIGNEE/MARK FOR:																																																																																																			
40. XR REMINGTON ARMS COMPANY INC																																																																																																			
41. FABRICATED PRODUCTS DEPT																																																																																																			
42. 14 HOFELER AVE																																																																																																			
43. ILION																																																																																																			
44. NY 13357-1816																																																																																																			
45. WHSE LOC 15120821A																																																																																																			
46. SEQ NO: 00293 BATCH: 0008																																																																																																			
47. 4 OF 6 SC: TCN: W52H09 6180 H244 AXX																																																																																																			
48. NOT HAZARDOUS FOR TRANSPORT																																																																																																			
49. DD FORM 1348-1A, JUN 86 ISSUE RELEASE/RECEIPT DOCUMENT																																																																																																			
50. FORM APPROVE, ONB NO 0704-0188																																																																																																			



DEPARTMENT OF THE ARMY
ROCK ISLAND ARSENAL
ROCK ISLAND, ILLINOIS 61229
OFFICIAL BUSINESS

SHIP TO:

M/F: CMAH2W

TCN W52H09 6180 H244 AXX
RDD 201 PROJ TP 1
W52H1C

XR REMINGTON ARMS COMPANY INC
FABRICATED PRODUCTS DEPT
14 HOEFLER AVE
ILION, NEW YORK 13357-1816

REGISTERED MAIL

R698457286

CARRIER:

PRIORITY CLASS

TO TRANS:

NO LINE ITEMS

1

DATE SHIPPED:

7-22-96

INITIALS:

JH

LOCATION:

PIECES:

1 CTN

WEIGHT:

15

CUBE:

0.5

NOTES:

658002L KW


SIORI FORM 710-8 FEB 96

SHIPPING ACTION & LOCATION RECORD

1. TOTAL PRICE										2. SHIP FROM ROCK ISLAND ARSENAL W52H1C 61299-5000										3. SHIP TO CMAH2W																																							
UNIT PRICE DOLLARS CTS										4. MARK FOR CMAH2W																																																	
A5EB070 EA										CMAH2WMGM										032012JB14AF										0514500										5145.00																			
5. DOC DATE										6. NMFC										7. FRT RATE										8. TYPE CARGO										9. PS																			
96198										069300										LTL 100										681 24										4																			
10. QTY REC										11. UP										12. UNIT WEIGHT										13. UNIT CUBE										14. UFG										15. ISL									
00001																														38340										0																			
16. FREIGHT CLASSIFICATION NOMENCLATURE FIREARMS NOI																																																											
17. ITEM NOMENCLATURE RIFLE																																																											
18. TY CONT										19. NO CONT										20. TOTAL WEIGHT										21. TOTAL CUBE																													
22. RECEIVED BY																				23. DATE RECEIVED																																							
24. ISSUED BY AND DATE Angela 7-17-96																				25. SHIPPED BY AND DATE																																							
DT REC: 96197 STD: 96198 SUS: 96198 DOD 5100.76M SCIC: 6																																																											
SIGNATURE REC REQ LEVEL A/C																																																											
SELECT CODE: F ARM STOCK NON EXP PKG REF NO: MILSTD2073 EXT WT: .00 EXT CU:																																																											
TP-1 SHIP BY TRACEABLE MEANS PA: P02 PL: 001 SPW: 658002 001 CK DIG: L TAC: LINE 001 OF 001 ULTIMATE CONSIGNEE/MARK FOR: XR REMINGTON ARMS COMPANY INC FABRICATED PRODUCTS DEPT 14 HOFELER AVE ILION NY 13357-1816 SNT FOR DODSASP REQUIRED MAJOR END ITEM WHSE LOC 15120821A SEQ NO: 00293 BATCH: 0008 5 OF 6 SC: TCN: W52H09 6180 H244 AXX NOT HAZARDOUS FOR TRANSPORT																																																											

DD FORM 1348-1A, JUN 85 ISSUE RELEASE/RECEIPT DOCUMENT

FORM APPROVED, OMB NO 0704-0188



15486

BARBER - M24 0043587 13626

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZIER V. REMINGTON

GENERAL SUPPLY SHIPMENT PLANNING WORKSHEET

PAGE 01 OF 01 2590YK111111

SERIAL 418002 3011152402 1801 H244AXY TA DESTINATION ADDRESSES - SPLIC BRICC P-R

CHK-DGT IL RDD 201 TP 1 CL

APPLM 000 METHIC ROCK ISLAND ARSENAL 7/20/1 LTI

PK AREA P02 ROCK ISLAND, IL TL

PK LINE 001 UVS

PK LINE 001 AJR

CMAR2W XR REMINGTON ARMS COMPANY INC FAX PSC 4 250 R-C DOD 511 76N

DTE RTG 0A10R FABRICATED PRODUCTS DEPT BURNISH TENDER MOVE/UP DATE

14 HOEFER AVE CHI

TIME SIG 0022 IL TN NY 13357-1814 ESR

STD 0A10R RS

DTE REC 0A157 REP

MAP USE 00015 MAP PKG NR MAP PKG NR INTRANSIT DATE

AVAIL/SHIP CONEX NO DUNNAGE WT B/H WT A/DE/POE

DELTY CONEX WT FALLIT WT TITLE/FACT APOD/POD

S/N C6225356

7/22-96

BARBER - M24 0013588/13627

21 DAY TURN - AROUND

Barrel
a
Stock

M-24

CONTRACT # DAAA09-92-C-0834

R&E NO.

SERIAL NO. C6225356

LOG IN DATE: / /		DATE	INIT.
INSPECT & VERIFY:			
OP. #	OP. NAME		
550	DIS-ASSEMBLE GUN		
560 A	RE-BARREL AT CUSTOM SHOP		
B	DRILL & TAP		
C	POLISH		
575	ASSEMBLE		
600	PROOF	9/9/96	Rw
605	CHECK HEADSPACE	9/9/96	Rw
610	DIS-ASSEMBLE		
612	MAGNAFLUX		
615	ROLLMARK CALIBER		
618	ROTO-BLAST		
620	APPLY COATINGS		
625 A	FINAL ASSEMBLY	9/24/96	Rw
B	TRIGGER PULL TEST		
C	SAFETY ON FORCE		
D	SAFETY OFF FORCE		
E	FIRING PIN INDENT		
640	TARGET	9/27/96	FA
655	FINAL INSPECT	10/1/96	Rw
660	PACK		

QAR INSPECTION

SHIP DATE

Final Inspection

Sni: C6225356

DATE REC'D: 7/30/96

DATE RET'D:

AUDITOR: RW

Item:

BARREL ASSY.

☒ BARREL☒ RECEIVER☒ FRONT SIGHT BLOCK☒ REAR SIGHT BLOCK☒ SCREWS☒ FINISH

SCOPE ASSY.

☐ SCOPE☐ SCOPE RINGS☐ MOUNTING SCREWS☐ MOUNTING BASE☐ SCREWS☐ FINISH☐ LOOSENESS☐ CLARITY

MISC.

☐ DD-250☐ BAR CODE☐ PACKAGING

Item:

STOCK ASSY.

☒ STOCK☒ SLING SWIVEL STUDS☒ ADJUSTABLE BUTT PLATE☒ LOCK NUTS☒ BARREL CLEARANCE☒ COLOR/FINISH

SYSTEMS CASE

☐ SCOPE CASE☐ IRON SIGHTS☐ DEPLOYMENT KIT

TRIGGER

☒ SAFETY OPERATION☒ SET

Comments:

CENTROIDAL DISTANCE CALCULATIONS

POP RIFLE # C6225356

3 Jan 1900

CENTROIDAL DISTANCES

0 TO	1	.284918
1 TO	2	.439058
1 TO	3	.523172
1 TO	4	.414307
1 TO	5	.152191

3
17c (----POA

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: -.0708

THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: -.0102


THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .071531

THE AMR FOR THIS RIFLE IS: 1.087

5 Jan 1968

FILE:/PATTERNING/CENTERFIRE PATT/C6225358

CENTERFIRE PATTERNS # 1



2 in - 5

3 in - 4

HS - 3.360

VS - 1.873

GS - 3.795

CENTROID *

PATTERN #	10	9	8
SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.876	1.521	1.361
MINIMUM X	-1.484	-1.275	-1.053
MAXIMUM Y	.927	.834	.537
MINIMUM Y	-.946	-1.039	-.935
CENTROID X	-.257	-.466	-.306
CENTROID Y	-.123	-.030	-.134
POA TO CENTROID in.	.285	.466	.334
MIN RADIUS	.159	.095	.138
MEAN RADIUS	1.112	.950	.904
MAX RADIUS	2.055	1.683	1.493
HORIZONTAL SPREAD	3.360	2.796	2.414
VERTICAL SPREAD	1.873	1.873	1.472
EXTREME SPREAD	3.795	3.204	2.661
NUMBER IN ONE INCH CIRCLE =	1		
NUMBER IN TWO INCH CIRCLE =	5		
NUMBER IN THREE INCH CIRCLE =	8		

3 Jan 1900

FILE:/PATTERNING/CENTERFIRE_PATT/C6225356

CENTERFIRE PATTERNS

2

POA

1 in circle

2 in circle

3 in circle

OF SHOTS = 10

IN CIR

1 in = 2

2 in = 4

3 in = 5

CENTROID #

HS = 4.985

VS = 1.540

GS = 4.997

PATTERN


Y2

SHOTS (BEST OF)	10	9	8
MAXIMUM X	2.753	2.053	1.813
MINIMUM X	-2.232	-1.926	-1.190
MAXIMUM Y	.567	.543	.579
MINIMUM Y	-.973	-.910	-.874
CENTROID X	.167	-.139	.101
CENTROID Y	-.237	-.200	-.336
POA TO CENTROID in.	.290	.301	.351
MIN RADIUS	.161	.250	.134
MEAN RADIUS	1.238	1.024	.900
MAX RADIUS	2.011	2.101	1.875
HORIZONTAL SPREAD	4.985	3.979	3.002
VERTICAL SPREAD	1.540	1.453	1.453
EXTREME SPREAD	4.997	3.982	3.006
NUMBER IN ONE INCH CIRCLE	=	2	
NUMBER IN TWO INCH CIRCLE	=	4	
NUMBER IN THREE INCH CIRCLE	=	7	

3 Jan 1968

FILE: PATTERNING/CENTERFIRE_PATT/C6225356

CENTERFIRE PATTERNS # 3



OF SHOTS = 10

IN CIR

1 in = 1

2 in = 5

3 in = 8

HE = 2.827

VS = 2.277

CS = 3.836

CENTROID #

PATTERN


	10	9	8
SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.485	1.608	1.702
MINIMUM X	-1.142	-1.019	-0.819
MAXIMUM Y	1.164	1.040	1.085
MINIMUM Y	-1.113	-1.188	-1.063
CENTROID X	-0.292	-0.415	-0.615
CENTROID Y	0.399	0.523	0.478
POA TO CENTROID in.	0.495	0.687	0.788
MIN RADIUS	0.417	0.379	0.233
MEAN RADIUS	1.047	0.969	0.846
MAX RADIUS	1.567	1.647	1.292
HORIZONTAL SPREAD	2.627	2.627	1.521
VERTICAL SPREAD	2.277	2.148	2.148
EXTREME SPREAD	3.836	2.665	2.284
NUMBER IN ONE INCH CIRCLE	= 1		
NUMBER IN TWO INCH CIRCLE	= 5		
NUMBER IN THREE INCH CIRCLE	= 8		

3 Jan 1908

FILE: PATTERNING/CENTERFIRE_PATT/06225356

CENTERFIRE PATTERNS

4



OF SHOTS - 10

IN CIR

1in = 1

2in = 3

3in = 9

HGT = 1.146

VST = 2.085

GST = 3.456

CENTROID *


PATTERN #		10	9	8
SHOTS - BEST OF		10	9	8
MAXIMUM X		1.988	1.146	.993
MINIMUM X		-1.403	-1.186	-.749
MAXIMUM Y		.929	.893	.947
MINIMUM Y		-1.156	-1.192	-1.138
CENTROID X		.134	-.084	.064
CENTROID Y		.014	.050	-.004
POA TO CENTROID (in)		.134	.098	.064
MIN RADIUS		.313	.528	.384
MEAN RADIUS		1.081	.968	.921
MAX RADIUS		1.988	1.453	1.376
HORIZONTAL SPREAD		3.365	2.932	1.747
VERTICAL SPREAD		2.085	2.085	2.085
EXTREME SPREAD		3.456	2.639	2.639
NUMBER IN ONE INCH CIRCLE	=	1		
NUMBER IN TWO INCH CIRCLE	=	5		
NUMBER IN THREE INCH CIRCLE	=	9		

3 Jan 1968

FILE: PATTERNING/CENTERFIRE_PATT/06225356

CENTERFIRE PATTERNS

5



OF SHOTS - 10

IN CIR

1 in - 1

2 in - 7

3 in - 3

HS - 2.260

VS - 2.752

GS - 3.102

PATTERN #	10	9	8
SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.491	1.612	.756
MINIMUM X	-.777	-.657	-.455
MAXIMUM Y	1.778	.735	.671
MINIMUM Y	-.974	-.776	-.840
CENTROID X	-.106	-.226	-.428
CENTROID Y	-.104	-.302	-.238
POA TO CENTROID in.	.148	.377	.489
MIN RADIUS	.474	.519	.475
MEAN RADIUS	.958	.804	.654
MAX RADIUS	2.084	1.692	.852
HORIZONTAL SPREAD	2.269	2.269	1.211
VERTICAL SPREAD	2.752	1.511	1.511
EXTREME SPREAD	3.102	2.495	1.545
NUMBER IN ONE INCH CIRCLE =	1		
NUMBER IN TWO INCH CIRCLE =	7		
NUMBER IN THREE INCH CIRCLE =	3		

COMMENTS

ORDER
R 97-11970

FROM:	TRANSPORTATION OFFICER ANNISTON ARMY DEPOT ANNISTON	AL 36201	SHIP TO:	TRANSPORTATION OFFICER ANNISTON ARMY DEPOT ANNISTON	AL 36201
-------	---	----------	----------	---	-------------

CUST NO: 150939 C.O.D.

ACCOUNT NUMBER		ACCOUNT NUMBER N/C		WRITE ☐		PROM. DATE		ESTIMATED		VIA UPS	
GUN CONDITION										REPAIR CHARGE	
☐ NEW										EXCISE	
☐ LIGHTLY WORN										TAX	
☐ WORN										INSURANCE	
☐ VERY WORN										UPS	
☐ UNREPAIRABLE										PARCEL POST	
☐ MARRED										TOTAL	

CUSTOMER CONCERN	AMMO	FUNCTION	FINISH	ACCURACY	FIT	INSPECT
CYCLE	A1	B1				
TRIGGER GROUP		B2			E1	F1
BOLT ASSY.		B3			E2	F2
BARREL ASSY.		B4		D1	E3	F3
REC. ASSY.		B5		D2	E4	F4
WOOD			C1	D3	E5	F5
METAL			C2			

MAIN FAULT

[illegible]

OFFICE COPY

RD6925 REV 5/93

**CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON**

BARBER - M24 004399713636

BARBER - M24 0013637 MATERIAL INSPECTION AND RECEIVING REPORT

Form Approved
OMB No. 0704-0248

Public reporting burden for this collection of information is estimated to average 35 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0248), Washington, DC 20503.

PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES.

1. PROC. INSTRUMENT IDEN. (CONTRACT) DAAA 09-92-C-0834		(ORDER) NO.		6. INVOICE NO./DATE RACO 120		7. PAGE 1		OF 1		8. ACCEPTANCE POINT S			
2. SHIPMENT NO. RACO 120		3. DATE SHIPPED 96OCT16		4. B/L TCN		5. DISCOUNT TERMS H NET 30 DAYS							
9. PRIME CONTRACTOR REMINGTON ARMS CO INC 14 HOEFLER AVE ILION NY 13357				CODE 3A703		10. ADMINISTERED BY DCMAO-SYRACUSE 615 ERIE BLVD W SYRACUSE NY 13204-2408				CODE S3306A			
11. SHIPPED FROM (If other than 9) REMINGTON ARMS CO INC 14 HOEFLER AVE ILION NY 13357				CODE 3A703		FOB: S		12. PAYMENT WILL BE MADE BY DFAS-COLUMBUS BUNKER HILL DIVISION PO BOX 182077 COLUMBUS OH 43218-2077				CODE SC1016	
13. SHIPPED TO DEPT OF THE ARMY C CO 1ST BN 508 REGT FT BRAG NC 28307				CODE CMAH2W		14. MARKED FOR DEPT OF THE ARMY C CO 1ST BN 508 REGT FT BRAG NC 28307				CODE CMAH2W			
W52H096180H244A													
15. ITEM NO.		16. STOCK/PART NO. (Indicate number of shipping containers - type of container - container number.)		DESCRIPTION		17. QUANTITY SHIP/REC'D *		18. UNIT		19. UNIT PRICE		20. AMOUNT	
0001 AK		SERVICES LINE ITEM THIS SHIPMENT CONSISTS OF: 1 - BARREL P/N 96003 1 - STOCK ASSEMBLY P/N 96018 1 - FRONT SIGHT BASE P/N 96011 1 - EXPEDITING FEE CTN WGT 14 LBS US MAIL 21720206D6D02P421010.122217S11116 PRON MI78T220MIGU W52H096180H244A				Ø		LO		1173.09		1173.09	
										17.90		17.90	
				TOTAL						1190.99		1190.99	
21. CONTRACT QUALITY ASSURANCE												22. RECEIVER'S USE	
A. ORIGIN ☒ CQA ☒ ACCEPTANCE of listed items has been made by me or under my supervision and they conform to contract, except as noted herein or on supporting documents. 96OCT16 DATE SIGNATURE OF AUTH GOVT REP JOHN A. DAMANDA TYPED NAME AND OFFICE S3306A						B. DESTINATION ☐ CQA ☐ ACCEPTANCE of listed items has been made by me or under my supervision and they conform to contract, except as noted herein or on supporting documents. DATE SIGNATURE OF AUTH GOVT REP TYPED NAME AND TITLE						Quantities shown in column 17 were received in apparent good condition except as noted. DATE RECEIVED SIGNATURE OF AUTH GOVT REP TYPED NAME AND OFFICE * If quantity received by the Government is the same as quantity shipped, indicate by (✓) mark, if different, enter actual quantity received below quantity shipped and encircle.	
23. CONTRACTOR USE ONLY													
SERIAL NO. C6225356 R648012767 FRED MARTIN CONTRACT COORDINATOR/GOVT. SALES REMINGTON ARMS CO INC ILION, NEW YORK 13357 PHONE: (315) 895-3413													

DD Form 250, DEC 91

Previous editions are obsolete.

U.S. Government Printing Office: 1992 - 311-830/60242

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0013637

BARBER - M24 0013638 INSPECTION AND RECEIVING REPORT

Form Approved
OMB No. 0704-0248

Public reporting burden for this collection of information is estimated to average 35 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0248), Washington, DC 20503.

PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES.

1. PROC. INSTRUMENT IDEN. (CONTRACT) DAAA 09-92-C-0834		(ORDER) NO.		6. INVOICE NO./DATE RACO 120		7. PAGE 1		OF 1		8. ACCEPTANCE POINT S							
2. SHIPMENT NO. RACO 120		3. DATE SHIPPED 96OCT16		4. B/L TCN		5. DISCOUNT TERMS H NET 30 DAYS											
9. PRIME CONTRACTOR REMINGTON ARMS CO INC 14 HOEFLER AVE ILION NY 13357				CODE 3A703		10. ADMINISTERED BY DCMAO-SYRACUSE 615 ERIE BLVD W SYRACUSE NY 13204-2408				CODE S3306A							
11. SHIPPED FROM (if other than 9) REMINGTON ARMS CO INC 14 HOEFLER AVE ILION NY 13357				CODE 3A703		FOB: S		12. PAYMENT WILL BE MADE BY DFAS-COLUMBUS BUNKER HILL DIVISION PO BOX 182077 COLUMBUS OH 43218-2077				CODE SC1016					
13. SHIPPED TO DEPT OF THE ARMY C CO 1ST BN 508 REGT FT BRAG NC 28307				CODE CMAH2W		14. MARKED FOR DEPT OF THE ARMY C CO 1ST BN 508 REGT FT BRAG NC 28307				CODE CMAH2W		W52H096180H244A					
15. ITEM NO. 0001		16. STOCK/PART NO. (Indicate number of shipping containers - type of container - container number.) AK		DESCRIPTION SERVICES LINE ITEM THIS SHIPMENT CONSISTS OF: 1 - BARREL P/N 96003 1 - STOCK ASSEMBLY P/N 96018 1 - FRONT SIGHT BASE P/N 96011 1 - EXPEDITING FEE CTN WGT 14 LBS US MAIL 21720206D6D02P421010.122217S11116 PRON M178T220MIGU W52H096180H244A TOTAL		17. QUANTITY SHIP/REC'D * 0		18. UNIT LO		19. UNIT PRICE 1173.09 17.90 1190.99		20. AMOUNT 1173.09 17.90 1190.99					
21. CONTRACT QUALITY ASSURANCE						22. RECEIVER'S USE											
A. ORIGIN ☒ CQA ☒ ACCEPTANCE of listed items has been made by me or under my supervision and they conform to contract, except as noted herein or on supporting documents. DATE <u>96OCT16</u> SIGNATURE OF AUTH GOVT REP <u>[Signature]</u> TYPED NAME AND OFFICE JOHN A. DAMANDA S3306A						B. DESTINATION ☐ CQA ☐ ACCEPTANCE of listed items has been made by me or under my supervision and they conform to contract, except as noted herein or on supporting documents. DATE _____ SIGNATURE OF AUTH GOVT REP _____ TYPED NAME AND TITLE _____						Quantities shown in column 17 were received in apparent good condition except as noted. DATE RECEIVED _____ SIGNATURE OF AUTH GOVT REP _____ TYPED NAME AND OFFICE _____ * If quantity received by the Government is the same as quantity shipped, indicate by (✓) mark, if different, enter actual quantity received below quantity shipped and encircle.					
23. CONTRACTOR USE ONLY																	
SERIAL NO. C6225356 R648012767 FRED MARTIN CONTRACT COORDINATOR/GOVT. SALES REMINGTON ARMS CO INC ILION, NEW YORK 13357 PHONE: (315) 895-3413																	

DD Form 250, DEC 91

Previous editions are obsolete.

U.S. Government Printing Office: 1992 - 311-800/60241

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0013638

BARBER - M24 001363 INSPECTION AND RECEIVING REPORT

Form Approved
OMB No. 0704-0248

Public reporting burden for this collection of information is estimated to average 35 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0248), Washington, DC 20503.

PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES.

1. PROC. INSTRUMENT IDEN. (CONTRACT) DAAA 09-92-C-0834		(ORDER) NO.		6. INVOICE NO./DATE RACO 120		7. PAGE 1		OF 1		8. ACCEPTANCE POINT S			
2. SHIPMENT NO. RACO 120		3. DATE SHIPPED 96OCT16		4. B/L TCN		5. DISCOUNT TERMS H NET 30 DAYS							
9. PRIME CONTRACTOR REMINGTON ARMS CO INC 14 HOEFLER AVE ILION NY 13357				CODE 3A703		10. ADMINISTERED BY DCMAO-SYRACUSE 615 ERIE BLVD W SYRACUSE NY 13204-2408				CODE S3306A			
11. SHIPPED FROM (If other than 9) REMINGTON ARMS CO INC 14 HOEFLER AVE ILION NY 13357				CODE 3A703		FOB: S		12. PAYMENT WILL BE MADE BY DFAS-COLUMBUS BUNKER HILL DIVISION PO BOX 182077 COLUMBUS OH 43218-2077				CODE SC1016	
13. SHIPPED TO DEPT OF THE ARMY C CO 1ST BN 508 REGT FT BRAG NC 28307				CODE CMAH2W		14. MARKED FOR DEPT OF THE ARMY C CO 1ST BN 508 REGT FT BRAG NC 28307				CODE CMAH2W			
W52H096180H244A													
15. ITEM NO.		16. STOCK/PART NO. (Indicate number of shipping containers - type of container - container number.)		DESCRIPTION		17. QUANTITY SHIP/REC'D *		18. UNIT		19. UNIT PRICE		20. AMOUNT	
0001		AK		SERVICES LINE ITEM THIS SHIPMENT CONSISTS OF: 1 - BARREL P/N 96003 1 - STOCK ASSEMBLY P/N 96018 1 - FRONT SIGHT BASE P/N 96011 1 - EXPEDITING FEE CTN WGT 14 LBS US MAIL 21720206D6D02P421010.122217S11116 PRON M178T220MIGU W52H096180H244A		0		LO		1173.09		1173.09	
										17.90		17.90	
				TOTAL						1190.99		1190.99	
21. CONTRACT QUALITY ASSURANCE												22. RECEIVER'S USE	
A. ORIGIN ☒ CQA ☒ ACCEPTANCE of listed items has been made by me or under my supervision and they conform to contract, except as noted herein or on supporting documents. 96OCT16 DATE SIGNATURE OF AUTH GOVT REP JOHN A. DAMANDA TYPED NAME AND OFFICE S3306A						B. DESTINATION ☐ CQA ☐ ACCEPTANCE of listed items has been made by me or under my supervision and they conform to contract, except as noted herein or on supporting documents. DATE SIGNATURE OF AUTH GOVT REP TYPED NAME AND TITLE						Quantities shown in column 17 were received in apparent good condition except as noted. DATE RECEIVED SIGNATURE OF AUTH GOVT REP TYPED NAME AND OFFICE * If quantity received by the Government is the same as quantity shipped, indicate by (✓) mark, if different, enter actual quantity received below quantity shipped and encircle.	
23. CONTRACTOR USE ONLY													
SERIAL NO. C6225356 R648012767 FRED MARTIN CONTRACT COORDINATOR/GOVT. SALES REMINGTON ARMS CO INC ILION, NEW YORK 13357 PHONE: (315) 895-3413													

DD Form 250, DEC 91

Previous editions are obsolete.

U.S. Government Printing Office: 1992 — 311-830-50242

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 001363