

NEW ACTION

C6225478

E 6374536

MODEL 700TM M24

Model 700 M24TM

Action

Barrel Length

Capacity

Order No. 5716

*Includes 1 in chamber.

Remington

RD6925 REV. 1/94

PAYMENT:
Mastercard / Visa (circle one)

Card #: _____

Exp. Date: _____

Signature _____

RETURN:

☐ Clark Street Entrance☒ Via US Mail or UPS

(PLEASE PRINT CLEARLY)

FIREARMS DELIVERED TO PLANT

FILE NO 010806

DATE 1/17/96

CUSTOMER NAME:

ADDRESS:

ZIP:

PHONE:

FIREARM

MODEL:

GAUGE:

SERIAL #

REMINGTON EMPLOYEE:

YES ☐ NO ☒

EMPLOYEE # _____

DEPT. # _____

CHECK FOR AMMUNITION

CONDITION:

WOOD

GOOD

FAIR

POOR

FANCY

PLAIN

METAL

GOOD

FAIR

POOR

FANCY

PLAIN

BARREL

VT. RIB

PLAIN

DEER RSS

ACCESSORIES:

SCOPE: YES

NO

(BRAND NAME/POWER) _____

SLING: YES

NO

GUN CASE: YES

NO

(HARD ☒ SOFT)

EXTRA BBL FOR GUN MENTIONED ABOVE:

OTHER (Note in this area items missing or added from orig. equipment)

CUSTOMER REQUEST:

SIGNATURE:

(Person delivering firearm to Plant)

DATE:

SIGNATURE:

(Security Officer)

DATE:

SIGNATURE:

(Firearm picked up by)

DATE:

Arm Service Copy

New Barrel

CONTRACT # DAAA21-87-C-0086

GUN SERIAL # C6225478

OP. #	OP. NAME	READINGS	DATE	INITIAL
575 & 580	Assemble Action and Stock		1/22/96	RW
600	Proof		1/22/96	RW
607	Check Headspace		1/22/96	RW
610	Dis-assemble Gun		1/22/96	RW
612	Magnaflux Barrel Action			
	Magnaflux Bolt			
615	Rollmark Caliber			
617	Drill and Tap Sight Holes			
618	Polish Barrel			
620	Apply Coatings (Barrel Action)			
	Apply Coating (Bolt)			
625	Final Assembly A) Clean inside of Bolt Assembly		1/29/96	RW
	B) Inspect Rear Firing Pin Hole for Chamfer in Bolt Head		1/29/96	RW
	C) Inspect Ejector Hole for Chamfer		1/29/96	RW
	D) Oil Firing Pin Ass'y		1/29/96	RW
	E) Adjust Trigger Pull to Min Setting and Stake			

op. #	OP. NAME	READINGS			DATE	INIT
625 cont.	F) Safety On Force					
	G) Safety Off Force					
	H) Trigger Pull Test & Retainability					
	I) Firing Pin Indent					
	J) Assemble Stock					
	K) Assemble Swivel Studs					
	L) Attach Front and Rear Sight Assemblies					
	M) Iron Sight Alignment					
	N) Detach Front & Rear Sights & place in numbered container					
	O) Attach Scope to Rifle					
	P) Detach & Attach Scope 20 Times					
640	Gallery Target & Test				1/31/96	BB
	A) Time					
	B) Malfunctions					
	C) Pierced Primers					
	D) Optical Clarity of Scope					
645	Inspect for Live Ammo				1/31/96	BB
655	Final Inspection					
	A) Headspace				2/1/96	Rw
	B) Trigger Pull					
	C) Function				2/1/96	Rw
660	Pack					

Final Inspection

Sn: C6225478 DATE REC'D: 1/17/96 DATE RET'D:

AUDITOR: RW

Item:

Barrel Assy.

☒ BARREL☒ RECEIVER☒ FRONT SIGHT BLOCK☒ REAR SIGHT BLOCK☒ SCREWS☒ FINISH

Scope Assy.

☐ Scope☐ Scope Rings☐ Mounting Screws☐ Mounting Base☐ Screws☐ Finish☐ Looseness☐ CLARITY

Misc.

☐ DD-250☐ BAR CODE☐ PACKAGING

Item:

Stock Assy.

☒ STOCK☒ SLING SWIVEL STUDS☒ ADJUSTABLE BUTT PLATE☒ LOCK NUTS☒ BARREL CLEARANCE☒ COLOR/FINISH

Systems Case

☐ Scope Case☐ IRON SIGHTS☐ Deployment Kit

Trigger

☒ SAFETY OPERATION☒ SET

Comments: _____

CENTROIDAL DISTANCE CALCULATIONS
 FOR RIFLE # 06225478
 3 Jan 1988

CENTROIDAL DISTANCES

0 TO	1	1.06986
1 TO	2	.412921
1 TO	3	.3572
1 TO	4	.508296
1 TO	5	.233431

4
 5


+ (----POA

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: -.8918
 THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: 1.1696
 THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: 1.1732
 THE AMR FOR THIS RIFLE IS: 1.199

2 Jan 1968

FILE://PATTERNING/CENTERFIRE_PATT/C6225478

CENTERFIRE PATTERNS # 1



OF SHOTS- 10

IN CIR

1 in = 0

2 in = 3

3 in = 8

HS= 2.557

VS= 3.104

GS= 3.438


CENTROID *

PATTERN #	1	2	3
SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.427	.965	1.006
MINIMUM X	-1.130	-.971	-.929
MAXIMUM Y	1.527	1.648	1.472
MINIMUM Y	-1.577	-1.407	-1.254
CENTROID X	.121	-.038	-.079
CENTROID Y	1.063	.893	1.069
POA TO CENTROID in.	1.070	.894	1.072
MIN RADIUS	.568	.625	.622
MEAN RADIUS	1.193	1.075	1.022
MAX RADIUS	2.090	1.672	1.507
HORIZONTAL SPREAD	2.557	1.936	1.936
VERTICAL SPREAD	3.104	3.055	2.726
EXTREME SPREAD	3.438	3.055	2.821
NUMBER IN ONE INCH CIRCLE =		0	
NUMBER IN TWO INCH CIRCLE =		3	
NUMBER IN THREE INCH CIRCLE =		8	

2 Jan 1988

FILE:/PATTERNING/CENTERFIRE_PATT/06225478

CENTERFIRE PATTERNS # 2



OF SHOTS- 10

IN CIR

1 in = 2

2 in = 4

3 in = 7

HS= 2.388

VS= 2.646

GS= 2.981


CENTROID *

PATTERN #	:	2		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.505	1.467	1.169
MINIMUM X	:	-.875	-.913	-.730
MAXIMUM Y	:	1.014	.833	.856
MINIMUM Y	:	-1.632	-1.524	-1.501
CENTROID X	:	-.277	-.239	-.422
CENTROID Y	:	1.173	1.354	1.331
POA TO CENTROID in.	:	1.205	1.375	1.396
MIN RADIUS	:	.554	.483	.500
MEAN RADIUS	:	1.126	1.023	.964
MAX RADIUS	:	1.669	1.683	1.592
HORIZONTAL SPREAD	:	2.380	2.380	1.899
VERTICAL SPREAD	:	2.646	2.357	2.357
EXTREME SPREAD	:	2.981	2.905	2.905
NUMBER IN ONE INCH CIRCLE	=		0	
NUMBER IN TWO INCH CIRCLE	=		4	
NUMBER IN THREE INCH CIRCLE	=		7	

2 Jan 1988

FILE:/PATTERNING/CENTERFIRE_PATT/06225478

CENTERFIRE PATTERNS # 3



OF SHOTS - 10

IN CIR

1 in = 0

2 in = 2

3 in = 8

HS = 2.836

VS = 2.835

GS = 3.384

PATTERN #


3

SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.625	1.343	1.215
MINIMUM X	-1.211	-1.031	-1.150
MAXIMUM Y	1.370	1.224	1.022
MINIMUM Y	-1.465	-1.611	-1.140
CENTROID X	-.205	-.385	-.257
CENTROID Y	1.209	1.355	1.557
POA TO CENTROID in.	1.226	1.409	1.578
MIN RADIUS	.583	.352	.422
MEAN RADIUS	1.304	1.170	1.055
MAX RADIUS	2.092	1.913	1.445
HORIZONTAL SPREAD	2.836	2.374	2.365
VERTICAL SPREAD	2.835	2.835	2.162
EXTREME SPREAD	3.384	3.384	2.680
NUMBER IN ONE INCH CIRCLE =		0	
NUMBER IN TWO INCH CIRCLE =		2	
NUMBER IN THREE INCH CIRCLE =		8	

2 Jan 1988

FILE:/PATTERNING/CENTERFIRE_PATT/06225478

CENTERFIRE PATTERNS # 4



OF SHOTS- 10

CENTROID #

IN CIR

1 in = 0

2 in = 5

3 in = 8

HS= 3.088

VS= 2.370


GS= 3.102

PATTERN #	:	4		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.512	1.335	.751
MINIMUM X	:	-1.587	-1.083	-.916
MAXIMUM Y	:	1.373	1.346	1.329
MINIMUM Y	:	-.997	-1.024	-1.041
CENTROID X	:	-.082	.095	-.072
CENTROID Y	:	1.529	1.556	1.573
POA TO CENTROID in.	:	1.531	1.559	1.575
MIN RADIUS	:	.548	.398	.555
MEAN RADIUS	:	1.129	1.056	1.023
MAX RADIUS	:	1.607	1.517	1.432
HORIZONTAL SPREAD	:	3.099	2.418	1.667
VERTICAL SPREAD	:	2.370	2.370	2.370
EXTREME SPREAD	:	3.102	2.695	2.695
NUMBER IN ONE INCH CIRCLE	=		0	
NUMBER IN TWO INCH CIRCLE	=		5	
NUMBER IN THREE INCH CIRCLE	=		8	

2 Jan 1968

FILE:/PATTERNING/CENTERFIRE_PATT/06225478

CENTERFIRE PATTERNS # 5



OF SHOTS= 10

IN CIR

1 in = 1

2 in = 4

3 in = 7

MS= 3.001

VS= 3.645

GS= 3.663

CENTROID +

PATTERN #	10	9	8
SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.572	1.503	1.372
MINIMUM X	-1.429	-1.498	-1.629
MAXIMUM Y	1.533	1.299	.913
MINIMUM Y	-2.112	-1.717	-1.555
CENTROID X	-.016	.053	.184
CENTROID Y	.874	1.108	.946
POA TO CENTROID in.	.874	1.109	.964
MIN RADIUS	.397	.394	.285
MEAN RADIUS	1.244	1.123	1.010
MAX RADIUS	2.200	1.668	1.630
HORIZONTAL SPREAD	3.001	3.001	3.001
VERTICAL SPREAD	3.645	2.016	1.468
EXTREME SPREAD	3.663	3.228	3.056
NUMBER IN ONE INCH CIRCLE =	1		
NUMBER IN TWO INCH CIRCLE =	4		
NUMBER IN THREE INCH CIRCLE =	7		

M24 W/ULTRA 10X-M3A SCOPE W/HARD CASE FOR SCOPE

INITIAL	CUSTOMER ORDER NO.
JUN	7079

DATE RECEIVED	DATE OPENED	DATE CODE	SERIAL NUMBER	NEW SERIAL NUMBER	MODEL AND GRADE
06/22/92	06/22/92	KJ 5-89	C6225478		700 7.62 NATO
ACCESSORIES	W/STUDS	SCOPE	BASE		

FROM:

SHIP TO:

HUSKINS, DAVID
COMPANY D
2ND BTL 1ST SWTG
FT BRAGG

NC 28307

HUSKINS, DAVID
COMPANY D
2ND BTL 1ST SWTG
FT BRAGG

NC

28307

CUST NO: 063160 CLO.DL

ACCOUNT NUMBER	ACCOUNT NUMBER N/C
----------------	--------------------

WRITE ☐

CLEAN/TEST

PROM. DATE	ESTIMATED	VIA DOOR
------------	-----------	-------------

GUN CONDITION

☐ NEW
☐ LIGHTLY WORN
☐ WORN
☐ VERY WORN
☐ UNREPAIRABLE
☐ MARRED

REPAIR CHARGE

EXCISE

TAX

INSURANCE

UPS

PARCEL POST

Category	Value
Category 1	10
Category 2	20
Category 3	30
Category 4	40
Category 5	50
Category 6	60
Category 7	70
Category 8	80
Category 9	90
Category 10	100
TOTAL	500

CUSTOMER CONCERN	AMMO	FUNCTION	FINISH	ACCURACY	FIT	INSPECT
CYCLE	A1	B1				
TRIGGER GROUP		B2			E1	F1
BOLT ASSY.		B3			E2	F2
BARREL ASSY.		B4		D1	E3	F3
REC. ASSY.		B5		D2	E4	F4
WOOD			C1	D3	E5	F5
METAL			C2			

MAIN FAULT

Re Finish Complete
" TRG GUARD
De Barrel

[illegible]

OFFICE COPY

RD6925 REV. 1/92

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER

BARBER - M24 0061889 M24000061708

RD-6947-Rev 3

PAYMENT:

Mastercard / Visa (circle one)

Card #: _____

Exp. Date: _____

Signature: _____

RETURN:

☐ Clark Street Entrance☒ Via US Mail or UPS

(PLEASE PRINT CLEARLY)

FIREARMS DELIVERED TO PLANT

FILE NO 007079

DATE 6/20/92

CUSTOMER NAME:

DAVID HUSKINS

REMINGTON EMPLOYEE:

ADDRESS:

COMPANY D

YES ☐ NO ☒

EMPLOYEE # _____

2ND BTL 1ST SWTG.

DEPT. # _____

FT. BRAGG, N.C.
28305-5000

ZIP:

PHONE:

919-432-9037

FIREARM

MODEL: M24

CHECK FOR AMMUNITION

GAUGE: .762

SERIAL # ~~66225478~~ C 622 5478

CONDITION:

SYNTHETIC
WOOD

GOOD

FAIR

POOR

FANCY

PLAIN

METAL

GOOD

FAIR

POOR

FANCY

PLAIN

BARREL

VT. RIB

PLAIN

DEER RSS

ACCESSORIES:

SCOPE: YES

NO

(BRAND NAME/POWER)

M3A-10

SLING: YES

NO

SCOPE

GUN CASE: YES

NO

(HARD - SOFT)

EXTRA BBL FOR GUN MENTIONED ABOVE:

OTHER (Note in this area items missing or added from orig. equipment)

CUSTOMER REQUEST:

RE BR RRELLD

SIGNATURE:

(Person delivering firearm to Plant)

DATE:

SIGNATURE:

(Security Officer)

DATE:

SIGNATURE:

(Firearm picked up by)

DATE:

Arm Service Copy

CENTROIDAL DISTANCE CALCULATIONS
FOR RIFLE # C0225478
28 Jul 1992.

CENTROIDAL DISTANCES

0 TO 1	.104957
1 TO 2	.690514
1 TO 3	.537141
1 TO 4	.276742
1 TO 5	.65787

53 2

<----POR


THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: -.049
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: -.4648
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .46737

THE AMR FOR THIS RIFLE IS: 1.082

28 Jul 1992

FILE:/PATTERNING/CENTERFIRE_PATT/c6225478

CENTERFIRE PATTERNS # 1



OF SHOTS- 10

IN CIR

1 in - 2

2 in - 4

3 in - 7

HS- 2.707

VS- 3.597

GS- 3.656

PATTERN

	10	9	8
SHOTS (BEST OF)			
MAXIMUM X	1.209	1.150	.956
MINIMUM X	-1.498	-1.557	-1.244
MAXIMUM Y	1.659	1.444	1.512
MINIMUM Y	-1.938	-.741	-.673
CENTROID X	-.054	.005	.199
CENTROID Y	-.090	.125	.057
POA TO CENTROID in.	.105	.126	.207
MIN RADIUS	.279	.487	.355
MEAN RADIUS	1.099	1.008	.891
MAX RADIUS	2.009	1.650	1.517
HORIZONTAL SPREAD	2.707	2.707	2.200
VERTICAL SPREAD	3.597	2.185	2.185
EXTREME SPREAD	3.656	2.919	2.454
NUMBER IN ONE INCH CIRCLE =		2	
NUMBER IN TWO INCH CIRCLE =		4	
NUMBER IN THREE INCH CIRCLE =		7	

28 Jul 1992

FILE: PATTERNING/CENTERFIRE_PATT/c6225478

CENTERFIRE PATTERNS # 2

POA

1in circle

2in circle

3in circle

OF SHOTS - 10

IN CIR

1in = 0

2in = 3

3in = 9

HS = 1.918

VS = 2.936

GS = 3.116


CENTROID *

PATTERN #	:	10	9	8
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	.930	.992	.933
MINIMUM X	:	-.988	-.926	-.980
MAXIMUM Y	:	1.304	1.122	1.033
MINIMUM Y	:	-1.632	-1.147	-1.006
CENTROID X	:	.385	.323	.377
CENTROID Y	:	-.623	-.441	-.582
POA TO CENTROID in.	:	.732	.547	.693
MIN RADIUS	:	.888	.934	.922
MEAN RADIUS	:	1.163	1.087	1.065
MAX RADIUS	:	1.723	1.282	1.154
HORIZONTAL SPREAD	:	1.918	1.918	1.918
VERTICAL SPREAD	:	2.936	2.269	2.039
EXTREME SPREAD	:	3.116	2.402	2.275
NUMBER IN ONE INCH CIRCLE	=		0	
NUMBER IN TWO INCH CIRCLE	=		3	
NUMBER IN THREE INCH CIRCLE	=		9	

28 Jul 1992

FILE:/PATTERNING/CENTERFIRE_PATT/CG225478

CENTERFIRE PATTERNS # 3



PATTERN #	10	9	8
SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.644	1.438	.827
MINIMUM X	-1.855	-1.190	-1.011
MAXIMUM Y	1.146	1.194	1.180
MINIMUM Y	-1.160	-1.112	-1.126
CENTROID X	-.112	.094	-.085
CENTROID Y	-.624	-.672	-.658
POA TO CENTROID in.	.634	.679	.664
MIN RADIUS	.459	.553	.494
MEAN RADIUS	1.157	1.043	1.000
MAX RADIUS	1.905	1.474	1.364
HORIZONTAL SPREAD	3.499	2.628	1.838
VERTICAL SPREAD	2.306	2.306	2.306
EXTREME SPREAD	3.549	2.783	2.504
NUMBER IN ONE INCH CIRCLE =	1		
NUMBER IN TWO INCH CIRCLE =		3	
NUMBER IN THREE INCH CIRCLE =		8	

28 Jul 1992

FILE: /PATTERNING/CENTERFIRE_PATT/c6225478

CENTERFIRE PATTERNS # 4

POA

1in circle

2in circle

3in circle

CENTROID *

OF SHOTS- 10

IN CIR

1in = 2

2in = 5

3in = 9

HS= 1.491

VS= 2.790

GS= 2.879


PATTERN

SHOTS (BEST OF)	10	9	8
MAXIMUM X	.837	.780	.798
MINIMUM X	-.654	-.711	-.693
MAXIMUM Y	1.492	1.193	1.051
MINIMUM Y	-1.298	-1.132	-1.148
CENTROID X	-.023	.034	.016
CENTROID Y	-.365	-.531	-.389
POA TO CENTROID in.	.366	.532	.389
MIN RADIUS	.059	.156	.081
MEAN RADIUS	.926	.845	.796
MAX RADIUS	1.577	1.194	1.161
HORIZONTAL SPREAD	1.491	1.491	1.491
VERTICAL SPREAD	2.790	2.325	2.199
EXTREME SPREAD	2.879	2.334	2.209
NUMBER IN ONE INCH CIRCLE =		2	
NUMBER IN TWO INCH CIRCLE =		5	
NUMBER IN THREE INCH CIRCLE =		9	

28 Jul 1992

FILE: PATTERNING/CENTERFIRE_PATT/d6225478

CENTERFIRE PATTERNS # 5



OF SHOTS - 10

IN CIR

1 in = 1

2 in = 5

3 in = 9

HS = 3.371

VS = 2.147

GS = 3.440

CENTROID *

PATTERN #	1	2	3
SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.956	1.207	1.050
MINIMUM X	-1.415	-1.198	-0.883
MAXIMUM Y	.850	.896	.868
MINIMUM Y	-1.297	-1.251	-1.279
CENTROID X	-.441	-.658	-.509
CENTROID Y	-.622	-.668	-.640
POA TO CENTROID in.	.762	.938	.818
MIN RADIUS	.452	.527	.469
MEAN RADIUS	1.067	.947	.903
MAX RADIUS	2.000	1.375	1.328
HORIZONTAL SPREAD	3.371	2.405	1.941
VERTICAL SPREAD	2.147	2.147	2.147
EXTREME SPREAD	3.440	2.456	2.456
NUMBER IN ONE INCH CIRCLE =	1		
NUMBER IN TWO INCH CIRCLE =	5		
NUMBER IN THREE INCH CIRCLE =	9		

CONTRACT # DAAA21-87-C-0086

GUN SERIAL # C6225 478

OP. #	OP. NAME	READINGS	DATE	INITIAL
575 & 580	Assemble Action and Stock		7/9/92	RW
600	Proof		7/9/92	RW
607	Check Headspace		7/9/92	RW
610	Dis-assemble Gun		7/9/92	RW
612	Magnaflux Barrel Action			
	Magnaflux Bolt			
615	Rollmark Caliber			
617	Drill and Tap Sight Holes		7/9/92	RW
618	Polish Barrel			
620	Apply Coatings (Barrel Action)			
	Apply Coating (Bolt)			
625	Final Assembly A) Clean inside of Bolt Assembly			
	B) Inspect Rear Firing Pin Hole for Chamfer in Bolt Head			
	C) Inspect Ejector Hole for Chamfer			
	D) Oil Firing Pin Ass'y			
	E) Adjust Trigger Pull to Min Setting and Stake			

625 cont.	F) Safety On Force				
	G) Safety Off Force				
	H) Trigger Pull Test & Retainability				100
	I) Firing Pin Indent				100
	J) Assemble Stock				
	K) Assemble Swivel Studs				
	L) Attach Front and Rear Sight Assemblies				100
	M) Iron Sight Alignment				100
	N) Detach Front & Rear Sights & place in numbered container				100
	O) Attach Scope to Rifle				
	P) Detach & Attach Scope 20 Times				100
640	Gallery Target & Test			7-28-92	AC
	A) Time			"	AC
	B) Malfunctions			"	AC
	C) Pierced Primers			"	AC
	D) Optical Clarity of Scope			"	AC
645	Inspect for Live Ammo			7-28-92	AC
655	Final Inspection				
	A) Headspace				
	B) Trigger Pull				
	C) Function				
660	Pack				

CONTRACT # DAAA21-87-C-0086

GUN SERIAL #

C 6225478

OP. #	OP. NAME	READINGS	DATE	INIT
575 & 580	Assemble Action and Stock			
600	Proof			
607	Check Headspace			
610	Dis-assemble Gun			
612	Magnaflux Barrel Action			
	Magnaflux Bolt			
615	Rollmark Caliber			
617	Drill and Tap Sight Holes			
618	Polish Barrel RB		1/26/90	WB
620	Apply Coatings (Barrel Action)			
	Apply Coating (Bolt)			
625	Final Assembly A) Clean inside of Bolt Assembly			
	B) Inspect Rear Firing Pin Hole for Chamfer in Bolt Head			
	C) Inspect Ejector Hole for Chamfer			
	D) Oil Firing Pin Ass'y			
	E) Adjust Trigger Pull to Min Setting and Stake			

op. #	OP. NAME	READINGS					DATE	INIT
625 cont.	F) Safety On Force							
	G) Safety Off Force							
	H) Trigger Pull Test & Retainability							
	I) Firing Pin Indent							
	J) Assemble Stock							
	K) Assemble Swivel Studs							
	L) Attach Front and Rear Sight Assemblies							
	M) Iron Sight Alignment							
	N) Detach Front & Rear Sights & place in numbered container							
	O) Attach Scope to Rifle							
	P) Detach & Attach Scope 20 Times							
640	Gallery Target & Test						4/11/90	DH
	A) Time						4/11/90	DH
	B) Malfunctions						4/11/90	DH
	C) Pierced Primers						4/11/90	DH
	D) Optical Clarity of Scope						4/11/90	DH
645	Inspect for Live Ammo						4/11/90	DH
655	Final Inspection							
	A) Headspace							
	B) Trigger Pull	2.52	2.50	2.51	2.54	2.57	4/11/90	gll
	C) Function							
660	Pack						4-12-90	DH

BARBER - M24 006188

MOD. M-24 GA. CAL. GUN # 06225478

# TEST	DATE	MALFUNCTION/DEFECT	ASSEM. #
JES	1st	DE- SP TH-1	
	10/4/88		
	2nd	Clean Ejector Hole	DW
	10/6/88		
	3rd		
	4th		
		FUNCTION	RD 6654 Rev 1

TEST INIT. ACTION TO CORRECT		ASSEM. #
PROOF		
TEST		
TGT		
PROOF		
TEST		
TGT		
PROOF	ENGINEER	
TEST		
TGT		
PROOF	ENGINEER	
TEST		
TGT		

DSMB14R1005012402136

W52H090019H226 W25G1Z035679000C6225478 W15BW9 90019

TITLE: SMALL ARMS SERIALIZATION (SASP) CARD
CONTACT #DAAA21-87-G-0001
CDRL ITEM A010

FROM: REMINGTON ARMS CO., INC.
ILION, NY 13357

CENTROIDAL DISTANCE CALCULATIONS
FOR RIFLE # C6225478
12 Apr 1990

CENTROIDAL DISTANCES

0 TO	1	.121198
1 TO	2	.395294
1 TO	3	.464303
1 TO	4	.572729
1 TO	5	.180036

4
3 <----POA

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .1258
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .0302
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .129374
THE AMR FOR THIS RIFLE IS: .9222

CENTERFIRE PATTERNS

1

POA

1in circle

2in circle

3in circle

CENTROID *

OF SHOTS - 10

IN CIR

1in - 0

2in - 4

3in = 9

HS - 2.021

VS = 3.339

GS = 3.358

PATTERN #

1

SHOTS (BEST OF)

10

9

8

MAXIMUM X

.855

.909

.933

MINIMUM X

-1.166

-1.112

-1.088

MAXIMUM Y

1.395

1.178

1.127

MINIMUM Y

-1.944

-1.264

-1.116

CENTROID X

.108

.054

.030

CENTROID Y

.055

.271

.123

POA TO CENTROID in.

.121

.276

.127

MIN RADIUS

.515

.406

.504

MEAN RADIUS

1.056

.922

.886

MAX RADIUS

2.005

1.288

1.196

HORIZONTAL SPREAD

2.021

2.021

2.021

VERTICAL SPREAD

3.339

2.442

2.243

EXTREME SPREAD

3.358

2.442

2.243

NUMBER IN ONE INCH CIRCLE =

0

NUMBER IN TWO INCH CIRCLE =


4

NUMBER IN THREE INCH CIRCLE =

9

CENTERFIRE PATTERNS

2



OF SHOTS- 10

IN CIR

1 in - 1

2 in - 5

3 in = 10

HS- 2.457

VS= 2.507

GS= 2.607

PATTERN #


2

	10	9	8
SHOTS (BEST OF)			
MAXIMUM X	1.195	1.267	1.023
MINIMUM X	-1.262	-1.190	-1.031
MAXIMUM Y	1.335	.765	.719
MINIMUM Y	-1.172	-1.024	-.928
CENTROID X	-.203	-.275	-.434
CENTROID Y	-.189	-.337	-.433
POA TO CENTROID in.	.278	.435	.613
MIN RADIUS	.480	.500	.460
MEAN RADIUS	.975	.904	.824
MAX RADIUS	1.484	1.480	1.120
HORIZONTAL SPREAD	2.457	2.457	2.054
VERTICAL SPREAD	2.507	1.789	1.647
EXTREME SPREAD	2.607	2.500	2.118
NUMBER IN ONE INCH CIRCLE	= 1		
NUMBER IN TWO INCH CIRCLE	= 5		
NUMBER IN THREE INCH CIRCLE	= 10		

CENTERFIRE PATTERNS

3

POB



OF SHOTS- 10

IN CIR

1 in = 1

2 in = 5

3 in = 9

V8# 2.222

V8# 2.174

V8# 2.973

PATTERN #

:

3

SHOTS (BEST OF)	10	9	8
MAXIMUM X	.879	.722	.778
MINIMUM X	-1.419	-1.098	-1.042
MAXIMUM Y	.967	.862	.724
MINIMUM Y	-1.207	-1.099	-1.230
CENTROID X	.369	.526	.470
CENTROID Y	-.329	-.437	-.299
POB TO CENTROID in.	.494	.684	.557
MIN RADIUS	.361	.399	.340
MEAN RADIUS	.945	.846	.781
MAX RADIUS	1.717	1.321	1.245
HORIZONTAL SPREAD	2.298	1.820	1.820
VERTICAL SPREAD	2.174	1.961	1.954
EXTREME SPREAD	2.973	2.401	2.136
NUMBER IN ONE INCH CIRCLE =		1	
NUMBER IN TWO INCH CIRCLE =		5	
NUMBER IN THREE INCH CIRCLE =		9	

CENTERFIRE PATTERNS

4

FOR

1in circle

2in circle

3in circle

CENTROID *

OF SHOTS = 10

IN CIR

1in = 3

2in = 8

3in = 9

ME = 1.763

VS = 2.474

CS = 2.586

PATTERN #


4

SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	.989	.944	.961
MINIMUM X	:	-.874	-.819	-.802
MAXIMUM Y	:	1.429	.795	.685
MINIMUM Y	:	-1.045	-.887	-.379
CENTROID X	:	.425	.370	.353
CENTROID Y	:	.532	.374	.484
FOR TO CENTROID in.	:	.681	.526	.599
MIN RADIUS	:	.424	.273	.385
MEAN RADIUS	:	.781	.687	.655
MAX RADIUS	:	1.513	.965	1.010
HORIZONTAL SPREAD	:	1.763	1.763	1.763
VERTICAL SPREAD	:	2.474	1.682	1.063
EXTREME SPREAD	:	2.586	1.764	1.764
NUMBER IN ONE INCH CIRCLE	=		3	
NUMBER IN TWO INCH CIRCLE	=		8	
NUMBER IN THREE INCH CIRCLE	=		9	

000000

CENTERFIRE PATTERNS

5



OF SHOTS = 10

IN CIR

1 in = 3

2 in = 6

3 in = 9

MEAN = 2.737

SD = 1.368

LSD = 2.898

CENTROID #

PATTERN #	1	5	9	8
SHOTS (BEST OF)	10	9	9	8
MAXIMUM X	1.234	1.067	1.067	.891
MINIMUM X	-1.503	-1.266	-1.266	-1.133
MAXIMUM Y	.518	.438	.438	.379
MINIMUM Y	-.858	-.793	-.793	-.844
CENTROID X	-.070	.097	.097	-.036
CENTROID Y	.082	.025	.025	.076
POR TO CENTROID in.	.108	.100	.100	.084
MIN RADIUS	.262	.176	.176	.234
MEAN RADIUS	.854	.766	.766	.704
MAX RADIUS	1.590	1.337	1.337	1.195
HORIZONTAL SPREAD	2.737	2.333	2.333	2.024
VERTICAL SPREAD	1.368	1.223	1.223	1.223
EXTREME SPREAD	2.909	2.480	2.480	2.077
NUMBER IN ONE INCH CIRCLE =		3	3	3
NUMBER IN TWO INCH CIRCLE =		6	6	6
NUMBER IN THREE INCH CIRCLE =		9	9	9

M-24

CONTRACT # DAAA21-87-C-0086

GUN SERIAL # *C6225478*

OPERATION		DATE	INT
#	NAME		
575- 580	ASSEMBLY	2 26	<i>FB</i>
600	PROOF	2 29	<i>RW</i>
615	MAGNAFLUX BARREL	<i>5/13/88</i>	<i>P/c</i>
	MAGNAFLUX BOLT	<i>5/13/88</i>	<i>P/c</i>
620	COATING	<i>8/11/88</i>	<i>ISA</i>
625- 630	FINAL ASSEMBLY		
635	TEST		
640	TARGET		
	FIRING PIN INDENT		
660	PACK		

CONTRACT # DAAA21-87-C-0086

GUN SERIAL #

C6225478

1209

OP.#	OP. NAME	READINGS	DATE	INITIAL
575 & 580	Assemble Action and stock			
600	Proof			
607	Check Headspace			
610	Dis-assemble gun			
612	Magnaflux Barrel Action			
	Magnaflux Bolt			
615	Rollmark Caliber			
617	Drill & Tap Sight Holes			
618	Polish Barrel			
620	Apply Coatings (Barrel Action)			
	Apply Coatings (Bolt)			
625	Final Assembly A) Clean inside of Bolt Assembly		8/29/88	RW
	B) Inspect Rear Firing Pin Hole for Chamfer in Bolt Head		8/29/88	RW
	C) Inspect Ejector Hole for Chamfer		8/29/88	RW

OVER

OP.#		READINGS	DATE	INITIAL
625 cont.	D) Oil Firing Pin Ass'y		8/29/88	RW
	E) Adjust Trigger Pull to Min. Setting and Stake		29aug88	J.U.+R.S.
	F) Safety on Force	5.75 5 5.5	29aug88	J.U.+R.S.
	G) Safety off Force	3 3 3	29aug88	J.U.+R.S.
	H) Trigger Pull Test & Retainabilty		29aug88	J.U.+R.S.
	I) Firing Pin Indent	.022 .022 .022	29aug88	J.U.+R.S.
	J) Assemble Stock		9/26/88	RW
	K) Assemble Swivel Studs		10-6-88	R.S.
	L) Attach Front & Rear Sight Assemblies		9/26/88	RW
	M) Iron Sight Alignment		9/26/88	RW
	N) Detach Front & Rear Sights & place in numbered container		9/26/88	RW
	O) Attach Scope to Rifle		10/1/88	RW
	P) Detach & Attach Scope 20 times		10/1/88	JY
640	Gallery Target & Test	61 R 94 L	10/4/88	JES
	A) Optical Clarity of Scope		10/4/88	JY
645	Inspect for Live Ammo		10/4/88	JY
655	Final Inspection			
	A) Headspace		10-6-88	R.S.
	B) Trigger Pull		10-6-88	R.S.
	C) Function		10-6-88	R.S.
660	Pack		10-21-88	R.S.

AVERAGE PULL FORCE BETWEEN
INITIAL & CYCLE TESTS

2.50# ± .50#

3.00# ± .75#

4.00# ± 1.00#

SERIAL NO. C6225478DATE 29 Aug 88TESTER J. G. + K. S.

	2.50# INITIAL	2.50# AFTER 50 CYCLES	FINAL TEST & TO RESET 2.50#		COMMENTS
PULL #1	2.60	2.31	2.33	2.72	MIN. SETTING, NO AVG. OF 5 READINGS ACCEPT- ABLE LESS THAN 2#
PULL #2	2.59	2.36	2.26	2.70	
PULL #3	2.41	2.32	2.25	2.76	
PULL #4	2.51	2.30	2.34	2.76	
PULL #5	2.53	2.31	2.32	2.79	
TOTAL	12.64	11.60	11.50	13.73	
AVG.	2.528	2.32	2.30	2.75	

	3.00# INITIAL	3.00# AFTER 20 CYCLES		COMMENTS
PULL #1	3.10	3.07		
PULL #2	3.08	3.05		
PULL #3	3.08	3.06		
PULL #4	3.05	3.06		
PULL #5	3.06	3.04		
TOTAL	15.37	15.28		
AVG.	3.074	3.056		

	4.00# INITIAL	4.00# AFTER 20 CYCLES	MAX SETTING GREATER THAN 4#	RESET TO 4# FOR TARGET & ACCURACY
PULL #1	4.26	4.23		4.05
PULL #2	4.25	4.22		4.08
PULL #3	4.24	4.22		4.15
PULL #4	4.26	4.20		4.14
PULL #5	4.26	4.17		4.18
TOTAL	21.27	21.04		20.50
AVG.	4.254	4.208		4.10

CENTROIDAL DISTANCE CALCULATIONS
FOR RIFLE # C6225478

CENTROIDAL DISTANCES


0 TO	1	.496891
1 TO	2	.782413
1 TO	3	.645732
1 TO	4	.388209
1 TO	5	1.01708

1
5
4
3
2
1
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
219

5 Oct 1985

FILE:/PATTERNING/CENTERFIRE_PATT/C8225478

CENTERFIRE PATTERNS # 1



OF SHOTS- 10

IN CIR

1in = 4

2in = 7

3in = 10

HS= 2.351

VS= 1.745

GS= 2.576


CENTROID #

PATTERN #	1	2	3
SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.040	.895	.896
MINIMUM X	-1.311	-1.062	-1.061
MAXIMUM Y	.483	.528	.376
MINIMUM Y	-1.262	-1.217	-1.756
CENTROID X	-.326	-.181	-.182
CENTROID Y	.375	.330	.482
POB TO CENTROID in.	.497	.376	.515
MIN RADIUS	.261	.186	.088
MEAN RADIUS	.773	.692	.582
MAX RADIUS	1.372	1.217	1.172
HORIZONTAL SPREAD	2.351	1.957	1.957
VERTICAL SPREAD	1.745	1.745	1.132
EXTREME SPREAD	2.576	2.068	2.068
NUMBER IN ONE INCH CIRCLE =	4		
NUMBER IN TWO INCH CIRCLE =	7		
NUMBER IN THREE INCH CIRCLE =	10		

5 Oct 1988

FILE:/PATTERNING/CENTERFIRE_PATT/08225478

CENTERFIRE PATTERNS # 2



OF SHOTS = 10

IN CIR

1 in = 1

2 in = 6

3 in = 9

HS = 2.970

VS = 1.748

GS = 3.133

CENTROID *

PATTERN #	:	2		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.280	1.092	.841
MINIMUM X	:	-1.690	-1.184	-1.040
MAXIMUM Y	:	1.058	.981	1.010
MINIMUM Y	:	-.691	-.589	-.500
CENTROID X	:	-.205	-.017	-.154
CENTROID Y	:	-.398	-.321	-.350
POA TO CENTROID in.	:	.447	.321	.382
MIN RADIUS	:	.321	.184	.253
MEAN RADIUS	:	.911	.777	.740
MAX RADIUS	:	1.826	1.187	1.053
HORIZONTAL SPREAD	:	2.970	2.276	1.888
VERTICAL SPREAD	:	1.748	1.570	1.570
EXTREME SPREAD	:	3.133	2.281	1.973
NUMBER IN ONE INCH CIRCLE	=		1	
NUMBER IN TWO INCH CIRCLE	=		6	
NUMBER IN THREE INCH CIRCLE	=		9	


EXTRACTED FROM BARBER - M24 0061700 3.133 2.281 1.973
 NUMBER IN ONE INCH CIRCLE = 1
 NUMBER IN TWO INCH CIRCLE = 6
 NUMBER IN THREE INCH CIRCLE = 9

5 Oct 1986

FILE:/PATTERNING/CENTERFIRE_PATT/CG225478

CENTERFIRE PATTERNS # 3

POB



OF SHOTS= 10

IN CIR

1in = 1

2in = 6

3in = 9

HS= 3.508

VS= 1.637


GS= 3.576

CENTROID #

PATTERN #	:	3		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	2.025	.952	.795
MINIMUM X	:	-1.484	-1.259	-1.325
MAXIMUM Y	:	.913	.840	.836
MINIMUM Y	:	-.724	-.797	-.801
CENTROID X	:	-.095	-.320	-.163
CENTROID Y	:	-.228	-.155	-.151
POB TO CENTROID in.	:	.247	.356	.222
MAXIMUM Y	:	1.376	1.170	1.290

BARBER - M24 0061701

HORIZONTAL SPREAD :	2.129	1.270	1.357
VERTICAL SPREAD :	3.509	2.211	2.120
EXTREME SPREAD :	1.637	1.637	1.637
	3.576	2.402	2.402
NUMBER IN ONE INCH CIRCLE =		1	
NUMBER IN TWO INCH CIRCLE =		6	
NUMBER IN THREE INCH CIRCLE =		9	



PATTERN #	:	4		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.498	1.404	.565
MINIMUM X	:	-.932	-1.026	-.950
MAXIMUM Y	:	1.344	1.137	1.202
MINIMUM Y	:	-1.859	-.672	-.607
CENTROID X	:	-.071	.023	-.153


MIN RADIUS	:	.226	.259	.346
MEAN RADIUS	:	.889	.782	.661
MAX RADIUS	:	2.041	1.499	1.299
HORIZONTAL SPREAD	:	2.430	2.430	1.415
VERTICAL SPREAD	:	3.203	1.809	1.809
EXTREME SPREAD	:	3.489	2.535	1.892
NUMBER IN ONE INCH CIRCLE	=		3	
NUMBER IN TWO INCH CIRCLE	=		7	
NUMBER IN THREE INCH CIRCLE	=		8	

5 Oct 1988

FILE:/PATTERNING/CENTERFIRE_PATT/08225470

CENTERFIRE PATTERNS # 5

POA



OF SHOTS- 10

IN CIR

1in = 1

2in = 4

3in = 7

HS= 1.925

VS= 3.223

GS= 3.303

CENTROID *

PATTERN # : 5

SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.097	1.068	1.185
MINIMUM X	:	-.829	-.858	-.724

MAXIMUM Y	:	1.376	1.170	1.290
MINIMUM Y	:	-1.847	-1.656	-1.536
CENTROID X	:	-.313	-.284	-.417
CENTROID Y	:	-.642	-.436	-.556
POA TO CENTROID in.	:	.714	.521	.695
MIN RADIUS	:	.202	.393	.328
MEAN RADIUS	:	1.173	1.081	1.016
MAX RADIUS	:	1.866	1.773	1.718
HORIZONTAL SPREAD	:	1.926	1.926	1.910
VERTICAL SPREAD	:	3.223	2.826	2.826
EXTREME SPREAD	:	3.303	2.962	2.962
NUMBER IN ONE INCH CIRCLE	=		1	
NUMBER IN TWO INCH CIRCLE	=		4	
NUMBER IN THREE INCH CIRCLE	=		7	