

G 653 5345

ORDER 25716
M/24 7.62 NATO S.W.S. (COMPLETE SYSTEM)
UPC



ORDER 25716
M/24 7.62 NATO S.W.S. (COMPLETE SYSTEM)
UPC




SERIAL NO.



M/24 7.62 NATO S.W.S. (COMPLETE SYSTEM)
BOLT ACTION CENTERFIRE RIFLE
24" BARREL 7.62 NATO

- INSTRUCTION BOOK 3518

DD FORM




ORDER NO. **25716**

BARREL LENGTH **24"**

CAPACITY **6**

G6535345

UPC



INSPECTION CHECKLIST-NEW GUNS

GUN SERIAL # 66535345

OP #	OPERATION NAME	READINGS	DATE	INITIAL
420 & 430	ASSEMBLE ACTION ASSEMBLE TO STOCK		2-10-06	PTK
440	PROOF		2-10-06	TRL
460	CHECK HEADSPACE	MAGNA-FLUX INSPECTED	2-10-06	AC
470	DIS-ASSEMBLE ACTION	FEB 14 2006	2-10-06	AC
480 & 490	MAGNAFLUX BBL ACTION MAGNAFLUX BOLT	OP # 480 OPERATOR <u>APD</u>	2-14-06	APD
500	ROLLMARK CALIBER		2-14-06	CW
510	DRILL AND TAP SIGHT HOLES		2-13-06	TRL
520	GOFF BLAST BBL / REC		2-14-06	LB
530 & 540	APPLY COATINGS (BARREL ACTION)			
	(BOLT)		2/20/06	FB
560	RE-ASSEMBLE ACTION A) CLEAN INSIDE OF BOLT ASSEMBLY		2/22/06	mgd
	B) INSPECT REAR FIRING PIN HOLE FOR CHAMFER IN BOLT HEAD		2/22/06	mgd
	C) INSPECT EJECTOR HOLE FOR CHAMFER		2/22/06	mgd
	D) OIL FIRING PIN ASSEMBLY		3-8-06	A
	E) ADJUST TRIGGER PULL TO MIN. SETTING AND STAKE 2.50 LBS +/- .5 LBS			

REV-8405

OP #	OPERATION NAME	READINGS	DATE	INITIAL
560	F) SAFETY ON FORCE 2 LBS MIN 10 LBS MAX	<u>55</u> <u>50</u> <u>50</u>	3-14-06	DA
CONT.	G) SAFETY OFF FORCE 2 LBS MIN	<u>2.5</u> <u>25</u> <u>25</u>	3-14-06	DA
	H) TRIGGER PULL TEST AND RETAINABILITY			
	I) FIRING PIN INDENT .020 MIN	<u>.022</u> <u>.022</u> <u>.022</u>	3-14-06	DA
	J) ASSEMBLE STOCK		3-8-06	A
	K) ASSEMBLE SWIVEL STUDS		3/27/06	mgd
	L) ATTACH FRONT AND REAR SIGHT ASSY'S		3-8-06	A
	M) IRON SIGHT ALIGNMENT		3-8-06	A
	N) DETACH FRONT AND REAR SIGHTS AND PLACE IN NUMBERED CONTAINER		3-8-06	A
640 & 650	FUNCTION TEST AND TARGET	<u>PASS</u> FAIL <u>PASS</u> FAIL	3-9-06	TRW
	MALFUNCTION	CORRECTION		
	MALFUNCTION	CORRECTION		
	MALFUNCTION	CORRECTION		
	MALFUNCTION	CORRECTION		
660	INSPECT FOR LIVE AMMO		3/9/06	R.P.
670	FINAL INSPECTION A) HEADSPACE		3/27/06	mgd
	B) TRIGGER PULL +/- .5 LBS MIN 2.50 LBS MAX 4.0 LBS	<u>2.44</u> <u>2.37</u> <u>2.54</u> <u>2.14</u> <u>2.35</u>	3-14-06	TRW
	C) FUNCTION		3/27/06	mgd
690	PACK		3-28-06	DA

AVERAGE PULL FORCE BETWEEN
INITIAL & CYCLE TESTS

2.50 LBS (plus or minus 0.50 LBS)

3.00 LBS (plus or minus 0.75 LBS)

4.00 LBS (plus or minus 1.00 LBS)

DATE 2-27-06TESTER R.P.

	2.50 LBS INITIAL	2.50 LBS AFTER 50 CYCLES	FINAL TEST & TO RESET 2.50 LBS		COMMENTS
PULL #1	238	247		232	
PULL #2	254	236		235	
PULL #3	242	237		240	
PULL #4	248	246		237	
PULL #5	239	258		254	
TOTAL	12.21	12.24		11.98	
AVERAGE	2.44	2.44		2.39	

	3.00 LBS INITIAL	3.00 LBS AFTER 20 CYCLES		COMMENTS
PULL #1	311	309		
PULL #2	308	311		
PULL #3	309	318		
PULL #4	314	293		
PULL #5	312	323		
TOTAL	1554	1554		
AVERAGE	3.10	3.10		

	4.00 LBS INITIAL	4.00 LBS AFTER 20 CYCLES	MAX SETTING GREATER THAN 4 LBS	RESET TO 4 LBS FOR TARGET & ACCURACY
PULL #1	403	402		4.12
PULL #2	426	403		4.29
PULL #3	413	411		4.18
PULL #4	429	3.88		4.36
PULL #5	407	403		4.18
TOTAL	2078	20.07		21.13
AVERAGE	4.15	4.01		4.22

SNIPER WEAPON SYSTEM - UNIQUE STATISTICAL INFORMATION

FIREARM SERIAL NUMBER / DATASET NAME: G6535345.___0
FILE DATE AND TIME: 03/09/2006 07:17

THE FOLLOWING DATA IS ALL REPORTED IN UNITS OF INCHES

The Average X Centroid of the Five Target Set:	-0.017
The Average Y Centroid of the Five Target Set:	0.000
The Average Point of Impact of the Five Target Set:	0.017
The Average Mean Radius of the Five Target Set:	0.631
The Distance from POA to Centroid Target #1:	0.123
The Distance from Centroid Target #2 to Centroid Target #1:	0.111
The Distance from Centroid Target #3 to Centroid Target #1:	0.187
The Distance from Centroid Target #4 to Centroid Target #1:	0.124
The Distance from Centroid Target #5 to Centroid Target #1:	0.165

SERIAL NUMBER: G6535345. __0

TARGET NUMBER: 1

FILE DATE: 03/09/2006

FILE TIME: 07:17

X CENTROID: -0.068

Y CENTROID: 0.103

POA TO CENTROID: 0.123

HORZ SPREAD: 2.451

VERT SPREAD: 2.521

GROUP SPREAD: 2.525

MIN RADIUS: 0.324

MAX RADIUS: 1.795


MEAN RADIUS: 0.925

IN 1 IN DIAMETER: 3

IN 2 IN DIAMETER: 7

in 3 IN DIAMETER: 8

POINT#	X	Y
1:	1.249	1.319
2:	-1.202	1.495
3:	0.023	0.560
4:	0.101	0.380
5:	0.330	0.039
6:	0.677	-0.130
7:	0.139	-0.490
8:	-0.368	-0.573
9:	-0.576	-0.543
10:	-1.052	-1.026



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6535345. __0


TARGET NUMBER: 2

FILE DATE: 03/09/2006

FILE TIME: 07:17

X CENTROID: 0.000
 Y CENTROID: 0.015
 POA TO CENTROID: 0.016
 HORZ SPREAD: 1.305
 VERT SPREAD: 1.731
 GROUP SPREAD: 1.920
 MIN RADIUS: 0.296
 MAX RADIUS: 1.233
 MEAN RADIUS: 0.590
 # IN 1 IN DIAMETER: 5
 # IN 2 IN DIAMETER: 9
 # in 3 IN DIAMETER: 10

POINT#	X	Y
1:	-0.453	1.162
2:	-0.551	0.382
3:	-0.244	0.222
4:	-0.442	-0.200
5:	-0.277	-0.131
6:	0.252	0.170
7:	-0.002	-0.569
8:	0.445	-0.199
9:	0.754	-0.187
10:	0.517	-0.495



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6535345. __0

TARGET NUMBER: 3

FILE DATE: 03/09/2006

FILE TIME: 07:17

X CENTROID: -0.032

Y CENTROID: -0.080

POA TO CENTROID: 0.086

HORZ SPREAD: 0.770

VERT SPREAD: 2.165

GROUP SPREAD: 2.169

MIN RADIUS: 0.108

MAX RADIUS: 1.165


MEAN RADIUS: 0.510

IN 1 IN DIAMETER: 7

IN 2 IN DIAMETER: 8

in 3 IN DIAMETER: 10

POINT#	X	Y
1:	-0.251	0.975
2:	-0.386	-1.190
3:	-0.314	-0.731
4:	-0.021	-0.308
5:	-0.091	0.010
6:	-0.333	0.160
7:	0.163	-0.009
8:	0.384	-0.027
9:	0.378	0.106
10:	0.153	0.213




TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6535345. __0
 TARGET NUMBER: 4
 FILE DATE: 03/09/2006
 FILE TIME: 07:17

X CENTROID: -0.002
 Y CENTROID: -0.002
 POA TO CENTROID: 0.002
 HORZ SPREAD: 1.146
 VERT SPREAD: 1.814
 GROUP SPREAD: 1.838
 MIN RADIUS: 0.186
 MAX RADIUS: 1.125
 MEAN RADIUS: 0.491
 # IN 1 IN DIAMETER: 6
 # IN 2 IN DIAMETER: 9
 # in 3 IN DIAMETER: 10

POINT#	X	Y
1:	-0.132	-0.775
2:	0.643	-0.027
3:	-0.429	1.039
4:	-0.378	-0.083
5:	-0.503	-0.343
6:	0.201	-0.190
7:	-0.032	-0.185
8:	0.390	0.255
9:	0.038	0.238
10:	0.183	0.055



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6535345. __0

TARGET NUMBER: 5

FILE DATE: 03/09/2006

FILE TIME: 07:17

X CENTROID: 0.017

Y CENTROID: -0.039

POA TO CENTROID: 0.042

HORZ SPREAD: 2.321

VERT SPREAD: 1.261

GROUP SPREAD: 2.401

MIN RADIUS: 0.172

MAX RADIUS: 1.503


MEAN RADIUS: 0.637

IN 1 IN DIAMETER: 4

IN 2 IN DIAMETER: 8

in 3 IN DIAMETER: 9

POINT#	X	Y
1:	0.835	-0.639
2:	0.216	-0.721
3:	0.044	-0.627
4:	0.613	0.370
5:	0.320	0.163
6:	0.138	0.083
7:	-0.128	0.056
8:	-0.097	0.412
9:	-0.287	0.540
10:	-1.486	-0.026



TARGET APPROX 1/2 SCALE