


Still
Spread®
NEW

FORM

UPC



0 47700 25716 7

6665889

INCLUDES 1 IN CHAMBER

5716

ORDER NO.

BARBER - M24 0103703

MODEL 700 TM M24

Remington



VERY IMPORTANT:
Instruction Book
enclosed to assure
safe use of this
firearm.

MODEL 700 TM M24

SERIAL NO.
C6665889

ORDER NO.
5716

MADE IN ILION, N.Y. U.S.A. Reg. U.S. Pat & Tm. Off. Marca Registrada Marque Deposee.




5716 C6665889

ORDER 5716

MODEL 700 TM M24

UPC




0 47700 25716 7

ORDER 5716

MODEL 700 TM M24

UPC



0 47700 25716 7

GFM

CONTRACT # DAAA21-87-C-0086

GUN SERIAL #

C6665889

OP. #	OP. NAME	READINGS	DATE	INIT
575 & 580	Assemble Action and Stock		9/23/91	TK
600	Proof		9/23/91	TK
607	Check Headspace		9/23/91	TK
610	Dis-assemble Gun		9/23/91	TK
612	Magnaflux Barrel Action		SEP 30 1991	KR
	Magnaflux Bolt		SEP 30 1991	KR
615	Rollmark Caliber		SEP 30 1991	LS
617	Drill and Tap Sight Holes		SEP 30 1991	KB
618	Polish Barrel		OCT 2 1991	WB
620	Apply Coatings (Barrel Action)		9/29/91	TK
	Apply Coating (Bolt)		9/29/91	TK
625	Final Assembly A) Clean inside of Bolt Assembly		10/9/91	TK
	B) Inspect Rear Firing Pin Hole for Chamfer in Bolt Head		10/9/91	TK
	C) Inspect Ejector Hole for Chamfer		10/9/91	TK
	D) Oil Firing Pin Ass'y		10/9/91	TK
	E) Adjust Trigger Pull to Min Setting and Stake		10/11/91	TK

op. #	OP. NAME	READINGS					DATE	INIT
625 cont.	F) Safety On Force	5	5	5			10/11/91	JK
	G) Safety Off Force	4	4	4			10/11/91	JK
	H) Trigger Pull Test & Retainability						10/11/91	JK
	I) Firing Pin Indent	1020	10215	10215			10/11/91	JK
	J) Assemble Stock						10/15/91	JK
	K) Assemble Swivel Studs						10-18-91	AC
	L) Attach Front and Rear Sight Assemblies						10/15/91	JK
	M) Iron Sight Alignment						10/15/91	JK
	N) Detach Front & Rear Sights & place in numbered container						10/15/91	JK
	O) Attach Scope to Rifle						10/15/91	JK
	P) Detach & Attach Scope 20 Times						10/15/91	JK
640	Gallery Target & Test						10-16-91	DH
	A) Time						10-16-91	DH
	B) Malfunctions						10-16-91	DH
	C) Pierced Primers						10-16-91	DH
	D) Optical Clarity of Scope						10-16-91	DH
645	Inspect for Live Ammo						10-16-91	DH
655	Final Inspection							
	A) Headspace						10-18-91	AC
	B) Trigger Pull	267	259	255	254	254	10-16-91	DH
	C) Function						10-18-91	AC
660	Pack						12-20-91	N

AVERAGE PULL FORCE BETWEEN
INITIAL & CYCLE TESTS
2.50# + .50#
3.00# + .75#
4.00# + 1.00#

SERIAL NO. C-6665889DATE 10/11/91TESTER JH

	2.50# INITIAL	2.50# AFTER 50 CYCLES	FINAL TEST & TO RESET 2.50#		COMMENTS
PULL #1	2.67	2.39	2.55	2.67	MIN. SETTING, NO AVG. OF 5 READINGS ACCEPT- ABLE LESS THAN 2#
PULL #2	2.44	2.44	2.50	2.59	
PULL #3	2.44	2.51	2.48	2.55	
PULL #4	2.48	2.43	2.44	2.54	
PULL #5	2.44	2.54	2.51	2.54	
TOTAL					
AVG.					

	3.00# INITIAL	3.00# AFTER 20 CYCLES		COMMENTS
PULL #1	3.63	3.52		
PULL #2	3.61	3.38		
PULL #3	3.50	3.39		
PULL #4	3.52	3.34		
PULL #5	3.48	3.54		
TOTAL				
AVG.				

	4.00# INITIAL	4.00# AFTER 20 CYCLES	MAX SETTING GREATER THAN 4#	RESET TO 4# FOR TARGET & ACCURACY
PULL #1	4.62	4.37		4.58
PULL #2	4.63	4.58		4.52
PULL #3	4.44	4.53		4.57
PULL #4	4.57	4.48		4.49
PULL #5	4.59	4.55		4.55
TOTAL				
AVG.				

CENTROIDAL DISTANCE CALCULATIONS
FOR RIFLE # 06655889
18 Oct 1991

GENERAL PRINCIPLES

8 TO	1	.435056
1 TO	2	.356438
1 TO	3	.212866
1 TO	4	.467291
1 TO	5	.714994

THE

THE AVERAGE FIDUCIARY FOR THIS STATE IS .0014
THE AVERAGE FIDUCIARY FOR THE NATION IS .0004
THE RESIDUAL AVERAGES FOR VARIOUS FOR THIS STATE IS .0014

47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1043 1044 1045 1046 1047 1048 1049 1050 1051 1052 1053 1054 1055 1056 1057 1058 1059 1060 1061 1062 1063 1064 1065 10

16 Oct 1981

FILE: PATTERNING/CENTERFIRE_PATT/06865889

CENTERFIRE PATTERNS # 1

FOR

1 in circle

2 in circle

3 in circle

CENTROID *

OF SHOTS = 10

IN CIR

1 in = 2

2 in = 4

3 in = 7

HS = 2.438

VS = 2.917

ES = 3.165

PATTERN #

1

SHOTS (BEST OF)

10

9

8

MAXIMUM X

1.565

1.323

1.478

MINIMUM X

-1.913

-1.740

-1.574

MAXIMUM Y

1.375

1.268

1.163

MINIMUM Y

-1.542

-1.709

-1.558

CENTROID X

.435

.262

.095

CENTROID Y

.007

.174

.623

FOR TO CENTROID (in)

.435

.314

.099

MIN RADIUS

.177

.227

.345

MEAN RADIUS

1.129

.961

.931

MAX RADIUS

2.171

1.792

1.580

HORIZONTAL SPREAD

2.478

2.053

1.652

VERTICAL SPREAD

2.917

2.917

2.721

EXTREME SPREAD

3.165

3.165

2.728

NUMBER IN ONE INCH CIRCLE =

2

NUMBER IN TWO INCH CIRCLE =

4

NUMBER IN THREE INCH CIRCLE =

7

16 OCT 1991

FILE: PATTERNING/CENTERFIRE_PATT/08367353

CENTERFIRE PATTERNS # 2

POA

1 IN CIRCLE

2 IN CIRCLE

3 IN CIRCLE

CENTROID *

OF SHOTS- 10

IN CIR

1 in = 1

2 in = 5

3 in = 9

CS= 2.552

VS= 2.138

GS= 3.246

PATTERN #	1	2	3
SHOTS (BEST OF)	10	9	9
MAXIMUM X	1.611	1.148	1.652
MINIMUM X	-.941	-.762	-.711
MAXIMUM Y	.940	.807	.991
MINIMUM Y	-1.198	-1.301	-1.216
CENTROID X	.1717	.538	.633
CENTROID Y	-.211	-.078	-.152
POA TO CENTROID in.	.747	.543	.682
MIN RADIUS	.435	.288	.436
MEAN RADIUS	.992	.831	.818
MAX RADIUS	2.088	1.347	1.248
HORIZONTAL SPREAD	2.552	1.916	1.754
VERTICAL SPREAD	2.138	2.108	2.106
EXTREME SPREAD	3.246	2.267	2.239
NUMBER IN ONE INCH CIRCLE =		1	
NUMBER IN TWO INCH CIRCLE =		5	
NUMBER IN THREE INCH CIRCLE =		9	

18 Oct 1991

FILE: PATTERNING CENTERFIRE_PATT/C0855051

CENTERFIRE PATTERNS # 3

POA

1 in circle

2 in circle

3 in circle

CENTROID *

OF SHOTS= 10

IN CIR

1 in = 8

2 in = 10

3 in = 10

HE= .861

VE= .910

CE= 1.000

PATTERN #	3		
SHOTS (BEST OF)	10	9	8
MAXIMUM X	.715	.168	.175
MINIMUM X	-.266	-.187	-.183
MAXIMUM Y	.372	.385	.319
MINIMUM Y	-.538	-.525	-.412
CENTROID X	.141	.062	.055
CENTROID Y	.114	.101	.167
POA TO CENTROID in.	.182	.119	.170
MIN RADIUS	.031	.089	.037
MEAN RADIUS	.333	.280	.241
MAX RADIUS	.723	.528	.450
HORIZONTAL SPREAD	.981	.355	.355
VERTICAL SPREAD	.910	.910	.731
EXTREME SPREAD	1.000	.933	.773
NUMBER IN ONE INCH CIRCLE	8		
NUMBER IN TWO INCH CIRCLE	10		
NUMBER IN THREE INCH CIRCLE	10		


18 Oct 1991

FILE: PATTERNING/CENTERFIRE_PATT/08665683

CENTERFIRE PATTERNS

4

POA



OF SHOTS= 10

IN CIR

1 in = 1

2 in = 5

3 in = 4

HS= 2.731

VS= 2.797

GS= 3.451

CENTROID +


PATTERN #	1	4	8
SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.076	.894	.822
MINIMUM X	-1.653	-1.584	-1.472
MAXIMUM Y	1.387	1.307	1.031
MINIMUM Y	-1.410	-1.490	-1.527
CENTROID X	.058	.242	.138
CENTROID Y	.203	.363	.300
POA TO CENTROID in.	.289	.436	.239
MIN RADIUS	.315	.227	.223
MEAN RADIUS	1.137	1.045	.960
MAX RADIUS	1.804	1.645	1.592
HORIZONTAL SPREAD	2.731	2.478	2.294
VERTICAL SPREAD	2.797	2.797	2.358
EXTREME SPREAD	3.451	2.968	2.968
NUMBER IN ONE INCH CIRCLE =		1	
NUMBER IN TWO INCH CIRCLE =		5	
NUMBER IN THREE INCH CIRCLE =		7	

16 Oct 1991

FILE:/PATTERNING/CENTERFIRE_PATT/C85653889

CENTERFIRE PATTERNS # 3

FOR



OF SHOTS - 10

IN CIR

1 in = 0

2 in = 4

3 in = 8

HS = 2.552

VS = 2.901

GS = 3.777

CENTROID +

PATTERN #	5	5	5
SHOTS (BEST OF)	10	9	8
MAXIMUM X	.843	.642	.475
MINIMUM X	-1.809	-1.200	-1.120
MAXIMUM Y	1.177	1.285	1.883
MINIMUM Y	-1.724	-1.616	-1.153
CENTROID X	-.244	-.043	-.123
CENTROID Y	-.217	-.325	-.122
FOR TO CENTROID IN.	.327	.327	.174
MIN RADIUS	.614	.595	.501
MEAN RADIUS	1.141	1.021	.753
MAX RADIUS	2.951	1.739	1.183
HORIZONTAL SPREAD	2.652	1.842	1.595
VERTICAL SPREAD	2.901	2.961	2.141
EXTREME SPREAD	3.777	2.911	2.310
NUMBER IN ONE INCH CIRCLE	0	0	0
NUMBER IN TWO INCH CIRCLE	4	4	4
NUMBER IN THREE INCH CIRCLE	8	8	8