

06349164

MODEL 766TM M24

Model **SMS** TM

Action

Barrel Length

Capacity

Order No. **5716**

*Includes 1 in chamber.

Remington

CONTRACT # DAAA21-87-C-0086

GUN SERIAL #

C6349164

OP. #	OP. NAME	READINGS	DATE	INIT
575 & 580	Assemble Action and Stock	QUALITY AUDIT	10-9 89	RW
600	Proof		10-9 89	A
607	Check Headspace		10-9 89	RW
610	Dis-assemble Gun		10-9 89	RW
612	Magnaflux Barrel Action		10/31/89	KCR
	Magnaflux Bolt		10/31/89	KCR
615	Rollmark Caliber		10/31/89	CS
7	Drill and Tap Sight Holes		10/31/89	TFB
618	Polish Barrel <i>RCB</i>		10/31/89	WCB
620	Apply Coatings (Barrel Action)		11-3-89	TJA
	Apply Coating (Bolt)			
625	Final Assembly			
	A) Clean inside of Bolt Assembly		11/6/89	RW
	B) Inspect Rear Firing Pin Hole for Chamfer in Bolt Head		11/6/89	RW
	C) Inspect Ejector Hole for Chamfer		11/6/89	RW
	D) Oil Firing Pin Ass'y		11/6/89	RW
	E) Adjust Trigger Pull to Min Setting and Stake		11/6/89	CS

BARBER - M24 0109145							
op. #	OP. NAME	READINGS			DATE	INIT	
625 cont.	F) Safety On Force	4	4	4	11-14-89	RL	
	G) Safety Off Force	3	3	3	11-14-89	RL	
	H) Trigger Pull Test & Retainability				14 NOV 89	JS	
	I) Firing Pin Indent	.020	.0205	.0205	11-14-89	RL	
	J) Assemble Stock				11/14/89	RL	
	K) Assemble Swivel Studs				27 NOV 89	JS	
	L) Attach Front and Rear Sight Assemblies				11/14/89	RL	
	M) Iron Sight Alignment				11/14/89	RL	
	N) Detach Front & Rear Sights & place in numbered container				11/14/89	RL	
	O) Attach Scope to Rifle				11-14-89	RL	
	P) Detach & Attach Scope 20 Times				11-14-89	RL	
640	Gallery Target & Test				11-16-89	DH	
	A) Time				11-16-89	DH	
	B) Malfunctions				11-16-89	DH	
	C) Pierced Primers				11-16-89	DH	
	D) Optical Clarity of Scope				11-16-89	DH	
645	Inspect for Live Ammo				11-16-89	DH	
655	Final Inspection						
	A) Headspace				27 NOV 89	JS	
	B) Trigger Pull	2.71	2.84	2.67	2.70	2.83	27 NOV 89
	C) Function				27 NOV 89	JS	
660	Pack				14 DEC 89	JS	

AVERAGE PULL FORCE BETWEEN
INITIAL & CYCLE TESTS

2.50# + .50#

3.00# + .75#

4.00# + 1.00#

SERIAL NO. 66349164

DATE 4/11/90

TESTER FW

	2.50# INITIAL	2.50# AFTER 50 CYCLES	FINAL TEST & TO RESET 2.50#	COMMENTS
PULL #1	2.32	2.25	2.33	MIN. SETTING, NO AVG. OF 5 READINGS ACCEPT- ABLE LESS THAN 2#
PULL #2	2.26	2.33	2.32	
PULL #3	2.27	2.29	2.34	
PULL #4	2.32	2.28	2.35	
PULL #5	2.25	2.27	2.31	
TOTAL	11.42	11.42	11.65	
AVG.	2.28	2.28	2.33	

	3.00# INITIAL	3.00# AFTER 20 CYCLES		COMMENTS
PULL #1	3.13	3.09		
PULL #2	3.12	3.10		
PULL #3	3.11	3.08		
PULL #4	3.09	3.07		
PULL #5	3.07	3.08		
TOTAL	15.52	15.42		
AVG.	3.10	3.08		

	4.00# INITIAL	4.00# AFTER 20 CYCLES	MAX SETTING GREATER THAN 4#	RESET TO 4# FOR TARGET & ACCURACY
PULL #1	4.18	4.11		
PULL #2	4.13	4.01		
PULL #3	4.06	4.12		
PULL #4	4.06	4.09		
PULL #5	4.15	4.13		
TOTAL	20.58	20.46		
AVG.	4.12	4.09		

CENTROIDAL DISTANCE CALCULATIONS
FOR RIFLE # C6349164
16 Nov 1989

CENTROIDAL DISTANCES

0 TO	1	.27128
1 TO	2	.394392
1 TO	3	.619533
1 TO	4	.372324
1 TO	5	.752134


5.11 <---POB

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: -.17
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: -.0546
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .178553
THE AMR FOR THIS RIFLE IS: .9364

16 Nov 1989

FILE:/PATTERNING/CENTERFIRE_PATT/C6349164

CENTERFIRE PATTERNS # 1



OF SHOTS= 10

IN CIR

1 in = 2

2 in = 5

3 in = 9

HS= 2.469

VS= 1.969


GS= 2.613

PATTERN #	1	2	3
SHOTS (BEST OF)	10	9	8
MAXIMUM X	.989	.825	.876
MINIMUM X	-1.480	-1.235	-1.184
MAXIMUM Y	.775	.822	.678
MINIMUM Y	-1.194	-1.147	-1.124
CENTROID X	.237	.401	.350
CENTROID Y	-.132	-.179	-.035
POA TO CENTROID in.	.271	.439	.352
MIN RADIUS	.153	.100	.055
MEAN RADIUS	.919	.818	.760
MAX RADIUS	1.539	1.262	1.190
HORIZONTAL SPREAD	2.469	2.060	2.060
VERTICAL SPREAD	1.969	1.969	1.802
EXTREME SPREAD	2.613	2.200	2.072
NUMBER IN ONE INCH CIRCLE =	2		
NUMBER IN TWO INCH CIRCLE =	5		
NUMBER IN THREE INCH CIRCLE =	9		

16 Nov 1985

FILE:/PATTERNING/CENTERFIRE_PATT/08349164

CENTERFIRE PATTERNS # 2



OF SHOTS= 10

IN CIR

1 in = 0

2 in = 6

3 in = 10

HS= 1.704

VS= 2.594

GS= 2.754


CENTROID *

PATTERN #	:	2		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	.867	.943	.922
MINIMUM X	:	-.837	-.761	-.782
MAXIMUM Y	:	1.331	1.190	1.080
MINIMUM Y	:	-1.263	-1.292	-1.143
CENTROID X	:	-.135	-.211	-.190
CENTROID Y	:	-.263	-.122	-.271
POA TO CENTROID in.	:	.295	.244	.331
MIN RADIUS	:	.627	.565	.573
MEAN RADIUS	:	1.027	.965	.930
MAX RADIUS	:	1.435	1.300	1.282
HORIZONTAL SPREAD	:	1.704	1.704	1.704
VERTICAL SPREAD	:	2.594	2.482	2.223
EXTREME SPREAD	:	2.754	2.502	2.295
NUMBER IN ONE INCH CIRCLE =			0	
NUMBER IN TWO INCH CIRCLE =			6	
NUMBER IN THREE INCH CIRCLE =			10	

15 Nov 1989

FILE:/PATTERNING/CENTERFIRE_PATT/06349164

CENTERFIRE PATTERNS # 3



OF SHOTS= 10

IN CIR

1 in = 2

2 in = 5

3 in = 10

HS= 2.537

VS= 1.843

GS= 2.687


CENTROID *

PATTERN #	:	3	9	8
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.173	1.021	1.665
MINIMUM X	:	-1.364	-0.787	-0.659
MAXIMUM Y	:	1.068	1.096	1.020
MINIMUM Y	:	-0.775	-0.747	-0.824
CENTROID X	:	-0.353	-0.201	-0.329
CENTROID Y	:	0.057	0.029	0.106
POA TO CENTROID in.	:	0.357	0.203	0.345
MIN RADIUS	:	0.194	0.232	0.141
MEAN RADIUS	:	0.859	0.807	0.727
MAX RADIUS	:	1.387	1.189	1.058
HORIZONTAL SPREAD	:	2.537	1.808	1.324
VERTICAL SPREAD	:	1.843	1.843	1.843
EXTREME SPREAD	:	2.687	2.025	1.941
NUMBER IN ONE INCH CIRCLE	=	2		
NUMBER IN TWO INCH CIRCLE	=	5		
NUMBER IN THREE INCH CIRCLE	=	10		

16 Nov 1989

FILE:/PATTERNING/CENTERFIRE_PATT/06349164

CENTERFIRE PATTERNS # 4



OF SHOTS- 10

IN CIR

1in = 0

2in = 6

3in = 9

HS= 2.147

VS= 2.483


GS= 2.878

PATTERN #	:	4		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	.966	.863	.815
MINIMUM X	:	-1.181	-1.073	-1.121
MAXIMUM Y	:	1.321	1.192	.802
MINIMUM Y	:	-1.162	-.921	-.773
CENTROID X	:	-.108	-.216	-.168
CENTROID Y	:	.009	.137	-.012
POA TO CENTROID in.	:	.109	.256	.168
MIN RADIUS	:	.543	.566	.566
MEAN RADIUS	:	.965	.900	.841
MAX RADIUS	:	1.511	1.251	1.132
HORIZONTAL SPREAD	:	2.147	1.936	1.936
VERTICAL SPREAD	:	2.483	2.113	1.575
EXTREME SPREAD	:	2.878	2.204	1.986
NUMBER IN ONE INCH CIRCLE =			0	
NUMBER IN TWO INCH CIRCLE =			6	
NUMBER IN THREE INCH CIRCLE =			9	

16 Nov 1989

FILE:/PATTERNING/CENTERFIRE_PATT/C6349164

CENTERFIRE PATTERNS # 5



OF SHOTS= 10

IN CIR

1 in = 1

2 in = 5

3 in = 10

HS= 1.985

VS= 1.901

GS= 2.579

CENTROID *

PATTERN #	:	5		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.032	.909	.819
MINIMUM X	:	-.953	-.838	-.928
MAXIMUM Y	:	.979	1.075	.972
MINIMUM Y	:	-.922	-.826	-.819
CENTROID X	:	-.491	-.606	-.516
CENTROID Y	:	.057	-.039	.064
POA TO CENTROID in.	:	.494	.607	.520
MIN RADIUS	:	.347	.213	.326
MEAN RADIUS	:	.912	.837	.814
MAX RADIUS	:	1.347	1.105	1.099
HORIZONTAL SPREAD	:	1.985	1.747	1.747
VERTICAL SPREAD	:	1.901	1.901	1.791
EXTREME SPREAD	:	2.579	2.163	2.147
NUMBER IN ONE INCH CIRCLE =			1	
NUMBER IN TWO INCH CIRCLE =			5	
NUMBER IN THREE INCH CIRCLE =			10	

INTERCHANGEABILITY

CENTROIDAL DISTANCE CALCULATIONS
FOR RIFLE # C6349164
13 Dec 1989

CENTROIDAL DISTANCES

2 TO 1	.766319
1 TO 2	.41676
1 TO 3	.841418
1 TO 4	.655404
1 TO 5	.370667

$\begin{matrix} 3 & + \\ & 4 \\ 2 & 1 \end{matrix}$
 $\leftarrow$ ----POA

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: -.3116
 THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: -.4284
 THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .529737
 THE AMR FOR THIS RIFLE IS: .943

13 Dec 1989

FILE:/PATTERNING/CENTERFIRE_PATT/06349164.1

CENTERFIRE PATTERNS # 1

POA

1in circle

2in circle

3in circle

CENTROID *

OF SHOTS- 10

IN CIR

1in = 1

2in = 7

3in = 9

HS= 2.164

VS= 2.331


GS= 2.439

PATTERN #	:	1	2	3
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.198	1.115	.640
MINIMUM X	:	-.966	-1.049	-.910
MAXIMUM Y	:	1.348	.735	.785
MINIMUM Y	:	-.983	-.833	-.793
CENTROID X	:	-.254	-.171	-.310
CENTROID Y	:	-.723	-.873	-.923
POA TO CENTROID in.	:	.767	.890	.974
MIN RADIUS	:	.436	.355	.502
MEAN RADIUS	:	.911	.827	.787
MAX RADIUS	:	1.541	1.184	.966
HORIZONTAL SPREAD	:	2.164	2.164	1.550
VERTICAL SPREAD	:	2.331	1.568	1.568
EXTREME SPREAD	:	2.439	2.198	1.875
NUMBER IN ONE INCH CIRCLE	=	1		
NUMBER IN TWO INCH CIRCLE	=	7		
NUMBER IN THREE INCH CIRCLE	=	9		

13 Dec 1989

FILE:/PATTERNING/CENTERFIRE_PATT/08349184.1

CENTERFIRE PATTERNS # 2




PATTERN #	2	9	8
SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.322	1.248	1.327
MINIMUM X	-1.249	-1.323	-1.244
MAXIMUM Y	1.600	1.136	.973
MINIMUM Y	-1.483	-1.306	-.703
CENTROID X	-.662	-.588	-.667
CENTROID Y	-.638	-.815	-.652
POA TO CENTROID in.	.919	1.006	.933
MIN RADIUS	.519	.535	.528
MEAN RADIUS	1.111	1.044	.969
MAX RADIUS	1.732	1.449	1.502
HORIZONTAL SPREAD	2.571	2.571	2.571
VERTICAL SPREAD	3.083	2.442	1.676
EXTREME SPREAD	3.372	2.609	2.609
NUMBER IN ONE INCH CIRCLE =		0	
NUMBER IN TWO INCH CIRCLE =		6	
NUMBER IN THREE INCH CIRCLE =		7	

13 Dec 1989

FILE:/PATTERNING/CENTERFIRE_PATT/08349184.1

CENTERFIRE PATTERNS # 3



OF SHOTS= 10

IN CIR

1 in = 3

2 in = 7

3 in = 8

HS= 1.838

VS= 2.346

GS= 2.519


CENTROID *

PATTERN #	3	9	8
SHOTS (BEST OF)	10	9	8
MAXIMUM X	.504	.356	.304
MINIMUM X	-1.334	-.691	-.663
MAXIMUM Y	1.003	.922	.745
MINIMUM Y	-1.343	-1.424	-.934
CENTROID X	-.814	-.666	-.694
CENTROID Y	-.095	-.014	.164
POA TO CENTROID IN.	.820	.666	.713
MIN RADIUS	.256	.209	.089
MEAN RADIUS	.775	.646	.488
MAX RADIUS	1.519	1.442	.997
HORIZONTAL SPREAD	1.838	1.047	1.047
VERTICAL SPREAD	2.346	2.346	1.679
EXTREME SPREAD	2.519	2.519	1.937
NUMBER IN ONE INCH CIRCLE =	3		
NUMBER IN TWO INCH CIRCLE =	7		
NUMBER IN THREE INCH CIRCLE =	9		

13 Dec 1985

FILE:/PATTERNING/CENTERFIRE_PATT/CG349164.1

CENTERFIRE PATTERNS # 4



OF SHOTS= 10

IN CIR

1 in = 0

2 in = 5

3 in = 9

HS= 1.889

VS= 2.310

CS= 2.814

PATTERN #	:	4		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	.724	.597	.582
MINIMUM X	:	-1.165	-1.292	-1.218
MAXIMUM Y	:	1.133	1.003	1.102
MINIMUM Y	:	-1.177	-1.150	-1.051
CENTROID X	:	.141	.268	.194
CENTROID Y	:	-.200	-.070	-.169
POA TO CENTROID in.	:	.245	.277	.257
MIN RADIUS	:	.502	.534	.495
MEAN RADIUS	:	.968	.865	.849
MAX RADIUS	:	1.642	1.296	1.218
HORIZONTAL SPREAD	:	1.889	1.889	1.800
VERTICAL SPREAD	:	2.310	2.153	2.153
EXTREME SPREAD	:	2.814	2.224	2.161
NUMBER IN ONE INCH CIRCLE	=		0	
NUMBER IN TWO INCH CIRCLE	=		5	
NUMBER IN THREE INCH CIRCLE	=		9	

13 Dec 1989

FILE:/PATTERNING/CENTERFIRE_PATT/06349164.1

CENTERFIRE PATTERNS # 5

POA

1 in circle

2 in circle

3 in circle

CENTROID *

OF SHOTS- 10

IN CIR

1 in = 0

2 in = 6

3 in = 10

HS= 1.778

VS= 2.340

GS= 2.340

PATTERN #	:	5	9	8
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	.894	.822	.831
MINIMUM X	:	-.884	-.785	-.776
MAXIMUM Y	:	1.179	1.275	.832
MINIMUM Y	:	-1.161	-1.065	-.985
CENTROID X	:	.031	-.068	-.077
CENTROID Y	:	-.486	-.582	-.742
POA TO CENTROID in.	:	.487	.586	.746
MIN RADIUS	:	.569	.541	.561
MEAN RADIUS	:	.950	.898	.839
MAX RADIUS	:	1.247	1.278	1.134
HORIZONTAL SPREAD	:	1.778	1.607	1.607
VERTICAL SPREAD	:	2.340	2.340	1.737
EXTREME SPREAD	:	2.340	2.340	1.877
NUMBER IN ONE INCH CIRCLE	=	0		
NUMBER IN TWO INCH CIRCLE	=	6		
NUMBER IN THREE INCH CIRCLE	=	10		



VERY IMPORTANT:
Instruction Book
enclosed to assure
safe use of this
firearm.

MODEL 700TM M24

SERIAL NO.
C6349164

ORDER NO.
5716


MADE IN ILION, N.Y. U.S.A. Reg. U.S. Pat & Tm. Off, Marca Registrada Marque Deposee.

01




5716 C6349164

UPC



0 47700 25716 7



BARBER - M24 0109160

INSTRUMENT AND ESTIMATING REPORT

COMMENTS

ORDER

R 97-15759

INITIAL CUSTOMER ORDER NO.

JJM

DATE RECEIVED

DATE OPENED

DATE CODE

SERIAL NUMBER

NEW SERIAL NUMBER

MODEL AND GRADE

09/15/97

09/16/97

C6349164

700 7.62

NATO

ACCESSORIES

HARD CASE

SCOPE BASE

W/STUDS

W/BI-POD

FROM:

SHIP TO:

TRANSPORTATION OFFICER
ATTN AFZB-DL-TO-BLDG 873
FT CAMPBELL

KY 42223

TRANSPORTATION OFFICER
ATTN AFZB-DL-TO-BLDG 873
FT CAMPBELL

KY

42223

REPRINT CUST NO:087942 C.O.D

ACCOUNT NUMBER

ACCOUNT NUMBER N/C

WRITE ☐

FROM DATE

ESTIMATED

VIA

UPS

GUN CONDITION

- ☐ NEW
☐ LIGHTLY WORN
☐ WORN
☐ VERY WORN
☐ UNREPAIRABLE
☐ MARRED

REPAIR CHARGE

EXCISE

TAX

INSURANCE

UPS

PARCEL POST

TOTAL

CUSTOMER CONCERN

AMMO

FUNCTION

FINISH

ACCURACY

FIT

INSPECT

CYCLE

B1

TRIGGER GROUP

B2

F1

BOLT ASSY.

B3

E2

BARREL ASSY.

B4

D1

E3

REC. ASSY.

B5

D2

E4

WOOD

C1

D3

E5

METAL

C2

MAIN FAULT

PARTS

COMMENTS

Barrel 96003

Re powder Coat Trigger
Guard Assy Front & Rear
Sight Base
Retine Scope Base &
Survival Studs

REPAIRMAN

PROOF

CLEAN

TEST

TARGET

PATTERN

GALLERY TESTER

DATE

DATE

DATE

DATE

DATE

OFFICE COPY

RD5925 REV. 7/97

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0109160 09199

21 DAY TURN - AROUND

New Barrel

M-24

CONTRACT # DAAA09-92-C-0834

R&E NO.

SERIAL NO. *C6342164*

LOG IN DATE: / /		DATE	INIT.
INSPECT & VERIFY:			
OP. #	OP. NAME		
550	DIS-ASSEMBLE GUN		
560 A	RE-BARREL AT CUSTOM SHOP		
B	DRILL & TAP		
C	POLISH		
575	ASSEMBLE		
600	PROOF	<i>9/19/97</i>	<i>Rw</i>
605	CHECK HEADSPACE	<i>9/19/97</i>	<i>Rw</i>
610	DIS-ASSEMBLE		
612	MAGNAFLUX		
615	ROLLMARK CALIBER		
618	ROTO-BLAST		
620	APPLY COATINGS		
625 A	FINAL ASSEMBLY		
B	TRIGGER PULL TEST		
C	SAFETY ON FORCE		
D	SAFETY OFF FORCE		
E	FIRING PIN INDENT		
640	TARGET	<i>11/14/97</i>	<i>K</i>
655	FINAL INSPECT	<i>11/14/97</i>	<i>Rw</i>
660	PACK		
QAR INSPECTION		SHIP DATE	

Final Inspection

Sn: C6349/64

DATE REC'D: 9/15/97

DATE RET'D:

AUDITOR: JAW

Item:

Barrel Assy.

☒ BARREL☒ RECEIVER☒ FRONT SIGHT BLOCK☒ REAR SIGHT BLOCK☒ SCREWS☒ FINISH

Scope Assy.

☐ Scope☐ Scope Rings☐ Mounting Screws☒ Mounting Base☒ SCREWS☐ FINISH☐ LOOSENESS☐ CLARITY

Misc.

☐ DD-250☐ BAR CODE☐ PACKAGING

Item:

Stock Assy.

☒ STOCK☒ SLING SWIVEL STUDS☒ ADJUSTABLE BUTT PLATE☒ LOCK NUTS☒ BARREL CLEARANCE☒ COLOR/FINISH

Systems Case

☐ Scope Case☐ IRON SIGHTS☐ Deployment Kit

Trigger

☒ SAFETY OPERATION☒ SET

Comments:

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # C6349164
12 Nov 1997

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: -.1254
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .0726
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .1449

THE AMR FOR THIS RIFLE IS: 1.115

CENTROIDAL DISTANCES

0	TO	1	.26224
1	TO	2	.475613
1	TO	3	.184878
1	TO	4	.418274
1	TO	5	.225834

2

1 3

<----POA

REMINGTON CENTERFIRE ACCURACY TEST


REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: 1
 POA TO CENTROID: .262
 MIN RADIUS : .252
 MEAN RADIUS : 1.237
 MAX RADIUS : 1.790
 CENTROID X : -.253
 CENTROID Y : -.069

12 Nov 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6349164.1

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 2.08

1

VS= 3.11

4

GS= 3.35

6

REMINGTON CENTERFIRE ACCURACY TEST


REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: 2
 POA TO CENTROID: .397
 MIN RADIUS : .442
 MEAN RADIUS : .989
 MAX RADIUS : 1.444
 CENTROID X : -.105
 CENTROID Y : .383

12 Nov 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6349164.1

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 2.35

1

VS= 2.39

5

GS= 2.79

10

REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.


PATTERN #: 3

POA TO CENTROID: .190
 MIN RADIUS : .370
 MEAN RADIUS : 1.064
 MAX RADIUS : 1.997
 CENTROID X : -.095
 CENTROID Y : -.165

12 Nov 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6349164.1

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 3.19

2

VS= 2.52

5

GS= 3.46

7

REMINGTON CENTERFIRE ACCURACY TEST


REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: 4
 POA TO CENTROID: .363
 MIN RADIUS : .702
 MEAN RADIUS : 1.313
 MAX RADIUS : 2.611
 CENTROID X : -.141
 CENTROID Y : .334

12 Nov 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6349164.1

CENTERFIRE PATTERN # 4



OF SHOTS= 10

IN CIRCLE

HS= 4.03
 VS= 2.47
 GS= 4.04

0
 3
 7

REMINGTON CENTERFIRE ACCURACY TEST


REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: 5
 POA TO CENTROID: .125
 MIN RADIUS : .480
 MEAN RADIUS : .973
 MAX RADIUS : 1.232
 CENTROID X : -.033
 CENTROID Y : -.120

12 Nov 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6349164.1

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 2.35
 VS= 1.62
 GS= 2.35

1
 4
 10

BARBER - M24 0109169

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # C6349164
11 Nov 1997

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: -.114
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .0688
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .133152

THE AMR FOR THIS RIFLE IS: 1.48

CENTROIDAL DISTANCES

0 TO	1	.344362
1 TO	2	.259031
1 TO	3	.538154
1 TO	4	.860489
1 TO	5	.740978

4 3
5 +₂ 1 <----POA

REMINGTON CENTERFIRE ACCURACY TEST


REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: ☐ 1 ☐
 POA TO CENTROID: .345
 MIN RADIUS : .667
 MEAN RADIUS : 1.773
 MAX RADIUS : 2.471
 CENTROID X : .341
 CENTROID Y : -.048

11 Nov 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6349164

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 4.10

0

VS= 2.94

1

GS= 4.45

3

REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.


PATTERN #: 2

POA TO CENTROID: .144
 MIN RADIUS : .370
 MEAN RADIUS : 1.554
 MAX RADIUS : 2.639
 CENTROID X : .090
 CENTROID Y : -.112

11 Nov 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6349164

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 4.20
 VS= 3.56
 GS= 4.65

1
 4
 4

REMINGTON CENTERFIRE ACCURACY TEST


REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: 3
 POA TO CENTROID: .232
 MIN RADIUS : .754
 MEAN RADIUS : 1.484
 MAX RADIUS : 3.288
 CENTROID X : -.146
 CENTROID Y : .181

11 Nov 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6349164

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 5.26
 VS= 3.33
 GS= 5.46

0
 5
 6

REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.


PATTERN #: 4

POA TO CENTROID: .530
 MIN RADIUS : .336
 MEAN RADIUS : 1.113
 MAX RADIUS : 2.611
 CENTROID X : -.464
 CENTROID Y : .256

11 Nov 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6349164

CENTERFIRE PATTERN # 4



OF SHOTS= 10

IN CIRCLE

HS= 2.34
 VS= 4.07
 GS= 4.12

2
 5
 7

REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.


PATTERN #: 5

POA TO CENTROID: .396
 MIN RADIUS : .587
 MEAN RADIUS : 1.475
 MAX RADIUS : 2.841
 CENTROID X : -.391
 CENTROID Y : .067

11 Nov 1997

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/C6349164

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 5.22
 VS= 2.68
 GS= 5.30

0
 3
 7

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80																				
DOC. IDENT.		RI FROM		W AS		STOCK NUMBER										UNIT		QUANTITY		DOCUMENT NUMBER										SUPPLEMENTARY ADDRESS		S I G N A L		F U N D		D I S T R I B U T I O N		P R O J E C T		P R I V I L E G E		R E Q D DEL DATE		A D V I C E		R I		UNIT PRICE																																																			
43A AN3						1005-01-240-2136										LAD00002		W360Y7-7195-0001										CHAL2W KGA																						5145.00																																																	
SHIPPED FROM CONSOL PROPERTY ACCOUNT FT CAMPBELL, KY 42223-5000																								SHIP TO REMINGTON ARMS CO, INC. 14 HOEFLER AVENUE ELTON, N.Y. 13357-1826																								MARK FOR		PROJECT										TOTAL PRICE																																							
A																								B																								C		D										E																																							
WAREHOUSE LOCATION										TYPE OF CARGO		UNIT PACK		UNIT WEIGHT		UNIT CUBE		LFC		NMFC		FREIGHT RATE		DOCUMENT DATE		MAT COND		QUANTITY		7/17/97		S																																																																			
F										G		H		I		J		K		L		M		N		O		P		Q		R		S																																																																	
SUBSTITUTE DATA (ITEM ORIGINALLY REQUESTED)										FREIGHT CLASSIFICATION NOMENCLATURE																				U		V																																																																			
T										ITEM NOMENCLATURE RIFLE, SNIPER M24 SWS																				W		X		Y		Z																																																															
SELECTED BY AND DATE										TYPE OF CONTAINER(S)										TOTAL WEIGHT										RECEIVED BY AND DATE										INSPECTED BY AND DATE																																																											
1										2										3										4										5																																																											
PACKED BY AND DATE										NO. OF CONTAINER(S)										TOTAL CUBE										7										8																																																											
4										5										6										9										10																																																											
REMARKS: RETURNED FOR REPAIR PLEASE RETURN WEAPON TO TRNG OFFICER, CRF, BLDG 5207, FT CAMPBELL, KY 42223-5565																																																																																																			
AA																				BB																				CC																				DD																				EE																			
FIRST DESTINATION ADDRESS																				DATE SHIPPED																				FF																				GG																																							
11																				12																				13																				14																				15																			
TRANSPORTATION CHARGEABLE TO																				B/LADING, AWB, OR RECEIVER'S SIGNATURE (AND DATE)																				RECEIVER'S DOCUMENT NUMBER																																																											

4

DD Form 1348-1, JUL 91

PREVIOUS EDITION MAY BE USED

DOD SINGLE LINE ITEM RELEASE/RECEIPT DOCUM

MAINTENANCE REQUEST For use of this form, see DA PAM 738-750 and 738-751; the proponent agency is DCSLOG				PAGE NO	NO OF PAGES	REQUIREMENT CONTROL SYMBOL CSGLD-1047(R1)	
SECTION I - CUSTOMER DATA				SECTION II - MAINTENANCE ACTIVITY DATA			
1a. UIC CUSTOMER 449460	1b. CUSTOMER UNIT NAME C/S SFC (A)	1c. PHONE NO 798-7598	3a. WORK ORDER NUMBER (WON)		3b. SHOP	3c. PHONE NO	
2a. SAMS-2 UIC/SAMS-I/TDA	2b. UTILIZATION CODE	2c. MCSR	4a. UIC SUPPORT UNIT		4b. SUPPORT UNIT NAME		
SECTION III - EQUIPMENT DATA							
5. TYPE MNT REQ CODE	6. ID	7. NSN	15a. FAILURE DETECTED DURING/WHEN DISCOVERED CODE (Enter code) See DA Pamphlets 738-750 and 738-751		16. MILES/KILOMETERS/HOURS/ROUNDS		
8. MODEL M24	10a. ORG WON/DOC NO		15b. FIRST INDICATION OF TROUBLE/HOW RECOGNIZED CODE (Enter Code) See DA Pamphlets 738-750 and 738-751		M	K	
9. NOUN 7.62 MM SNIPER SYSTEM	10b. EIC				H	R	
11. SERIAL NUMBER 6349164	12. QTY	13. PD	17. PROJECT CODE (if assigned)	18. ACCOUNT PROCESSING CODE	19. IN WARRANTY? (enter Y or N)	20. ADMIN NO	
14. MALFUNCTION DESCRIPTION (for DSU, GSU/AVIM, DEPOT use)			21. REIMBURSABLE CUSTOMER (if Intransit customer enter Y or N)				
			22. LEVEL OF WORK		23. SIGNATURE		
24. DESCRIBE DEFICIENCIES OR SYMPTOMS ON THE BASIS OF COMPLETE CHECKOUT AND DIAGNOSTIC PROCEDURES IN EQUIPMENT TM (Do not prescribe repairs)							
25. REMARKS BARREL NEED REPLACED SHOT OUT							
PREPARATION INSTRUCTIONS FOR THIS PAGE							
SECTION I Block 1a. Enter UIC of submitting organization. Block 1b. Enter name of submitting organization. Block 1c. Enter number to be called when maint. is completed. Block 2a. Enter UIC of supporting SAMS-2/SAMS-I/TDA if work is requested while intransit and away from your support maintenance unit. Block 2b. Enter utilization code. See DA Pamphlets 738-750 and 738-751. Block 2c. Enter "Y" if reportable under AR 700-138. If not, leave blank.				SECTION III (Cont'd) Block 12. Enter the quantity of items being submitted. Block 13. Enter the maintenance priority designator determined from DA PAM 710-2-1. Block 14. For DSU, GSU/AVIM, DEPOT use. Block 15a. Enter the code that most accurately describes when the fault or deficiency was detected. See DA Pamphlets 738-750 and 738-751. Block 15b. Select one. Enter the code. See DA Pamphlets 738-750 and 738-751. Block 16. Enter the accumulated usage data in blocks, when equipment is subject to usage reporting. Block 17. Enter the project code if one has been assigned. If not, leave blank. Block 18. See DA Pamphlets 738-750 and 738-751. Block 19. Enter "Y" or "N" to indicate whether equipment is still under manufacturer's warranty. Block 20. Enter the admin number assigned for property control purposes for the equipment being submitted. Block 21. For DSU/GSU/AVIM/Depot use. Block 22. Enter level of work performed "O" for UNIT LEVEL/AVUM, "F" for DSU/AVIM, "H" for GSU, "D" for DEPOT, "K" for contractor or "L" for Spc Rpr Act. Block 23. Enter the signature of the CO or the CO's designated representative when the priority designator is 01-10. For priority designators 11-15, leave blank. Block 24. Enter a brief description of the deficiencies or symptoms that you feel require attention at this level of maint. Block 25. Self-explanatory.			
SECTION II Leave blank. To be completed by the support maintenance DSU/GSU/AVIM/DEPOT.							
SECTION III Block 5. Enter the Type Maintenance Request Code. See DA Pamphlets 738-750 and 738-751. Block 6. Enter ID associated with block 7. See DA Pamphlets 738-750 and 738-751. Block 7. Enter the NSN or stock number of the item being submitted. Block 8. Enter model of item being submitted. Block 9. Enter noun/nomenclature of item being submitted. Block 10a. Enter Work Order Number (WON)/DOC NO assigned when item is submitted. Otherwise, leave blank. Block 10b. Enter End Item Code. See AMDF. Block 11. Enter serial number of item being submitted.							
34a. SUBMITTED BY				35a. ACCEPTED BY		35c. DATE	
34b. DATE				35b. STATUS		35d. TIME	
				Block 34a. Enter first initial and last name of submitter. Block 34b. Enter ordinal date submitted (YYDDD). Block 35a. Enter first initial and last name of person accepting maint. request. Block 35b. Enter the initial status. See DA Pamphlets 738-750 and 738-751. Block 35c. Enter ordinal date accepted (YYDDD). Block 35d. Enter military time.			

DA FORM 2407, JUL 94

PREVIOUS EDITIONS OF DA FORM 2407 AND DA FORM 5504 ARE OBSOLETE

RECEIPT COPY 1

U.S. GOVERNMENT FREIGHT WAYBILL

CARRIER'S
COPY

B/L
NO. ► G-6579828

1. TRANSPORTATION COMPANY TENDERED TO BOYLE, T F TRANSPORTATION, INC		2. SCAC BYLE	3. DATE B/L PREPARED 97.08.27	4. ROUTE ORDER/RELEASE NUMBER 7YBCAIA9SA
5. DESTINATION (Name, address and ZIP code) REMINGTON ARMS CO., INC. 14 HOEFLER AVENUE ILION, NY 13357		6. SPLC (Dest.) 172856000	8. ORIGIN STATION STATE TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294	
		7. SPLC (Orig.) 297980251	NO.	
9. CONSIGNEE (Name, address and ZIP code of installation) REMINGTON ARMS CO., INC. 14 HOEFLER AVENUE ILION, NY 13357		10. GBLOC (Cons.) IOOI CMAH2W	11. SHIPPER (Name, address and ZIP code) TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294 W34GNA	
12. APPROPRIATION CHARGEABLE 21 7202000000760202042000002217015056 FAAD00GBL		13. BILL CHARGES TO (Dept./agency, bureau/office mailing address and ZIP code) DEFENSE FINANCE AND ACCOUNTING SVC INDIANAPOLIS CENTER TRANSPORTATION OPS. (DFAS-I-THA) INDIANAPOLIS, IN 46249-0611 AGENCY LOC CODE W53QRD		
14. VIA (Route shipment when advantageous to the Government)				

15. MARKS AND ANNOTATIONS TP:3 DDD:97.08.30 FAAT-01-7232005-01

EQUIPMENT 1
DN: DUAL DRIVER PROTECTIVE SERVICE WIT
SM: DTTS SATELLITE MOTOR SURVEILLANCE
SO: STOP-OFF IN TRANSIT
(108) DUAL DRIVER PROTECTIVE SERVICE
WITH NATIONAL AGENCY CHECK REQUESTED.
SIGNATURE AND TALLY RECORD (DD FORM

1907) FURNISHED TO CARRIER.

(111) SHIPPER TO LOAD AND CONSIGNEE TO
UNLOAD.

(114) CARRIER TO NOTIFY CONSIGNEE
SEE DESCRIPTION OF ARTICLES

16. PACKAGES		17. HM	18. DESCRIPTION OF ARTICLES AND EXCEPTIONS	COMMODITY CODE NO.	19. WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND					Services	Rate	Charges
3	MX		CLASSIFICATION ITEM NO. 999913	THIS BL CONSISTS OF 4 PAGES FAK, (SEE MFTRP 1A FOR CARGO LIABILITY)	2500			
			TOT QTY:1060 P CU:114.0 SHIP AS-> SEE CONTINUATION SHEET FOR DETAILS					
						TOTAL CHARGES		

20. TARIFF/SPECIAL RATE AUTHORITY BYLE 001903-00	21. PICKUP SERV. FURNISHED ☐ YES VEHICLE FULLY LOADED ☐ YES	SHIPPER'S INITIALS	22. CARRIER WAY/FREIGHT BILL NO. AND DATE 46080 46080X1 46080X2
---	--	--------------------	--

23. STOP THIS SHIPMENT AT SEE CONTINUATION SHEET FOR:	24. FURNISH INFORMATION ON CAR/TRUCKLOAD/CONTAINER SHIPMENTS				
	INITIALS & NO. 4822 BYLE:4813	SEAL NUMBERS 1811205 69373	LENGTH/CUBE ORDERED FURNISHED	MARKED CAPACITY ORDERED FURNISHED AD6 AV3	DATE FURNISHED 97.08.27
	APPLIED BY: SH Carrier				

25. CARRIER'S PICKUP DATE (Year, month, & day)	26a. SIGNATURE OF AGENT <i>[Signature]</i>	26b. PER <i>[Signature]</i>	B/L NUMBER G-6579828
---	---	--------------------------------	-------------------------

27. MODE B	28. ESTIMATE 1457	29. NO. OF CLS/TLS 1	30. TYPE RATE 1	31. PSC DN:SM	32. REASON	WEIGHED AT GROSS TARE ALLOWANCE NET
---------------	----------------------	-------------------------	--------------------	------------------	------------	--

FOR USE OF ISSUING OFFICE	
33a. ISSUING OFFICE (Name and complete address) TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294	33b. GBLOC FAAT
33c. ISSUING OFFICER MICHAEL F. BOWERS, CHIEF, ITO	
33d. CONTRACT/PURCHASE ORDER NO. OR OTHER AUTHORITY	33e. DATED
33f. FOB POINT NAMED IN CONTRACT	

*Show also cubic measurements for shipments via
air, truck or water carrier in cases where required.

1106-121-01

WHITE

STANDARD FORM 1106-LP (EFF. 6/96)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 016999109217

U.S. GOVERNMENT FREIGHT WAYBILL CONTINUATION SHEET

CARRIER'S
COPYB/L
NO.

G-6579828

SHEET NO.

2 OF 4

(This form is to be used as a continuation sheet for SF 1106, U.S. Government Freight Waybill- Carrier's copy, or SF 1206, U.S. Government Freight Waybill- Privately Owned Personal Property- Carrier's Copy.)

ISSUING OFFICE (Name and complete address)

TRANSPORTATION OFFICER
FORT CAMPBELL KY
ATTN: AFZB-DL-TO, BLDG 873
FORT CAMPBELL, KY 42223-1294

TRANSPORTATION COMPANY TENDERED TO

BOYLE, T F

46080x1

FROM (Shipping Point)

W34GNA
297980251

WAYBILL DATE

WAYBILL NUMBER

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			STOP-OFF: 01 (UNLOADING)				
			TRANSPORTATION OFFICER NEW CUMBERLAND ARMY DEPOT ATTN: SDSNC-TT NEW CUMBERLAND, PA 17070-5001 SPLC: 209405250				
			CALL FOR A DELIVERY APPOINTMENT 24 HOURS IN ADVANCE CALL FOR AN APPOINTMENT FOR DELIVERY, PH: (717)770-6969 OR 7172. DELIVER ONLY THRU SOUTH GATE RECEIVING HOURS 0715 TO 1400 HOURS				
1	PT		TCN: W34QTL71833702XXX CU:41.0 FAAD AIMING LT I AN/PAQ-4A NSN: 5855-01-312-5160	350			
1	PT		STOP-OFF 01 TOTALS (UNLOADING)CU:41.0	350			
			RECEIVED BY: _____ DATE.....: _____				

*Show also cubic measurements for shipments via air,
truck or water carrier in cases where required.

1112-114

WHITE

STANDARD FORM 1112, (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0109179

M2409109218

U.S. GOVERNMENT FREIGHT WAYBILL
CONTINUATION SHEETCARRIER'S
COPYB/L
NO.

G-6579828

SHEET NO.

3 OF 4

(This form is to be used as a continuation sheet for SF 1106, U.S. Government Freight Waybill- Carrier's copy, or SF 1206, U.S. Government Freight Waybill- Privately Owned Personal Property- Carrier's Copy.)

ISSUING OFFICE (Name and complete address)

TRANSPORTATION OFFICER
FORT CAMPBELL KY
ATTN: AFZB-DL-TO, BLDG 873
FORT CAMPBELL, KY 42223-1294

TRANSPORTATION COMPANY TENDERED TO

BOYLE, T F

4608012

FROM (Shipping Point)

W34GNA
297980251

WAYBILL DATE

WAYBILL NUMBER

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			STOP-OFF: 02 (UNLOADING)				
			COMSEC SUPPORT				
			TOBYHANNA ARMY DEPOT				
			BLDG 73, 11 MIDWAY RD				
			TOBYHANNA, PA 18466-5110				
			SPLC: 202230270				
1	PT		TCN: W34XC571960065XXX CU:45.0 FAAD AN/CYZ 10 NSN: 5810-01-343-1194	525			
1	PT		STOP-OFF 02 TOTALS (UNLOADING)CU:45.0	525			
			RECEIVED BY: _____ DATE.....: _____				

*Show also cubic measurements for shipments via air,
truck or water carrier in cases where required.

1112-114

WHITE

STANDARD FORM 1112, (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0109180 09219

U.S. GOVERNMENT FREIGHT WAYBILL CONTINUATION SHEET

CARRIER'S
COPY

B/L
NO. **G-6579828**
SHEET NO.
4 OF 4

(This form is to be used as a continuation sheet for SF 1106, U.S. Government Freight Waybill- Carrier's copy, or SF 1206, U.S. Government Freight Waybill- Privately Owned Personal Property- Carrier's Copy.)

ISSUING OFFICE (Name and complete address)

TRANSPORTATION OFFICER
FORT CAMPBELL KY
ATTN: AFZB-DL-TO, BLDG 873
FORT CAMPBELL, KY 42223-1294

TRANSPORTATION COMPANY TENDERED TO

BOYLE, T F

FROM (Shipping Point)

W34GNA
297980251

WAYBILL DATE

WAYBILL NUMBER

PACKAGES		HM	DESCRIPTION OF ARTICLES (Use carrier's classification or tariff description if possible; otherwise use a clear nontechnical description.)	WEIGHT* (Pounds only)	FOR USE OF BILLING CARRIER ONLY		
NO.	KIND				SERVICES	RATE	CHARGES
			FINAL DESTINATION				
1	BX		TCN: W36QY771950001XXX CU:28.0 FAAD COMMODITY: 146230 RIFLE, SNIPER M24 SWS NSN: 1005-01-240-2136	185			
1	BX		FINAL DEST TOTALS (UNLOADING) CU:28.0	185			
=====							
MARKS & ANNOTATIONS:							
REMINGTON ARMS INC (DUTY PHONE (315) 894-9961 AV- , NON-DUTY PHONE (757) 878-5006) AND CONSIGNOR TRANSPORTATION OFFICE (DUTY PHONE (502) 798-7154 AV- , NON-DUTY PHONE (502) 798-9793) IMMEDIATELY IF SHIPMENT IS DELAYED EN ROUTE BECAUSE OF AN ACCIDENT OR INCIDENT. IF NEITHER CAN BE REACHED, CONTACT MTMC EASTERN AREA AT HOTLINE (800) 524-0331. USE HOTLINE NUMBER TO OBTAIN SAFE HAVEN OR REFUGE INSTRUCTIONS IN THE EVENT OF A CIVIL DISORDER, NATURAL DISASTER, CARRIER STRIKE OR OTHER EMERGENCY.							
(337) SATELLITE MOTOR SURVEILLANCE SERVICE (SM) REQUESTED. IN EVENT OF SYSTEM FAILURE, DRIVER MUST IMMEDIATELY NOTIFY THE MOTOR CARRIER'S DISPATCHER WHO WILL IMMEDIATELY NOTIFY DTTS AT 1-(800)-826-0794. THE DRIVER MUST SUBSEQUENTLY PROVIDE DTTS A TELEPHONIC LOCATION/STATUS REPORT EVERY FOUR (4) HOURS, WITH A FINAL TELEPHONIC REPORT UPON DELIVERY AT DESTINATION.							
(339) DROMEDARY SERVICE REQUESTED.							
(367) THIS SHIPMENT MUST NOT BE TRANSPORTED IN TRIP-LEASED EQUIPMENT.							
THIS IS A DTTS SHIPMENT!							
=====							
BLOCK 24 EQUIPMENT DESCRIPTION CONT.:							
TRACTOR: 695							

*Show also cubic measurements for shipments via air,
truck or water carrier in cases where required.

1112-114

WHITE

STANDARD FORM 1112, (REV. 4-85)
PRESCRIBED BY GSA, FPMR(41 CFR) 101-41.3

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - M24 0109484 09220

SIGNATURE AND RECORD				FORM APPROVED OMB No. 0702-0027 Expires Oct 31, 1988	
DISTRIBUTION ACTIONS					
* The SHIPPER will prepare copies 1 through 4, retain copy 4 and deliver copies 1 through 3 to the Origin Carrier. * The CARRIER will deliver copies 1 through 3 to the Destination Carrier. * The DESTINATION CARRIER will attach copy 1 (reflecting all signatures) and Standard Form 1113 (Public Voucher for Transportation Charges) to the original Government Bill of Lading, and forward for payment. Copy 2 will be delivered to the Consignee. Copy 3 will be retained. * The CONSIGNEE will ensure Destination Carrier surrenders copy 2.					
SECTION A - To be completed by the SHIPPER					
1. SHIPPER		2. PROTECTIVE SERVICE REQUESTED			
a. NAME FORT CAMPBELL KY W34GNA		DN DUAL DRIVER PROTECTIVE SERVICE WITH NAC SM DTTS SATELLITE MOTOR SURVEILLANCE SERVICE			
b. ORIGIN TRANSPORTATION OFFICER FORT CAMPBELL KY ATTN: AFZB-DL-TO, BLDG 873 FORT CAMPBELL, KY 42223-1294		3. GBL OR CBL NUMBER G-6579828			
4. CONSIGNEE		5. PERMIT NUMBER (if any)			
a. NAME REMINGTON ARMS CO CMAH2W					
b. DESTINATION REMINGTON ARMS CO., INC. 14 HOEFER AVENUE ILION, NY 13357		6. TRANSPORTATION CONTROL NUMBER (FAAT-01-7232005 -01) W36QY771950001XXX			
7. ROUTING BOYLE, T F TRANSPORTATION, INC		8. WEIGHT 185 POUNDS		9. CUBE 28.0	
10. SPECIAL INSTRUCTIONS		11. DATE SHIPMENT TENDERED TO CARRIER		12. NAME OF CARRIER BYLE	
13. NUMBER OF PIECES 1	14. TYPE OF PACKAGE(S) (For unsealed loads only) OR CONVEYANCE IDENTIFICATION & SEAL NUMBERS (for sealed loads only) BYLE 4813 1011205		15. FREIGHT CLASSIFICATION DESCRIPTION 999913 FAK. (SEE MFTRP 1A FOR CARGO LIABILITY)		
SECTION B - To be completed by each person accepting custody of classified or protected material requiring the use of transportation protective service during transit.					
16. CUSTODY RECORD					
a. PRINT NAME OF PERSON AND COMPANY REPRESENTED	b. STATION INTERCHANGE POINT DESTINATION	c. SIGNATURE OF PERSON ACCEPTING CUSTODY	d. TIME ACCEPTED	e. DATE ACCEPTED	
Read Barrett	fort Campbell KY	Read Barrett	9:00	8/27/97	
Rock Pool	Fort Campbell KY	Rock Pool	9:00	8/27/97	
Dan O'Connor	Bloomfield IN	Dan O'Connor	15:00	8/27/97	
Alan Starker	Bloomfield IN	Alan Starker	1900	8/28/97	
James Wagner	Bloomfield IN	James Wagner	1900	8/28/97	
Tom Carney B14	Billerica MA	Tom Carney	0100	8/30/97	
G.M. Gorgis Byle	Billerica Ma.	G.M. Gorgis	2200	9/1/97	
D.R. Mayo II	" "	D.R. Mayo	2200	9/1/97	
Donna O'Connor	Bloomfield, IN	D.O.C.	07:30	9/3/97	
Shelba Akers	Bloomfield, In.	Shelba Akers	0900	9-5-97	
Walter Akers	" "	Walter Akers	0900	9-5-97	

DD FORM 1907, FEB 86

Previous editions are obsolete

PAGE 1

Consignee - Copy 2

DR. P. HANCOCK	BILLERICA MA	Dr. P. Hancock	0230	9-15-97
Terry Heine	BillERICA MA	for	0230	9-15-97
GARY GREIG	ILION N.Y.	Ray Greig	10:04 AM	9-15-97

NO ONE G...
 NI K...
 NI K...
 AM K...
 AW A...
 " "
 I...
 I...
 " "

BOYLE		15 RIVERHURST RD BILLERICA, MA 01821-3497 CALL 800-343-2004		Boyle Tracking Number (Driver Use Only)							
Government? ☐ Yes ☐ No	Bill of Lading Number 64579825	Date Shipped 082797									
Shipper (Origin) Contact Name MRS WRIGHT		Phone Number (508) 798-5478		Consignee (Destination) Contact Name FRED MARTIN				Phone Number (315) 894-9941			
Company (Government Facility) FORT CAMPBELL		Account (GBLOC)		Company (Government Facility) REMINGTON ARMS COMPANY				Account (GBLOC)			
Street Address BUILDING 5210 KANSAS AVENUE GBLOC F				Exact Street Address (We Cannot Deliver to P.O. Boxes) HOFFLER AVE							
City FT CAMPBELL	State/Province KY	ZIP/Postal Code 42223-1994		City ILION	State/Province NY	ZIP Required 13357					
PAYMENT 1. ☐ Bill Shipper (Prepaid) ☒ Bill 3rd Party: 2. ☐ Bill Consignee (Collect)				Shipper's Reference Information							
SERVICES (Check services required) ☐ Chains & Binders (CB) ☐ Exclusive Use of Vehicle (EU) ☐ Expedited Service (EX) Delivery by: / / ☐ Overdimensional Service (OD) <u>L x W x H</u> ☐ Pickup & Delivery on Sat, Sun or Holiday (PD) ☐ Other: Security Services (Use Signature & Tally Sheet) ☐ Constant Surveillance Service (CS) ☐ Dual Driver Protection Service (DD) ☒ DD with National Agency Check (DN) ☐ Motor Surveillance Service (MS) ☐ Protective Security Service (PS) ☒ Satellite Motor Surveillance Service (SM)				SHIPMENT INFORMATION Does this shipment contain Hazardous Materials? ☒ No ☐ Yes (As per attached Shipper's Declaration) INSTRUCTIONS				PIECES 1 Total 1		WEIGHT Pounds Only 185 Total 185	
Date/Time Received 9-15-97		Driver's Name JL/Dm		Time Arrived 9 40		Time Released					
Received by (Signature): X Sam Brue				First Initial, Last Name (Please Print)							

DESTINATION COPY

1		2		3		4		5		6		7		8		9		10		11		12		13		14		15		16		17		18		19		20		21		22		23		24		25		26		27		28		29		30		31		32		33		34		35		36		37		38		39		40		41		42		43		44		45		46		47		48		49		50		51		52		53		54		55		56		57		58		59		60		61		62		63		64		65		66		67		68		69		70		71		72		73		74		75		76		77		78		79		80	
DOC. IDENT.		RI FROM		M AS		STOCK NUMBER		FSC		NIN		ADD		U N I T		QUANTITY		DOCUMENT NUMBER		REQUISITIONER		DATE		SERIAL		SUPPLEMENTARY ADDRESS		S I G N A L		F U N D		DISTRIBUTION		PROJ-ECT		P R I - V		R E Q D DEL DATE		A D V I C E		RI		UNIT PRICE		DOLLARS		CTS.																																																																																																															
45A AW3						1005-01-240-2136								EAD00002		W36QY7-7195-0001		QNAH2W MGA																																5145.00																																																																																																													
SHIPPED FROM CONSOL PROPERTY ACCOUNT FT CAMPBELL, KY 42223-5000														SHIP TO REMINGTON ARMS CO, INC. 14 HOFPLER AVENUE JLTON, N.Y. 13357-1826														MARK FOR				PROJECT										TOTAL PRICE		DOLLARS		CTS.																																																																																																																	
WAREHOUSE LOCATION														TYPE OF CARGO		UNIT PACK		UNIT WEIGHT		UNIT CUBE		UFC		NMFC		FREIGHT RATE		DOCUMENT DATE		MAT COND		QUANTITY																																																																																																																															
F														G		H		I		J		K		L		M		N		O		P		Q		R		S																																																																																																																									
SUBSTITUTE DATA (ITEM ORIGINALLY REQUESTED)														FREIGHT CLASSIFICATION NOMENCLATURE																																																																																																																																																	
T														U																																																																																																																																																	
W														ITEM NOMENCLATURE RIFLE, SNIPER M24 SWS														SER NR: C6349164, C6225595																																																																																																																																			
SELECTED BY AND DATE														TYPE OF CONTAINER(S)														TOTAL WEIGHT														RECEIVED BY AND DATE														INSPECTED BY AND DATE																																																																																																							
1														2														3														7														8																																																																																																							
PACKED BY AND DATE														NO. OF CONTAINER(S)														TOTAL CUBE														WAREHOUSED BY AND DATE														WAREHOUSE LOCATION																																																																																																							
4														5														6														9														10																																																																																																							
REMARKS: RETURNED FOR REPAIR. PLEASE RETURN WEAPON TO TRANS OFFICER, CRP, BLDG 5207, FT CAMPBELL, KY 42223-5565																																																																																																																																																															
FIRST DESTINATION ADDRESS														DATE SHIPPED																																																																																																																																																	
11														12														FF														GG																																																																																																																					
13 TRANSPORTATION CHARGEABLE TO														14 B/LADING, AWB, OR RECEIVER'S SIGNATURE (AND DATE)														15 RECEIVER'S DOCUMENT NUMBER																																																																																																																																			

DD Form 1348-1, JUL 91

PREVIOUS EDITION MAY BE USED

DOD SINGLE LINE ITEM RELEASE/RECEIPT DOCUMENT