

E 6413442

Serial Number Inquiry

Serial Number:

Production Status:

Model ID: Produced Loc:

Material Nbr: Date Produced:

Description:

BATF History

Date	Activity	Loc	ShipTo Name	ShipTo Zip	ShipTo FFL	ShipTo Cust	Carrier	Delv Note
6/29/00 8:02:13 AM	SHIP	ILN	FULL METAL S.A.	99999		X352850	UPSC	0080604230

Production History Location:

Date	Activity	UserID	Desc1	Desc2
------	----------	--------	-------	-------

Start | Inbox | Part 5 | Nagle | Explor... | Micro... | Arms | Ser... | Prints... | 3:25 PM

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # e6413442
20 Jun 2000

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: -.0424
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: -.0948
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .10385

THE AMR FOR THIS RIFLE IS: 1.15

CENTROIDAL DISTANCES

0 TO 1	.207118
1 TO 2	.0600083
1 TO 3	.258699
1 TO 4	.842912
1 TO 5	.530232

12
3 + <----POA
5
4

PATTERN #: ☐ 1 ☐

POA TO CENTROID: .207

MIN RADIUS : .251

MEAN RADIUS : 1.125

MAX RADIUS : 2.072


CENTROID X : -.007

CENTROID Y : .207

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6413442

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 2.16

1

VS= 3.26

3

GS= 3.68

8

PATTERN #: ☐ 2 ☐

POA TO CENTROID: .189

MIN RADIUS : .152

MEAN RADIUS : 1.026

MAX RADIUS : 1.773


CENTROID X : .048

CENTROID Y : .183

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6413442

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 3.47

2

VS= 2.13

5

GS= 3.52

8

PATTERN #: ☐ 3 ☐

POA TO CENTROID: .205

MIN RADIUS : .250

MEAN RADIUS : 1.096

MAX RADIUS : 1.580


CENTROID X : -.202

CENTROID Y : .037

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6413442

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 2.76

2

VS= 3.07

4

GS= 3.08

8

PATTERN #: ☐ 4 ☐

POA TO CENTROID: .640

MIN RADIUS : .642

MEAN RADIUS : 1.179

MAX RADIUS : 2.233


CENTROID X : .161

CENTROID Y : -.619

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6413442

CENTERFIRE PATTERN # 4



OF SHOTS= 10

IN CIRCLE

HS= 2.12

0

VS= 3.11

5

GS= 3.54

8

PATTERN #: ☐ 5 ☐

POA TO CENTROID: .352

MIN RADIUS : .016

MEAN RADIUS : 1.325

MAX RADIUS : 2.826


CENTROID X : -.212

CENTROID Y : -.282

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6413442

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 2.80

1

VS= 4.41

3

GS= 4.42

6